

WEEK 6(ONLY PRACTISE PROBLEMS WERE GIVEN)

MATRIX TRANSPOSE:

CODE

```
import java.util.Scanner;

public class MatrixTrans
{
    public static void main(String args[])
    {
        int i,j,m,n;

        Scanner sc=new Scanner(System.in);

        System.out.println("Enter the order of matrix (mxn):");

        m=sc.nextInt();

        n=sc.nextInt();

        int[][]a=new int[m][n];

        System.out.println("Enter the matrix:");

        for(i=0;i<m;i++)
        {
            System.out.println("Enter row "+(i+1));

            for(j=0;j<n;j++)
            {
                a[i][j]=sc.nextInt();
            }
        }
    }
}
```

```

        System.out.println("Before Transpose:");

        for(i=0;i<m;i++)
        {
            for(j=0;j<n;j++)
            {
                System.out.print(a[i][j]+" ");
            }

            System.out.println("");
        }

        System.out.println("After Transpose:");

        for(i=0;i<n;i++)
        {
            for(j=0;j<m;j++)
            {
                System.out.print(a[j][i]+" ");
            }

            System.out.println("");
        }

    }
}

```

OUTPUT

```
Enter the order of matrix (mxn):
2
3
Enter the matrix:
Enter row 1
1
2
3
Enter row 2
4
5
6
Before Transpose:
1 2 3
4 5 6
After Transpose:
1 4
2 5
3 6
```

CIRCLE:

```
import java.util.Scanner;

class CircleDemo
{
    double radius;

    double area;

    double circum;

    void getData()
    {
        System.out.println("Enter radius:");

        Scanner sc=new Scanner(System.in);

        radius=sc.nextDouble();
    }

    void calc_area()
    {
```

```

        area=3.14*radius*radius;
    }
    void calc_circum()
    {
        circum=2*3.14*radius;
    }
    void display()
    {
        System.out.println("Radius : "+radius+"\nArea : "+area+"\nCircumference : "+circum);
    }

    public static void main(String args[])
    {
        CircleDemo ob=new CircleDemo();

        ob.getData();

        ob.calc_area();

        ob.calc_circum();

        ob.display();
    }
}

```

OUTPUT

```

C:\Users\misaf\Desktop\OOJ-LAB>java CircleMain
Enter radius:
10
Radius : 10.0
Area : 314.0
Circumference : 62.800000000000004

```

ACTOR:

CODE

```
import java.util.Scanner;

class Actor
{
    int id;

    String name;

    int nmovies;

    int nexp;

    float avg;

    static float highavg;

    void getData()
    {
        System.out.println("Enter the id of actor:");

        Scanner sc=new Scanner(System.in);

        id=sc.nextInt();

        System.out.println("Enter name :");

        name=sc.next();

        System.out.println("Enter number of movies:");

        nmovies=sc.nextInt();

        System.out.println("Enter years of experience");

        nexp=sc.nextInt();
    }

    void calc()
    {
```

```
        avg=nmovies/nexp;  
    }  
  
}
```

```
public class ActorMain
```

```
{
```

```
    public static void main(String args[])
```

```
    {
```

```
        Scanner sc=new Scanner(System.in);
```

```
        System.out.println("Enter the number of actors:");
```

```
        int n,i;
```

```
        int p=-1;
```

```
        n=sc.nextInt();
```

```
        Actor[] obj=new Actor[n];
```

```
        Actor.highavg=0;
```

```
        for(i=0;i<n;i++)
```

```
        {
```

```
            obj[i]=new Actor();
```

```
            System.out.println("Enter details of actor" +(i+1));
```

```
            obj[i].getData();
```

```
            obj[i].calc();
```

```
            if(obj[i].avg>Actor.highavg)
```

```
            {
```

```
                Actor.highavg=obj[i].avg;
```

```
                p=i;
```

```
            }
```

```

        }

        System.out.println("Actor with the highest average is "+obj[p].name+" with the average of :
"+obj[p].avg);

    }
}

```

OUTPUT

```

C:\Users\misaf\Desktop\OOJ-LAB>java ActorMain
Enter the number of actors:
2
Enter details of actor1
Enter the id of actor:
1
Enter name :
jake
Enter number of movies:
10
Enter years of experience
3
Enter details of actor2
Enter the id of actor:
2
Enter name :
john
Enter number of movies:
30
Enter years of experience
25
Actor with the highest average is jake with the average of : 3.0

```

COMMAN LINE ARRAY:

CODE

```

import java.io.*;

public class CmdArray
{
    public static void main(String a[])
    {
        int n=5;
    }
}

```

```
double[] b=new double[n];

int i;

for(i=0;i<n;i++)

{

    b[i]=Double.parseDouble(a[i]);

}

System.out.println("The array is :");

for(i=0;i<n;i++)

{

    System.out.println(b[i]);

}

}
```

OUTPUT

```
C:\Users\misaf\Desktop\OOJ-LAB>java CmdArray 1.0 30 201 5.5 60
The array is :
1.0
30.0
201.0
5.5
60.0
```