

MA2201

Analysis II

Spring 2021

Satvik Saha
19MS154

*Indian Institute of Science Education and Research, Kolkata,
Mohanpur, West Bengal, 741246, India.*

1 Sequences and series of functions

Definition 1.1. Let the functions $f_n: X \rightarrow Y$ be defined for all $n \in \mathbb{N}$ and let the sequences $\{f_n(x)\}$ converge for all $x \in X$. Define the function $f: X \rightarrow Y$ as

$$f(x) = \lim_{n \rightarrow \infty} f_n(x)$$

for all $x \in X$. We call f the limit of $\{f_n\}$, or say that $\{f_n\}$ converges to f pointwise on X .

Example. Consider the functions $f_n: [0, 1] \rightarrow \mathbb{R}$, $x \mapsto x^n$. It can be shown that $x^n \rightarrow 0$ when $x \in [0, 1)$ and $x^n \rightarrow 1$ when $x = 1$. Thus, $f = \lim_{n \rightarrow \infty} f_n$ is well defined.

$$f(x) = \begin{cases} 0, & \text{if } 0 \leq x < 1 \\ 1, & \text{if } x = 1 \end{cases}.$$

Remark. Note that while each f_n is continuous in this example, the limit f is not.

Example. Consider the functions $f_n: \mathbb{R} \rightarrow \mathbb{R}$, $x \mapsto x/n$. We see that $f_n \rightarrow 0$. Note that 0 here denotes the zero function.

Definition 1.2. Let the functions $f_n: X \rightarrow Y$ be defined for all $n \in \mathbb{N}$ and let the sums $\{\sum f_n(x)\}$ converge for all $x \in X$. Define the function $f: X \rightarrow Y$ as

$$f(x) = \sum_{n=1}^{\infty} f_n(x)$$

for all $x \in X$. We call f the sum of the series $\sum f_n$.

Example. Consider the functions $f_n: (0, 1) \rightarrow \mathbb{R}$, $x \mapsto x^n$. Note that the sum

$$\sum_{n=1}^{\infty} x^n = x + x^2 + x^3 + \cdots = \frac{x}{1-x}$$

does indeed converge for all $x \in (0, 1)$. Thus, the sum $f = \sum f_n$ is well defined.

$$f(x) = \frac{x}{1-x}.$$