

```

public class Example {
    public static void main(String[] args) {
        Book b1 = new Book();
        b1.setTitle("Head First Java");

        Book b2 = new Book();
        b2.setTitle("Spring in Action");

        System.out.println(b1.getTitle() + ", " + b1.getPrice());
        System.out.println(b2.getTitle() + ", " + b2.getPrice());
    }
}

javac Example.java ==> Example.class [ bytecode]


public class Book {
    private String title;
    private double price;

    public void setTitle(String t) {
        this.title = t;
    }

    public String getTitle() {
        return this.title;
    }

    public double getPrice() {
        return this.price;
    }
}

```



```

public class Example {
    public static void main(String[] args) {
        Book b1 = new Book();
        b1.setTitle("Head First Java");

        Book b2 = new Book();
        b2.setTitle("Spring in Action");

        System.out.println(b1.getTitle() + ", " + b1.getPrice());
        System.out.println(b2.getTitle() + ", " + b2.getPrice());
    }
}

javac Example.java ==> Example.class [ bytecode]


public class Book {
    private String title;
    private double price;

    public void setTitle(String t) {
        this.title = t;
    }

    public String getTitle() {
        return this.title;
    }

    public double getPrice() {
        return this.price;
    }
}

```



```

public class Example {
    public static void main(String[] args) {
        Book b1 = new Book();
        b1.setTitle("Head First Java");

        Book b2 = new Book();
        b2.setTitle("Spring in Action");

        System.out.println(b1.getTitle() + ", " + b1.getPrice());
        System.out.println(b2.getTitle() + ", " + b2.getPrice());
    }
}

javac Example.java ==> Example.class [ bytecode]


public class Book {
    private String title;
    private double price;

    public void setTitle(String t) {
        this.title = t;
    }

    public String getTitle() {
        return this.title;
    }

    public double getPrice() {
        return this.price;
    }
}

```



```

public class Example {
    public static void main(String[] args) {
        Book b1 = new Book();
        b1.setTitle("Head First Java"); ①
        b1.setPrice(10.0);

        Book b2 = new Book();
        b2.setTitle("Spring in Action");

        System.out.println(b1.getTitle() + ", " + b1.getPrice());
        System.out.println(b2.getTitle() + ", " + b2.getPrice());
    }
}

javac Example.java ==> Example.class [ bytecode]

public class Book {
    private String title;
    private double price;


    public void setTitle(String t) {
        this.title = t;
    }

    public String getTitle() {
        return this.title;
    }

    public void setPrice(double p) {
        this.price = p;
    }

    public double getPrice() {
        return this.price;
    }
}

```



```

public class Example {
    public static void main(String[] args) {
        Book b1 = new Book();
        b1.setTitle("Head First Java");

        Book b2 = new Book();
        b2.setTitle("Spring in Action");

        System.out.println(b1.getTitle() + ", " + b1.getPrice());
        System.out.println(b2.getTitle() + ", " + b2.getPrice());
    }
}

javac Example.java ==> Example.class [ bytecode]

public class Book {
    private String title;
    private double price;


    public void setTitle(String t) {
        this.title = t;
    }

    public String getTitle() {
        return this.title;
    }

    public void setPrice(double p) {
        this.price = p;
    }

    public double getPrice() {
        return this.price;
    }
}

```



```

public class Example {
    public static void main(String[] args) {
        Book b1 = new Book();
        b1.setTitle("Head First Java");

        Book b2 = new Book();
        b2.setTitle("Spring in Action");

        System.out.println(b1.getTitle() + ", " + b1.getPrice());
        System.out.println(b2.getTitle() + ", " + b2.getPrice());
    }
}

javac Example.java ==> Example.class [ bytecode]

public class Book {
    private String title;
    private double price;


    public void setTitle(String t) {
        this.title = t;
    }

    public String getTitle() {
        return this.title;
    }

    public double getPrice() {
        return this.price;
    }
}

```

java Example




Stack

①

0

1

2



java Example


②

9800

Heap

③

Headers  
state



title

price

④

→

title

price