

Query the list of *CITY* names from **STATION** that *do not start* with vowels.
Your result cannot contain duplicates.

Input Format

The **STATION** table is described as follows:

STATION

Field	Type
ID	NUMBER
CITY	VARCHAR2(21)
STATE	VARCHAR2(2)
LAT_N	NUMBER
LONG_W	NUMBER

✓ Test case 0

Compiler Message

Success

Input (stdin)

Download

1 **INPUT**

Expected Output

Download

1 **Baileyville**
2 **Bainbridge**
3 **Baker**
4 **Baldwin**
5 **Barrigada**
6 **Bass Harbor**

Query the list of *CITY* names from **STATION** that *do not end* with vowels.
Your result cannot contain duplicates.

Input Format

The **STATION** table is described as follows:

STATION

Field	Type
ID	NUMBER
CITY	VARCHAR2(21)
STATE	VARCHAR2(2)
LAT_N	NUMBER
LONG_W	NUMBER

✓ Test case 0

Compiler Message

Success

Input (stdin)

[Download](#)

1 **INPUT**

Expected Output

[Download](#)

1 **Addison**
2 **Agency**
3 **Alanson**
4 **Albany**
5 **Albion**

Query the list of *CITY* names from **STATION** that either do not start with vowels or do not end with vowels. Your result cannot contain duplicates.

Input Format

The **STATION** table is described as follows:

STATION	
Field	Type
ID	NUMBER
CITY	VARCHAR2(21)
STATE	VARCHAR2(2)
LAT_N	NUMBER
LONG_W	NUMBER

✓ Test case 0

Compiler Message

Success

Input (stdin)

Download

1 INPUT

Expected Output

Download

1 Addison
2 Agency
3 Alanson
4 Albany
5 Albion