

# testcase1\_parquet\_parquet\_mismatch

## schema comparison

### 1. Run Summary

Application Name	:etl_pipeline_goldlayer
Protocol Name	:DATFDemo
Protocol File Path	:/Workspace/Shared/QE_ATF_Enhanced_03/datf_core/test/testprotocol/traversedtestprotocol_schema_loman.xlsx
Testcase Name	:testcase1_parquet_parquet_mismatch
Testcase Type	:schema
Test Environment	:SIT
Start Time	:16-Apr-2025 09:22:46 UTC
End Time	:16-Apr-2025 09:25:26 UTC
Run Time	:0:02:39
Test Result	:Failed
Reason	:Content mismatched

### 2. Configuration Details

Compare Type	:s2tcompare
testquerygenerationmode	:Auto
Testcase Type	:schema
Source Connection Type	:aws-s3
Source Format	:parquet
Source Path	:file:/Workspace/Shared/QE_ATF_Enhanced_03/datf_core/test/data/source/patients_source_parquet
Target Connection Type	:aws-s3
Target Format	:parquet
Target Path	:file:/Workspace/Shared/QE_ATF_Enhanced_03/datf_core/test/data/target/patients_target_parquet_mismatch
S2T Path	:test/s2t/s2t_1_parquet_parquet_mismatch.xlsx
Primary Keys	:id

### 3. Schema Summary

Test Result	:Failed
No. of matched columns	:12
No. of columns compared	:10
No. of cols in Source but not in Target	:0
No. of cols in Target but not in Source	:0
No. of rows in Source	:50
No. of distinct rows in Source	:50
No. of duplicate rows in Source	:0
No. of rows in Target	:50
No. of distinct rows in Target	:25
No. of duplicate rows in Target	:25
No. of matched rows	:0
No. of mismatched rows	:25
No. of rows in Source but not in Target	:25
No. of rows in Target but not in Source	:0

### 4. SQL Queries

#### 4.1 Source Query

select \* from s2tmappingsheet.schema where tabletype in ('source','target')

#### 4.2 Target Query

DESCRIBE parquetview union DESCRIBE parquetview

### 5. Sample Mismatches 5 rows

#### 5.1 Keys in source but not in target

S.No	Key Columns
1	tabletype=source, columnname= id
2	tabletype=source, columnname= LAST
3	tabletype=source, columnname= COUNTY
4	tabletype=source, columnname= RACE
5	tabletype=source, columnname= ETHNICITY

### 5.2 Keys in target but not in source

None

### 5.3 Keys having one or more unequal column values

S.No	Key Columns
1	tabletype=target, columnname= ADDRESS
2	tabletype=target, columnname= BIRTHDATE
3	tabletype=target, columnname= BIRTHPLACE
4	tabletype=target, columnname= CITY
5	tabletype=target, columnname= COUNTY

### 6. Columnwise Mismatch Summary

No. of rows in Source :50  
 No. of rows in Target :50

S.No	Source Column Name	Target Column Name	Rows in Source	Rows in Target	Rows with Common Keys	Rows Matched	Rows Mismatch
1	tablename	tablename	50	50	0	0	25
2	columnindex	columnindex	50	50	0	0	25
3	datatype	datatype	50	50	0	23	2
4	primarykey	primarykey	50	50	0	24	1

### 7. Columnwise Mismatch Details

#### 7.1 tablename

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= COUNTY	targetdata	dataview
2	tabletype=target, columnname= CITY	targetdata	dataview
3	tabletype=target, columnname= MAIDEN	targetdata	dataview
4	tabletype=target, columnname= LAST	targetdata	dataview
5	tabletype=target, columnname= LON	targetdata	dataview

#### 7.2 columnindex

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= COUNTY	20	
2	tabletype=target, columnname= CITY	18	
3	tabletype=target, columnname= MAIDEN	11	
4	tabletype=target, columnname= LAST	9	
5	tabletype=target, columnname= LON	23	

#### 7.3 datatype

S.No	Key Columns	Source value	Target value
------	-------------	--------------	--------------

1	tabletype=target, columnname= DEATHDATE	datetime	date
2	tabletype=target, columnname= BIRTHDATE	datetime	date

7.4 primarykey

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= id	Y	

testcase12\_parquet\_parquet\_mismatch\_manual

schema comparison

1. Run Summary

Application Name	:etl_pipeline_goldlayer
Protocol Name	:DATFDemo
Protocol File Path	:/Workspace/Shared/QE_ATF_Enhanced_03/datf_core/test/testprotocol/traversedtestprotocol_schema_loman.xlsx
Testcase Name	:testcase12_parquet_parquet_mismatch_manual
Testcase Type	:schema
Test Environment	:SIT
Start Time	:16-Apr-2025 09:25:52 UTC
End Time	:16-Apr-2025 09:28:46 UTC
Run Time	:0:02:54
Test Result	:Failed
Reason	:Content mismatched

2. Configuration Details

Compare Type	:likeobjectcompare
testquerygenerationmode	:Auto
Testcase Type	:schema
Source Connection Name	:RawS3Bucket
Source Connection Type	:aws-s3
Source Connection Value	:RawS3Bucket
Source Format	:parquet
Source Name	:patients_source_parquet
Source Path	:test/data/source
Target Connection Name	:CuratedS3Bucket
Target Connection Type	:aws-s3
Target Connection Value	:CuratedS3Bucket
Target Format	:parquet
Target Name	:patients_source_parquet
Target Path	:test/data/source
S2T Path	:test/s2t/s2t_1_parquet_parquet_mismatch.xlsx
Primary Keys	:id

3. Schema Summary

Test Result	:Failed
No. of matched columns	:12
No. of columns compared	:10
No. of cols in Source but not in Target	:0
No. of cols in Target but not in Source	:0
No. of rows in Source	:50
No. of distinct rows in Source	:50
No. of duplicate rows in Source	:0
No. of rows in Target	:50
No. of distinct rows in Target	:25
No. of duplicate rows in Target	:25
No. of matched rows	:0
No. of mismatched rows	:25
No. of rows in Source but not in Target	:25
No. of rows in Target but not in Source	:0

4. SQL Queries

4.1 Source Query

select \* from s2tmappingsheet.schema where tabletype in ('source','target')

4.2 Target Query

DESCRIBE parquetview union DESCRIBE parquetview

5. Sample Mismatches 8 rows

5.1 Keys in source but not in target

S.No	Key Columns
1	tabletype=source, columnname= id
2	tabletype=source, columnname= LAST
3	tabletype=source, columnname= COUNTY
4	tabletype=source, columnname= RACE
5	tabletype=source, columnname= ETHNICITY
6	tabletype=source, columnname= BIRTHPLACE
7	tabletype=source, columnname= HEALTHCARE_COVERAGE
8	tabletype=source, columnname= SUFFIX

5.2 Keys in target but not in source

None

5.3 Keys having one or more unequal column values

S.No	Key Columns
1	tabletype=target, columnname= ADDRESS
2	tabletype=target, columnname= BIRTHDATE
3	tabletype=target, columnname= BIRTHPLACE
4	tabletype=target, columnname= CITY
5	tabletype=target, columnname= COUNTY
6	tabletype=target, columnname= DEATHDATE
7	tabletype=target, columnname= DRIVERS
8	tabletype=target, columnname= ETHNICITY

6. Columnwise Mismatch Summary

No. of rows in Source :50  
No. of rows in Target :50

S.No	Source Column Name	Target Column Name	Rows in Source	Rows in Target	Rows with Common Keys	Rows Matched	Rows Mismatch
1	tablename	tablename	50	50	0	0	25
2	columnindex	columnindex	50	50	0	0	25
3	datatype	datatype	50	50	0	23	2
4	primarykey	primarykey	50	50	0	24	1

7. Columnwise Mismatch Details

7.1 tablename

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= COUNTY	targetdata	rawpatients
2	tabletype=target, columnname= MAIDEN	targetdata	rawpatients
3	tabletype=target, columnname= CITY	targetdata	rawpatients
4	tabletype=target, columnname= LAST	targetdata	rawpatients
5	tabletype=target, columnname= LON	targetdata	rawpatients
6	tabletype=target, columnname= GENDER	targetdata	rawpatients
7	tabletype=target, columnname= STATE	targetdata	rawpatients
8	tabletype=target, columnname= LAT	targetdata	rawpatients

7.2 columnindex

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= COUNTY	20	
2	tabletype=target, columnname= CITY	18	
3	tabletype=target, columnname= MAIDEN	11	
4	tabletype=target, columnname= LAST	9	
5	tabletype=target, columnname= LON	23	
6	tabletype=target, columnname= GENDER	15	
7	tabletype=target, columnname= STATE	19	
8	tabletype=target, columnname= LAT	22	

7.3 datatype

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= DEATHDATE	datetime	date
2	tabletype=target, columnname= BIRTHDATE	datetime	date

7.4 primarykey

S.No	Key Columns	Source value	Target value
1	tabletype=target, columnname= id	Y	