

# Azure Terraform Modules

---

Create the **azure-modules** directory.

---

## Resource Group Module

Let's start with Resource Group Module.

1. Create *resource-group* folder inside the above-created directory.
  2. Inside *resource-group* folder, create *main.tf* file.
  3. Define the following resources:
    - `azurerm_resource_group`
  4. Click [code](#) for reference.
  5. The definition of *main.tf* file has been completed.
  6. Now we will create *variables.tf* file for declaring variables.
  7. Inside it, declare the following variables:
    - `resource-group-properties`
  8. Click [code](#) for reference.
  9. We have completed defining the **Resource Group Module**.
- 

## VNet Module

Now, let's create Virtual Network module.

1. Create *vnet* folder inside the above-created directory.
  2. Inside *vnet* folder, create *main.tf* file.
  3. Define the following resources:
    - `azurerm_virtual_network`
  4. Click [code](#) for reference.
  5. The definition of *main.tf* file is completed.
  6. Now we will create *variables.tf* file for declaring variables.
  7. Inside it, declare the following variables:
    - `virtual-network-properties`
    - `resource-group-properties`
  8. Click [code](#) for reference.
  9. We have completed declaring *variables.tf* file for the *VNet module*.
  10. Now we will declare outputs for the *VNet module*.
  11. Create *outputs.tf* file and add the following outputs:
    - `azurerm_virtual_network.vnet.id`
    - `azurerm_virtual_network.vnet.name`
  12. Click [code](#) for reference.
  13. Now we have completed defining the **VNet Module**.
- 

## MySQL Flexible Module

For database, we will use Azure MySQL Flexible.

1. Create *mysql-flexible* folder inside the *azure-modules* directory.
  2. Inside *mysql-flexible* folder, create *main.tf* file and define the following resources:
    - `azurerm_subnet`
    - `azurerm_private_dns_zone`
    - `azurerm_private_dns_zone_virtual_network_link`
    - `azurerm_mysql_flexible_server`
    - `azurerm_mysql_flexible_database`
  3. Click [code](#) for reference.
  4. The definition of *main.tf* file is complete.
  5. Now we will create *variables.tf* file.
  6. Inside *variables.tf* file, declare the following variables:
    - `mysql-properties`
    - `resource-group-properties`
    - `vnet-id`
    - `vnet-name`
  7. Click [code](#) for reference.
  8. Variables have been declared, now we will define the outputs.
    - `DB_HOST`
    - `bastion-host-ip`
  9. Click [code](#) for reference.
  10. We have completed defining the **MySQL Flexible Module**.
- 

## Container Apps Module

Let's start with Container Apps Module.

1. Create *container-apps* folder in the above-created *azure-modules* directory.
  2. Inside it, create *main.tf* file and define the following resources;
    - `azurerm_subnet`
    - `azurerm_log_analytics_workspace`
    - `azurerm_container_app_environment`
    - `azurerm_container_app`
  3. Click [code](#) for reference.
  4. The definition of *main.tf* file for *Container Apps* is complete.
  5. Now create *variables.tf* file and declare the following variables:
    - `container-app-properties`
    - `resource-group-properties`
    - `vnet-name`
  6. Click [code](#) for reference.
  7. The definition of **Container Apps Module** is complete.
- 

## AKS Module

Let's start with the AKS Module.

1. Create the *aks* folder in the *azure-modules* directory.
  2. Inside it, create *main.tf* file and define the following resources:
    - `azurerm_subnet`
    - `azurerm_kubernetes_cluster`
  3. Click [code](#) for reference.
  4. The *main.tf* file for AKS has been defined.
  5. Now we will create *variables.tf* file and declare the following variables:
    - `aks-properties`
    - `resource-group-properties`
    - `vnet-name`
  6. Click [code](#) for reference.
  7. We have completed defining the **AKS Module**.
-