

006-Sensitivity Analysis of One Paramter

Central Limit Theorem

May 14, 2019

Abstract

Often in statistics, we are required to perform sensitivity analyses to see the effect of parameters on inference. Here I provide a simple illustration of performing such a task in an efficient and reproducible way using the function `knitr::knit_expand` (Xie, 2015, 2013, 2014). We use the demonstration of the Central Limit Theorem (CLT) in action (Joseph, 2010) as an example.

Contents


1	Lawrence Joseph's Trip to Purvis Hall	2
2	Proof of CLT in Action with R and <code>knitr::knit_expand</code>	3
2.1	<code>n = 10</code>	4
2.2	<code>n = 110</code>	5
2.3	<code>n = 210</code>	6
2.4	<code>n = 310</code>	7
2.5	<code>n = 410</code>	8
2.6	<code>n = 510</code>	9
2.7	<code>n = 610</code>	10
2.8	<code>n = 710</code>	11
2.9	<code>n = 810</code>	12
2.10	<code>n = 910</code>	13
2.11	<code>n = 1010</code>	14
2.12	<code>n = 1110</code>	15
2.13	<code>n = 1210</code>	16
2.14	<code>n = 1310</code>	17
2.15	<code>n = 1410</code>	18
2.16	<code>n = 1510</code>	19
2.17	<code>n = 1610</code>	20
2.18	<code>n = 1710</code>	21
2.19	<code>n = 1810</code>	22

2.20 $n = 1910$	23
2.21 $n = 2010$	24


A Session Information 26


1 Lawrence Joseph's Trip to Purvis Hall


CENTRAL LIMIT THEOREM *IN ACTION*





2 Proof of CLT in Action with R and knitr::knit_expand


2.1 $n = 10$ Figure 1: CLT in Action with $n = 10$


2.2 $n = 110$ Figure 2: CLT in Action with $n = 110$


2.3 $n = 210$ Figure 3: CLT in Action with $n = 210$


2.4 $n = 310$ Figure 4: CLT in Action with $n = 310$


2.5 $n = 410$ Figure 5: CLT in Action with $n = 410$


2.6 $n = 510$ Figure 6: CLT in Action with $n = 510$


2.7 $n = 610$ Figure 7: CLT in Action with $n = 610$


2.8 $n = 710$ Figure 8: CLT in Action with $n = 710$


2.9 $n = 810$ Figure 9: CLT in Action with $n = 810$


2.10 $n = 910$ Figure 10: CLT in Action with $n = 910$


2.11 $n = 1010$ Figure 11: CLT in Action with $n = 1010$


2.12 $n = 1110$ Figure 12: CLT in Action with $n = 1110$


2.13 $n = 1210$ Figure 13: CLT in Action with $n = 1210$


2.14 $n = 1310$ Figure 14: CLT in Action with $n = 1310$


2.15 $n = 1410$ Figure 15: CLT in Action with $n = 1410$


2.16 $n = 1510$ Figure 16: CLT in Action with $n = 1510$

2.17 $n = 1610$ Figure 17: CLT in Action with $n = 1610$

2.18 $n = 1710$ Figure 18: CLT in Action with $n = 1710$

2.19 $n = 1810$ Figure 19: CLT in Action with $n = 1810$

2.20 $n = 1910$ Figure 20: CLT in Action with $n = 1910$

2.21 $n = 2010$ Figure 21: CLT in Action with $n = 2010$

References

- Lawrence Joseph. *Principles of Inferential Statistics in Medicine*, 2010. URL <http://www.medicine.mcgill.ca/epidemiology/Joseph/courses/EPIB-607/notes.pdf>. EPIB 607. 1
- Yihui Xie. *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2013. URL <http://yihui.name/knitr/>. ISBN 978-1482203530. 1
- Yihui Xie. knitr: A comprehensive tool for reproducible research in R. In Victoria Stodden, Friedrich Leisch, and Roger D. Peng, editors, *Implementing Reproducible Computational Research*. Chapman and Hall/CRC, 2014. URL <http://www.crcpress.com/product/isbn/9781466561595>. ISBN 978-1466561595. 1

Yihui Xie. *knitr: A General-Purpose Package for Dynamic Report Generation in R*, 2015. URL <http://yihui.name/knitr/>. R package version 1.10.5. 1

A Session Information

```
print(sessionInfo(), locale = FALSE)

## R version 3.6.0 (2019-04-26)
## Platform: x86_64-pc-linux-gnu (64-bit)
## Running under: Pop!_OS 18.10
##
## Matrix products: default
## BLAS:   /usr/lib/x86_64-linux-gnu/blas/libblas.so.3.8.0
## LAPACK: /usr/lib/x86_64-linux-gnu/lapack/liblapack.so.3.8.0
##
## attached base packages:
## [1] stats      graphics  grDevices  utils      datasets
## [6] methods    base
##
## other attached packages:
## [1] here_0.1      pacman_0.5.0 knitr_1.22
##
## loaded via a namespace (and not attached):
## [1] compiler_3.6.0  backports_1.1.3 magrittr_1.5
## [4] rprojroot_1.3-2 formatR_1.6      tools_3.6.0
## [7] stringi_1.4.3   stringr_1.4.0   xfun_0.6
## [10] evaluate_0.13
```