



SQL IN Keyword

[◀ SQL Keywords](#)

IN

The **IN** command allows you to specify multiple values in a WHERE clause.

The IN operator is a shorthand for multiple OR conditions.

The following SQL selects all customers that are located in "Germany", "France" and "UK":

Example

[Get your own SQL Server](#)

```
SELECT * FROM Customers
WHERE Country IN ('Germany', 'France', 'UK');
```

[Try it Yourself »](#)

The following SQL selects all customers that are NOT located in "Germany", "France" or "UK":

Example

```
SELECT * FROM Customers
WHERE Country NOT IN ('Germany', 'France', 'UK');
```

[Try it Yourself »](#)

The following SQL selects all customers that are from the same countries as the suppliers:

Example

```
SELECT * FROM Customers
WHERE Country IN (SELECT Country FROM Suppliers);
```

[Try it Yourself »](#)[◀ SQL Keywords](#)

COLOR PICKER





Get certified
by completing
a SQL
course today!



Get started



Spaces

Upgrade

[Newsletter](#)[Get Certified](#)[Report Error](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)

JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.

