# Test Run Report



## **Test Run Overview**

Started 18 Oct 2021, 11:43:20 Ended 18 Oct 2021, 11:45:54

Duration (mm:ss) 02:33.228

# **Test Results Summary**





# **Test Case Summary**



# CustomAPI.testcase

## Output

- Get First Date Of Current Month: # date
  - ① Hello from customapis.GetFirstDateOfCurrentMonth

## EmailURL.testcase

## Output

- Subscribe: Gmail
  - Subscribing to a message source Gmail
  - ⑤ Subscribing to a Google Mail folder. Subscription Name: mail, User: shubham.saini@provartesting.com, Folder: INBOX
- Send Message: SendMail
  - (i) Sending Message from: SendMail
- Wait For: {mail.messageCount > 0}=>{30}
  - (i) Start of attempt 1.
  - Attempt 1
  - 1 The condition was not met sleeping for 30 seconds.
  - ① Received message for Google Mail subscription. Subscription Name: mail, connectionName: Gmail, message Id: 160, from: s6557230@gmail.com, subject: URL
  - (i) Start of attempt 2.
  - Attempt 2
  - (i) Wait ending because the condition has been met.
- Match: {mail.messages.bodyText}=>\b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~\_|!:,.:]\*)=>ExtractedURL
  - ① Compiling pattern. RegEx: \b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~\_|l:,.;]\*), caseInsensitive: false
  - ① Found match. Number: 1, Range: 147-177, Value: https://www.provartesting.com/
  - i End of matching. Match count: 1
  - (i) Stored matches. Result name: ExtractedURL

## Service.testcase

## Output

- Salesforce Connect: Admin (Test)
  - (i) Connecting to Salesforce as Admin
  - ⚠ Warning connected to Salesforce as Admin
- Call Sales
  - Sales
    - Salesforce Connect: Admin (Test)
      - (i) Connecting to Salesforce as Admin
      - (1) Re-using existing connection. Connection: Admin, Result Name: Admin
    - Set Values: LeadCompany
      - (i) Setting value LeadLastName to Sam MV3
      - Successfully set LeadLastName to Sam MV3
      - Setting value LeadCompany to abc MV7
      - Successfully set LeadCompany to abc MV7
    - Set Values: var.AccountName

- (1) Setting value var. AccountName to Sam Account MVK
- ① Successfully set var.AccountName to Sam Account MVK

## Set Values: var.ContactLName

- Setting value ContactSalutation to Mr.
- (i) Successfully set ContactSalutation to Mr.
- (i) Setting value var.ContactFName to First NOF
- (i) Successfully set var.ContactFName to First NOF
- Setting value var.ContactLName to Last NOG
- (i) Successfully set var.ContactLName to Last NOG

#### Set Values: FullName

- (i) Setting value FullName to First NOF Last NOG
- ① Successfully set FullName to First NOF Last NOG

## Set Values: OppName


- (i) Setting value OppName to New Opp NP9
- (i) Successfully set OppName to New Opp NP9

#### Create Object: Lead=>LeadId

- ① Creating a new Salesforce object. Connection Name: Admin, Name: Lead, field count: 2
- A Failed to connect to Master Lock Manager in timeout period assuming dead. Host: localhost, port: 52872
- Setting fields:
- i =Field=> Company = abc MV7
- i =Field=> LastName = Sam MV3
- Lead created successfully. Object Id: 00Q5g000008Gn47EAC, Result Name: LeadId
- ① Logging Salesforce Object Id for clean up. Object Name: Lead, id: 00Q5g000008Gn47EAC

#### On SF Lead All Open Leads list view

- (1) Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Lead&action=List&listView=AllOpenLeads
- (i) Opening Chrome webdriver instance to https://login.salesforce.com/
- ① Successfully opened Chrome webdriver to https://login.salesforce.com/
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Lead, RelatedList: null, Action: List, Page URL: /lightning/o/00Q/list?filterName=00B5g00000ROLjc, Current URL: chrome://new-tab-page/
- Opening Salesforce user home page
- Successfully opened user home page
- Going to update browser window handles.
- Successfully updated browser window handles.
- With Lead rows {Name = Sam MV3 AND Company = abc MV7}



\* \* \* \* \* \* \* \*

All ▼ Q Search Leads and more.

- ① Find element using xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'listViewContent') or contains(@class, 'listViewContainer')]/(tbody//tr
- (i) Waiting for element to be present. Timeout(seconds): 10
- (i) Populating webelement cells into the row Row Count: 17

Populated the row elements.

- ① Applying row locator to rows. Row Count: 17, Row Locator: {Name = \$LeadLastName AND Company = \$LeadCompany}
- The row locator did not match any rows.
- Going to update browser window handles.
- Successfully updated browser window handles.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- With Lead rows {Name = \$LeadLastName}
- One or more Sub-Test Steps failed.
- (i) Closing Page context. Name: screen, data: null, frame: null
- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provartesting36-dev-ed.lightning.force.com/lightning/o/Lead/list? filterName=00B5g00000ROLjc
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- 6 On SF Lead View screen
- On SF Lead Convert screen

- Read Object: Lead = {Id}
- On SF Account Home screen
- On SF Account View screen
- Read Object: Opportunity = {OpportunityId.Id}
- 6 On SF Opportunity Products related list
- On SF Opportunity Product Select Product screen
- On SF Opportunity Product Add Product screen
- On SF Opportunity Products related list
- Set Values: var.conld
- Write: {var}=>templates/writeworkbook.xlsx
- (1) Handling managed resource. Name: Admin
- (i) Salesforce Connection handled successfully. Name: Admin
- Salesforce Connect: Admin (Test)
- Read Excel
- On SF Case Home screen
- Set Values: CaseOrigin
- On SF Case New screen
- On SF Related Record (Case) component in Case view
- On SF Record Detail component in Case view
- On SF Account View screen
- On SF Record Detail component in Case view
- On SF Contact View screen
- Read Object: Case = {caseId}

## WebService.testcase

#### Output

- Web Connect: JsonAPI
  - ① Opening RestService connection Connection name: JsonAPI
  - ① Connecting to restservice. Address: https://jsonplaceholder.typicode.com/

Connection name: JsonAPI, ResultName: JsonAPI, resultScope: Test

- ① Connection details. Connection name: JsonAPI, urlString: restservice:url= https://jsonplaceholder.typicode.com/;authenticationType=NO\_AUTHENTICATION, url: https://jsonplaceholder.typicode.com/
- Web Request (REST): #GetRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=GET&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
  - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - (i) Parsing JSON response.
  - (i) REST Response stored successfully. Name: GetRestResponse
  - (i) Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PostRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=POST&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/
  - ① Sending body. Length: 85
  - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - Parsing JSON response.
  - REST Response stored successfully. Name: PostRestResponse
  - ① Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PutRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=PUT&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
  - Sending body. Length: 85

- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- (i) Parsing JSON response.
- ① REST Response stored successfully. Name: PutRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus