# Test Run Report




## **Test Run Overview**

Started 18 Oct 2021, 09:06:26 Ended 18 Oct 2021, 09:07:48

Duration (mm:ss) 01:22.034

# **Test Results Summary**





## **Test Case Summary**



# CustomAPI.testcase

#### Output

- Get First Date Of Current Month: # date
  - (i) Hello from customapis.GetFirstDateOfCurrentMonth

## EmailURL.testcase

#### Output

- Subscribe: Gmail
  - Subscribing to a message source Gmail
  - ⑤ Subscribing to a Google Mail folder. Subscription Name: mail, User: shubham.saini@provartesting.com, Folder: INBOX
- Send Message: SendMail
  - (i) Sending Message from: SendMail
- Wait For: {mail.messageCount > 0}=>{30}
  - (i) Start of attempt 1.
  - Attempt 1
  - 1 The condition was not met sleeping for 30 seconds.
  - ① Received message for Google Mail subscription. Subscription Name: mail, connectionName: Gmail, message Id: 148, from: s6557230@gmail.com, subject: URL
  - (i) Start of attempt 2.
  - Attempt 2
  - (i) Wait ending because the condition has been met.
- Match: {mail.messages.bodyText}=>\b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~\_|!:,.:]\*)=>ExtractedURL
  - ① Compiling pattern. RegEx: \b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=~\_|l:,.;]\*), caseInsensitive: false
  - 1 Found match. Number: 1, Range: 147-177, Value: https://www.provartesting.com/
  - i End of matching. Match count: 1
  - (i) Stored matches. Result name: ExtractedURL

## Service.testcase

### Output

- Salesforce Connect: Admin (Test)
  - (i) Connecting to Salesforce as Admin
  - Successfully connected to Salesforce as Admin
- Call Sales
  - Sales
    - Salesforce Connect: Admin (Test)
      - (i) Connecting to Salesforce as Admin
      - (1) Re-using existing connection. Connection: Admin, Result Name: Admin
    - Set Values: LeadCompany
      - (i) Setting value LeadLastName to Sam 8DK
      - (i) Successfully set LeadLastName to Sam 8DK
      - (i) Setting value LeadCompany to abc 8DK
      - Successfully set LeadCompany to abc 8DK
    - Set Values: var.AccountName

- (i) Setting value var. AccountName to Sam Account 8E0
- Successfully set var.AccountName to Sam Account 8E0
- Set Values: var.ContactLName
  - Setting value ContactSalutation to Mr.
  - Successfully set ContactSalutation to Mr.
  - (i) Setting value var.ContactFName to First 96Q
  - Successfully set var.ContactFName to First 96Q
  - (i) Setting value var.ContactLName to Last 96S
  - Successfully set var.ContactLName to Last 96S
- Set Values: FullName
  - (i) Setting value FullName to First 96Q Last 96S
  - (i) Successfully set FullName to First 96Q Last 96S
- Set Values: OppName
  - Setting value OppName to New Opp 97C
  - (i) Successfully set OppName to New Opp 97C
- Create Object: Lead=>LeadId
  - ① Creating a new Salesforce object. Connection Name: Admin, Name: Lead, field count: 2
  - A Failed to connect to Master Lock Manager assuming dead. Host: localhost, port: 59610, cause: Connection refused: no further information
  - 🕮 Loading Connection model Error loading the Lead object No Object metadata was returned by the Tooling API. Object: Lead
  - A Loading Connection model Error loading the Lead object No Object metadata was returned by the Tooling API. Object: Lead
  - A Loading Connection model Error loading the Lead object No Object metadata was returned by the Tooling API. Object: Lead
  - Error loading object definition. Object name: Lead, Cause: Error loading the Lead object No Object metadata was returned by the Tooling API. Object: Lead
- 6 On SF Lead All Open Leads list view
- On SF Lead View screen
- On SF Lead Convert screen
- Read Object: Lead = {Id}
- On SF Account Home screen
- On SF Account View screen
- Read Object: Opportunity = {OpportunityId.Id}
- On SF Opportunity Products related list
- ♠ On SF Opportunity Product Select Product screen
- On SF Opportunity Product Add Product screen
- On SF Opportunity Products related list
- Set Values: var.conld
- Write: {var}=>templates/writeworkbook.xlsx
- (i) Handling managed resource. Name: Admin
- (i) Salesforce Connection handled successfully. Name: Admin
- Salesforce Connect: Admin (Test)
- Read Excel
- On SF Case Home screen
- Set Values: CaseOrigin
- On SF Case New screen
- On SF Related Record (Case) component in Case view
- 6 On SF Record Detail component in Case view
- 6 On SF Account View screen
- 6 On SF Record Detail component in Case view
- On SF Contact View screen
- Read Object: Case = {caseId}

#### Output

- Web Connect: JsonAPI
  - (i) Opening RestService connection Connection name: JsonAPI
  - ① Connecting to restservice. Address: https://jsonplaceholder.typicode.com/

Connection name: JsonAPI, ResultName: JsonAPI, resultScope: Test

- ① Connection details. Connection name: JsonAPI, urlString: restservice:url= https://jsonplaceholder.typicode.com/;authenticationType=NO\_AUTHENTICATION, url: https://jsonplaceholder.typicode.com/
- Web Request (REST): #GetRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=GET&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
  - (1) Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - (i) Parsing JSON response.
  - (i) REST Response stored successfully. Name: GetRestResponse
  - (1) Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PostRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=POST&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/
  - (i) Sending body. Length: 85
  - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - (i) Parsing JSON response.
  - (i) REST Response stored successfully. Name: PostRestResponse
  - 1 Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (REST): #PutRestResponse
  - ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=PUT&bodyStyle=JSON
  - ① Connecting to website. Address: https://jsonplaceholder.typicode.com/posts/1
  - (i) Sending body. Length: 85
  - 1 Reading response. Content Type: application/json; charset=utf-8, Encoding: null
  - (i) Parsing JSON response.
  - (i) REST Response stored successfully. Name: PutRestResponse
  - (1) Web Response Status stored successfully. Name: RestResponseStatus