

# Test Run Report



## Test Run Overview


---

Started 18 Oct 2021, 09:47:24  
Ended 18 Oct 2021, 09:48:19  
Duration (mm:ss) 00:55.229

## Test Results Summary

---

Passed 3  
Failed 1  
Skipped 0



## Test Case Summary

---

### tests

- CustomAPI.testcase
- EmailURL.testcase
- Sale & Service
- Service.testcase

- failed
- successful
- successful
- failed
- failed

● Error loading object definition. Object name: Lead, Cause: Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead

- WebService.testcase

- successful

## CustomAPI.testcase

---

### Output

- Get First Date Of Current Month: # date
  - ① Hello from customapis.GetFirstDateOfCurrentMonth

## EmailURL.testcase

---

### Output

- Subscribe: Gmail
  - ① Subscribing to a message source Gmail
  - ① Subscribing to a Google Mail folder. Subscription Name: mail, User: shubham.saini@provartesting.com, Folder: INBOX
- Send Message: SendMail
  - ① Sending Message from: SendMail
- Wait For: {mail.messageCount > 0}=>{30}
  - ① Start of attempt 1.
    - Attempt 1
      - ① The condition was not met - sleeping for 30 seconds.
      - ① Received message for Google Mail subscription. Subscription Name: mail, connectionName: Gmail, message Id: 156, from: s6557230@gmail.com, subject: URL
      - ① Start of attempt 2.
    - Attempt 2
      - ① Wait ending because the condition has been met.
- Match: {mail.messages.bodyText}>=>b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=\_~!|:.,;]\*)=>ExtractedURL
  - ① Compiling pattern. RegEx: \b((?:https?|ftp|file)://[-a-zA-Z0-9+&@#/%?=\_~!|:.,;]\*), caseInsensitive: false
  - ① Found match. Number: 1, Range: 147-177, Value: https://www.provartesting.com/
  - ① End of matching. Match count: 1
  - ① Stored matches. Result name: ExtractedURL

## Service.testcase

---

### Output

- Salesforce Connect: Admin (Test)
  - ① Connecting to Salesforce as Admin
  - ① Successfully connected to Salesforce as Admin
- Call Sales
  - Sales
    - Salesforce Connect: Admin (Test)
      - ① Connecting to Salesforce as Admin
      - ① Re-using existing connection. Connection: Admin, Result Name: Admin
    - Set Values: LeadCompany
      - ① Setting value LeadLastName to Sam EXZ
      - ① Successfully set LeadLastName to Sam EXZ
      - ① Setting value LeadCompany to abc EYF
      - ① Successfully set LeadCompany to abc EYF
    - Set Values: var.AccountName

- ① Setting value var.AccountName to Sam Account EYF
- ① Successfully set var.AccountName to Sam Account EYF

### ● Set Values: var.ContactLName

- ① Setting value ContactSalutation to Mr.
- ① Successfully set ContactSalutation to Mr.
- ① Setting value var.ContactFName to First FK6
- ① Successfully set var.ContactFName to First FK6
- ① Setting value var.ContactLName to Last FK6
- ① Successfully set var.ContactLName to Last FK6

### ● Set Values: FullName

- ① Setting value FullName to First FK6 Last FK6
- ① Successfully set FullName to First FK6 Last FK6

### ● Set Values: OppName

- ① Setting value OppName to New Opp FKM
- ① Successfully set OppName to New Opp FKM

### ● Create Object: Lead=>LeadId

- ① Creating a new Salesforce object. Connection Name: Admin, Name: Lead, field count: 2
- ⚠ Failed to connect to Master Lock Manager in timeout period - assuming dead. Host: localhost, port: 62507
- ⚠ Loading Connection model Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead
- ⚠ Loading Connection model Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead
- ⚠ Loading Connection model Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead
- Error loading object definition. Object name: Lead, Cause: Error loading the Lead object - No Object metadata was returned by the Tooling API. Object: Lead

- ⚠ On SF Lead All Open Leads list view
- ⚠ On SF Lead View screen
- ⚠ On SF Lead Convert screen
- ⚠ Read Object: Lead = {Id}
- ⚠ On SF Account Home screen
- ⚠ On SF Account View screen
- ⚠ Read Object: Opportunity = {OpportunityId.Id}
- ⚠ On SF Opportunity Products related list
- ⚠ On SF Opportunity Product Select Product screen
- ⚠ On SF Opportunity Product Add Product screen
- ⚠ On SF Opportunity Products related list
- ⚠ Set Values: var.conId
- ⚠ Write: {var}>templates/writeworkbook.xlsx

- ① Handling managed resource. Name: Admin

- ① Salesforce Connection handled successfully. Name: Admin

- ⚠ Salesforce Connect: Admin (Test)
- ⚠ Read Excel
- ⚠ On SF Case Home screen
- ⚠ Set Values: CaseOrigin
- ⚠ On SF Case New screen
- ⚠ On SF Related Record (Case) component in Case view
- ⚠ On SF Record Detail component in Case view
- ⚠ On SF Account View screen
- ⚠ On SF Record Detail component in Case view
- ⚠ On SF Contact View screen
- ⚠ Read Object: Case = {caseId}

## Output

### ● Web Connect: JsonAPI

- ① Opening RestService connection Connection name: JsonAPI
- ① Connecting to restservice. Address: <https://jsonplaceholder.typicode.com/>  
Connection name: JsonAPI, ResultName: JsonAPI, resultScope: Test
- ① Connection details. Connection name: JsonAPI, urlString: restservice:url= <https://jsonplaceholder.typicode.com/>; authenticationType=NO\_AUTHENTICATION, url: <https://jsonplaceholder.typicode.com/>

### ● Web Request (REST): #GetRestResponse

- ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=GET&bodyStyle=JSON
- ① Connecting to website. Address: <https://jsonplaceholder.typicode.com/posts/1>
- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- ① Parsing JSON response.
- ① REST Response stored successfully. Name: GetRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus

### ● Web Request (REST): #PostRestResponse

- ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=POST&bodyStyle=JSON
- ① Connecting to website. Address: <https://jsonplaceholder.typicode.com/posts/>
- ① Sending body. Length: 85
- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- ① Parsing JSON response.
- ① REST Response stored successfully. Name: PostRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus

### ● Web Request (REST): #PutRestResponse

- ① Calling a Web Service. Connection Name: JsonAPI, target: rest:untyped?method=PUT&bodyStyle=JSON
- ① Connecting to website. Address: <https://jsonplaceholder.typicode.com/posts/1>
- ① Sending body. Length: 85
- ① Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- ① Parsing JSON response.
- ① REST Response stored successfully. Name: PutRestResponse
- ① Web Response Status stored successfully. Name: RestResponseStatus