

Preparing your figures to share with others

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB




Ariel Rokem

Data Scientist


Changing plot style

```
import matplotlib.pyplot as plt
fig, ax = plt.subplots()
ax.plot(seattle_weather["MONTH"], seattle_weather["MLY-TAVG-NORMAL"])
ax.plot(austin_weather["MONTH"], austin_weather["MLY-TAVG-NORMAL"])
ax.set_xlabel("Time (months)")
ax.set_ylabel("Average temperature (Fahrenheit degrees)")
plt.show()
```



Choosing a style

```
plt.style.use("ggplot")
fig, ax = plt.subplots()
ax.plot(seattle_weather["MONTH"], seattle_weather["MLY-TAVG-NORMAL"])
ax.plot(austin_weather["MONTH"], austin_weather["MLY-TAVG-NORMAL"])
ax.set_xlabel("Time (months)")
ax.set_ylabel("Average temperature (Fahrenheit degrees)")
plt.show()
```



Back to the default


```
plt.style.use("default")
```

The available styles

https://matplotlib.org/gallery/style_sheets/style_sheets_reference.html


The "bmh" style

```
plt.style.use("bmh")
fig, ax = plt.subplots()
ax.plot(seattle_weather["MONTH"], seattle_weather["MLY-TAVG-NORMAL"])
ax.plot(austin_weather["MONTH"], austin_weather["MLY-TAVG-NORMAL"])
ax.set_xlabel("Time (months)")
ax.set_ylabel("Average temperature (Fahrenheit degrees)")
plt.show()
```



Seaborn styles

```
plt.style.use("seaborn-colorblind")
fig, ax = plt.subplots()
ax.plot(seattle_weather["MONTH"], seattle_weather["MLY-TAVG-NORMAL"])
ax.plot(austin_weather["MONTH"], austin_weather["MLY-TAVG-NORMAL"])
ax.set_xlabel("Time (months)")
ax.set_ylabel("Average temperature (Fahrenheit degrees)")
plt.show()
```



Guidelines for choosing plotting style

- Dark backgrounds are usually less visible
- If color is important, consider choosing colorblind-friendly options
 - "seaborn-colorblind" or "tableau-colorblind10"
- If you think that someone will want to print your figure, use less ink
- If it will be printed in black-and-white, use the "grayscale" style

**Practice choosing
the right style for
you!**

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB

Sharing your visualizations with others

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB



Ariel Rokem


Data Scientist

A figure to share

```
fig, ax = plt.subplots()

ax.bar(medals.index, medals["Gold"])
ax.set_xticklabels(medals.index, rotation=90)
ax.set_ylabel("Number of medals")

plt.show()
```



Saving the figure to file

```
fig, ax = plt.subplots()

ax.bar(medals.index, medals["Gold"])
ax.set_xticklabels(medals.index, rotation=90)
ax.set_ylabel("Number of medals")

fig.savefig("gold_medals.png")
```

```
ls
```

```
gold_medals.png
```

Different file formats

```
fig.savefig("gold_medals.jpg")
```

```
fig.savefig("gold_medals.jpg", quality=50)
```


```
fig.savefig("gold_medals.svg")
```

Resolution

```
fig.savefig("gold_medals.png", dpi=300)
```


Size

```
fig.set_size_inches([5, 3])
```



Another aspect ratio

```
fig.set_size_inches([3, 5])
```



Practice saving your visualizations!

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB

Automating figures from data

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB



Ariel Rokem

Data Scientist

Why automate?

- Ease and speed
- Flexibility
- Robustness
- Reproducibility

How many different kinds of data?

```
summer_2016_medals["Sport"]
```

```
ID  
62      Rowing  
65      Taekwondo  
73      Handball  
...  
134759   Handball  
135132   Volleyball  
135205   Boxing  
Name: Sport, Length: 976, dtype: object
```

Getting unique values of a column


```
sports = summer_2016_medals["Sport"].unique()  
print(sports)  
['Rowing' 'Taekwondo' 'Handball' 'Wrestling'  
'Gymnastics' 'Swimming' 'Basketball' 'Boxing'  
'Volleyball' 'Athletics']
```

Bar-chart of heights for all sports

```
fig, ax = plt.subplots()

for sport in sports:
    sport_df = summer_2016_medals[summer_2016_medals["Sport"] == sport]
    ax.bar(sport, sport_df["Height"].mean(),
           yerr=sport_df["Height"].std())
ax.set_ylabel("Height (cm)")
ax.set_xticklabels(sports, rotation=90)
plt.show()
```

Figure derived automatically from the data



Practice automating visualizations!

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB

Where to go next

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB




Ariel Rokem

Data Scientist

The Matplotlib gallery

<https://matplotlib.org/gallery.html>


Gallery of examples



Example page with code

shapes_and_collections example code: scatter_demo.py

([Source code](#), [png](#), [pdf](#))




```
"""
Simple demo of a scatter plot.
"""

import numpy as np
import matplotlib.pyplot as plt

N = 50
x = np.random.rand(N)
y = np.random.rand(N)
colors = np.random.rand(N)
area = np.pi * (15 * np.random.rand(N))**2 # 0 to 15 point radii


plt.scatter(x, y, s=area, c=colors, alpha=0.5)
plt.show()
```

Plotting data in 3D



https://matplotlib.org/mpl_toolkits/mplot3d/tutorial.html

Visualizing images with pseudo-color



https://matplotlib.org/users/image_tutorial.html

Animations




Image credit: [Gytis Dudas](#) and [Andrew Rambaut](#)

https://matplotlib.org/api/animation_api.html


Using Matplotlib for geospatial data



<https://scitools.org.uk/cartopy/docs/latest/>

Pandas + Matplotlib = Seaborn

```
seaborn.relplot(x="horsepower", y="mpg", hue="origin", size="weight",
                 sizes=(40, 400), alpha=.5, palette="muted",
                 height=6, data=mpg)
```



Seaborn example gallery

<https://seaborn.pydata.org/examples/index.html>

**Good luck
visualizing your
data!**

INTRODUCTION TO DATA VISUALIZATION WITH MATPLOTLIB