

Kitty has a tree,  $T$ , consisting of  $n$  nodes where each node is uniquely labeled from  $1$  to  $n$ . Her friend Alex gave her  $q$  sets, where each set contains  $k$  distinct nodes. Kitty needs to calculate the following expression on each set:

$$\left( \sum_{\{u,v\}} u \cdot v \cdot \text{dist}(u,v) \right) \bmod (10^9 + 7)$$

where:

- $\{u, v\}$  denotes an unordered pair of nodes belonging to the set.
- $\text{dist}(u, v)$  denotes the number of edges on the unique path between nodes  $u$  and  $v$ .

Given  $T$  and  $q$  sets of  $k$  distinct nodes, can you help her calculate the expression for each set? For each set of nodes, print the value of the expression modulo  $10^9 + 7$  on a new line.

### Input Format

The first line contains two space-separated integers describing the respective values of  $n$  (the number of nodes in tree  $T$ ) and  $q$  (the number of sets).

Each of the  $n - 1$  subsequent lines contains two space-separated integers,  $a$  and  $b$ , describing an *undirected* edge between nodes  $a$  and  $b$ .

The  $2 \cdot q$  subsequent lines define each set over two lines in the following format:

1. The first line contains an integer,  $k$ , denoting the size of the set.
2. The second line contains  $k$  space-separated integers describing the set's elements.

### Constraints

- $1 \leq n \leq 2 \cdot 10^5$
- $1 \leq a, b \leq n$
- $1 \leq q \leq 10^5$
- $1 \leq k_i \leq 10^5$
- The sum of  $k_i$  over all  $q$  does not exceed  $2 \cdot 10^5$ .
- All elements in each set are *distinct*.

### Subtasks

- $1 \leq n \leq 2000$  for 24% of the maximum score.
- $1 \leq n \leq 5 \cdot 10^4$  for 45% of the maximum score.
- $1 \leq n \leq 2 \cdot 10^5$  for 100% of the maximum score.

### Output Format

Print  $q$  lines of output where each line  $i$  contains the expression for the  $i^{th}$  query, modulo  $10^9 + 7$ .


### Sample Input 0

```
7 3
1 2
1 3
1 4
3 5
3 6
3 7
2
2 4
1
5
3
2 4 5
```

### Sample Output 0

**Explanation 0**

Tree  $T$  looks like this:



We perform the following calculations for  $q = 3$  sets:

- Set **0**: Given set  $\{2, 4\}$ , the only pair we can form is  $(u, v) = (2, 4)$ , where  $\text{dist}(2, 4) = 2$ . We then calculate the following answer and print it on a new line:

$$\begin{aligned}
 & (2 \cdot 4 \cdot \text{dist}(2, 4)) \bmod (10^9 + 7) \\
 & \Rightarrow (2 \cdot 4 \cdot 2) \bmod (10^9 + 7) \\
 & \Rightarrow 16
 \end{aligned}$$

- Set **1**: Given set  $\{5\}$ , we cannot form any pairs because we don't have at least two elements. Thus, we print **0** on a new line.
- Set **2**: Given set  $\{2, 4, 5\}$ , we can form the pairs  $(2, 4)$ ,  $(2, 5)$ , and  $(4, 5)$ . We then calculate the following answer and print it on a new line:

$$\begin{aligned}
 & (2 \cdot 4 \cdot \text{dist}(2, 4) + 2 \cdot 5 \cdot \text{dist}(2, 5) + 4 \cdot 5 \cdot \text{dist}(4, 5)) \bmod (10^9 + 7) \\
 & \Rightarrow (2 \cdot 4 \cdot 2 + 2 \cdot 5 \cdot 3 + 4 \cdot 5 \cdot 3) \bmod (10^9 + 7) \\
 & \Rightarrow 106
 \end{aligned}$$