

Software Product Compatibility Reports
Detailed System Requirements

Rational Asset Analyzer 6.1

Contents

Included in this report

Operating systems

Hypervisors (No hypervisors specified for this product)

Prerequisites

Supported software (No supported software specified for this product)

Hardware

Packaging list (No packaging list specified for this product)

Glossary

Disclaimers

Included in this report

This report can be generated with filters applied to operating system platforms, components, and/or software capabilities. This section reflects how the report was filtered when it was generated.

Legend

- The information about this item is included in this report.
- The information about this item is not included in the report filter.

Platforms	Deployment unit list	Capabilities
Windowsz/OS	DesktopServerAgent or client	Prerequisites Application Servers Databases Installation Licensing Web Browsers Web Servers
		Related Software
		Compilers and Languages
		Development Tools
		 Management Tools
		 Transaction Servers and Gateways

Operating Systems

The Operating sysytems section specifies the operating systems that Rational Asset Analyzer 6.1 supports, organized by operating system familiy.

Operating system families

Windows

Full

Partial


None

Windows

Summary

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Components Description:	Notes?
Windows 7 Enterprise	Base	x86-32	32	6.1	• 0 0	No
Windows 7 Enterprise	Base	x86-64	32, 64- Tolerate	6.1	• 0 0	No
Windows 7 Professional	Base	x86-32	32	6.1	• 0 0	No
Windows 7 Professional	Base	x86-64	32, 64- Tolerate	6.1	• 0 0	No
Windows 7 Ultimate	Base	x86-32	32	6.1	• 0 0	No
Windows 7 Ultimate	Base	x86-64	32, 64- Tolerate	6.1	• 0 0	No
Windows 8 Enterprise	Base	x86-32	32	6.1	• 0 0	No

Operating system	Operatin system minimum	Hardware	Bitness	Product minimum	Components	Notes?
Windows 8 Enterprise	Base	x86-64	32, 64- Tolerate	6.1	• 0 0	No
Windows 8 Professional	Base	x86-32	32	6.1	• 0 0	No
Windows 8 Professional	Base	x86-64	32, 64- Tolerate	6.1	• 0 0	No
Windows 8 Standard	Base	x86-32	32	6.1	• 0 0	No
Windows 8 Standard	Base	x86-64	32, 64- Tolerate	6.1	• 0 0	No
Windows Server 2003 Enterprise Edition	SP1	x86-32	32	6.1	0 • 0	No
Windows Server 2003 R2 Enterprise Edition	Base	x86-32	32	6.1	0 • 0	No
Windows Server 2003 Standard Edition	SP1	x86-32	32	6.1	0 • 0	No
Windows Server 2003 R2 Standard Edition	Base	x86-32	32	6.1	0 • 0	No
Windows Server 2003 R2 Standard Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No
Windows Server 2008 Enterprise Edition	Base	x86-32	32	6.1	0 • 0	No
Windows Server 2008 Enterprise Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No
Windows Server 2008 R2 Enterprise Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No
Windows Server 2008 Standard Edition	Base	x86-32	32	6.1	0 • 0	No
Windows Server 2008 Standard Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No



Operating system	Operatin system minimun	Hardware	Bitness	Product minimum	Components	Notes?
Windows Server 2008 R2 Standard Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No
Windows Server 2012 Foundation Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No
Windows Server 2012 Standard Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No
Windows Server 2012 R2 Standard Edition	Base	x86-64	32, 64- Tolerate	6.1	0 • 0	No

Windows 7 Enterprise x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	··>
Desktop	32	Ø	②	•

Windows 7 Enterprise x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	>
Desktop	32, 64-Tolerate	•	•	•

Windows 7 Professional x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	··>
Desktop	32	Ø	②	•

Windows 7 Professional x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	··>
Desktop	32, 64-Tolerate	Ø	②	•

Windows 7 Ultimate x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	··>
Desktop	32	Ø	②	•

Windows 7 Ultimate x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	··>
Desktop	32, 64-Tolerate	Ø	②	•

Windows 8 Enterprise x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	>
Desktop	32	•	•

Windows 8 Enterprise x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	>
Desktop	32, 64-Tolerate	•	•

Windows 8 Professional x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	···>
Desktop	32	•	•

Windows 8 Professional x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	···>
Desktop	32, 64-Tolerate	•	•

Windows 8 Standard x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	>
Desktop	32	•	•

Windows 8 Standard x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	···>
Desktop	32, 64-Tolerate	•	•

Windows Server 2003 Enterprise Edition x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP1	SP2	>
Server	32	8	②	⊘	•

Windows Server 2003 R2 Enterprise Edition x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP2	·->
Server	32	Ø	Ø	•

Windows Server 2003 Standard Edition x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP1	SP2	>
Server	32	8	②	⊘	•

Windows Server 2003 R2 Standard Edition x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP2	>
Server	32	Ø	Ø	•

Windows Server 2003 R2 Standard Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP2	>
Server	32, 64-Tolerate	Ø	Ø	•

Windows Server 2008 Enterprise Edition x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP2	··>
Server	32	Ø	Ø	•

Windows Server 2008 Enterprise Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP2	··>
Server	32, 64-Tolerate	Ø	Ø	•

Windows Server 2008 R2 Enterprise Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	··>	
Server	32, 64-Tolerate	Ø	②	•	

Windows Server 2008 Standard Edition x86-32

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP2	··>
Server	32	Ø	Ø	•

Windows Server 2008 Standard Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	SP2	··>
Server	32, 64-Tolerate	Ø	Ø	•

Windows Server 2008 R2 Standard Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	Service Pack 1	··>	
Server	32, 64-Tolerate	Ø	②	•	

Windows Server 2012 Foundation Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	>
Server	32, 64-Tolerate	②	•

Windows Server 2012 Standard Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	>
Server	32, 64-Tolerate	②	•

Windows Server 2012 R2 Standard Edition x86-64

Deployment Unit

- Desktop
- Server
- Agent or client

Deployment unit	Bitness	Base	···>
Server	32, 64-Tolerate	•	•

Prerequisites

The Prerequisites section specifies the capabilities that Rational Asset Analyzer 6.1 requires, and the prerequisite products that can be used to fulfill those capabilities.

Deployment Unit Support

Full

Partial

None

Capabilities

Application Servers Web Browsers Databases

Installation

Licensing

Application Servers

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
WebSphere Application Server	7.0	7.0	6.1	• • 0	No	Yes
	8.0	8.0	6.1	• • 0	No	Yes
	8.5	8.5	6.1	• • 0	No	Yes

WebSphere Application Server 7.0

Legend:

Supported




Not supported

Deployment units

- Desktop
- Server
- Agent or client

Product Support for the Prerequisite Maintenance Levels, Current and Future -->



WebSphere Application Server 8.0

Legend:

0
0

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Product Support for the Prerequisite Maintenance Levels, Current and Future -->

Deployment unit	8.0	8.0.0.1	8.0.0.2	8.0.0.3	8.0.0.4	8.0.0.5	8.0.0.6	8.0.0.7	8.0.0.8	8.0.0.9	8.0.0.1	8.0.0.1	·>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	Ø
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•

WebSphere Application Server 8.5

Legend:

_	

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Product Support for the Prerequisite Maintenance Levels, Current and Future -->

Deployment unit	8.5	8.5.0.1	8.5.0.2	>
Desktop	(1)	(1)	(1)	•
Server	② (1)	② (1)	② (1)	•



Application Servers Notes

On the same machine as RAA.
 Express Edition is not supported.
 WebSphere Application Server is only needed if the installation is not using the embedded application server that is shipped with RAA.

Databases

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components P P P P P P P P P P P P P	Operating system restrictions?	Notes?
DB2 Enterprise Server Edition	9.5	9.5	6.1	• • 0	No	Yes
	9.7	9.7	6.1	• • 0	No	Yes
	10.1	10.1	6.1	• • 0	No	Yes
	10.5	10.5	6.1	• • 0	No	Yes
DB2 Workgroup Server Edition	9.5	9.5	6.1	• • 0	No	Yes
	9.7	9.7	6.1	• • 0	No	Yes
	10.1	10.1	6.1	• • 0	No	Yes
	10.5	10.5	6.1	• • 0	No	Yes
Database Enterprise Developer Edition	9.5	9.5	6.1	• • 0	No	Yes
	9.7	9.7	6.1	• • 0	No	Yes
	10.1	10.1	6.1	• • 0	No	Yes
	10.5	10.5	6.1	• • 0	No	Yes

DB2 Enterprise Server Edition 9.5

Legend:

C
0

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	9.5	9.5.0.1	9.5.0.2	9.5.0.3	9.5.0.4	9.5.0.5	9.5.0.6	9.5.0.7	9.5.0.8	9.5.0.9	9.5.0.10	>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②

DB2 Enterprise Server Edition 9.7

Legend: ✓ Supported ✓ Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	9.7	9.7.0.1	9.7.0.2	9.7.0.3	9.7.0.4	9.7.0.5	9.7.0.6	9.7.0.7	9.7.0.8	9.7.0.9	9.7.0.1	9.7.0.1	·>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	Ø

DB2 Enterprise Server Edition 10.1

Legend:

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	•
Server	(1)	(1)	(1)	(1)	(1)	(1)	•

DB2 Enterprise Server Edition 10.5

Legend:

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•

DB2 Workgroup Server Edition 9.5

Legend:

_	
	•

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	9.5	9.5.0.1	9.5.0.2	9.5.0.3	9.5.0.4	9.5.0.5	9.5.0.6	9.5.0.7	9.5.0.8	9.5.0.9	9.5.0.10	>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②

DB2 Workgroup Server Edition 9.7

Legend:

_	
W	,

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	9.7	9.7.0.1	9.7.0.2	9.7.0.3	9.7.0.4	9.7.0.5	9.7.0.6	9.7.0.7	9.7.0.8	9.7.0.9	9.7.0.1	9.7.0.1	·>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	②
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	Ø

DB2 Workgroup Server Edition 10.1

Legend:

_	
	•

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	10.1	10.1.0.1	10.1.0.2	10.1.0.3	10.1.0.4	10.1.0.5	>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	•
Server	(1)	(1)	(1)	(1)	(1)	(1)	•

DB2 Workgroup Server Edition 10.5

Legend:

_	
	_
W	ਾ

Supported



Not supported

Deployment units


- Desktop
- Server
- Agent or client

Deployment unit	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•

Database Enterprise Developer Edition 9.5

Deployment units

- Desktop
- Server
- Agent or client



Database Enterprise Developer Edition 9.7

Legend: ✓ Supported ✓ Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	9.7	9.7.0.5	>
Desktop	(1)	(1)	•
Server	(1)	(1)	⊘

Database Enterprise Developer Edition 10.1

Legend:

_	
F.4	

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	10.1	10.1.0.1	10.1.0.2	10.1.0.4	10.1.0.5	>
Desktop	(1)	(1)	(1)	(1)	(1)	•
Server	(1)	(1)	(1)	(1)	(1)	•

Database Enterprise Developer Edition 10.5

Legend:

_	
F.4	

Supported



Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	10.5	10.5.0.1	10.5.0.2	10.5.0.3	10.5.0.4	10.5.0.5	10.5.0.6	10.5.0.7	>
Desktop	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•
Server	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	•

Rational Asset Analyzer 6.1 Detailed System Requirements

Databases Notes

1. On the same machine as RAA.

Installation

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components 豆 量 班	Operating system restrictions?	Notes?
IBM Installation Manager	1.6.2	1.6.2	6.1	• • •	No	No
	1.6.3	1.6.3	6.1	• • •	No	No

IBM Installation Manager 1.6.2

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	1.6.2	>
Desktop	•	•
Server	•	•
Agent or client	•	•

IBM Installation Manager 1.6.3

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	1.6.3	1.6.3.1	••>
Desktop	•	•	•
Server	Ø	Ø	Ø
Agent or client	•	•	•

Licensing

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components	Operating system restrictions?	Notes?
Rational License Key Server	8.1.1	8.1.1	6.1	• • 0	No	No
	8.1.2	8.1.2	6.1	• • 0	No	No
	8.1.3	8.1.3	6.1	• • 0	No	No
	8.1.4	8.1.4	6.1	• • 0	No	No

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	8.1.1	··>
Desktop	•	⊘
Server	•	⊘

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	8.1.2	8.1.2.1	>
Desktop	•	•	•
Server	•	•	•

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	8.1.3	8.1.3.3	>
Desktop	•	•	•
Server	•	•	•

Legend: ✓ Supported ✓ Not supported

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	8.1.4	8.1.4.2	8.1.4.3	8.1.4.4	8.1.4.5	8.1.4.6	8.1.4.6	8.1.4.7	8.1.4.7	8.1.4.8	8.1.4.8	8.1.4.9	8.1.4.9	>
Desktop	•	•	②	②	②	②	&	8	②	•	8	②	8	•
Server	•	•	•	•	Ø	Ø	8	8	Ø	•	8	Ø	8	•

Web Browsers

Summary

Prerequisite	Version	Prerequisite minimum	Product minimum	Components ■ □ □	Operating system restrictions?	Notes?
Google Chrome	24 and future fix packs	24	6.1	• • 0	No	Yes
Microsoft Internet Explorer	9.0 and future fix packs	9.0	6.1	• • 0	No	Yes
	10 and future fix packs	10	6.1	• • 0	No	Yes
	11 and future fix packs	11	6.1	• • 0	No	Yes
Mozilla Firefox ESR	10 and future fix packs	10	6.1	• • 0	No	Yes
	17.0 and future fix packs	17.0	6.1	• • 0	No	Yes

Google Chrome 24 and Future Fix Packs

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	24	Future Versions, Releases	Future Fix Packs
Desktop	(1)	⊗	•
Server	(1)	8	•

Microsoft Internet Explorer 9.0 and Future Fix Packs

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	9.0	Future Versions, Releases	Future Fix Packs
Desktop	(1)	⊗	•
Server	(1)	⊗	•

Microsoft Internet Explorer 10 and Future Fix Packs

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	10	Future Versions, Releases	Future Fix Packs
Desktop	(1)	8	•
Server	(1)	8	•

Microsoft Internet Explorer 11 and Future Fix Packs

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	11	Future Versions, Releases	Future Fix Packs
Desktop	(1)	⊗	•
Server	(1)	8	•

Mozilla Firefox ESR 10 and Future Fix Packs

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	10	Future Versions, Releases	Future Fix Packs
Desktop	(1)	⊗	•
Server	(1)	8	•

Mozilla Firefox ESR 17.0 and Future Fix Packs

Deployment units

- Desktop
- Server
- Agent or client

Deployment unit	17.0	Future Versions, Releases	Future Fix Packs
Desktop	(1)	8	•
Server	(1)	8	②

Rational Asset Analyzer 6.1 Detailed System Requirements

Web Browsers Notes

1. On the same machine as RAA.

Hardware

Rational Asset Analyzer 6.1 requires the following hardware, organized by type of hardware, deployment units, or components.

Installable software

Operating System Families

Windows

Windows

Hardware	Deployment units	Requirement	Applicable operating systems
Disk Space	Desktop Server	Minimum 2 GB (product installation) + 1 GB for use Recommended 10 GB, more needed in cases of very lof user data.	''
Display	Desktop Server	1024 x 768 display minimum using 256 colors, or higher for best results.	All supported Windows operating systems
Memory	Desktop Server	Minimum 3 GB RAM; Recommended 6 GB, or 8 GB if Ra System z or Eclipse will be running on the same m	1 1
Processor	Desktop Server	Minimum 1.6 GHz + MHz Intel Pentium; Recommended 1.6 GHz + Multi Core 64-bit, or higher	All supported Windows operating systems

Glossary

Bitness

Compatibility of the product with the bit version support that is provided by an operating system. Different parts of a product might run on the same operating system but support different application bitness. For example, one part of the product might run only in 32-bit mode, whereas another might support 64-bit tolerate mode.

31: The product or part of the product runs as a 31-bit application in a 31-bit operating environment.

32: The product or part of the product runs as a 32-bit application in a 32-bit operating environment.

64-tolerate: The product or part of the product runs as a 32-bit application in a 64-bit operating environment.

64-exploit: The product or part of the product runs natively as a 64-bit application in a 64-bit operating environment.

Co-packaged

Additional products that are included in the product package.

Co-installed

Additional products that are included in the product package and installed when the product is installed.

Deployment unit

Deployment Structure identifies pieces of a product that can be independently deployed onto one or more machines in a distributed infrastructure.

- The top level of the deployment structure consists of one or more deployment units. There are four possible deployment units that a product might support: Desktop, Server, Agent or client, Mobile.
- Deployment units may be further divided into deployable components


Desktop deployment unit: Part of the deployment structure intended for use by a single user, typically installed on the user desktops. Examples of desktop deployment units include development tools, administrative tools, stand-alone business applications.

Server deployment unit: Part of the deployment structure that can provide services to multiple clients, providing the server in a client-server architecture. Examples of server deployment units include application servers, management servers, database servers and server-based business applications.

Agent or client deployment unit: Part of the deployment structure that allows remote connection between software. Examples of agent of client deployment

	as the managed resources, a remote application, or database clients that are installed with the software accessing the remote services.	
	Mobile deployment unit: Part of the deployment structure intended for use by a single user, typically installed on a mobile device. An example of a mobile deployment unit is a mobile application.	
Hypervisor	A virtual machine in which a product can run on a guest operating system.	
Limited operating system support	By default, the supported guest operating systems for a product and a hypervisor are the operating systems that are supported by both the product and the hypervisor. If a product restricts support to a subset of these operating systems, this restriction will be indicated by specifying that there is Limited Operating System Support.	
Operating system minimum	The minimum operating system maintenance level that is required to run on the product.	
Prerequisite minimum	The minimum maintenance level that is required for the prerequisite to work with the product.	
Product minimum	The minimum maintenance level that is required for the product to run on the operating system, on an hypervisor, or work with a prerequisite product or supported software.	
Supported software minimum	The minimum maintenance level that is required for the supported software to work with the product.	
Maintenance Support Release	A Maintenance Support Release is a recommended product level for which support, including defect and security updates, will be provided over a specified period of time.	

units include agents in management system that are installed in the same tier



Disclaimers

This report is subject to the Terms of Use (http://www.ibm.com/legal/us/en/) and the following disclaimers:

The information contained in this report is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied, including but not limited to the implied warranties of merchantability, non-infringement, and fitness for a particular purpose. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any direct, incidental, consequential, special or other damages arising out of the use of, or otherwise related to, this report or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.

References in this report to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. The underlying database used to support these reports is refreshed on a weekly basis. Discrepancies found between reports generated using this web tool and other IBM documentation sources may or may not be attributed to different publish and refresh cycles for this tool and other sources. Nothing contained in this report is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, savings or other results. You assume sole responsibility for any results you obtain or decisions you make as a result of this report.

Notwithstanding the Terms of Use (http://www.ibm.com/legal/us/en/), users of this site are permitted to copy and save the reports generated from this tool for such users own internal business purpose. No other use shall be permitted.