

Operating Systems–II: CS3523

Spring 2018

Programming Assignment 1:

Implementing Rate-Monotonic Scheduling & Earliest Deadline First Scheduling through Discrete Event Simulation

Submission Date: 24th January 2018, 9:00 pm

Goal: The goal of this assignment is to implement a program to simulate the Rate-Monotonic & Earliest Deadline First (EDF) scheduling algorithms. Then compare the average waiting time and average turnaround time of both. Implement both the algos in C++ using discrete event simulation.

Details: You have to simulate the two Real-time scheduling algorithms discussed in Chapter 6 of the book: Rate-Monotonic Scheduling & Earliest Deadline First Scheduling in C++.

Develop a program to simulate both the algorithms. Your program will read the input from the file and generate the correct sequence of events (for each process execution), occurring in the system.

Events to be considered are when a process:

1. starts its execution.
2. finishes its execution.
3. is preempted by another process.
4. resumes its execution.

Your program will schedule and execute each process (and output the events for each process to the output file) '**k**' times based on the corresponding scheduling algorithm. Your program should output each process that is able to meet its deadline. It should also detect if any process is missing any deadlines, output it to the file and terminate. The details are given below.

Input: The input to the program will be a file, named inp-params.txt, consisting of the following parameters: **n**, the number of processes; followed by **n** lines consisting of **P_i** (process id), **t** (processing time), **p** (period) and **k** (the number of times each process repeats).

For simplicity, you can assume that the period **p** and the deadline **d** for each process is the same like in the examples shown in the book.

Output: For each algorithm, you must generate two files. The first output file is essentially a log of all the events. It is named as RM-Log.txt & EDF-Log.txt.

A sample Log file output is as follows:

Process P1: processing time=20; deadline:50; period:50 joined the system at time 0
 Process P2: processing time=35; deadline:50; period:100 joined the system at time 0
 Process P1 starts execution at time 0.
 Process P1 finishes execution at time 20.
 Process P2 starts execution at time 21.
 Process P2 is preempted by Process P1 at time 50. Remaining processing time:5
 Process P1 starts execution at time 51.
 Process P1 finishes execution at time 70.
 Process P2 resumes execution at time 71.
 Process P1 finishes execution at time 75.
 CPU is idle till time 99.
 Process P1 starts execution at time 100.

.....

As you can see this output is same as the example given in the book.

The second output file will consist of statistics about the current execution and it denoted as: RM-Stats.txt & EDF-Stats.txt. It will consist of (1) number of processes that came into the system; (2) number of processes that successfully completed; (3) number of processes that missed their deadlines; (4) Average waiting time for each process

You program should output the following files:

1. RMS.txt and EDF.txt consisting of discrete events, of each algorithm, as described above.
2. Average_times.txt, consisting of the average waiting time and average turnaround time of both the algorithms.

Report: You have to submit a report for this assignment. The report should consist of two things:

- The report should first explain the design of your program while explaining any complications that arose in the course of programming RM & EDF algorithms.
- The report should contain a comparison of the performance of RM & EDF algorithms. You must run both these algorithms multiple times to compare the performances and display the result in form of a graph. You must have the following graphs:
 - Graph1: Deadline missed vs Number of processes: In this graph, Y-axis is the number of processes that miss the deadline, while x-axis is the number of processes varying from 5 to 50 in the increments of 5. This graph will have two curves one for each algorithm. Assume that all the remaining parameters are the same for both the algorithms - t , p and k for each of the process executed.

- Graph2: Average Waiting time vs Number of processes: In this graph, Y-axis is the average waiting time, while x-axis is the number of processes varying from 5 to 50 in the increments of 5 like in Graph1. Again, this graph will have two curves one for each algorithm. Assume that all the remaining parameters are the same for both the algorithms - **t**, **p** and **k** for each of the process executed.

Submission Format:

You have to submit the following deliverables for this assignment.

1. The source code: Assgn1-RMS<RollNo>.cpp & Assgn1-EDF<RollNo>.cpp
2. Readme: Assgn1Readme-<RollNo>.txt. This file will explain how the Tas should execute your program.
3. Report: Assgn1Report-<RollNo>.pdf as explained above.

Name the zipped document as: Assgn1-<RollNo>.zip. Please following the naming convention strictly. Otherwise, your assignment will not be evaluated. Upload all this on the classroom by **24th January 2018, 9:00 pm** .

Grading Policy:

1. Design as described in report and analysis of the results: 50%
2. Execution of the programs based on description in readme: 40%
3. Code documentation and indentation: 10%