



InterviewBit

# Angular 8 Interview Questions



To view the live version of the page, [click here](#).

© Copyright by Interviewbit

# Contents

---

## Basic Angular 8 Interview Questions

1. List some of the features of Angular 8 which differentiate it from the previous versions of Angular.
2. What do you understand about Ivy in Angular 8?
3. What is the use of Bazel in Angular 8?
4. What is CodeLyzer in Angular 8?
5. Describe the importance of WildCard Route in Angular 8.
6. Why are reactive forms used in Angular 8?
7. Why are template-driven forms used in Angular 8?
8. How can we check the type of value assigned to a given variable in Angular 8?
9. How can we load and run an Angular Application?

## Angular 8 Interview Questions For Experienced

10. List a few key parts of the Angular 8 architecture
11. Explain Lazy Loading in Angular with appropriate syntax.
12. How can we create an application in Angular version 8?
13. What is the usage of NgUpgrade in Angular 8?
14. Write the syntax for ngIf Directive. Why is it used?
15. Explain the concept of Data Binding.
16. What is String Interpolation in Angular 8? Explain with an example.
17. Justify the need for Angular 8 components.
18. What do you understand about NgModules in Angular 8?

## Angular 8 Interview Questions For Experienced

(.....Continued)

19. Explain Event Binding with an appropriate example.
20. Why do applications compiled with AOT (Ahead of compilation) launch faster?



# Let's get Started

---

Angular is nothing but an **open-source web application** framework. It is being led by the Angular Team at Google and also by a community of individuals and corporations. It is based on TypeScript.

Angular is a complete rewrite from the same team that had built AngularJS. It can be used as the frontend of the MEAN stack, which consists of the MongoDB database, Express.js web application server framework, Angular itself (or AngularJS), and the Node.js server runtime environment.

Angular 8 is a client-side TypeScript based framework that can be used to create dynamic web applications easily. It is very similar to its previous versions except for having some extensive features. Because of its extensive features, Angular 8 is in great demand in the Software Industry and many multinational companies use Angular 8 for developing web applications.

This is probably the reason why a lot of questions on Angular are asked in the interviews of many companies. Hence, having good knowledge about this amazing framework will benefit any software developer.

In this article, we are going to look at a few common questions which are asked on Angular 8 in interviews from basic to experienced.

## Basic Angular 8 Interview Questions


### 1. List some of the features of Angular 8 which differentiate it from the previous versions of Angular.

Some of the striking features of Angular 8 which differentiates it from the previous versions of Angular are as follows:-

- Angular 8 supports dynamic imports for lazy routes.
- Angular 8 provides the feature of differential loading for all applicable codes.
- It also supports features like Web Workers, Bazel, and TypeScript 3.4
- There is Opt-In usage sharing in Angular 8.
- There are many NgUpgrade improvements in Angular 8.

## 2. What do you understand about Ivy in Angular 8?

The Rendering Engine of **Angular 8 Ivy**. Ivy was released in Angular 8 as an Opt-in and was also opted as the code name for Angular's next-generation rendering pipeline and compilation.



Rendering Pipeline

## 3. What is the use of Bazel in Angular 8?

- Bazel is a build system in Angular 8 available for a short period.
- It provides a platform to make back-end and front-end services with the same tool.
- It allows us to build CLI (Command Line Interface) applications quickly and easily.
- The entirety of the Angular 8 framework is built on Bazel and it allows us to divide an application into various build units which are defined at the NgModule level.
- It supports customization and also facilitates us to draw graphs. We can use these graphs to easily identify the essential information.

### Bazel in Angular CLI 8



### Bazel In Angular 8

## 4. What is CodeLyzer in Angular 8?

**Codelyzer** is an open-source tool that has its foundations on the top of the **TSLint**. It verifies whether or not the **Angular TypeScript 3.4** projects are following the set of linting rules so that the quality and correctness of the programs are not compromised.

## 5. Describe the importance of WildCard Route in Angular 8.

**Angular 8 WildCard Route** does the extremely important job of matching URLs as instructions to get a client-generated view. It sets a route when the URL which is requested does not match any router paths. In a nutshell, the WildCard Router sets or defines the routes of the pages in Angular 8.

## 6. Why are reactive forms used in Angular 8?

Reactive forms have a lot of important features, for instance, they are robust, scalable, testable, reusable, etcetera. That is why they are used in applications made using Angular 8, where forms are an essential component of the application.

## 7. Why are template-driven forms used in Angular 8?

Angular 8 Template-driven forms are to add simple forms to applications where scalability is not an issue. They are very easy to use but not as scalable as Reactive forms.

## 8. How can we check the type of value assigned to a given variable in Angular 8?

In Angular 8, the type of checks can be used to check the type of value assigned to a given variable. Moreover, we can also test the value assigned to an object by using a type of checks in version 8 of Angular.

## 9. How can we load and run an Angular Application?



We can use the command `ng serve` to run and load an Angular Application.

# Angular 8 Interview Questions For Experienced

## 10. List a few key parts of the Angular 8 architecture

A few key parts of the Angular 8 architecture are as follows -

## Angular 8 Architecture

 InterviewBit

Angular 8 Architecture



- **Angular 8 MetaData** - Metadata in Angular version 8 is used to decorate a class for the configuration of the expected behavior of the class.
- **Angular 8 DataBinding** - Data Binding is used to bind the data from the component to the template.
- **Angular 8 Components** - Angular Components are building blocks of all Angular applications. Every angular application is made up of one or more Angular Components. It is basically a plain JavaScript or Typescript class along with an HTML template and an associated name.
- **Angular 8 Modules** - It is a collection of related features. Angular 8 Module groups multiple components and services under a single context.
- **Angular 8 Services** - Services are nothing but plain and simple Typescript or JavaScript classes that provide very specific functionalities. They help us do a single task in the best possible way so that code reusability is achieved. Rather than writing a functionality inside a component, separating it into a service makes it reusable in other components as well.
- **Angular 8 Templates** - Angular 8 template is a superset of HTML (HyperText Markup Language). It includes all the features of HTML and gives us additional features to bind the component data into the HTML and to dynamically generate the HTML DOM elements.

## 11. Explain Lazy Loading in Angular with appropriate syntax.

Lazy loading is a feature of Angular which helps in bringing down the size of large files. This is accomplished by lazily loading the files that are to be used again and again.

Angular 8 provides support for dynamic imports in our router configuration. In other words, we use the import statement for lazy loading of the module and this will be understood by the webpack, IDEs (Integrated Development Environments), etc.

### Syntax

```
{path: 'user', loadChildren: () =>
import('./users/user.module').then(my => my.UserModule)};
```

## Explanation

In the above code snippet, the `loadChildren` expects a function that uses the dynamic import syntax to import the lazy loaded module only when it is needed. As is evident from the above code snippet, the dynamic import is based on promises and gives us access to the module, where the module's class can be called.

## 12. How can we create an application in Angular version 8?

We can create an Angular 8 application using the following command

```
ng new applicationName
```

To install the Angular CL, we can use the following command

```
npm install -g @angular/CLI
```

## 13. What is the usage of NgUpgrade in Angular 8?

NgUpgrade is one of the upgrade libraries of Angular version 8 which is mostly used to integrate both Angular and AngularJS components in an application. It also helps us in bridging the gap between the Dependency Injection Systems in both AngularJS and Angular.

## 14. Write the syntax for ngIf Directive. Why is it used?

The syntax of the `ngIf` Directive is given below

```
<p *ngIf="condition">
  condition is true and ngIf is true.
</p>
<p *ngIf="!condition">
  condition is false and ngIf is false.
</p>
```

The usage of `ngIf` is described below -

It is a structural directive present in Angular Version 8 whose usage revolves around adding or removing HTML elements based on the expression statement. The functioning of this `ngIf` directive is observed as follows: When the expression is true, the element is added and when the expression is false, the element is removed using this directive.

## 15. Explain the concept of Data Binding.

Data Binding can be best described as a technique that is used to link the application's data to the view layer. It makes communication between the DOM (Document Object Model) and the TypeScript code of our component.

In other words, data binding is a communication between the typescript code of our component and our template, which is visible to the user. Data Binding allows us to define interactive applications easily and efficiently without worrying about pushing and pulling data.

**There are two types of data binding -**

- **One-way data-binding:** One-way data binding is used to bind the data from the component to the view (Document Object Model) or vice versa. One way data binding is a unidirectional data binding method, that is, we can either bind the data from the component to the view or bind the data from the view to the component.
- **Two-way data binding:** Two-way data binding in Angular version 8 helps the users to exchange data from the component to the view and from the view to the component. Bi-directional communication is established in this method.

## 16. What is String Interpolation in Angular 8? Explain with an example.

String Interpolation is a one-way Data Binding Technique. It can be used to extract the output data from a TypeScript code to the HTML template view layer. String Interpolation displays the data from the component to the view layer in the form of curly braces.

String interpolation technique adds the value of property to the component. An example of String Interpolation is shown below -

```
{{data}}
```

## 17. Justify the need for Angular 8 components.

In Angular, there is a list of classes with decorators known as components that usually mark their own types. They provide metadata to help Angular do a lot of things. Every application in Angular 8 has at least one component known as the root component, which is mostly used to connect page hierarchy with page DOM.

## 18. What do you understand about NgModules in Angular 8?

The NgModules in Angular 8 varies from other JavaScript modules. All Angular applications have at least one module known as the AppModule. The NgModule gives us a bootstrap mechanism to launch different applications easily.

A few of the striking features of Angular 8 modules are as follows:

- The own functionality of the NgModule can be exported and can also be utilized by other NgModules.
- Angular 8 NgModule can import functionalities from other NgModules.

## 19. Explain Event Binding with an appropriate example.

Event binding is a technique that is used in Angular 8 to handle the events raised from the Document Object Model (DOM), for instance, button clicks, mouse hovers, mouse moves, etc. When the DOM event happens, the specified method in the component is immediately called.

An example of event binding is given below -

```
<button (click)="raiseVolume()"></button>
```

In this example, the `raiseVolume()` method from the component will be called when the button is clicked.

## 20. Why do applications compiled with AOT (Ahead of compilation) launch faster?

Some of the reasons as to why applications compiled with AOT launch faster are as follows -

- Application components that are compiled with AOT execute immediately, without the client-side compilation.
- Templates here are embedded as code within their components. Therefore, there is no client-side request for template files, making it fast.
- The compiler does not entertain the unused Angular directives and therefore, gives a fast response.

## Conclusion -

As is evident from the above set of questions, Angular has a plethora of features that it has to offer to developers. This is the reason why Angular has been growing very rapidly and being used in the software industry.

Therefore, any budding developer of today, who is familiar with Angular, has a good chance of cracking technical interviews of various companies. In this article, we aimed at listing the famous interview questions on Angular 8 which we think are important and we hope we are successful in our endeavor!

# Links to More Interview Questions

---

[C Interview Questions](#)

[Php Interview Questions](#)

[C Sharp Interview Questions](#)

[Web Api Interview Questions](#)

[Hibernate Interview Questions](#)

[Node Js Interview Questions](#)

[Cpp Interview Questions](#)

[Oops Interview Questions](#)

[Devops Interview Questions](#)

[Machine Learning Interview Questions](#)

[Docker Interview Questions](#)

[Mysql Interview Questions](#)

[Css Interview Questions](#)

[Laravel Interview Questions](#)

[Asp Net Interview Questions](#)

[Django Interview Questions](#)

[Dot Net Interview Questions](#)

[Kubernetes Interview Questions](#)

[Operating System Interview Questions](#)

[React Native Interview Questions](#)

[Aws Interview Questions](#)

[Git Interview Questions](#)

[Java 8 Interview Questions](#)

[Mongodb Interview Questions](#)

[Dbms Interview Questions](#)

[Spring Boot Interview Questions](#)

[Power Bi Interview Questions](#)

[Pl Sql Interview Questions](#)

[Tableau Interview Questions](#)

[Linux Interview Questions](#)

[Ansible Interview Questions](#)

[Java Interview Questions](#)

[Jenkins Interview Questions](#)