

Tips, Formulae and shortcuts for Simple Interest and compound Interest

By

# CRACKU.IN



#### Cracku Tip 1 – S.I and C.I

- Simple Interest (S.I) and Compound Interest (C.I) is one of the easiest topics in quantitative section.
- Every year, a significant number of questions appear from each of these sections and students should aim to get all the questions right from these topics.
- The number of concepts in these topics is limited and most of the problems can be solved by applying the formulae directly.
- Many students commit silly mistakes in this topic due to complacency and this should be avoided.



### Cracku Tip 2 – S.I & C.I

- In Simple Interest the principal and the Interest (occurred every period) remains constant
- In Compound Interest the Interest earned over the period is added over to the existing principal after every compounding period. So the principal and the Interest over a period changes after every compounding period.
- For the same principal, positive rate of interest and time period (>1 year), the compound interest on the loan is always greater than the simple interest.

#### Cracku Tip 3 – S.I

The sum of principal and the interest is called Amount.

 The Simple Interest (I) occurred over a time period (T) for R% (rate of Interest per annum),

$$I = \frac{PTR}{100}$$

#### Cracku Tip 4 – C.I

 The amount to be paid, if money is borrowed at Compound Interest for N number of years,

$$A = P \left( 1 + \frac{R}{100} \right)^{N}$$

• The Interest occurred, I = A - P

$$I = P \left( 1 + \frac{R}{100} \right)^{N} - P$$

#### Cracku Tip 5 – C.I

If R is rate of interest per year, N is number of years, P is the principal

If interest is compounded half yearly, then Amount,

$$A = P \left( 1 + \frac{R/2}{100} \right)^{2N}$$

If interest is compounded quarterly, then Amount,

$$A = \left(1 + \frac{R/4}{100}\right)^{4N}$$

### Cracku Tip 6 – S.I & C.I

If interest Rate is R<sub>1</sub>% for first year, R<sub>2</sub>% for second year and R<sub>3</sub>% for 3<sup>rd</sup> year,

then the Amount, A = P 
$$\left(1 + \frac{R_1}{100}\right) \left(1 + \frac{R_2}{100}\right) \left(1 + \frac{R_3}{100}\right)$$

- If a difference between C.I and S.I for certain sum at same rate of interest is given, then Principal = Difference (100/R)<sup>2</sup>
- When interest is compounded annually but time is in fraction, let a then

the Amount, A = P 
$$(1 + \frac{R}{100})^a (1 + \frac{R \frac{b}{c}}{100})$$

#### Cracku Tip 7 – S.I & C.I

If R is the rate per annum, then present worth of Rs. K due to N years hence is given by

Present worth = 
$$\frac{K}{\left(1 + \frac{R}{100}\right)^N}$$

**Download CAT Syllabus PDF** 

Get Complete Details About CAT exam

#### **Cracku Tip 7 – Quadratic Equations**

If 
$$A_n X^n + A_{n-1} X^{n-1} + ... + A_1 X + A_0 = 0$$
, then

- Sum of the roots =  $-A_{n-1}/A_n$
- Sum of roots taken two at a time =  $A_{n-2}/A_n$
- Sum of roots taken three at a time =  $-A_{n-3}/A_n$  and so on
- Product of the roots =  $[(-1)^n A_0]/A_n$



# Want a free guidance for CAT from IIM alumni

WhatsApp 'CAT' to +91 7661025559



## Cracku.in

#### **Download Important Questions & Answers PDF Below:**

Verbal Ability & Reading comprehension

**Data Interpretation** 

**Logical Reasoning** 

**Quantitative Aptitude** 





#### Get Important MBA Updates

Whatsapp "CAT" to 7661025559

**Telegram** 

Join FB CAT Group

**Best CAT Preparation Free Android App** 

