

## **Heap Solutions**

## Solution 1:

```
Time Complexity: o(logk)
Space Complexity: o(1)
import java.io.*;
import java.util.*;
class Solution {
static PriorityQueue<Integer> min;
static int k;
static List<Integer> getAllKthNumber(int arr[]){
        List<Integer> list = new ArrayList<>();
        for (int val : arr) {
        if (min.size() < k)
                min.add(val);
        else {
                if (val > min.peek()) {
                min.poll();
                min.add(val);
       }
        if (min.size() >= k)
                list.add(min.peek());
        else
                list.add(-1);
        return list;
}
public static void main(String[] args){
        min = new PriorityQueue<>();
        k = 4;
        int arr[] = { 1, 2, 3, 4, 5, 6 };
        List<Integer> res = getAllKthNumber(arr);
        for (int x : res)
        System.out.print(x + " ");
}
```



```
Solution 2:
```

}

```
Time Complexity: o(n)
Space Complexity: o(n)
import java.io.*;
import java.util.*;
class Solution{
        public static void minTime(int arr[],
                                                         int N, int K){
                Queue<Integer> q = new LinkedList<>();
                boolean vis[] = new boolean[N + 1];
                int time = 0;
                for (int i = 0; i < K; i++) {
                        q.add(arr[i]);
                        vis[arr[i]] = true;
                }
                while (q.size() > 0) {
                        for (int i = 0; i < q.size(); i++) {
                                int curr = q.poll();
                                if (curr - 1 >= 1 &&
                                        !vis[curr - 1]) {
                                        vis[curr - 1] = true;
                                        q.add(curr - 1);
                                }
                                if (curr + 1 <= N &&
                                        !vis[curr + 1]) {
                                        vis[curr + 1] = true;
                                        q.add(curr + 1);
                                }
                        }
                        time++;
```



```
akshishinde931@gm
```

```
}
               System.out.println(time - 1);
       }
        public static void main(String[] args){
               int N = 6;
               int arr[] = { 2, 6 };
               int K = arr.length;
               minTime(arr, N, K);
       }
}
Solution 3:
Time Complexity: o(n2logn)
Space Complexity: o(n2)
import java.util.Stack;
class Solution{
        static String decode(String str){
               Stack<Integer> integerstack = new Stack<>();
               Stack<Character> stringstack = new Stack<>();
               String temp = "", result = "";
               for (int i = 0; i < str.length(); i++){
                       int count = 0;
                       if (Character.isDigit(str.charAt(i))){
                               while (Character.isDigit(str.charAt(i))){
                                       count = count * 10 + str.charAt(i) - '0';
                                       i++;
                               }
                               integerstack.push(count);
                       }
                       else if (str.charAt(i) == ']'){
                               temp = "";
                               count = 0;
```

```
if (!integerstack.isEmpty()){
                        count = integerstack.peek();
                        integerstack.pop();
               }
                while (!stringstack.isEmpty() && stringstack.peek()!='['){
                       temp = stringstack.peek() + temp;
                        stringstack.pop();
               }
                if (!stringstack.empty() && stringstack.peek() == '[')
                        stringstack.pop();
                for (int j = 0; j < count; j++)
                        result = result + temp;
                for (int j = 0; j < result.length(); j++)
                        stringstack.push(result.charAt(j));
                result = "";
       }
        else if (str.charAt(i) == '['){
                if (Character.isDigit(str.charAt(i-1)))
                        stringstack.push(str.charAt(i));
                else{
                        stringstack.push(str.charAt(i));
                        integerstack.push(1);
               }
       }
        else
                stringstack.push(str.charAt(i));
}
while (!stringstack.isEmpty()){
        result = stringstack.peek() + result;
        stringstack.pop();
```



```
akshishinde931@gm
```

```
}
               return result;
       }
       public static void main(String args[]){
               String str = 3[b2[ca]];
               System.out.println(decode(str));
       }
}
Solution 4:
Time Complexity: o(nlogn)
Space Complexity: o(n)
import java.util.*;
import java.io.*;
class Solution{
static int minops(ArrayList<Integer> nums){
       int sum = 0;
       for(int i = 0; i < nums.size(); i++){
       sum += nums.get(i);
       }
       PriorityQueue<Integer> pq = new PriorityQueue<Integer>();
       for(int i = 0; i < nums.size(); i++){
       pq.add(-nums.get(i));
       }
       double temp = sum;
       int cnt = 0;
       while (temp > sum / 2) {
       int x = -pq.peek();
       pq.remove();
       temp -= Math.ceil(x * 1.0 / 2);
       pq.add(x / 2);
       cnt++;
       }
```



```
akshishinde931@gm
```

```
return cnt;
}
public static void main(String args[]){
       ArrayList<Integer> nums = new ArrayList<Integer>(
       List.of(
               4, 6, 3, 9, 10, 2
       );
       int count = minops(nums);
       System.out.println(count);
}
}
Solution 5:
Time Complexity: o(n*k*logk)
Space Complexity: o(k)
import java.io.*;
import java.util.*;
class Node {
       int data;
       Node next;
       Node(int key){
               data = key;
               next = null;
       }
}
class NodeComparator implements Comparator<Node> {
       public int compare(Node k1, Node k2){
               if (k1.data > k2.data)
                      return 1;
               else if (k1.data < k2.data)
                      return -1;
               return 0;
       }
```



```
static Node mergeKList(Node[] arr, int K){
       PriorityQueue<Node> queue
                                                                                              akshishinde931@gm
               = new PriorityQueue<>(new NodeComparator());
       Node at[] = new Node[K];
       Node head = new Node(0);
       Node last = head;
       for (int i = 0; i < K; i++) {
               if (arr[i] != null) {
                       queue.add(arr[i]);
               }
       if (queue.isEmpty())
               return null;
       while (!queue.isEmpty()) {
               Node curr = queue.poll();
               last.next = curr;
               last = last.next;
               if (curr.next != null) {
                       queue.add(curr.next);
       return head.next;
public static void printList(Node node){
       while (node != null) {
               System.out.print(node.data + " ");
               node = node.next;
public static void main(String[] args){
       int N = 3;
       Node[] a = new Node[N];
       Node head1 = new Node(1);
       a[0] = head1;
       head1.next = new Node(3);
       head1.next.next = new Node(5);
```

}

class Solution {

}

}

}

head1.next.next.next = new Node(7);

}



```
Node head2 = new Node(2);
       a[1] = head2;
       head2.next = new Node(4);
       head2.next.next = new Node(6);
       head2.next.next.next = new Node(8);
       Node head3 = new Node(0);
       a[2] = head3;
       head3.next = new Node(9);
       head3.next.next = new Node(10);
       head3.next.next.next = new Node(11);
       Node res = mergeKList(a, N);
       if (res != null)
              printList(res);
       System.out.println();
}
```

}