

# Qualification


## Example



A directory contains zero or more files


Multiplicity can be removed by the qualifier *file name* which uniquely identifies a single file.

# Qualification




Multiplicity is removed by the qualifier

# Generalization and Specialization




Classes having the same attributes may be generalized to a common ancestor class

# Generalization and Specialization




A sea plane travels in the air and on water

# Generalization and Specialization



An empty triangle indicates that some objects belong to more than one of the subclasses (subclasses overlap)



A filled triangle indicates that all objects of the parent class belong to distinct subclasses

# **Constructing the Object Model Diagram**

## **Step 1**

Determine the objects in the problem domain from the requirements document.

## **Example -- Arithmetic Expression**

### Requirements Document

An arithmetic expression is a collection of one or more terms separated by additive operators. A term is a sequence of one or more factors separated by multiplicative operators. A factor is a variable, or a constant, or an arithmetical expression enclosed in parentheses.

## Example -- Arithmetic Expression

### Requirements Document

An arithmetic expression *is a collection of one or more* terms *separated by* additive operators. A term *is a sequence of one or more* factors *separated by* multiplicative operators. A factor *is a* variable, or a constant, or an arithmetic expression *enclosed in* parentheses.



# Arithmetic Expression

## Noun Phrases

Arithmetic expression      ←      object

term      ←      object

additive operator      ←      object

factor      ←      object

multiplicative operator      ←      object

variable      ←      object

constant      ←      object

enclosed in parentheses      ←      constraint

# Arithmetic Expression

arithmetic expression      is a sequence of      terms

terms are separated by additive operators

term is a sequence of factors

factors are separated by multiplicative operators

factor is a variable

factor is a constant

factor    **is a**    arithmetic expression    {enclosed in parentheses}

constraint

# Model Diagram

