

# Cucumber Report

May 9, 2023, 5:10:58 PM

Start : May 09, 5:10:32.977 PM

End : May 09, 5:10:57.535 PM

Duration : 24.558 s

Features



Scenarios

Steps

PASSED - 4  
FAILED - 1  
SKIPPED - 0

PASSED - 26  
FAILED - 1  
SKIPPED - 0


PASSED - 113  
FAILED - 1  
SKIPPED - 0




| Feature   |          | Scenario |    |   |   | Step |    |   |   |
|---|----------|----------|----|---|---|------|----|---|---|
| Name  | Duration | T        | P  | F | S | T    | P  | F | S |
| <u>feature to test ds algo portal link</u>                | 4.796 s  | 1        | 1  | 0 | 0 | 4    | 4  | 0 | 0 |
| <u>evaluate home page</u>                                 | 0.863 s  | 2        | 2  | 0 | 0 | 5    | 5  | 0 | 0 |
| <u>User enter valid and invalid credentials for login</u> | 4.404 s  | 4        | 3  | 1 | 0 | 12   | 11 | 1 | 0 |
| <u>Evaluate Data structures Introduction</u>              | 2.352 s  | 3        | 3  | 0 | 0 | 12   | 12 | 0 | 0 |
| <u>Evaluate arrays module</u>                             | 12.032 s | 17       | 17 | 0 | 0 | 81   | 81 | 0 | 0 |

| # | Feature Name  | Scenario Name   |
|---|---|---|
| 1 | <u>User enter valid and invalid credentials for login</u> | <u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and1</u> |

| <b>TAG</b>  | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b> | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @portal     | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @home       | 2               | 2        | 0        | 0        | 1              | 1        | 0        | 0        |
| @login      | 4               | 3        | 1        | 0        | 1              | 0        | 1        | 0        |
| @dstruct    | 3               | 3        | 0        | 0        | 1              | 1        | 0        | 0        |
| @arry       | 17              | 17       | 0        | 0        | 1              | 1        | 0        | 0        |




| # | Feature Name  | T  | P  | F | S | Duration |
|---|---|----|----|---|---|----------|
| 1 | <u>feature to test ds algo portal link</u>                | 1  | 1  | 0 | 0 | 4.796 s  |
| 2 | <u>evaluate home page</u>                                 | 2  | 2  | 0 | 0 | 0.863 s  |
| 3 | <u>User enter valid and invalid credentials for login</u> | 4  | 3  | 1 | 0 | 4.404 s  |
| 4 | <u>Evaluate Data sturctures Introduction</u>              | 3  | 3  | 0 | 0 | 2.352 s  |
| 5 | <u>Evaluate arrays module</u>                             | 17 | 17 | 0 | 0 | 12.032 s |



| # | Feature Name  | Scenario Name   | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | <u>feature to test ds algo portal link</u>                | <u>Launch url and navigate to home page</u>   | 4 | 4 | 0 | 0 | 4.793 s  |
| 2 | <u>evaluate home page</u>                                 | <u>User navigate to home page</u>   | 3 | 3 | 0 | 0 | 0.374 s  |
| 3 |   | <u>Launch url and navigate to home page</u>   | 2 | 2 | 0 | 0 | 0.474 s  |
| 4 | <u>User enter valid and invalid credentials for login</u> | <u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and0</u> | 3 | 3 | 0 | 0 | 1.375 s  |
| 5 |   | <u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and1</u> | 3 | 2 | 1 | 0 | 1.585 s  |
| 6 |   | <u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and2</u> | 3 | 3 | 0 | 0 | 0.674 s  |
| 7 |   | <u>User on login page and login with inavalid and validinputs from Excel"Sheet1" and3</u> | 3 | 3 | 0 | 0 | 0.741 s  |
| 8 | <u>Evaluate Data sturctures Introduction</u>              | <u>User is able to navigate Data Structures Introduction</u>                              | 6 | 6 | 0 | 0 | 1.537 s  |


| # | Feature Name | Scenario Name   | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|----------|
| 9 |              | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 4 | 4 | 0 | 0 | 0.516 s  |




| #  | Feature Name                                 | Scenario Name   | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 10 | <u>Evaluate Data structures Introduction</u> | <u>User is able to navigate to practice questions</u>                         | 2 | 2 | 0 | 0 | 0.277 s  |
| 11 | <u>Evaluate arrays module</u>                | <u>The user is able to navigate to a page having Arrays in Python Topic</u>   | 2 | 2 | 0 | 0 | 1.311 s  |
| 12 |  | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 4 | 4 | 0 | 0 | 0.515 s  |
| 13 |  | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 4 | 4 | 0 | 0 | 0.523 s  |
| 14 |  | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 5 | 5 | 0 | 0 | 0.730 s  |
| 15 |  | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 5 | 5 | 0 | 0 | 0.617 s  |
| 16 |  | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 5 | 5 | 0 | 0 | 0.745 s  |



| #  | Feature Name | Scenario Name   | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 17 |              | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 5 | 5 | 0 | 0 | 0.805 s  |





| #  | Feature Name                  | Scenario Name   | T | P | F | S | Duration |
|----|-------------------------------|---|---|---|---|---|----------|
| 18 | <u>Evaluate arrays module</u> | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 5 | 5 | 0 | 0 | 0.695 s  |
| 19 |                               | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 5 | 5 | 0 | 0 | 0.854 s  |
| 20 |                               | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 6 | 6 | 0 | 0 | 1.019 s  |
| 21 |                               | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 5 | 5 | 0 | 0 | 0.560 s  |
| 22 |                               | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 5 | 5 | 0 | 0 | 0.594 s  |
| 23 |                               | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 5 | 5 | 0 | 0 | 0.597 s  |
| 24 |                               | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 5 | 5 | 0 | 0 | 0.604 s  |





| #  | Feature Name                  | Scenario Name   | T | P | F | S | Duration |
|----|-------------------------------|---|---|---|---|---|----------|
| 25 | <u>Evaluate arrays module</u> | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 5 | 5 | 0 | 0 | 0.613 s  |
| 26 |                               | <u>User is able to navigate to tryeditor page and run valid python code</u>   | 5 | 5 | 0 | 0 | 0.573 s  |
| 27 |                               | <u>User is able to navigate to tryeditor page and run invalid python code</u> | 5 | 5 | 0 | 0 | 0.564 s  |

## feature to test ds algo portal link



|                                      |                    |           |   |           |   |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| <b>PASSED</b>                        | DURATION - 4.796 s | Scenarios |  | Steps     |  |
| / 5:10:32.977 PM // 5:10:37.773 PM / |                    | Total - 1 |   | Total - 4 |   |
|                                      |                    | Pass - 1  |   | Pass - 4  |   |
|                                      |                    | Fail - 0  |   | Fail - 0  |   |
|                                      |                    | Skip - 0  |   | Skip - 0  |   |

## Launch url and navigate to home page



|   |  |   |   |  |  |
|---|--|---|---|--|--|
| <div>PASSED</div> <div>DURATION - 4.793 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> |  | <div></div> |
| <div>/ 5:10:32.980 PM // 5:10:37.773 PM /</div> |  |   |   |  |  |
| <div>feature to test ds algo portal link</div>  |  |   |   |  |  |
| <div>@portal</div>                              |  |   |   |  |  |

| # | Step / Hook Details                   | Status | Duration |
|---|---------------------------------------|--------|----------|
| 1 | Given User launch chrome browser      | PASSED | 0.024 s  |
| 2 | And User opens dsalgo portal app url  | PASSED | 0.331 s  |
| 3 | When User click on Get Started button | PASSED | 1.070 s  |
| 4 | Then User is navigated to Home page   | PASSED | 0.011 s  |

## evaluate home page



|                                      |                    |           |   |           |   |
|--------------------------------------|--------------------|-----------|---|-----------|---|
| <b>PASSED</b>                        | DURATION - 0.863 s | Scenarios |  | Steps     |  |
| / 5:10:37.796 PM // 5:10:38.659 PM / |                    | Total - 2 |   | Total - 5 |   |
|                                      |                    | Pass - 2  |   | Pass - 5  |   |
|                                      |                    | Fail - 0  |   | Fail - 0  |   |
|                                      |                    | Skip - 0  |   | Skip - 0  |   |

## User navigate to home page

|   |                               |   |   |  |
|---|-------------------------------|---|---|--|
| <div>PASSED</div>                               | <div>DURATION - 0.374 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:10:37.796 PM // 5:10:38.170 PM /</div> |                               |   |   |  |
| <div>evaluate home page</div>                   |                               |   |   |  |
| <div>@home</div>                                |                               |   |   |  |

| # | Step / Hook Details                                 | Status | Duration |
|---|---|--------|----------|
| 1 | Given User click on Data Structures dropdown        | PASSED | 0.073 s  |
| 2 | When User click on arrays from the dropdown         | PASSED | 0.256 s  |
| 3 | Then It shows error message "You are not logged in" | PASSED | 0.037 s  |

### Launch url and navigate to home page

|   |                               |   |   |  |
|---|-------------------------------|---|---|--|
| <div>PASSED</div>                               | <div>DURATION - 0.474 s</div> | <div></div> | <div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:10:38.185 PM // 5:10:38.659 PM /</div> |                               |   |   |  |
| <div>evaluate home page</div>                   |                               |   |   |  |
| <div>@home</div>                                |                               |   |   |  |

| # | Step / Hook Details                                    | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on one of the module from home page    | PASSED | 0.431 s  |
| 2 | Then It is showing error message You are not logged in | PASSED | 0.030 s  |

### User enter valid and invalid credentials for login



|   |  |   |   |   |  |
|---|--|---|---|---|--|
| <div><div>FAILED</div><div>DURATION - 4.404 s</div></div> |  | <div>Scenarios</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div><div><div></div><div>4</div></div></div> | <div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div><div><div></div><div>12</div></div></div> |
| / 5:10:38.679 PM // 5:10:43.083 PM /                      |  |   |   |   |  |
|   |  |   |   |   |  |
|   |  |   |   |   |  |

### User on login page and login with invalid and valid inputs from Excel"Sheet1" and 0


| <div>PASSED</div>   | <div>DURATION - 1.375 s</div> | <div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.105</td></tr><tr><td>2</td><td>1.091</td></tr><tr><td>3</td><td>0.173</td></tr></tbody></table></div> | Step | Duration (s) | 1 | 0.105 | 2 | 1.091 | 3 | 0.173 | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div><div>3</div></div> |
|---|-------------------------------|--|------|--------------|---|-------|---|-------|---|-------|---|-------------------------|
| Step  | Duration (s)                  |  |      |              |   |       |   |       |   |       |   |                         |
| 1   | 0.105                         |  |      |              |   |       |   |       |   |       |   |                         |
| 2   | 1.091                         |  |      |              |   |       |   |       |   |       |   |                         |
| 3   | 0.173                         |  |      |              |   |       |   |       |   |       |   |                         |
| <div>/ 5:10:38.684 PM // 5:10:40.059 PM /</div>               |                               |  |      |              |   |       |   |       |   |       |   |                         |
| <div>User enter valid and invalid credentials for login</div> |                               |  |      |              |   |       |   |       |   |       |   |                         |
| <div>@login</div>   |                               |  |      |              |   |       |   |       |   |       |   |                         |

| # | Step / Hook Details                     | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on login page         | PASSED | 0.105 s  |
| 2 | When The user enter sheet"Sheet1" and 0 | PASSED | 1.091 s  |
| 3 | Then click login button                 | PASSED | 0.173 s  |



### User on login page and login with invalid and valid inputs from Excel"Sheet1" and 1

| FAILED   | DURATION - 1.585 s |  <table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.114</td></tr><tr><td>2</td><td>0.215</td></tr><tr><td>3</td><td>1.096</td></tr></tbody></table> | Step | Duration (s) | 1 | 0.114 | 2 | 0.215 | 3 | 1.096 | <div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>  |
|--|--------------------|---|------|--------------|---|-------|---|-------|---|-------|---|
| Step   | Duration (s)       |   |      |              |   |       |   |       |   |       |   |
| 1  | 0.114              |   |      |              |   |       |   |       |   |       |   |
| 2  | 0.215              |   |      |              |   |       |   |       |   |       |   |
| 3  | 1.096              |   |      |              |   |       |   |       |   |       |   |
| / 5:10:40.065 PM // 5:10:41.650 PM /               |                    |   |      |              |   |       |   |       |   |       |   |
| User enter valid and invalid credentials for login |                    |   |      |              |   |       |   |       |   |       |   |
| @login   |                    |   |      |              |   |       |   |       |   |       |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on login page   | PASSED | 0.114 s  |
| 2 | When The user enter sheet"Sheet1" and 1   | PASSED | 0.215 s  |
| 3 | Then click login button<br>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="submit" value="Login"> is not clickable at point (959, 126). Other element would receive the click: <iframe scrolling="no" frameborder="0" style="border: 0px; height: 50px; width: 48px; left: 927px; top: 102px; z-index: 2147483647; position: absolute;" src="https://gc.kis.v2.scr.kaspersky-labs.com/E3E8934C-235A-4B0E-825A-35A08381A191/kpm/kpm_promo_balloon.html?cssSrc=https%3A%2F%2Fgc.kis.v2.scr.kaspersky-labs.com%2FE3E8934C-235A-4B0E-825A-35A08381A191%2Fkpm%2Ftooltip.css"></iframe> (Session info: chrome=112.0.5615.138) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd2c0a2ab38329035368e21029a27ed0, clickElement {id=8a2a6ddb-dce2-4442-9ad6-c8b94d95c65b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: | FAILED | 1.096 s  |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\kiran\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:51383}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51383/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (fd2c0a2ab38329035368e21029a27ed0)] -&gt; xpath: //input[@value='Login']] Session ID: fd2c0a2ab38329035368e21029a27ed0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br/> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)<br/> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br/> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br/> at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br/> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br/> at jdk.proxy2/jdk.proxy2.\$Proxy39.click(Unknown Source)<br/> at pageObjects.LoginPage.loginbtnclk(LoginPage.java:46)<br/> at stepdefinitions.LoginpageSteps.click_login_button(LoginpageSteps.java:58)<br/> at ?.click login button(file:///C:/Users/kiran/eclipse-workspace/ZoomDs_algo/src/test/resources/features/4LoginPage.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p> |        |          |
|   | AFTER - HooksPkg.Hooks.tearDown(io.cucumber.java.Scenario)   | PASSED | 0.154 s  |
|   | User on login page and login with invalid and validinputs from Excel"Sheet1" and1  |        |          |
|   |   |        |          |

User on login page and login with invalid and validinputs from Excel"Sheet1" and2

|  |                    |  |   |   |
|--|--------------------|--|---|---|
| <b>PASSED</b>                                      | DURATION - 0.674 s |  | <b>Steps</b><br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:41.662 PM // 5:10:42.336 PM /               |                    |  |   |   |
| User enter valid and invalid credentials for login |                    |  |   |   |
| @login   |                    |  |   |   |

| # | Step / Hook Details                     | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on login page         | PASSED | 0.204 s  |
| 2 | When The user enter sheet"Sheet1" and 2 | PASSED | 0.213 s  |
| 3 | Then click login button                 | PASSED | 0.250 s  |



### User on login page and login with inavalid and validinputs from Excel"Sheet1" and3

|  |                    |  |   |   |
|--|--------------------|--|---|---|
| <b>PASSED</b>                                      | DURATION - 0.741 s |  | <b>Steps</b><br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:42.342 PM // 5:10:43.083 PM /               |                    |  |   |   |
| User enter valid and invalid credentials for login |                    |  |   |   |
| @login   |                    |  |   |   |



| # | Step / Hook Details                     | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on login page         | PASSED | 0.088 s  |
| 2 | When The user enter sheet"Sheet1" and 3 | PASSED | 0.283 s  |
| 3 | Then click login button                 | PASSED | 0.367 s  |

### Evaluate Data sturctures Introduction





|                                      |                    |  |   |  |   |
|--------------------------------------|--------------------|--|---|--|---|
| <b>PASSED</b>                        | DURATION - 2.352 s | Scenarios<br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 12<br>Pass - 12<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:43.093 PM // 5:10:45.445 PM / |                    |  |   |  |   |
|                                      |                    |  |   |  |   |

### User is able to navigate Data Structures Introduction

|                                       |                    |  |  |   |
|---------------------------------------|--------------------|--|--|---|
| <b>PASSED</b>                         | DURATION - 1.537 s |  | Steps<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:43.093 PM // 5:10:44.630 PM /  |                    |  |  |   |
| Evaluate Data sturctures Introduction |                    |  |  |   |
| @dstruct                              |                    |  |  |   |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Get started button in data Structures module             | PASSED | 0.214 s  |
| 2 | When User click on Time Complexity button                                    | PASSED | 0.212 s  |
| 3 | And click Try here button and navigate to try edidor page                    | PASSED | 0.789 s  |
| 4 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.120 s  |
| 5 | And User click on run button   | PASSED | 0.085 s  |
| 6 | Then User should be presented with run result                                | PASSED | 0.109 s  |

### User is able to navigate to tryeditor page and run invalid python code

|                                       |                    |  |  |   |
|---------------------------------------|--------------------|--|--|---|
| <b>PASSED</b>                         | DURATION - 0.516 s |  | Steps<br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:44.642 PM // 5:10:45.158 PM /  |                    |  |  |   |
| Evaluate Data sturctures Introduction |                    |  |  |   |
| @dstruct                              |                    |  |  |   |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given click Try here button and navigate to try editor page                    | PASSED | 0.235 s  |
| 2 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.111 s  |
| 3 | And User click on run button   | PASSED | 0.067 s  |
| 4 | Then User should get alert message   | PASSED | 0.095 s  |

### User is able to navigate to practice questions



|                                       |                    |  |  |   |
|---------------------------------------|--------------------|--|--|---|
| PASSED                                | DURATION - 0.277 s |  | Steps<br>Total - 2<br>Pass - 2<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:45.168 PM // 5:10:45.445 PM /  |                    |  |  |   |
| Evaluate Data structures Introduction |                    |  |  |   |
| @dstruct                              |                    |  |  |   |

| # | Step / Hook Details                                    | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on practice questions                 | PASSED | 0.205 s  |
| 2 | And Navigate back to data structures introduction page | PASSED | 0.066 s  |

### Evaluate arrays module



|                                      |                     |  |  |  |  |  |  |  |  |
|--------------------------------------|---------------------|--|--|--|--|--|--|--|--|
| PASSED                               | DURATION - 12.032 s | Scenarios<br>Total - 17<br>Pass - 17<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 81<br>Pass - 81<br>Fail - 0<br>Skip - 0 |  |  |  |  |  |
| / 5:10:45.503 PM // 5:10:57.535 PM / |                     |  |  |  |  |  |  |  |  |
|                                      |                     |  |  |  |  |  |  |  |  |

### The user is able to navigate to a page having Arrays in Python Topic

|   |                               |   |   |  |
|---|-------------------------------|---|---|--|
| <div>PASSED</div>                               | <div>DURATION - 1.311 s</div> | <div></div> | <div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:10:45.503 PM // 5:10:46.814 PM /</div> |                               |   |   |  |
| <div>Evaluate arrays module</div>               |                               |   |   |  |
| <div>@arry</div>                                |                               |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User click on get started button on array module and navigate to array page | PASSED | 0.937 s  |
| 2 | When User click on Arrays in Python Topic and navigate to arrays in python page   | PASSED | 0.371 s  |

### User is able to navigate to tryeditor page and run valid python code

|   |                               |   |   |  |
|---|-------------------------------|---|---|--|
| <div>PASSED</div>                               | <div>DURATION - 0.515 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:10:46.821 PM // 5:10:47.336 PM /</div> |                               |   |   |  |
| <div>Evaluate arrays module</div>               |                               |   |   |  |
| <div>@arry</div>                                |                               |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Try here button on Arrays in Python page and navigate to try edidor page | PASSED | 0.230 s  |
| 2 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0                 | PASSED | 0.103 s  |
| 3 | And User click on run button   | PASSED | 0.063 s  |
| 4 | Then User should be presented with run result  | PASSED | 0.112 s  |

### User is able to navigate to tryeditor page and run invalid python code

|                                      |                    |  |   |  |
|--------------------------------------|--------------------|--|---|--|
| <b>PASSED</b>                        | DURATION - 0.523 s |  | <b>Steps</b><br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:47.346 PM // 5:10:47.869 PM / |                    |  |   |  |
| Evaluate arrays module               |                    |  |   |  |
| @arry                                |                    |  |   |  |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Try here button on Arrays in Python page and navigate to try edidor page | PASSED | 0.242 s  |
| 2 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1               | PASSED | 0.123 s  |
| 3 | And User click on run button   | PASSED | 0.066 s  |
| 4 | Then User should get alert message   | PASSED | 0.086 s  |

### User is able to navigate to tryeditor page and run valid python code

|                                      |                    |  |   |  |
|--------------------------------------|--------------------|--|---|--|
| <b>PASSED</b>                        | DURATION - 0.730 s |  | <b>Steps</b><br>Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:47.878 PM // 5:10:48.608 PM / |                    |  |   |  |
| Evaluate arrays module               |                    |  |   |  |
| @arry                                |                    |  |   |  |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Arrays Using List topic                                  | PASSED | 0.218 s  |
| 2 | And click Try here button and navigate to try edidor page                    | PASSED | 0.193 s  |
| 3 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.123 s  |
| 4 | And User click on run button   | PASSED | 0.084 s  |
| 5 | Then User should be presented with run result                                | PASSED | 0.106 s  |

### User is able to navigate to tryeditor page and run invalid python code



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Arrays Using List topic                                    | PASSED | 0.171 s  |
| 2 | And click Try here button and navigate to try edidor page                      | PASSED | 0.195 s  |
| 3 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.105 s  |
| 4 | And User click on run button   | PASSED | 0.049 s  |
| 5 | Then User should get alert message   | PASSED | 0.091 s  |

### User is able to navigate to tryeditor page and run valid python code



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on basic Operations in Lists                                | PASSED | 0.214 s  |
| 2 | And click Try here button and navigate to try edidor page                    | PASSED | 0.222 s  |
| 3 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.113 s  |
| 4 | And User click on run button   | PASSED | 0.073 s  |
| 5 | Then User should be presented with run result                                | PASSED | 0.111 s  |

### User is able to navigate to tryeditor page and run invalid python code

|                                      |                    |  |   |  |
|--------------------------------------|--------------------|--|---|--|
| <b>PASSED</b>                        | DURATION - 0.805 s |  | <b>Steps</b><br>Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:49.993 PM // 5:10:50.798 PM / |                    |  |   |  |
| Evaluate arrays module               |                    |  |   |  |
| @arry                                |                    |  |   |  |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on basic Operations in Lists                                  | PASSED | 0.201 s  |
| 2 | And click Try here button and navigate to try edidor page                      | PASSED | 0.357 s  |
| 3 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.101 s  |
| 4 | And User click on run button   | PASSED | 0.055 s  |
| 5 | Then User should get alert message   | PASSED | 0.086 s  |

### User is able to navigate to tryeditor page and run valid python code

|                                      |                    |  |   |  |
|--------------------------------------|--------------------|--|---|--|
| <b>PASSED</b>                        | DURATION - 0.695 s |  | <b>Steps</b><br>Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:50.804 PM // 5:10:51.499 PM / |                    |  |   |  |
| Evaluate arrays module               |                    |  |   |  |
| @arry                                |                    |  |   |  |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Applications of Array                                    | PASSED | 0.191 s  |
| 2 | And click Try here button and navigate to try edidor page                    | PASSED | 0.209 s  |
| 3 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.111 s  |
| 4 | And User click on run button   | PASSED | 0.078 s  |
| 5 | Then User should be presented with run result                                | PASSED | 0.099 s  |

### User is able to navigate to tryeditor page and run invalid python code





| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Applications of Array                                      | PASSED | 0.198 s  |
| 2 | And click Try here button and navigate to try editor page                      | PASSED | 0.412 s  |
| 3 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.100 s  |
| 4 | And User click on run button   | PASSED | 0.061 s  |
| 5 | Then User should get alert message   | PASSED | 0.077 s  |

### User is able to navigate to tryeditor page and run valid python code





| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User click on Practies Questions                                       | PASSED | 0.217 s  |
| 2 | When User click on Question1 its navigate to tryeditor page                  | PASSED | 0.412 s  |
| 3 | And User clear the tryeditor textbox   | PASSED | 0.107 s  |
| 4 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.091 s  |
| 5 | And User click on run button   | PASSED | 0.079 s  |
| 6 | Then User should be presented with run result                                | PASSED | 0.110 s  |

### User is able to navigate to tryeditor page and run invalid python code

|   |                               |   |   |  |
|---|-------------------------------|---|---|--|
| <div>PASSED</div>                               | <div>DURATION - 0.560 s</div> | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 5:10:53.389 PM // 5:10:53.949 PM /</div> |                               |   |   |  |
| <div>Evaluate arrays module</div>               |                               |   |   |  |
| <div>@arry</div>                                |                               |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on Question1 its navigate to tryeditor page                    | PASSED | 0.208 s  |
| 2 | And User clear the tryeditor textbox   | PASSED | 0.100 s  |
| 3 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.097 s  |
| 4 | And User click on run button   | PASSED | 0.055 s  |
| 5 | Then User should get alert message   | PASSED | 0.095 s  |

### User is able to navigate to tryeditor page and run valid python code

|   |                               |  |  |   |
|---|-------------------------------|--|--|---|
| <div>PASSED</div>                               | <div>DURATION - 0.594 s</div> | <div></div> | <div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div> | <div></div> |
| <div>/ 5:10:53.954 PM // 5:10:54.548 PM /</div> |                               |  |  |   |
| <div>Evaluate arrays module</div>               |                               |  |  |   |
| <div>@arry</div>                                |                               |  |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on Question2 its navigate to tryeditor page                  | PASSED | 0.202 s  |
| 2 | And User clear the tryeditor textbox   | PASSED | 0.112 s  |
| 3 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.094 s  |
| 4 | And User click on run button   | PASSED | 0.067 s  |
| 5 | Then User should be presented with run result                                | PASSED | 0.114 s  |

### User is able to navigate to tryeditor page and run invalid python code



|                                      |                    |  |   |  |
|--------------------------------------|--------------------|--|---|--|
| <b>PASSED</b>                        | DURATION - 0.597 s |  | <b>Steps</b><br>Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:54.554 PM // 5:10:55.151 PM / |                    |  |   |  |
| Evaluate arrays module               |                    |  |   |  |
| @arry                                |                    |  |   |  |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on Question2 its navigate to tryeditor page                    | PASSED | 0.195 s  |
| 2 | And User clear the tryeditor textbox   | PASSED | 0.091 s  |
| 3 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.102 s  |
| 4 | And User click on run button   | PASSED | 0.057 s  |
| 5 | Then User should get alert message   | PASSED | 0.148 s  |

### User is able to navigate to tryeditor page and run valid python code

|                                      |                    |  |   |  |
|--------------------------------------|--------------------|--|---|--|
| <b>PASSED</b>                        | DURATION - 0.604 s |  | <b>Steps</b><br>Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:55.162 PM // 5:10:55.766 PM / |                    |  |   |  |
| Evaluate arrays module               |                    |  |   |  |
| @arry                                |                    |  |   |  |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on Question3 its navigate to tryeditor page                  | PASSED | 0.238 s  |
| 2 | And User clear the tryeditor textbox   | PASSED | 0.090 s  |
| 3 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.095 s  |
| 4 | And User click on run button   | PASSED | 0.064 s  |
| 5 | Then User should be presented with run result                                | PASSED | 0.109 s  |

### User is able to navigate to tryeditor page and run invalid python code



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on Question3 its navigate to tryeditor page                    | PASSED | 0.269 s  |
| 2 | And User clear the tryeditor textbox   | PASSED | 0.095 s  |
| 3 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.085 s  |
| 4 | And User click on run button   | PASSED | 0.056 s  |
| 5 | Then User should get alert message   | PASSED | 0.104 s  |

### User is able to navigate to tryeditor page and run valid python code



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on Question4 its navigate to tryeditor page                  | PASSED | 0.180 s  |
| 2 | And User clear the tryeditor textbox   | PASSED | 0.101 s  |
| 3 | When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 | PASSED | 0.086 s  |
| 4 | And User click on run button   | PASSED | 0.073 s  |
| 5 | Then User should be presented with run result                                | PASSED | 0.124 s  |

### User is able to navigate to tryeditor page and run invalid python code

|                                      |                    |  |   |  |
|--------------------------------------|--------------------|--|---|--|
| <b>PASSED</b>                        | DURATION - 0.564 s |  | <b>Steps</b><br>Total - 5<br>Pass - 5<br>Fail - 0<br>Skip - 0 |  |
| / 5:10:56.971 PM // 5:10:57.535 PM / |                    |  |   |  |
| Evaluate arrays module               |                    |  |   |  |
| @arry                                |                    |  |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | When User click on Question4 its navigate to tryeditor page                    | PASSED | 0.191 s  |
| 2 | And User clear the tryeditor textbox   | PASSED | 0.100 s  |
| 3 | When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1 | PASSED | 0.089 s  |
| 4 | And User click on run button   | PASSED | 0.062 s  |
| 5 | Then User should get alert message   | PASSED | 0.116 s  |