Geras

Connecting elderly to the care they deserve

TASK (Team 59)

- Samiksha Modi (2019331)
- Kabir Dureja (2019365)
- Aman Priyadarshi (2019294)
- Tushar Mahajan (2019280)
- Kunal Sagar (2019055)

Application/Domain

Senior Citizen welfare

Problem Area

Aged care is a significant issue which concerns all governments. In order to provide assistance and provide quality of life to senior citizens, enormous resources are invested by the government each year. A significant proportion of the investment is used to provide a range of services for senior citizens who stay at home. Since providing quality aged care is an ongoing and complex process, there is a desperate need to develop innovative solutions, which will benefit society at large. Although modern information technology products are changing the lifestyle of younger generations, they have much less impact on old people.

ldea

Senior Citizens play a very important role in our family and society. Their well being is very crucial for a family. In the current age, the families are not able to keep a constant check on the well being and needs of their elder one. The senior citizens are not well versed with technology which could be very useful for them in their daily lives. Our service plans to provide the senior citizens, their families, NGOs and the Government with an application to link all these actors for the betterment of the elderly.

We all are aware that everyone is not tech-savvy, especially the elderly who are often confused with new technology. Keeping this in mind, we designed our application in a way to eliminate the inconvenience caused to the elderly while using the technology.

Description

Our application "Geras" allows senior citizens and their families, NGOs, the government and other volunteers to connect and build a network. The government will be registered as an owner and administrator as they will assign officers and also fund the application while ensuring the smooth working of the services. NGOs will be registered as agencies partnering with the government on our application which will help in providing the services by assigning volunteers. On the other hand, the senior citizens, who are the beneficiary of our application, will be registered as users and the app will allow them to connect and avail the offered services without any hassle. In order to eliminate the concern of the families of the senior citizens, our application also serves as a portal for the families to get updates about the services the senior citizen requests and ensure their well being. Adding to this, our application will be open to any volunteer (who will be registered with the NGOs after the verification process) who wishes to join and help us improve our services by suggesting new innovative ideas.

Stakeholders

1. The Elderly

We presently have the largest population of youth and that is the bedrock of our future. However, we are soon also going to have perhaps the largest population of the elderly and get the label of a Geriatric Nation. But these elderlies have been the backbone of our nation and we must ensure that it remains strong - physically as well as mentally. We the young people and the government must now help them in their sensitive phase, providing them the care and comfort to lead a healthy and dignified life without worries and anxiety.

The elderly can easily connect to services that the government and the NGOs provide through our application.

Queries

- Register and add their details
- Unregister from the app
- Request a service
- Track the service request
- Update their prescription
- Access their prescription history
- List all completed services
- List all pending services
- See service history

2. Volunteer

Volunteering holds a very important role in a community as it helps in holding the community together. Hence, our application is not only limited to registered members, but it is also open for volunteers. With their enthusiasm, the volunteers can be a helping hand for the elderly.

The volunteers are assigned the area in which they are willing to and qualified for the task. The volunteers can register with the registered NGOs in the database.

Queries

- Register and add their details
- Register with an NGO
- Unregister from an NGO
- Unregister from the app
- View the work allotted to them
- Report completion of their work
- Update their availability

3. NGOs

A non governmental organization (NGO) is a non profit that functions independently of any government, so as to serve a social or political goal such as humanitarian causes or environment. NGOs are instrumental in the social development of a state, nation or community. They act as a common link between government, families, volunteers and senior citizens. Through our application, the NGOs can effectively organize and execute their data and functions respectively, thereby amplifying their reach.

The NGOs can employ our database in order to fulfill the services required by the elderly by assigning volunteers to them. Besides, they can also request medical check-up for the elderly in the nearest government hospital because the government is also one of the stakeholders. The NGOs can even interact with the families of the elderly and discuss the further measures in order to maximize the well-being of elderly (feedback from families).

Queries

Register and add their details

- Unregister as NGO
- Receive service request from the government
- Allot available volunteers to the work
- Check the status of the work allotted
- Access transactions with the government

4. Government

The government plays a very important role in connecting the Elderly, NGO and it's officers. The government will serve as a supervisor and administrator as they will assign officers and also fund the application while ensuring the smooth working of the services. They are responsible for keeping a check on all the services.

Our application will help the government officers like the admin of the database to maintain the list of NGO that the Elderly can connect to. And government officers like doctors and nurses to keep regular check-ups on the elderly.

Queries

- Register all the officers and their designation
- Create/Delete/Update Elderly, Healthcare Workers and NGOs partnered with them
- Access all service request
- Assign healthcare workers for service request
- Assign NGOs for service request
- Mark service as completed
- Access transaction history

5. Healthcare Workers

Healthcare workers play a very vital role in our daily lives. They save lives but their importance goes far beyond that. They make a difference by helping patients minimize pain, recover from a disease faster or learn to live with a disabling injury. The profession of a doctor is the most noble and respected one. They do a great service to society.

Through our app, doctors and nurses can keep the track of their elderly patients and employ proper measures to ensure the well being of their patients.

Queries

- Register and add their details
- Access prescription history of an Elderly
- Report completion of their work
- Contact family in case of an emergency
- Access transactions with the government

Families

The importance of family in a senior's life is truly immeasurable. Family is often the one connection that remains constant. Whether the senior citizen lives with or away from their family, the family is always concerned about the well being of their elderly. Our application would be a way that would help the families to have a better connection with their elderly by providing them various services that would help them monitor them.


Queries

- Register and add their details
- Get notified when the Elderly requests any service
- View medicine record of elderly
- View healthcare worker currently providing services to the elderly
- Get notified in case of emergencies by the Healthcare Workers
- Request service for/on behalf of the elderly
- Track the service request


Project Inspiration

https://www.livemint.com/Politics/VbUrZerAH0rYgpFaDl8jsM/CGHS-beneficiaries-aged-80-and-above-to-get-easy-access-to-d.html

E-R Diagram



Schema Diagram



Tables and Attributes

1. FAMILY:

```
CREATE TABLE Family (
F_ID varchar(12) NOT NULL UNIQUE,
First_Name varchar(40) NOT NULL,
Last_Name varchar(40) NOT NULL,
Mobile_No varchar(10) NOT NULL UNIQUE,
Email_ID varchar(80) NOT NULL UNIQUE,
House_No varchar(10) NOT NULL,
Street_Name varchar(50) NOT NULL,
City varchar(50) NOT NULL,
State varchar(50) NOT NULL,
Zip varchar(6) NOT NULL,
PRIMARY KEY(F_ID)
);
```

2. ELDERLY:

);

```
CREATE TABLE Elderly (

Aadhar_No varchar(12) NOT NULL UNIQUE,
First_Name varchar(50) NOT NULL,
Last_Name varchar(50) NOT NULL,
DOB date NOT NULL,
Mobile_No varchar(10) NOT NULL UNIQUE,
House_No varchar(10) NOT NULL,
Street_Name varchar(50) NOT NULL,
City varchar(50) NOT NULL,
State varchar(50) NOT NULL,
Zip varchar(6) NOT NULL,
F_ID varchar(12),
PRIMARY KEY(Aadhar_No)
```

3. MEDICINE_UPDATE:

4. HEALTHCARE_WORKER:

5. GOVERNMENT OFFICER:

```
CREATE TABLE Government_Officer (
    Officer_ID varchar(12) NOT NULL,
    First_Name varchar(40) NOT NULL,
    Last_Name varchar(34) NOT NULL,
    Designation varchar(30) NOT NULL,
    Mobile_No varchar(10) NOT NULL UNIQUE,
    House_No varchar(10) NOT NULL,
    Street_Name varchar(50) NOT NULL,
    City varchar(50) NOT NULL,
```

```
State varchar(50) NOT NULL,
Zip varchar(6) NOT NULL,
Email varchar(80) NOT NULL UNIQUE,
PRIMARY KEY(Officer_ID)
);
```

6. SERVICE:

7. APPOINTS HW:

8. APPOINTS_NGO:

```
CREATE TABLE Appoints_NGO (
Service_ID varchar(12) NOT NULL,
Officer_ID varchar(12) NOT NULL,
NGO_ID varchar(12) NOT NULL,
```

```
Is_Given_Vol VARCHAR(10) NOT NULL,
Volunteer_ID varchar(12),
Is_Completed VARCHAR(10) NOT NULL,
Transaction_ID varchar(12) UNIQUE,
Service_Cost varchar(4) NOT NULL,
PRIMARY KEY(Service_ID)
);
```

9. VOLUNTEER_NGO:

10. VOLUNTEER:

```
CREATE TABLE Volunteer (
    Volunteer_ID varchar(12) NOT NULL,
    First_Name varchar(40) NOT NULL,
    Last_Name varchar(40) NOT NULL,
    Mobile_No varchar(10) NOT NULL UNIQUE,
    Email_ID varchar(80) NOT NULL UNIQUE,
    House_No varchar(10) NOT NULL,
    Street_Name varchar(50) NOT NULL,
    City varchar(50) NOT NULL,
    State varchar(50) NOT NULL,
    Zip varchar(6) NOT NULL,
    PRIMARY KEY(Volunteer_ID)
);
```

11. NGO:

Setting Foreign Key Constraints

- 1. ALTER TABLE Elderly ADD FOREIGN KEY (F_ID) REFERENCES Family(F_ID);
- 2. ALTER TABLE Service ADD FOREIGN KEY (Aadhar_No) REFERENCES Elderly (Aadhar_No);
- ALTER TABLE Appoints_NGO ADD FOREIGN KEY (Service_ID) REFERENCES Service (Service_ID);
- 4. ALTER TABLE Appoints_NGO ADD FOREIGN KEY (Officer_ID) REFERENCES Government_Officer (Officer_ID);
- ALTER TABLE Appoints_NGO ADD FOREIGN KEY (NGO_ID) REFERENCES NGO (NGO_ID);
- 6. ALTER TABLE Appoints_NGO ADD FOREIGN KEY (Volunteer_ID) REFERENCES Volunteer_ID);
- 7. ALTER TABLE Volunteer_NGO ADD FOREIGN KEY (Volunteer_ID) REFERENCES Volunteer (Volunteer_ID);
- ALTER TABLE Volunteer_NGO ADD FOREIGN KEY (NGO_ID) REFERENCES NGO (NGO_ID);
- ALTER TABLE Appoints_HW ADD FOREIGN KEY (Service_ID) REFERENCES Service (Service_ID);
- 10. ALTER TABLE Appoints_HW ADD FOREIGN KEY (Officer_ID) REFERENCES Government_Officer (Officer_ID);
- 11. ALTER TABLE Appoints_HW ADD FOREIGN KEY (HW_ID) REFERENCES Healthcare_Worker (HW_ID);
- 12. ALTER TABLE Medicine_Update ADD FOREIGN KEY (Aadhar_No) REFERENCES Elderly (Aadhar_No);

Tables Included in the Database

```
mysql> show columns from elderly;
 Field
              Type
                           | Null | Key | Default | Extra
 Aadhar No
             varchar(12)
                                         NULL
                            NO
 First Name
               varchar(50)
                            NO
                                         NULL
 Last Name
               varchar(50)
                            NO
                                         NULL
 DOB
              l date
                            NO
                                         NULL
 Mobile No
             varchar(10)
                                   UNI
                            NO
                                         NULL
             varchar(10)
 House No
                            NO
                                         NULL
 Street Name | varchar(50)
                            NO
                                         NULL
 City
               varchar(50)
                            NO
                                         NULL
 State
              varchar(50)
                            NO
                                         NULL
             varchar(6)
 Zip
                            NO
                                         NULL
                                  MUL NULL
 F ID
              varchar(12)
                           YES
11 rows in set (0.00 sec)
mysql> show columns from medicine update;
 Field
               Type
                             | Null | Key | Default |
 Aadhar No
              varchar(12)
                             NO
                                     PRI
                                           NULL
 Date
                date
                              NO
                                     PRI |
                                           NULL
 Prescription | varchar(400)
                                           NULL
                              NO
 Doctor Name
              varchar(50)
                             NO
                                           NULL
4 rows in set (0.00 sec)
mysql> show columns from family;
 Field
             Type
                           | Null | Key | Default | Extra
 F ID
             varchar(12)
                                   PRI
                                         NULL
                            NO
             | varchar(40)
 First Name
                            NO
                                         NULL
             | varchar(40)
 Last Name
                            NO
                                         NULL
             varchar(10)
 Mobile No
                            NO
                                   UNI
                                       NULL
 Email ID
                                   UNI
               varchar(80)
                            NO
                                         NULL
 House No
               varchar(10)
                            NO
                                         NULL
 Street Name | varchar(50)
                            NO
                                         NULL
 City
              varchar(50)
                            NO
                                         NULL
 State
             varchar(50)
                            NO
                                         NULL
 Zip
              varchar(6)
                            NO
                                         NULL
10 rows in set (0.00 sec)
```

```
mysql> show columns from healthcare worker;
 Field
                Type
                              | Null | Key | Default | Extra
 HW ID
                 varchar(12)
                               NO
                                      PRI
                                            NULL
                 varchar(40)
 First Name
                               NO
                                             NULL
 Last Name
                 varchar(40)
                               NO
                                            NULL
                 varchar(30)
 Designation
                               NO
                                            NULL
 Mobile No
                 varchar(10)
                               NO
                                      UNI
                                            NULL
 House No
                 varchar(10)
                               NO
                                            NULL
 Street Name
                 varchar(50)
                               NO
                                            NULL
 City
                 varchar(50)
                               NO
                                            NULL
                 varchar(50)
 State
                               NO
                                            NULL
                 varchar(6)
 Zip
                               NO
                                            NULL
 Service Cost
                varchar(10)
                               NO
                                            NULL
11 rows in set (0.00 sec)
mysql> show columns from government officer;
 Field
              Type
                              Null
                                     Key
                                           Default
 Officer ID
               varchar(12)
                              NO
                                     PRI
                                           NULL
 First Name
                varchar(40)
                              NO
                                           NULL
 Last Name
                varchar(34)
                                           NULL
                              NO
 Designation
                varchar(30)
                              NO
                                           NULL
 Mobile No
                varchar(10)
                                     UNI
                                           NULL
                              NO
 House No
                varchar(10)
                              NO
                                           NULL
 Street Name
                varchar(50)
                              NO
                                           NULL
 City
                varchar(50)
                              NO
                                           NULL
 State
                varchar(50)
                              NO
                                           NULL
                varchar(6)
 Zip
                              NO
                                           NULL
 Email
                varchar(80)
                              NO
                                     UNI
                                           NULL
11 rows in set (0.00 sec)
```

```
mysql> show columns from service;
                                  Null | Key |
  Field
                   Type
                                                Default
  Service ID
                   varchar(12)
                                  NO
                                                NULL
  Details
                   varchar(400)
                                  NO
                                                NULL
 Service Status
                   varchar(10)
                                   NO
                                                NULL
 Aadhar No
                   varchar(12)
                                  NO
                                                NULL
  Start Date
                   date
                                  NO
                                                NULL
 End Date
                   date
                                  YES
                                                NULL
                   varchar(5)
 Type
                                  YES
                                                NULL
7 rows in set (0.00 sec)
mysql> show columns from appoints hw;
 Field
                 | Type
                                | Null | Key | Default | Extra
 Service ID
                   varchar(12)
                                         PRI
                                               NULL
                                 NO
 Officer ID
                   varchar(12)
                                 NO
                                         MUL
                                               NULL
                   varchar(12)
 HW ID
                                 NO
                                         MUL
                                               NULL
 Is Completed
                   varchar(10)
                                 NO
                                               NULL
                   varchar(12)
 Transaction ID
                                 YES
                                         UNI
                                               NULL
  Service Cost
                   varchar(7)
                                 NO
                                               NULL
6 rows in set (0.00 sec)
mysql> show columns from appoints ngo;
 Field
                                | Null | Key | Default |
                  Type
 Service ID
                   varchar(12)
                                 NO
                                         PRI
                                               NULL
 Officer ID
                   varchar(12)
                                 NO
                                         MUL
                                               NULL
 NGO ID
                   varchar(12)
                                 NO
                                         MUL
                                               NULL
 Is Given Vol
                   varchar(10)
                                               NULL
                                 NO
 Volunteer ID
                   varchar(12)
                                 YES
                                         MUL
                                               NULL
 Is Completed
                   varchar(10)
                                 NO
                                               NULL
 Transaction ID
                   varchar(12)
                                 YES
                                         UNI
                                               NULL
  Service Cost
                   varchar(4)
                                 NO
                                               NULL
8 rows in set (0.00 sec)
```

```
mysql> show columns from volunteer ngo;
 Field
                            | Null | Key | Default | Extra |
              Type
 Volunteer ID | varchar(12) | NO
                                    PRI
                                          NULL
 NGO ID
              | varchar(12) | NO
                                    PRI
                                          NULL
 Available
              | varchar(10) | NO
                                         NULL
3 rows in set (0.00 sec)
mysql> show columns from volunteer;
 Field
              Type
                            | Null | Key | Default | Extra |
 Volunteer ID | varchar(12) | NO
                                     PRI NULL
 First Name
               varchar(40)
                                          NULL
                             NO
 Last Name
               varchar(40)
                             NO
                                          NULL
 Mobile No
               | varchar(10) |
                             NO
                                    UNI | NULL
 Email ID
              | varchar(80) |
                                    UNI | NULL
                             NO
 House No
               | varchar(10) |
                             NO
                                          NULL
 Street Name
               | varchar(50) |
                                         NULL
                             NO
 City
                varchar(50)
                             NO
                                         NULL
 State
               | varchar(50) |
                             NO
                                         NULL
 Zip
                varchar(6)
                             NO
                                          NULL
10 rows in set (0.00 sec)
mysql> show columns from ngo;
 Field
               Type
                            | Null | Key | Default |
 NGO ID
              | varchar(12) | NO
                                     PRI | NULL
               | varchar(30)
 Name
                             NO
                                          NULL
 Helpline 1
              varchar(11)
                             NO
                                    UNI | NULL
                varchar(11)
 Helpline 2
                             YES
                                     UNI | NULL
 House No
                varchar(10)
                              NO
                                          NULL
 Street Name
               | varchar(50) |
                             NO
                                         NULL
 City
                varchar(50)
                             NO
                                         NULL
 State
                varchar(50)
                             NO
                                         NULL
               | varchar(6)
 Zip
                             NO
                                          NULL
 Website
                varchar(50)
                             YES
                                    UNI | NULL
               varchar(30)
 Issue Type
                             NO
                                          NULL
 Service_Cost | varchar(5)
                             NO
                                          NULL
12 rows in set (0.00 sec)
```

Indexing Commands

- Create Index trans_appoints_NGO
 ON Appoints_NGO(Service_Cost, Transaction_ID);
- Create Index trans_appoints_HW ON Appoints_HW(Service_Cost, Transaction_ID);
- Create Index officer_appoints_HW ON Appoints_HW(HW_ID, Officer_ID);
- 4. Create Index available_ngos_with_service_cost ON NGO(NGO_ID, Service_Cost, Status);
- 5. Create Index track_elderly_service ON Elderly(Aadhar_No, Service_ID);
- Create Index elderly_aadhar ON Elderly(Aadhar_No);
- Create Index completed_elderly_service ON Elderly(Aadhar_No, Service_Status);
- Create Index services_info
 ON Services(Service_ID, Service_Status, Type);
- Create Index active_volunteersON Volunteer(Volunteer_ID, Status);
- Create Index active_HW
 ON Volunteer(HW_ID, Status);

Relational Algebra Queries

1. Track service request of an elderly

Let SER1 be the service request of elderly with aadhar no 123456:

Select * from SERVICE where aadhar no='123456' and Service ID = 'SER1';

2. <u>Display prescription history of an elderly</u>

Let elderly aadhar be 123456:

 $\sigma_{Aadhar\ No} = '123456'$ (Medicine_Update)

Select * from Medicine_Update where Aadhar_No="123456"

3. <u>List all completed services of an elderly</u>

Let eldelry aadhar be 123456:

σ_{Aadhar_No} = '123456' ^ Service_Status</sub> = 'Completed' (Service)

Select * from Service where Aadhar_No="123456" and Service_Status="Completed"

4. List all pending services of an elderly

Let eldelry aadhar be 123456:

 $\sigma_{Aadhar_NO} = '123456' \land Service_Status = 'Inprogress''$ (Service) U $\sigma_{Aadhar_No} = '123456' \land Service_Status = "Requested"$ (Service)

Select * from Service where Aadhar_No="123456" and (Service_Status = "Inprogress" or Service_Status="Requested")

5. <u>List service history of an elderly</u>

Let elderly aadhar be 123456:

Select * from Service where Aadhar_No="123456"

6. <u>List all services of an elderly which were completed on the same day it was requested</u>

 $\prod_{Service_ID, Details} (\sigma_{Start_Date} = End_Date \land Service_Status = 'Completed' (Service))$

Select Service_ID, Details from Service where Service_Status="Completed" and Start_Date=End_Date

7. List all HW workers appointed by a govt officer

Let officer id be 'OFF2'

 $\prod_{HW_ID}(\sigma_{Officer_ID = 'OFF2'}(Appoints_HW))$

Select HW_ID from Appoints_HW where Officer_ID="OFF2"

8. <u>Display all service details assigned to a HW Worker</u>

Let HW id be 'HW2'

 $\sigma_{HW\ ID} = {}'HW2'$ (Appoints_HW \bowtie Service)

Select * from Appoints natural join Service where HW_ID="HW2"

9. <u>Display details of all volunteers in an NGO</u>

Let NGO id be 'NGO1'

 $\sigma_{NGO\ ID = 'NGO1'}$ (Volunteer \bowtie Volunteer_NGO)

Select * from Volunteer natural join. Volunteer_NGO where NGO_ID="NGO1"

10. <u>Display all active NGOs</u>

 $\prod_{NGO_ID} (\sigma_{Status='active'}(NGO))$

Select NGO_ID from NGO where Status="active"

11. <u>List pending services of a HW worker</u>

Let HW id be 'HW2'

 $\sigma_{HW_ID = 'HW2' \land Is_completed = 'no'}$ (Appoints_HW)

12. List all the transactions of a HW with the Government

Let HW id be 'HW2'

 $\textstyle \prod_{Transaction_ID, Service_Cost} (\sigma_{HW_ID = 'HW2'} (Appoints_HW))$

Select Transaction ID, Service Cost from Appoints HW where HW ID=2

13. Display the list of available NGOs and their service cost

 $\textstyle \prod_{NGO_ID, Service_Cost} (\sigma_{Status='active'}(NGO))$

Select NGO_ID, Service_Cost from NGO where Status="active"

Embedded SQL Query (Advanced)

```
import mysql.connector
from tabulate import tabulate
mydb = mysql.connector.connect(
    host='localhost',
   user='root',
   password='',
   database='GERAS'
sql_cursor = mydb.cursor()
def pretty_print_results(results, column_names_list):
    print(tabulate(results, headers=column_names_list,
tablefmt='fancy_grid'))
def get_number_of_ngo_grouped_by_issue_types(sql_cursor):
    query = '''SELECT Issue_Type,
                    COUNT(NGO ID) as Number Of NGO
                from NGO
                GROUP BY Issue Type;'''
    try:
        sql_cursor.execute(query)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def get_number_of_volunteers_per_ngo(sql_cursor):
    query = '''SELECT NGO.NGO_ID,
                    COUNT(DISTINCT(Volunteer NGO.Volunteer ID)) as
Number Of_Volunteers
                FROM NGO
                    INNER JOIN Volunteer_NGO ON Volunteer_NGO.NGO_ID =
NGO.NGO ID
                GROUP BY NGO.NGO_ID
```

```
ORDER BY Number Of Volunteers DESC;'''
   try:
       sql cursor.execute(query)
       results = sql_cursor.fetchall()
   except Exception as e:
       print(e)
       return
   return list(results), sql_cursor.column_names
def get_number_of_completed_and_pending_services(sql_cursor, hw_id):
    query = '''SELECT HW_ID, CASE
                        WHEN Is_Completed = 1 THEN 'Completed'
                        ELSE 'Pending'
                    END as Status,
                    COUNT(DISTINCT(Service ID)) as Number Of Services
                FROM Appoints_HW
                WHERE HW ID = %s
                GROUP BY CASE
                        WHEN Is Completed = 1 THEN 'Completed'
                        ELSE 'Pending'
                    END;'''
   params = [hw_id]
   try:
        sql_cursor.execute(query, params)
       results = sql cursor.fetchall()
   except Exception as e:
       print(e)
       return
   return list(results), sql_cursor.column_names
def get_total_cost_per_healthworker(sql_cursor):
   query = '''SELECT Appoints_HW.HW_ID,
                    CONCAT(
                        Healthcare Worker. First Name,
                        Healthcare_Worker.Last_Name
                    ),
                    SUM(CAST(Appoints_HW.Service_Cost AS UNSIGNED)) as
```

```
Total Cost
                FROM Appoints_HW
                    INNER JOIN Healthcare_Worker ON Appoints_HW.HW_ID =
Healthcare Worker.HW ID
                GROUP BY Appoints HW.HW ID; '''
    try:
        sql cursor.execute(query)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    column_names = list(sql_cursor.column_names)
    column_names[1] = 'Full Name'
    return list(results), column names
def get ngo details with cost in a range(sql cursor, ngo issue type,
filter_cost_range_start, filter_cost_range_end, ngo_activity_status):
    query = '''SELECT *
                FROM NGO
                WHERE Issue Type = %s
                    AND Service Cost BETWEEN %s AND %s
                    AND C Status = %s
                ORDER BY Service Cost;'''
    params = [ngo_issue_type, filter_cost_range_start,
filter cost range end, ngo activity status]
    try:
        sql cursor.execute(query, params)
        results = list(sql cursor.fetchall())
    except Exception as e:
        print(e)
        return
    for i in range(len(results)):
        results[i] = list(results[i])
        row start = results[i][:4]
        address = ', '.join(results[i][4:9])
        row_end = results[i][9:]
        row_start.append(address)
```

```
row start.extend(row end)
        results[i] = row_start
    column names = list(sql cursor.column names)
    column_names_start = column_names[:4]
    column_names_start.append('address')
    column_names_start.extend(column names[9:])
    return results, column_names_start
def get_top_servicing_ngos(sql_cursor, num_rows_to_return):
    query = '''SELECT NGO.*,
                    Appoints NGO.IS Completed,
                    COUNT(DISTINCT(Appoints_NGO.Service_ID)) AS
Number_Of_Services
                FROM NGO
                    INNER JOIN Appoints_NGO ON NGO.NGO_ID =
Appoints_NGO.NGO_ID
                WHERE Appoints NGO.Is Completed = 1
                GROUP BY NGO.NGO ID
                ORDER BY Number_Of_Services DESC
                LIMIT %s;'''
    params = [num_rows_to_return]
    try:
        sql_cursor.execute(query, params)
        results = list(sql cursor.fetchall())
    except Exception as e:
        print(e)
        return
    for i in range(len(results)):
        results[i] = list(results[i])
        row_start = results[i][:4]
        address = ', '.join(results[i][4:9])
        row_end = results[i][9:]
        row_start.append(address)
        row start.extend(row end)
        results[i] = row_start
    column_names = list(sql_cursor.column_names)
```

```
column_names_start = column_names[:4]
  column_names_start.append('address')
  column_names_start.extend(column_names[9:])

  return list(results), column_names_start

pretty_print_results(*get_number_of_ngo_grouped_by_issue_types(sql_cursor))
  pretty_print_results(*get_number_of_volunteers_per_ngo(sql_cursor))
  pretty_print_results(*get_number_of_completed_and_pending_services(sql_cursor, 'HW40'))
  pretty_print_results(*get_total_cost_per_healthworker(sql_cursor))
  pretty_print_results(*get_ngo_details_with_cost_in_a_range(sql_cursor, 'Food', 100, 500, 'active'))
  pretty_print_results(*get_top_servicing_ngos(sql_cursor, 10))

mydb.close()
```

Elderly Embedded SQL

```
def
register an elderly(sql cursor, aadhar no, first name, last name, dob, mobile, ho
use_no,street_name,city,state,zip,f id):
    query = ''' INSERT INTO
Elderly(aadhar no, first name, last name, dob, mobile no, house no, street name, c
ity,state,pincode,f id,status) VALUES
(%s,%s,%s,%s,%s,%s,%s,%s,%s,'Active');'''
[aadhar no, first name, last_name, dob, mobile, house_no, street_name, city, state,
zip,f_id]
    try:
        sql_cursor.execute(query, params)
        mydb.commit()
        print("Welcome to our app Geras. Thank you for registering.")
    except Exception as e:
        print(e)
        return
def request service by elderly(sql cursor, service ID, details,
service_status, aadhar_no,start_date):
    query = ''' INSERT INTO Service(service_ID, details, service_status,
aadhar_no, start_date) VALUES (%s,%s,%s,%s,%s);'''
    params = [service_ID, details, service_status,aadhar_no,start_date]
    try:
        sql cursor.execute(query, params)
        mydb.commit()
        print("Your service request has been recorded")
    except Exception as e:
        print(e)
        return
def track service request of an elderly(sql cursor, aadhar no, ser ID):
    query = '''SELECT * FROM SERVICE WHERE aadhar_no=%s and Service_ID =
```

```
%s;'''
    params = [aadhar_no,ser_ID]
    try:
        sql_cursor.execute(query, params)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def get presecription history of an elderly(sql cursor, aadhar no):
    query = ''' SELECT * FROM Medicine_Update where aadhar_no=%s;'''
    params = [aadhar_no]
    try:
        sql_cursor.execute(query, params)
        results = sql cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def update_prescription_of_an_elderly(sql_cursor, aadhar_no, date,
prescription,doctor name):
    query = ''' INSERT INTO
Medicine_Update(Aadhar_No,Date,Prescription,Doctor_Name) VALUES
(%s,%s,%s);'''
    params = [aadhar_no, date, prescription, doctor_name]
    try:
        sql cursor.execute(query, params)
        mydb.commit()
        print("Updated prescription of"+ aadhar_no)
    except Exception as e:
        print(e)
        return
```

```
def get_service_history_of_an_elderly(sql_cursor,aadhar no):
    query = ''' SELECT * FROM Service where aadhar_no=%s;'''
    params = [aadhar_no]
    try:
        sql_cursor.execute(query, params)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def get_all_completed_services_of_an_elderly(sql_cursor,aadhar_no):
    query = ''' SELECT * FROM Service where aadhar no=%s and
service status='completed';'''
    params = [aadhar_no]
    try:
        sql_cursor.execute(query, params)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def get_all_pending_services_of_an_elderly(sql_cursor,aadhar_no):
    query = ''' SELECT * FROM Service where aadhar_no=%s and
(service_status='inprogress' or service_status='requested');'''
    params = [aadhar no]
    try:
        sql_cursor.execute(query, params)
        results = sql cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
```

```
def dergister_an_elderly(sql_cursor, aadhar no):
    query = ''' Update Elderly SET status='inactive' where aadhar_no=%s'''
    params = [aadhar_no]
    try:
        sql_cursor.execute(query, params)
        mydb.commit()
        print("We're sorry to see you go.")
    except Exception as e:
        print(e)
        return
register an elderly(sql cursor, '123456789102', 'samiksha', 'modi', '19470816',
'9876543210','H1','Kadam Road','Delhi','Delhi','110007','FAM1')
request_service_by_elderly(sql_cursor,'SER51','I would like to request
someone to help me with my garden cleaning', 'Requested',
'237867112793','20200815')
pretty print results(*get service history of an elderly(sql cursor,'2378671
12793'))
pretty_print_results(*track_service_request_of_an_elderly(sql_cursor,'23786
7112793', 'SER51'))
pretty_print_results(*get_presecription_history_of_an_elderly(sql_cursor,'2
37867112793'))
update_prescription_of_an_elderly(sql_cursor,'237867112793','20200808','Cet
aphin','RK Aggarwal')
pretty print results(*get presecription history of an elderly(sql cursor,'2
37867112793'))
pretty_print_results(*get_service_history_of_an_elderly(sql_cursor,'4734887)
49586'))
pretty print results(*get all completed services of an elderly(sql cursor,'
473488749586'))
pretty_print_results(*get_all_pending_services_of_an_elderly(sql_cursor,'34
6907249932'))
dergister_an_elderly(sql_cursor,'123456789102')
```

Volunteer Embedded Queries

```
def register volunteer(sql cursor, First Name, Last Name, Mobile No,
Email_ID, House_No, Street_Name, City, State, Zip):
    query = '''INSERT INTO
Volunteer(First_Name,Last_Name,Mobile_No,Email_ID,House_No,Street_Name,City
,State,Zip) VALUES (%s,%s,%s,%s,%s,%s,%s,%s,%s);'''
[First Name, Last Name, Mobile No, Email ID, House No, Street Name, City, State, Zi
pΊ
    try:
        sql_cursor.execute(query,params)
        mydb.commit()
        print("Welcome to our app Geras. Thank you for registering.")
    except Exception as e:
        print(e)
        return
def reg_volunteer_with_ngo(sql_cursor, Volunteer ID, NGO ID):
    query = '''INSERT INTO Volunteer NGO(Volunteer ID, NGO ID) VALUES(%s,
%s);'''
    params = [Volunteer_ID, NGO_ID]
    try:
        sql_cursor.execute(query,params)
        mydb.commit()
        print("You have been successfully registered")
    except Exception as e:
        print(e)
        return
def unregister_volunteer(sql_cursor, Volunteer_ID, NGO_ID):
    query = '''UPDATE Volunteer NGO SET Available = 'No' WHERE Volunteer ID
= %s AND NGO ID = %s;'''
    params = [Volunteer_ID,NGO_ID]
    try:
        sql cursor.execute(query,params)
        mydb.commit()
        print("You are no longer a volunteer for NGO with ID",NGO_ID)
    except Exception as e:
        print(e)
        return
```

```
def view_volunteer_work(sql_cursor, Volunteer_ID):
    query = '''SELECT a.Service_ID, s.Details, s.Requested_For,
s.Start Date, s.End Date
    FROM Appoints_NGO AS a INNER JOIN Service AS s
    WHERE a.Volunteer_ID = %s
    AND a.Is Completed = 0;'''
    params = [Volunteer ID]
    try:
        sql_cursor.execute(query,params)
        results = sql cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def report completion by volunteer(sql cursor, Volunteer ID, Service ID,
End_Date):
    query = '''UPDATE Appoints_NGO SET Is_Completed = 1 WHERE Volunteer_ID
= %s;''
    params = [Volunteer_ID]
    try:
        sql_cursor.execute(query,params)
        mydb.commit()
        print("Service with ID "+Service_ID+" has been marked as
completed")
    except Exception as e:
        print(e)
        return
def update_volunteer_availability(sql_cursor, Volunteer_ID):
    query = '''UPDATE Volunteer NGO SET Available = 0 WHERE Volunteer ID =
%s;'''
    params = [Volunteer_ID]
    try:
        sql_cursor.execute(query,params)
        mydb.commit()
        print("Your status have been successfully updated")
    except Exception as e:
        print(e)
        return
```

Government Officer Queries

```
def register_officers(sql_cursor, Officer_ID, First_Name, Last_Name,
Designation, Mobile No, House No, Street Name, City, State, Pincode,
Email):
    query = ''' INSERT INTO Government_Officer(Officer_ID, First_Name,
Last_Name, Designation, Mobile_No, House_No, Street_Name, City, State,
Pincode, Email, Status) VALUES (%s, %s, %s, %s, %s, %s, %s, %s, %s, %s,
%s,'Active');'''
    params = [Officer_ID, First_Name, Last_Name, Designation, Mobile_No,
House_No, Street_Name, City, State, Pincode, Email, Status]
    try:
        sql cursor.execute(query, params)
        mydb.commit()
        print("Welcome to Geras. Thank you for registering Officer.")
    except Exception as e:
        print(e)
        return
def access service request(sql cursor, Service ID):
    query = '''SELECT * FROM Service WHERE Service ID = %s;'''
    params = [Service_ID]
    try:
        sql cursor.execute(query, params)
        results = sql cursor.fetchall()
    except Exception as e:
        print(e)
    return list(results), sql_cursor.column_names
def assign_hw(sql_cursor, Service_ID):
    query = '''SELECT HW_ID FROM Healthcare_Worker ORDER BY RAND() ;'''
    try:
        sql_cursor.execute(query)#params)
        results = sql_cursor.fetchone()
        mydb.commit()
    except Exception as e:
        print(e)
    query2 = '''UPDATE Appoints HW SET HW ID = results WHERE Service ID =
%s;'''
```

```
params = [Service ID]
    try:
        sql_cursor.execute(query, params)
        mydb.commit()
    except Exception as e:
        print(e)
    return
def assign_ngo(sql_cursor, Issue_Type, Service_ID):
    query = '''SELECT NGO_ID FROM NGO WHERE Issue_Type = %s ORDER BY RAND()
LIMIT 1 ;'''
    params = [Issue_Type]
    try:
        sql_cursor.execute(query, params)
        results = sql_cursor.fetchone()
        mydb.commit()
    except Exception as e:
        print(e)
    query2 = '''UPDATE Appoints NGO SET NGO ID = results WHERE Service ID =
%s;'''
    params2 = [Service_ID]
    try:
        sql_cursor.execute(query2, params2)
        mydb.commit()
    except Exception as e:
        print(e)
    return
def complete_transaction_hw(sql_cursor, Transaction_ID, Service_ID):
    query = '''UPDATE Appoints HW SET Transaction ID = %s WHERE (Service ID
= %s AND Transaction_ID = NULL)'''
    params = [Transaction_ID, Service_ID]
    try:
        sql cursor.execute(query,params)
        mydb.commit()
        print("Transaction (" +Transaction_ID+") has been completed")
    except Exception as e:
        print(e)
    return
```

```
def complete_transaction_ngo(sql_cursor, Transaction_ID, Service_ID):
   query = '''UPDATE Appoints_NGO SET Transaction_ID = %s WHERE
(Service ID = %s AND Transaction ID = NULL)'''
   params = [Transaction ID, Service ID]
   try:
       sql_cursor.execute(query,params)
       mydb.commit()
       print("Transaction (" +Transaction ID+") has been completed")
   except Exception as e:
       print(e)
   return
def all transactions(sql cursor):
   query = '''SELECT hw.Service_ID as ServiceID, hw.Transaction_ID,
hw.serice_cost FROM Appoints_HW as hw UNION ngo.Service_ID as ServiceID,
ngo.Transaction_ID, ngo.serice_cost FROM Appoints_NGO as ngo ORDER BY
ServiceID'''
        sql cursor.execute(query, params)
       results = sql cursor.fetchall()
   except Exception as e:
       print(e)
       return
   return list(results), sql_cursor.column_names
def get number of completed and pending services(sql cursor):
   query = '''SELECT Service_ID, Service_Status FROM Service WHERE
(Service Status = 'Completed' OR Service Status = 'inprogress') GROUP BY
Service_Status;'''
   try:
       sql cursor.execute(query, params)
       results = sql_cursor.fetchall()
   except Exception as e:
       print(e)
       return
   return list(results), sql_cursor.column_names
```

NGO Queries

```
def get_ngo_transaction_for_a_date_range(sql_cursor, ngo_id, start_date,
end_date):
    query = '''SELECT Service.Service ID,
                    Start_Date,
                    End Date,
                    Officer ID,
                    NGO ID,
                    Volunteer ID,
                    Transaction_ID,
                    Service Cost
                FROM Service
                    INNER JOIN Appoints_NGO ON Service.Service_ID =
Appoints_NGO.Service_ID
                WHERE Service.Start_Date >= DATE(%s)
                    AND Service.Start Date <= DATE(%s)
                    AND Appoints NGO.NGO ID = %s
                    AND Is_Completed='Yes';'''
    params = [start_date, end_date, ngo_id]
    try:
        sql_cursor.execute(query, params)
        results = list(sql cursor.fetchall())
    except Exception as e:
        print(e)
        return
    return results, sql_cursor.column_names
def display_available_volunteers_of_an_ngo(sql_cursor, ngo_id):
    query = '''SELECT * FROM Volunteer NGO WHERE NGO ID = %s AND Available
= 'Yes';'''
    params = [ngo_id]
   try:
        sql_cursor.execute(query, params)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
```

```
return
   print(f"There are {len(results)} Volunteers available")
   return list(results), sql cursor.column names
def get_number_of_completed_and_pending_services_volunteer(sql_cursor,
volunteer_id):
   query = '''SELECT Volunteer_ID, CASE
                        WHEN Is_Completed = 'Yes' THEN 'Completed'
                        ELSE 'Pending'
                    END as Status,
                    COUNT(DISTINCT(Service_ID)) as Number_Of_Services
                FROM Appoints NGO
                WHERE Volunteer ID = %s
                GROUP BY CASE
                        WHEN Is_Completed = 'Yes' THEN 'Completed'
                        ELSE 'Pending'
                    END;'''
   params = [volunteer_id]
   try:
       sql_cursor.execute(query, params)
       results = sql cursor.fetchall()
   except Exception as e:
       print(e)
       return
   return list(results), sql_cursor.column_names
def get_services_with_unallotted_volunteers_of_ngo(sql_cursor, ngo_id):
   query = '''SELECT Service_ID, NGO_ID
                FROM Appoints NGO
                WHERE Is_Given_Vol = 'No'
                    AND NGO_ID = %s;'''
   params = [ngo_id]
   try:
       sql cursor.execute(query, params)
       results = sql_cursor.fetchall()
   except Exception as e:
       print(e)
```

```
return
   return list(results), sql_cursor.column_names
def allot_services_to_ngo_volunteers(mydb, sql_cursor, ngo_id):
   unallotted_service_ids, _ =
get_services_with_unallotted_volunteers_of_ngo(sql_cursor, ngo_id)
    unallotted service ids = [i] for i in unallotted service ids
   if len(unallotted service ids) == 0:
       print('All services have already been allotted!')
       return None, None
   query = '''SELECT Volunteer ID
               FROM Volunteer NGO
               WHERE NGO_ID = %s
                   AND Available = 'Yes';'''
   params = [ngo_id]
   try:
       sql cursor.execute(query, params)
       results = list(sql_cursor.fetchall())
       volunteer_ids = [i[0] for i in results]
       if len(volunteer ids) == 0:
           print('No volunteers in your NGO!')
       random.shuffle(volunteer_ids)
       volunteer_service_mapping = []
       for i in range(len(unallotted service ids)):
volunteer_service_mapping.append([volunteer_ids[i%len(volunteer_ids)],
unallotted_service_ids[i]])
           update_query = '''UPDATE Appoints NGO
                                SET Is_Given_Vol = 'Yes',
                                    Volunteer ID = %s
                                WHERE Service ID = %s;'''
           params = [volunteer_service_mapping[-1][0],
volunteer service_mapping[-1][1]]
```

```
sql_cursor.execute(update_query, params)
           mydb.commit()
           sql cursor.fetchall()
       format_strings = ','.join(['%s'] * len(unallotted_service_ids))
       sql_cursor.execute("SELECT * FROM Appoints_NGO WHERE Service_ID IN
(%s); " % format strings,
                       tuple(unallotted_service_ids))
       results = sql cursor.fetchall()
   except Exception as e:
       print(e)
       return
   return list(results), sql cursor.column names
def register_ngo(mydb, sql_cursor, Name, Helpline_1, Helpline_2, House_No,
Street_Name, City, State, Zip, Website, Issue_Type, Service_Cost):
    query = '''SELECT NGO_ID FROM NGO;'''
   try:
       sql cursor.execute(query)
       results = list(sql_cursor.fetchall())
       ngo_ids = [i[0] for i in results]
       max_ngo_id = -1
       for i in ngo ids:
           id = int(i[3:])
           max_ngo_id = max(max_ngo_id, id)
       new ngo id = f"NGO{max ngo id+1}"
       query = '''INSERT INTO NGO(NGO_ID, Name, Helpline_1, Helpline_2,
House_No, Street_Name, City, State, Zip, Website, Issue_Type, Service_Cost)
                   %s);'''
       params = [new ngo id, Name, Helpline 1, Helpline 2, House No,
Street_Name, City, State, Zip, Website, Issue_Type, Service_Cost]
       sql_cursor.execute(query, params)
```

```
mydb.commit()
       print('Welcome To Our App - Geras. Thank you for registering!')
       print(f'Your NGO ID is {new_ngo_id}')
   except Exception as e:
       print(e)
       return
def deregister_ngo(mydb, sql_cursor, ngo_id):
   try:
       query = '''DELETE FROM Appoints_NGO WHERE NGO_ID=%s;'''
       params = [ngo_id]
       sql_cursor.execute(query, params)
       mydb.commit()
       query = '''DELETE FROM Volunteer_NGO WHERE NGO_ID=%s;'''
       params = [ngo_id]
       sql_cursor.execute(query, params)
       mydb.commit()
       query = '''DELETE FROM NGO WHERE NGO_ID=%s;'''
       params = [ngo id]
       sql_cursor.execute(query, params)
       mydb.commit()
       print('We are sad to see you go!!')
   except Exception as e:
       print(e)
       print('Error in deregistering!!!')
       return
```

Family Embedded Queries

```
def
register as family(sql cursor, F ID, First name, Last name, Mobile No, Email ID,
House No,Street Name,City,State,Pincode,C Status):
    query = ''' INSERT INTO
Family(F_ID,First_name,Last_name,Mobile_No,Email_ID,House_No,Street_Name,Ci
ty, State, Pincode, C Status) VALUES
(%s,%s,%s,%s,%s,%s,%s,%s,%s,'Active');'''
    params =
[F ID, First name, Last name, Mobile No, Email ID, House No, Street Name, City, Sta
te,Pincode,C_Status]
    try:
        sql_cursor.execute(query, params)
        mydb.commit()
        print("Welcome to our app Geras. Thank you for registering as
family.")
    except Exception as e:
        print(e)
        return
def healthcare_worker_details(sql_cursor,F_ID):
    query = '''SELECT * FROM Healthcare_Worker,Appoints_HW,Service,Elderly
WHERE Healthcare Worker.HW ID = Appoints HW.HW ID AND
Appoints_HW.Service_ID = Service.Service_ID AND (Service.Service_Status <>
'Completed' OR Service.Service_Status <> 'Cancelled') AND Service.Aadhar_No
= Elderly.Aadhar No AND Elderly.F ID = %s;'''
    params = [F_ID]
    try:
        sql cursor.execute(query, params)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
```

```
def view_medicine_record(sql_cursor, F_ID):
    query = ''' SELECT Prescription, Doctor Name FROM
Medicine_Update,Elderly WHERE Medicine_Update.Aadhar No = Elderly.Aadhar no
AND Elderly.F ID = %s ;'''
   params = [F ID]
   try:
        sql cursor.execute(query, params)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def
request_service for_elderly(sql_cursor,F_ID,service_ID,details,service_stat
us, start date):
    query = ''' INSERT INTO Service(service ID, details, service status,
aadhar_no AS SELECT aadhar_no FROM Elderly WHERE F_ID = Elderly.F_ID ,
start_date) VALUES (%s,%s,%s,%s,%s);'''
    params = [F ID,Service ID,details,service status,start date]
   try:
        sql cursor.execute(query, params)
        mydb.commit()
        print("Service requested successfully for elderly.")
    except Exception as e:
        print(e)
        return
def track_elderly_service_request(sql_cursor,F_ID):
    query = ''' SELECT * FROM Service, Elderly WHERE
Services.aadhar no=Elderly.aadhar no AND Eldery.F ID=%s;'''
   params = [F_ID]
    try:
        sql_cursor.execute(query, params)
```

```
results = sql_cursor.fetchall()
except Exception as e:
   print(e)
   return
return list(results), sql_cursor.column_names
```

Healthcare Worker Embedded Queries

```
def presciption elderly(sql cursor,HW ID):
    query = '''SELECT * FROM Medicine_Update, Elderly, Appoints_HW, Service
WHERE Medicine_Update.Aadhar_No = Elderly.Adhar_No AND Elderly.Aadhar_No =
Service.Aadhar No AND Service.Service ID = Appoints HW.Service ID AND
Appoints HW.HW ID = %s;'''
    params = [HW_ID]
   try:
        sql cursor.execute(query, params)
        results = sql_cursor.fetchall()
    except Exception as e:
        print(e)
        return
    return list(results), sql_cursor.column_names
def report completion by healthcareworker(Service ID):
    query = '''UPDATE Appoints HW SET Is Completed = 'Yes' WHERE Service_ID
= %s;'''
    params = [Service_ID]
   try:
        sql_cursor.execute(query,params)
        mydb.commit()
        print("Service with ID "+Service ID+" has been marked as
completed")
    except Exception as e:
        print(e)
        return
def contact family(Service ID):
    guery = '''SELECT * FROM Family, Elderly, Service WHERE Family.F ID =
Elderly.F_ID AND Elderly.Aadhar_No = Service.Aadhar_No AND
Service.Service ID = %s;'''
    params = [Service ID]
```

```
try:
    sql_cursor.execute(query, params)
    results = sql_cursor.fetchall()
except Exception as e:
    print(e)
    return
return list(results), sql_cursor.column_names
```

SOS Feature:

```
import requests
from googleplaces import GooglePlaces, types, lang
import json
r= requests.get('https://www.geojs.io')
ip_request=requests.get('https://get.geojs.io/v1/ip.json')
ip_address=ip_request.json()['ip']
url='https://get.geojs.io/v1/ip/geo/' + ip_address + '.json'
geo_request=requests.get(url)
latitude=geo_request.json()['latitude']
longitude=geo_request.json()['longitude']
lat=float(latitude)
lng=float(longitude)
API_KEY = 'AIzaSyBt6D3IPoGk5uHGEIPxGM-DavezZveO2CY'
google places = GooglePlaces(API KEY)
query_result = google_places.nearby_search(
        lat_lng ={'lat': lat, 'lng': lng},
        radius = 5000,
        types =[types.TYPE_HOSPITAL])
```

```
# If any attributions related
# with search results print them
if query_result.has_attributions:
    print (query_result.html_attributions)

# Iterate over the search results
for place in query_result.places:
    # print(type(place))
    # place.get_details()
    print (place.name)
    print("Latitude", place.geo_location['lat'])
    print("Longitude", place.geo_location['lng'])
    print()
```

Screenshots of UI

<mysql.connector.connection.MySQLConnection object at 0x010DE718> Welcome to Geras Choose the option to proceed Enter as Elderly 2. Enter as Volunteer 3. Enter as Government Officer 4. Enter as NGO 5. Enter as Family 6. Enter as Healthcare Worker 7. Exit Application Your Option: 1 Welcome to Geras Choose the option to proceed Choose the option to proceed

1. Enter as Elderly

2. Enter as Volunteer

3. Enter as Government Officer

4. Enter as NGO

5. Enter as Family

6. Enter as Healthcare Worker

7. Exit Application

Your Option: 1 Velcome Elderly Choose the option to proceed 1. Register and add their details Request a service Update prescription
Get service history
Track a particular service by service ID
Get all completed services
Get all pending services l0. Go back to Main Menu /our Option: 7 Enter aadhar no: 237867112793 Service_ID Aadhar_No Start_Date 237867112793 2020-01-28 I would like to request a medical checkup Completed 2020-04-15 HW I would like to request a medical checkup Completed 2020-06-30 2020-08-25

Choose the option to proceed

1. Register and add their details

2. Request a service

3. Get prescription

4. Update prescription

5. Get service history

6. Track a particular service by service ID

7. Get all completed services

8. Get all pending services

9. SOS

10. Go back to Main Menu

Your Option: 5

Enter aadhar no: 237867112793

Service_ID	Details	Service_Status	Aadhar_No	Start_Date	End_Date	Туре
SER1	I would like to request a medical checkup	Completed	237867112793	2020-01-28	2020-04-15	HW
SER2	I would like to request a medical checkup	Completed	237867112793	2020-06-30	2020-08-25	HW
SER28	I would like to request a car pickup on this date at this time	inprogress	237867112793	2020-12-06		NGO
SER4	I would like to request a medical checkup	inprogress	237867112793	2021-01-19		HW
SER49	I would like to request a car pickup on this date at this time	requested	237867112793	2021-04-17		

Choose the option to proceed

1. Register and add their details

2. Request a service

3. Get prescription

4. Update prescription

5. Get service history

6. Track a particular service by service ID

7. Get all completed services

8. Get all pending services

9. SOS

10. Go back to Main Menu
Your Option: 3

Enter aadhar no: 237867112793

Aadhar_No	Date	Prescription	Doctor_Name
237867112793	2020-06-06	Hydrocodone Bitatrate and Acetaminophen	Juliette Rykert
237867112793	2020-09-08	SULFACETAMIDE SODIUM, SULFUR	Brady Bambra

```
Choose the option to proceed
1. Register and add their details
    Request a service
    Get prescription
    Update prescription
  . Get service history
. Track a particular service by service ID
. Get all completed services
 B. Get all pending services
Your Option: 2
Describe service: I'd like to request help with cleaning my lawn this weekend
Enter aadhar no for whom the service is requested: 237867112793
 Your service request has been recorded
Choose the option to proceed
1. Register and add their details
    Request a service
   Get prescription
Update prescription
    Get service history
    Track a particular service by service ID
Get all completed services
Get all pending services
 10. Go back to Main Menu
```

Welcome to Geras Choose the option to proceed 1. Enter as Elderly 2. Enter as Volunteer 3. Enter as Government Officer 1. Enter as NGO . Enter as Family . Enter as Healthcare Worker 7. Exit Application Your Option: 2 Welcome Volunteer Choose the option to proceed 1. Register and add details 2. Register with an NGO 3. Unregister from an NGO 4. View allotted work 5. Report completion of work 6. Update your availability . Go back to main menu our Option: 4 Enter your Volunteer ID: VOL41

Service_ID	Details	Start_Date
SER26	I would like to request a car pickup on this date at this time	2020-12-24

Choose the option to proceed Register and add details
 Register with an NGO 3. Unregister from an NGO 4. View allotted work Report completion of work 5. Update your availability 7. Go back to main menu Your Option: 6 Enter your Volunteer ID: VOL41 Enter 1 for available and 0 for unavailable: 0

Your status have been successfully updated

Welcome to Geras Choose the option to proceed 1. Enter as Elderly 2. Enter as Volunteer 3. Enter as Government Officer
4. Enter as NGO 5. Enter as Noo 5. Enter as Family 6. Enter as Healthcare Worker 7. Exit Application Your Option: 3

Welcome Government Officer

Choose the option to proceed

- 1. Register an Officer
- 2. Access a Service Request
- 2. Access a Service Request
 3. Assign Healthcare Worker for Service Request
 4. Assign NGO for Service Request
 5. Complete transaction with Healthcare Worker
 6. Complete transactions with NGO
 7. Access all transactions

- 8. Get Number of Completed and Pending Services
- 9. Go back to Main Menu

Your Option: 7

ServiceID	Transaction_ID	service_cost
SER1	261371000000	220
SER10	766618000000	280
SER11	725492000000	380
SER12	820046000000	380
SER13		150
SER14	582285000000	180
SER15		130
SER16	309803000000	170

Choose the option to proceed 1. Register an Officer

- . Access a Service Request
- 3. Assign Healthcare Worker for Service Request
- Assign NGO for Service Request
 Complete transaction with Healthcare Worker
- . Complete transaction with NGO
- 8. Get Number of Completed and Pending Services
- 9. Go back to Main Menu

Your Option: 8

Service_ID	Service_Status
SER1	Completed
SER13	inprogress

Choose the option to proceed

- 1. Register an Officer
- . Access a Service Request
- 3. Assign Healthcare Worker for Service Request
- 4. Assign NGO for Service Request
- . Complete transaction with Healthcare Worker
- . Complete transaction with NGO
- . Access all transactions
- 3. Get Number of Completed and Pending Services
- . Go back to Main Menu

our Option: 9

Welcome to Geras Choose the option to proceed Enter as Elderly
 Enter as Volunteer 3. Enter as Government Officer 4. Enter as NGO 5. Enter as Family 5. Enter as Healthcare Worker 7. Exit Application Your Option: 4 Welcome NGO Choose the option to proceed L. Register NGO 2. List new Services received from the Government 3. Allot Services to Volunteers 4. Display Available Volunteers. 5. Display Available Volunteer 3.

5. Display number of completed and pending services of a volunteer 6. Check NGO Transactions within a specified date range 7. De-Register NGO 8. Go back to Main Menu Your Option: 4 Enter your NGO ID: NGO1 There are 5 Volunteers available

Volunteer_ID	NGO_ID	Available
VOL10	NGO1	Yes
VOL12	NGO1	yes
VOL16	NGO1	Yes
VOL44	NGO1	Yes
VOL8	NGO1	Yes

Choose the option to proceed

- 1. Register NGO
- 2. List new Services received from the Government
- 3. Allot Services to Volunteers
- 4. Display Available Volunteers.
- 5. Display number of completed and pending services of a volunteer
- 6. Check NGO Transactions within a specified date range
- 7. De-Register NGO
- 8. Go back to Main Menu

Your Option: 6

Enter your NGO ID: NGO1
Enter Starting range date in YYYY-MM-DD format: 2018-08-08 Enter Ending range date in YYYY-MM-DD format: 2021-08-08

Service_ID	Start_Date	End_Date	Officer_ID	NGO_ID	Volunteer_ID	Transaction_ID	Service_Cost
SER37	2020-12-10	2020-12-11	0FF33	NGO1	VOL16	224963470995	515

Choose the option to proceed

- 1. Register NGO
- 2. List new Services received from the Government
- 3. Allot Services to Volunteers 4. Display Available Volunteers.
- Display number of completed and pending services of a volunteer
 Check NGO Transactions within a specified date range

- 7. De-Register NGO 8. Go back to Main Menu

Your Option: 7

Enter your NGO ID: NGO1 We are sad to see you go!!

Choose the option to proceed

- 1. Register NGO
- 2. List new Services received from the Government
- 3. Allot Services to Volunteers
- 4. Display Available Volunteers.
- Check NGO Transactions within a specified date range
 De-Register NGO 5. Display number of completed and pending services of a volunteer

- 3. Go back to Main Menu Your Option: 8

Contribution

Assigned on	Task	Assigned to	Done by			
20 Jan 21	Decide on a project idea	All	All			
26 Jan 21	Identify and write the roles and queries for each Stakeholder					
	The Elderly	Samiksha	Samiksha			
	Volunteer	Kabir	Kabir			
	NGO	Tushar	Tushar			
	Government	Kunal	Samiksha			
	Families	Aman	Aman			
27 Jan 21	Write Problem	Samiksha	Samiksha			
	Write Idea	Aman	Aman			
	Write Description	Kabir	Kabir			
30 Jan 21	Decide on Project Title, App name	All	All			
31 Jan 21	Write the data entities, its attributes and relation					
	The Elderly	Samiksha	Samiksha			
	Volunteer	Kabir	Kabir			
	NGO	Tushar	Tushar			
	Government	Kunal	Kunal			
	Families	Aman	Aman			
4 Feb 21	Add Doctor /Nurses as Stakeholder	Tushar	Tushar			
13 Feb 21	Defining entities and relationship between them	Samiksha, Kabir, Aman	Samiksha, Kabir, Aman			
15 Feb 21	E-R Diagram	Samiksha, Kabir, Aman, Tushar	Samiksha, Kabir, Aman, Tushar			

19 Feb 21	Schema	Tushar, Aman, Kunal, Samiksha	Tushar, Aman, Kunal, Samiksha
20 Feb 21	Create SQL Tables, Foreign Key Constraints	Kunal	Kunal
21 Feb 21	Generate data	Samiksha, Aman, Kunal, Tushar	Samiksha, Aman, Kunal, Tushar
23 Mar	Finalise table data	Samiksha	Samiksha
	Update Database	Kunal	Kunal
	Write at least 10 queries involving various relational algebraic operations supporting the application features involving database access and manipulation.	Samiksha, Kabir	Samiksha, Kabir
	Identify the attribute(s) to create Index tables required for your queries.	Kunal	
	Write at least 4 embedded SQL queries (PL/SQL), advanced aggregation functions, etc supporting your application features	Tushar	Tushar
2 April	Write the embedded SQL queries for ea	ch stakeholder	
	Elderly	Samiksha	Samiksha
	Volunteer	Kabir	Kabir
	Government	Kunal	Government
	NGO	Tushar	Tushar
	Family	Aman	Aman
	Healthcare Worker	Aman	Aman
14 April	SOS feature	Aman	Aman
17 April	Write python program for the app	All	All

Meetings

Meeting on	Notes	Absent
23 Jan 2021	Worked on Wedding Planner	
24 Jan 2021	24 Jan 2021 Worked on Pharmacy, FoodShare, Project Geras	
25 Jan 2021	TA meeting, voted on a project - Project Geras	
31 Jan 2021	31 Jan 2021 Assigned tasks for data entities, attributes, type, relation between entities	
2 Feb 21	Worked the feedback Sir gave into our project	Kunal, Tushar
13 Feb 21	Defining entities and relationship between them	Kunal
15 Feb 21	E-R diagram	Kunal
16 Feb 21	E-R diagram multiplicity	Kunal
19 Feb 21	Assign tasks for mid sem deadline	
23 Mar 21	Assign tasks for queries and finalising database	Aman, Tushar, Kabir
2 April	Assign work regarding embedded sql queries for features	Aman
14 April	Assign leftover over work and catch up on everyone's progress	
17 April	Merge individually done work	