

Exam Presentation

Life Insurance Mathematics

Sami Zweidler

ETH Zurich


20/01/2026

- 1 Task 1: Markov Model
- 2 Task 2 : Stopping to pay Premium
- 3 Task 3: Disability Insurance on two lives

Markov Chains

What is a Markov Chain?

It is a Stochastic model that describes sequence of transitions from one state to another according to certain probabilistic rules.



Markow Chains

Definition

$(X_t)_{t \in \mathbb{N}} : (\Omega, \mathcal{A}, \mathbb{P}) \rightarrow \mathcal{S} = \{1, 2, 3, \dots\}$, is called a **Markov chain** if and only if,

$$\mathbb{P}[X_{t_{m+1}} = i_{m+1} | X_{t_1} = i_1, \dots, X_{t_m} = i_m] = \mathbb{P}[X_{t_{m+1}} = i_{m+1} | X_{t_m} = i_m]$$

for $t_1 < t_2 < \dots < t_m < t_{m+1}$ and $i_1, i_2, \dots, i_{m+1} \in \mathcal{S}$.

We say that such a stochastic process $(X_t)_{t \in \mathbb{N}}$ has no memory.

Markov Chains

Chapman-Kolmogorov Theorem

Let $p_{ij}(s, t) = P(X_t = j | X_s = i)$ be the transition probabilities of a Markov chain. Then, for any $0 \leq s < u < t$,

$$p_{ij}(s, t) = \sum_k p_{ik}(s, u)p_{kj}(u, t).$$

Or written in matrix form, $P(s, t) = P(s, u)P(u, t)$.

Idea: What is the probability of being in state j at time t , given that at time s we are in state i ?

Markov Chains

Proof

$$\begin{aligned} p_{ij}(s, t) &= \mathbb{P}[X_t = j | X_s = i] = \mathbb{P}[X_t = j \cap \bigcup_{k \in \mathcal{S}} \{X_u = k\} | X_s = i] \\ &= \sum_{k \in \mathcal{S}} \mathbb{P}[X_t = j, X_u = k | X_s = i] \\ &= \sum_{k \in \mathcal{S}} \frac{\mathbb{P}[X_t = j, X_u = k, X_s = i]}{\mathbb{P}[X_s = i]} \cdot \frac{\mathbb{P}[X_u = k, X_s = i]}{\mathbb{P}[X_u = k, X_s = i]} \\ &= \sum_{k \in \mathcal{S}} \underbrace{\mathbb{P}[X_t = j | X_u = k, X_s = i]}_{\mathbb{P}[X_t = j | X_u = k]} \mathbb{P}[X_u = k | X_s = i] \\ &= \sum_{k \in \mathcal{S}} p_{ik}(s, u) p_{kj}(u, t) \end{aligned}$$

In the above we used $\mathbb{P}[A \cap B | C] = \mathbb{P}[A | B \cap C] \cdot \mathbb{P}[B | C]$ as well as the Markov property as well as assuming that $\mathbb{P}[X_u = k, X_s = i] \neq 0$.

Markov Model

To model a life Insurance we need three ingredients:

- a Markov chain $(X_t)_{t \in \mathbb{N}}$
- a one-year discount factor $v = \frac{1}{1+i}$
- contract functions $a_i^{pre}(t)$ and $a_{ij}^{post}(t)$

The starting point of an Markov model are the various possible conditions for an insured person, building the state space \mathcal{S} . E.g. $\mathcal{S} = \{\text{'living'}, \text{'death'}\}$.

Induced Cashflow & Mathematical Reserve

A central task in life insurance is the determination of the actuarial reserve, i.e., the amount of money which has to be set aside at a given time t to be able to meet all future obligations/benefits towards each policy.

We denote by A_t the payments that are due for a policy at time t .
 $(A_t)_{t \in \mathbb{N}}$ is a stochastic process.

$$A_t = a_{X_t}^{Pre}(t) + a_{X_{t-1}X_t}^{Post}(t)$$

where $a_{ij}^{Post}(-1) = 0$ for all $i,j \in \mathcal{S}$, $t \in \mathbb{N}$.

Induced Cashflow & Mathematical Reserve

We set $I_i(t) = \mathbb{1}_{\{X_t=i\}}$. Then we can compute the **induced cash flows** as follows:

$$A(t) = \underbrace{\sum_{i \in S} I_i(t) \cdot a_i^{pre}(t)}_{\text{annuity}} + \underbrace{\sum_{i,j \in S} I_i(t) \cdot I_j(t+1) \cdot a_{ij}^{post}(t)}_{\text{capital/lump sum paid at time } t+1}$$

Idea: $A(t)$ are the payments due at time t for a given policy. We can also compute the present value (PV) of $A(t)$ which is given by:

$$\tilde{A}(t) = \sum_{i \in S} I_i(t) \cdot a_i^{pre}(t) + v \cdot \sum_{i,j \in S} I_i(t) \cdot I_j(t+1) \cdot a_{ij}^{post}(t)$$

Finally we can define the mathematical reserve at time t as:

$$V_j(t) = \mathbb{E}[\text{PV of future cash flows} | X_t = j] = \mathbb{E}\left[\sum_{\tau=t}^{\infty} \tilde{A}(t+\tau) | X_t = j\right]$$

Thiele Equation

Theorem (Thiele's difference equation)

The mathematical reserve between two subsequent periods are related by:

$$V_i(t) = a_i^{pre}(t) + \sum_{j \in S} v \cdot p_{ij}(t, t+1) \cdot (a_{ij}^{post}(t) + V_j(t+1))$$

Task 1: Markov Model
oooooooo●

Task 2 : Stopping to pay Premium
○○

Task 3: Disability Insurance on two lives
○

Thiele Equation

Proof.

We start

Mathematical Reserves

Mathematical Reserves at given time = PV(future benefits) - PV(future premiums)

Expressed in commutation functions:

$${}_t V_x = \frac{M_{x+t} - M_{x+n} + D_{x+n} - \Pi \cdot (N_{x+t} - N_{x+n})}{D_{x+t}}$$

Task 1: Markov Model
○○○○○○○○

Task 2 : Stopping to pay Premium
○●

Task 3: Disability Insurance on two lives
○

Task 1: Markov Model
○○○○○○○○

Task 2 : Stopping to pay Premium
○○

Task 3: Disability Insurance on two lives
●

Problem