

UIL COMPUTER SCIENCE WRITTEN TEST – 2017 INVITATIONAL A

Note: Correct responses are based on **Java SE Development Kit 8 (JDK 8)** from Sun Microsystems, Inc. All provided code segments are intended to be syntactically correct, unless otherwise stated (e.g., "error" is an answer choice) and any necessary Java SE 8 Standard Packages have been imported. Ignore any typographical errors and assume any undefined variables are defined as used. **For all output statements, assume that the System class has been statically imported using: `import static java.lang.System.*;`**

Question 1.

Which of the following binary numbers is equivalent to the decimal value 93?

- A) 01011101 B) 01111001 C) 01001111 D) 11011101 E) 01010101

Question 2.

What is the output of the code segment to the right?

- A) 18 B) 17 C) 14.62 D) 29 E) -3

```
out.println(15-10/5+8*2);
```

Question 3.

What is the output of the code segment to the right?

- A) Here"we\go!
B) Here we go!
C) "Here we go!"
D) Here"we\\go!
E) Error. Invalid escape sequence.

```
out.print("Here\"we\\go!");
```

Question 4.

What is the output of the code segment to the right?

- A) Hello B) hello C) HeLIO
D) hELLO E) HELLO

```
String s = "hello";  
out.print(s.toUpperCase());
```

Question 5.

What is the output of the code segment to the right?

- A) true B) false

```
out.print(true&&false||true);
```

Question 6.

What is the output of the code segment to the right?

- A) -3.0 B) -3 C) -4.0 D) -4 E) 4.0

```
out.print(Math.ceil(-3.14));
```

Question 7.

What is the output of the code segment to the right?

- A) 18.0 B) 17.6 C) 17.0 D) 17 E) 18

```
double m=2.2;  
int n=8;  
double o=m*n;  
out.print(o);
```

Question 8.

What is the output of the code segment to the right?

- A) 10 15 150
B) 0 15 0
C) 10 15 15
D) 10 15 0
E) 0 15 150

```
int p=10,q=15,r=0;  
if(p*q>100)  
    r=p*q;  
if(r<=150)  
    p=0;  
out.print(p+" "+q+" "+r);
```

<p>Question 9.</p> <p>How many asterisks are printed by the code shown to the right?</p> <p>A) None B) 5 C) 6 D) 7 E) 8</p>	<pre>int x=1; while(x<7){ out.print("*"); x++; }</pre>
<p>Question 10.</p> <p>What is the output of the code segment to the right?</p> <p>A) [0, 8, 0, 5, 1] 5 B) [8, 5, 1] 3 C) [0, 8, 0, 5, 1] 3 D) [8, 0, 5, 1, 0] 5 E) [8, 0, 5, 1, 0] 3</p>	<pre>int[] a=new int[5]; a[1]=8; a[3]=5; a[4]=1; out.print(Arrays.toString(a)+" "+a.length);</pre>
<p>Question 11.</p> <p>The file <code>datafile.dat</code> contains five words all listed on one line and each word is separated by a space. Which of the following can correctly replace <code><code></code> in the class shown below so that the program will print each word in the file <code>datafile.dat</code> on a separate line.</p> <pre>import static java.lang.System.*; import java.io.*; import java.util.*; public class Abc { public static void main(String[] args) throws IOException{ Scanner s=new Scanner(new File("datafile.dat")); while(s.hasNext()) out.println(s<code>); } }</pre> <p>A) <code>.get()</code> B) <code>.next()</code> C) <code>.nextLine()</code> D) Both B and C. E) No additional code is required.</p>	
<p>Question 12.</p> <p>What is the output of the code segment to the right?</p> <p>A) 39 B) 49 C) 35 D) 45 E) 38</p>	<pre>int sum=0; for(int x=4;x<10;x++){ sum+=x; } out.print(sum);</pre>

<p>Question 13.</p> <p>What is the output of the code segment to the right?</p> <p>A) 3 2 5 B) 10 2 5 C) 3 2 6 D) 4 2 5 E) 4 2 6</p>	<pre>int m=7,n=2,o=6; m=++m+n-o; out.print(m+" "+n+" "+o--);</pre>
<p>Question 14.</p> <p>Which of the following values cannot be stored in a variable that is of type short?</p> <p>A) -128 B) -129 C) 127 D) 0 E) All can be stored.</p>	
<p>Question 15.</p> <p>What is the output of the code segment to the right?</p> <p>A) 1 [5, 3, 1] B) 0 [5, 3, 1] C) 0 [3, 1] D) 2 [3, 1] E) 0 [5, 3]</p>	<pre>ArrayList<Integer> a=new ArrayList<Integer>(); out.print(a.size()+" "); a.add(5); a.add(3); a.add(1); a.remove(0); out.print(a);</pre>
<p>Question 16.</p> <p>What is the output of the code segment to the right?</p> <p>A) 1 B) 2 C) 3 D) 4 E) 5</p>	<pre>String s="analysis of algorithms"; String[] spl=s.split("a"); out.print(spl.length);</pre>
<p>Question 17.</p> <p>What is the output of the code segment to the right?</p> <p>A) [Texas, Mexico, Oklahoma, Texas] B) [Texas, Oklahoma, Mexico, Texas] C) [New Mexico, Louisiana, Mexico, Texas] D) [Texas,New Mexico, Oklahoma, Louisiana, Mexico, Texas] E) [Texas,New Mexico, Oklahoma, Louisiana, Mexico]</p>	<pre>Stack<String> s=new Stack<String>(); s.push("Texas"); s.push("New Mexico"); s.pop(); s.push("Oklahoma"); s.push("Louisiana"); s.pop(); s.push("Mexico"); s.push("Texas"); out.print(s);</pre>
<p>Question 18.</p> <p>What is printed by the client code shown here given the implementation of the method rec shown to the right?</p> <pre>out.print(rec(6));</pre> <p>A) 19 B) 26 C) 22 D) 12 E) 10</p>	<pre>public static int rec(int x){ if(x<=0) return 10; else return x+rec(x-2); }</pre>

<p>Question 19.</p> <p>Which of the following Java statements will compile and correctly calculates the volume of a square pyramid? The mathematical formula is shown to the right where b is the base length and h is the height.</p> <p>A) <code>double v=1.0/3.0*b*b*h;</code></p> <p>B) <code>double v=(1.0/3)*Math.pow(b,2)*h;</code></p> <p>C) <code>double v=(double)1/3*(b*b*h);</code></p> <p>D) All of the above.</p> <p>E) None of the above.</p>	$V = \frac{1}{3} (b)^2 h$
<p>Question 20.</p> <p>What is the output of the code segment to the right?</p> <p>A) 3 10 17 13 10 7</p> <p>B) 9 10 11 7 10 13</p> <p>C) 5 10 15 15 10 5</p> <p>D) Error. Throws an <code>ArrayIndexOutOfBoundsException</code>.</p> <p>E) Error. Will not compile.</p>	<pre>int[][] x={{2,5,8},{6,5,4}}; int y[][]={{1,5,9},{7,5,3}}; int z[][]=new int[2][3]; for(int i=0;i<x.length;i++) for(int j=0;j<x[i].length;j++) z[i][j]=x[i][j]+y[i][j]; for(int i=0;i<z.length;i++) for(int j=0;j<z[i].length;j++) out.print(z[i][j]+" ");</pre>
<p>Question 21.</p> <p>Which reserved word must replace <code1> in the method listed to the right so that it will compile and execute correctly?</p> <p>A) No additional code is required .</p> <p>B) <code>int</code></p> <p>C) <code>return</code></p> <p>D) <code>final</code></p> <p>E) <code>double</code></p>	<pre>public static <code1> sum(double[] a){ double temp=0; for(int x=0;x<a.length;x++) temp+=a[x]; return temp; }</pre>

Question 22.

Given classes A and B shown to the right, what would be the output of this client code?

```
A a1 = new A();
A a2 = new A(2,3);
B b1 = new B(5,8);
out.println(a1.add()+" "+a2.add()+"
"+b1.add()+" "+b1.subtract());
```

- A) 5 13 -3
- B) 0 5 13 -3
- C) 2 3 7 11 3 5
- D) 2 3 7 11
- E) Error. Will not compile.

```
// Use to answer questions 22, 23 and
// 24.
```

Question 23.

Given classes A and B shown to the right, what would be the output of this client code?

```
B b1 = new B(5,8);
A b2 = new B(1,-8);
out.print((b1 instanceof A)+" ");
out.print((b1 instanceof B)+" ");
out.print((b2 instanceof A)+" ");
out.print((b2 instanceof B));
```

- A) true true true true
- B) false true false true
- C) true true false true
- D) false false false false
- E) Error. Will not compile.

```
public class A {

    public int x;
    public int y;

    public A(){
        x=0;
        y=0;}
    public A(int a,int b){
        x=a;
        y=b;}
    public int add(){
        return x+y;}

}

public class B extends A {

    public B(int m,int n){
        x=m;
        y=n;}
    public int subtract(){
        return x-y;}

}
```

Question 24.

Given classes A and B shown to the right, what would be the output of this client code?

```
A a1=new A();
a1.x=4;
a1.y=3;
B b1=new B();
b1.x=7;
b1.y=4;
out.print(a1.add()+b1.subtract());
```

- A) 18
- B) 10
- C) Error. Cannot ever directly access fields within a class.
- D) Error. Class B does not contain a default constructor.
- E) Error. Cannot directly access variables x and y with an object of type B.


<p>Question 25.</p> <p>What is the output of the code segment to the right?</p> <p>A) true true true B) false false false C) true false false D) true true false E) false true true</p>	<pre>String s1="Computer"; String s2="Computer"; String s3=new String("Computer"); out.print((s1==s2)+" "+(s1==s3)+" "+(s2==s3));</pre>
<p>Question 26.</p> <p>What is the output of the code segment to the right?</p> <p>A) 0 B) 1 C) 2 D) 3 E) 4</p>	<pre>String[] list={"Bill","B1ll","%i1l","Bill2","bill"}; int c=0; for(String s:list) if(s.matches("B\\D+")) c++; out.print(c);</pre>
<p>Question 27.</p> <p>The method shown to the right implements a binary search. Which of the following should replace <code> in the method to ensure that it functions correctly?</p> <p>A) No additional code is needed. B) searchIndex=middle; C) int middle=front+back; D) int middle=searchIndex; E) int middle=(front+back)/2;</p>	<pre>// Use this code to answer questions // 27, 28, and 29. public static int binarySearch(String[] list,String searchItem){ int count=0; int front=0; int back=list.length-1; int searchIndex=-1; while(front<=back){ count++; <code> if(list[middle].equals(searchItem)){ searchIndex=middle; break; } else if(searchItem.compareTo(list[middle])<1) back=middle-1; else front=middle+1; }</pre>
<p>Question 28.</p> <p>Assume that <code> has been correctly inserted into the method. What would be printed by line#1 if list contained [Abe, Bob, Cathy, James, Maggie, Nancy, Oren, Rob, Will, Zeke] and the searchItem is Rob?</p> <p>A) 0 B) 1 C) 2 D) 3 E) 4</p>	<pre> if(list[middle].equals(searchItem)){ searchIndex=middle; break; } else if(searchItem.compareTo(list[middle])<1) back=middle-1; else front=middle+1; }</pre>
<p>Question 29.</p> <p>What is the least restrictive time complexity (Big O value) for this binary search?</p> <p>A) O(1) B) O(n) C) O(n²) D) O(log n) E) O(n log n)</p>	<pre> out.println(count);// line#1 return searchIndex; }</pre>

<p>Question 30.</p> <p>Which of the following cannot be the output of the code listed on the right?</p> <p>A) 0 B) 1 C) 4 D) 5 E) None of the above.</p>	<pre>double r=Math.random(); int s=(int)(r*5); out.print(s);</pre>												
<p>Question 31.</p> <p>What is the output of the code segment to the right?</p> <p>A) 71 0 9 -1 B) 71 1 8 -1 C) 64 0 9 -1 D) 64 1 8 0 E) 71 0 9 0</p>	<pre>int w=0,x,y=0,z=10; for(x=4;x>0;x--) for(y=1;y<=8;y+=2){ w+=Math.max(x, y); z+=~z; } out.print(w+" "+x+" "+y+" "+z);</pre>												
<p>Question 32.</p> <p>What is the output of this client code given the method implementation on the right?</p> <pre>int a=3,b=2; out.print(xyz(a,b)+" "); out.print(a+" "+b);</pre> <p>A) 3 2 5 B) 5 3 2 C) 5 5 25 D) 0 25 5 E) Error. Improper call to method xyz.</p>	<pre>public static int xyz(int a,int b){ int c=a; int d=b; a=c+d; b=a*5; return b/a; }</pre>												
<p>Question 33.</p> <p>Which of the following data structures is demonstrated by the illustration shown to the right?</p> <p>A) Stack B) Priority Queue C) Queue D) Map E) HashSet</p>	<table border="1"> <tbody> <tr> <td>original list</td><td>5 7 1 9 3</td></tr> <tr> <td>add 2</td><td>5 7 1 9 3 2</td></tr> <tr> <td>add 4</td><td>5 7 1 9 3 2 4</td></tr> <tr> <td>add 6</td><td>5 7 1 9 3 2 4 6</td></tr> <tr> <td>remove element</td><td>7 1 9 3 2 4 6</td></tr> <tr> <td>remove element</td><td>1 9 3 2 4 6</td></tr> </tbody> </table>	original list	5 7 1 9 3	add 2	5 7 1 9 3 2	add 4	5 7 1 9 3 2 4	add 6	5 7 1 9 3 2 4 6	remove element	7 1 9 3 2 4 6	remove element	1 9 3 2 4 6
original list	5 7 1 9 3												
add 2	5 7 1 9 3 2												
add 4	5 7 1 9 3 2 4												
add 6	5 7 1 9 3 2 4 6												
remove element	7 1 9 3 2 4 6												
remove element	1 9 3 2 4 6												


Question 34.

If 5, 4, 8, 1, 6 and 9 are placed into a binary search tree, in that order, which of the following is the correct representation of that tree?


A)




B)




C)



D)




E)

**Question 35.**


How many leaves does the binary tree shown to the right contain?

A) 2 B) 3 C) 4 D) 5 E) 6

**Question 36.**


Which of the following pairs of vertices from the graph shown to the right are adjacent?

- A) AB
 B) AE
 C) CD
 D) CB
 E) All of the above.

**Question 37.**

Which of the following logical statements is represented by the digital electronics diagram shown to the right?

- A) $A + B * \bar{C}$
 B) $\overline{A * B} + C$
 C) $A * B + C$
 D) $A + B * C$
 E) $A * B + \bar{C}$



Question 38.

Which of the following logical statements is equivalent to the statement shown on the right?

- A) $\bar{A} + BC$
- B) $A + B + C$
- C) $A + BC$
- D) $AB + C$
- E) None of the above.

$$(A + B)(A + C)$$

Question 39.

What is the value of the postfix expression shown on the right?

28 4 3 * - 6 6 + 3 / /

Question 40.

What is the two's complement representation of -91? Restrict your answer to 8 bits.