

ICPSR 37083

**Midlife in the United States (MIDUS  
Refresher): Daily Diary Project,  
2012-2014**

Carol D. Ryff  
*University of Wisconsin--Madison*

David Almeida  
*Pennsylvania State University*

ICPSR Codebook

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37083/terms>

## Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## ICPSR PROCESSING NOTES FOR #37083

*Midlife in the United States (MIDUS Refresher): Daily Diary Project, 2012-2014*

1. **Variable Link:** The variable **MRID** may be used to link the data in this collections to the data in the *MIDUS Refresher* dataset (ICPSR [36532](#)).
2. **Additional Information:**
  - a. This collection is part of the Midlife in the United States (MIDUS) Series. For additional information on the MIDUS Series, please visit the [series page](#) on the ICPSR website.
  - b. For additional information on the Midlife in the United States survey, please visit the [MIDUS](#) website.

# **ICPSR 37083**

## **Midlife in the United States (MIDUS Refresher): Daily Diary Project, 2012-2014**

### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

## MRID: MIDUS refresher ID - public use

Value	Label	Unweighted Frequency	%
30015	-	8	0.1 %
30052	-	8	0.1 %
30092	-	8	0.1 %
30113	-	8	0.1 %
30126	-	5	0.1 %
30140	-	8	0.1 %
30144	-	8	0.1 %
30147	-	8	0.1 %
30151	-	8	0.1 %
30154	-	8	0.1 %
30155	-	5	0.1 %
30159	-	8	0.1 %
30204	-	8	0.1 %
30211	-	3	0.1 %
30212	-	8	0.1 %
30226	-	8	0.1 %
30245	-	8	0.1 %
30277	-	2	0.0 %
30281	-	8	0.1 %
30305	-	8	0.1 %
30313	-	7	0.1 %
30316	-	8	0.1 %
30327	-	8	0.1 %
30369	-	8	0.1 %
30398	-	8	0.1 %
30405	-	8	0.1 %
30407	-	7	0.1 %
30411	-	7	0.1 %
30417	-	8	0.1 %
30425	-	6	0.1 %
30453	-	8	0.1 %
30479	-	8	0.1 %
30482	-	8	0.1 %
30501	-	8	0.1 %
30528	-	8	0.1 %
30531	-	8	0.1 %
30538	-	8	0.1 %

Value	Label	Unweighted Frequency	%
30545	-	8	0.1 %
30547	-	8	0.1 %
30550	-	7	0.1 %
30562	-	8	0.1 %
30572	-	8	0.1 %
30573	-	8	0.1 %
30575	-	6	0.1 %
30576	-	8	0.1 %
30618	-	8	0.1 %
30623	-	8	0.1 %
30632	-	8	0.1 %
30639	-	8	0.1 %
30661	-	8	0.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,849 valid cases out of 5,849 total cases.

- Mean: 34980.10
- Minimum: 30015.00
- Maximum: 39982.00
- Standard Deviation: 2901.72

*Location:* 1-5 (width: 5; decimal: 0)

*Variable Type:* numeric

---

## SAMPLMAJ: Major sample identification

Value	Label	Unweighted Frequency	%
1	Main RDD	0	0.0 %
2	Sibling	0	0.0 %
3	Twin	0	0.0 %
4	City oversample	0	0.0 %
13	Milwaukee	0	0.0 %
14	Boston new	0	0.0 %
20	MIDUS refresher	5849	100.0 %
21	Milwaukee refresher	0	0.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Minimum: 20.00

- Maximum: 20.00

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

## RA1PRSEX: Respondent's sex

Value	Label	Unweighted Frequency	%
1	Male	2628	44.9 %
2	Female	3221	55.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 8-8 (width: 1; decimal: 0)

Variable Type: numeric

## RA1PRAGE: Respondent's calculated age

Value	Label	Unweighted Frequency	%
25	-	11	0.2 %
26	-	43	0.7 %
27	-	32	0.5 %
28	-	105	1.8 %
29	-	139	2.4 %
30	-	91	1.6 %
31	-	112	1.9 %
32	-	180	3.1 %
33	-	250	4.3 %
34	-	142	2.4 %
35	-	77	1.3 %
36	-	88	1.5 %
37	-	135	2.3 %
38	-	71	1.2 %
39	-	100	1.7 %
40	-	167	2.9 %
41	-	157	2.7 %
42	-	204	3.5 %
43	-	259	4.4 %
44	-	191	3.3 %
45	-	106	1.8 %
46	-	82	1.4 %

Value	Label	Unweighted Frequency	%
47	-	107	1.8 %
48	-	170	2.9 %
49	-	162	2.8 %
50	-	144	2.5 %
51	-	165	2.8 %
52	-	219	3.7 %
53	-	273	4.7 %
54	-	226	3.9 %
55	-	48	0.8 %
56	-	100	1.7 %
57	-	69	1.2 %
58	-	64	1.1 %
59	-	69	1.2 %
60	-	62	1.1 %
61	-	72	1.2 %
62	-	120	2.1 %
63	-	103	1.8 %
64	-	104	1.8 %
65	-	104	1.8 %
66	-	87	1.5 %
67	-	125	2.1 %
68	-	96	1.6 %
69	-	78	1.3 %
70	-	79	1.4 %
71	-	63	1.1 %
72	-	63	1.1 %
73	-	32	0.5 %
74	-	31	0.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,849 valid cases out of 5,849 total cases.

- Mean: 48.27
- Median: 48.00
- Mode: 53.00
- Minimum: 25.00
- Maximum: 75.00
- Standard Deviation: 12.68

*Location:* 9-10 (width: 2; decimal: 0)

*Variable Type:* numeric



---

## RA2DDAY: Diary day

Interview day: Day 1, 2, 3, 4, 5, 6, 7, or 8

Value	Label	Unweighted Frequency	%
1	Day 1	780	13.3 %
2	Day 2	757	12.9 %
3	Day 3	749	12.8 %
4	Day 4	745	12.7 %
5	Day 5	735	12.6 %
6	Day 6	701	12.0 %
7	Day 7	698	11.9 %
8	Day 8	684	11.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 11-11 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## RA2DIMON: Interview date-month

Value	Label	Unweighted Frequency	%
1	January	593	10.1 %
2	February	359	6.1 %
3	March	442	7.6 %
4	April	364	6.2 %
5	May	189	3.2 %
6	June	118	2.0 %
7	July	449	7.7 %
8	August	619	10.6 %
9	September	805	13.8 %
10	October	756	12.9 %
11	November	702	12.0 %
12	December	453	7.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 12-13 (width: 2; decimal: 0)

Variable Type: numeric

## RA2DIYEAR: Interview date-year

Value	Label	Unweighted Frequency	%
2012	-	807	13.8 %
2013	-	3199	54.7 %
2014	-	1843	31.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Mean: 2013.18
- Median: 2013.00
- Mode: 2013.00
- Minimum: 2012.00
- Maximum: 2014.00
- Standard Deviation: 0.65

Location: 14-17 (width: 4; decimal: 0)

Variable Type: numeric

## RA2DMISS: Missed phone interview

Value	Label	Unweighted Frequency	%
1	Yes	88	1.5 %
2	No	5761	98.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

## RA2DDAYT: Interview during day or evening?

Value	Label	Unweighted Frequency	%
1	Daytime	5087	87.0 %
2	Evening	674	11.5 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

## RA2DWEEKD: What day of the week?

What day of the week? Today is... Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, or Sunday

Value	Label	Unweighted Frequency	%
1	Monday	941	16.1 %
2	Tuesday	885	15.1 %
3	Wednesday	852	14.6 %
4	Thursday	840	14.4 %
5	Friday	793	13.6 %
6	Saturday	757	12.9 %
7	Sunday	781	13.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

## RA2DWAKE1: What time did you wake up today? Hours

What time did you wake up today? This means 'real wake-up time'. So when you woke up today, before getting out of bed. Hour

Value	Label	Unweighted Frequency	%
1	-	25	0.4 %
2	-	36	0.6 %
3	-	66	1.1 %
4	-	306	5.2 %
5	-	998	17.1 %
6	-	1572	26.9 %
7	-	1376	23.5 %
8	-	786	13.4 %
9	-	373	6.4 %
10	-	147	2.5 %
11	-	49	0.8 %
12	-	19	0.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
98	Refused/missing	7	0.1 %
99	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,753 valid cases out of 5,849 total cases.

- Mean: 6.51
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.60

*Location:* 21-22 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DWAKE2: What time did you wake up today? Minutes

What time did you wake up today? This means 'real wake-up time'. So when you woke up today, before getting out of bed. Minutes

Value	Label	Unweighted Frequency	%
0	-	2221	38.0 %
1	-	5	0.1 %
2	-	10	0.2 %
3	-	7	0.1 %
4	-	3	0.1 %
5	-	57	1.0 %
6	-	5	0.1 %
7	-	5	0.1 %
8	-	9	0.2 %
9	-	4	0.1 %
10	-	132	2.3 %
11	-	12	0.2 %
12	-	6	0.1 %
13	-	4	0.1 %
14	-	7	0.1 %
15	-	474	8.1 %
16	-	7	0.1 %
17	-	8	0.1 %
18	-	6	0.1 %
19	-	2	0.0 %

Value	Label	Unweighted Frequency	%
20	-	142	2.4 %
21	-	6	0.1 %
22	-	6	0.1 %
23	-	9	0.2 %
24	-	2	0.0 %
25	-	52	0.9 %
26	-	5	0.1 %
27	-	5	0.1 %
28	-	11	0.2 %
29	-	5	0.1 %
30	-	1560	26.7 %
31	-	1	0.0 %
32	-	5	0.1 %
33	-	9	0.2 %
34	-	7	0.1 %
35	-	43	0.7 %
36	-	10	0.2 %
37	-	3	0.1 %
38	-	6	0.1 %
39	-	1	0.0 %
40	-	154	2.6 %
41	-	5	0.1 %
42	-	12	0.2 %
43	-	5	0.1 %
44	-	6	0.1 %
45	-	435	7.4 %
46	-	2	0.0 %
47	-	8	0.1 %
48	-	5	0.1 %
49	-	2	0.0 %
	<b>Missing Data</b>		
98	Refused/missing	6	0.1 %
99	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,754 valid cases out of 5,849 total cases.

- Mean: 18.35

- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.32

*Location:* 23-24 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DWAKE3: What time did you wake up today? AM/PM

What time did you wake up today? This means 'real wake-up time'. So when you woke up today, before getting out of bed. AM/PM

Value	Label	Unweighted Frequency	%
1	AM	5669	96.9 %
5	PM	81	1.4 %
	<b>Missing Data</b>		
8	Refused/missing	8	0.1 %
9	Inapplicable	91	1.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,750 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 25-25 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAW1CH: How much time did you spend sleeping? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [Answer limited to 24 hours]  
 Since (this time/we spoke) yesterday, how much time did you spend sleeping, not including time you may have spent napping?  
 Hours

Value	Label	Unweighted Frequency	%
0	-	36	0.6 %
1	-	9	0.2 %
2	-	21	0.4 %
3	-	44	0.8 %
4	-	140	2.4 %
5	-	412	7.0 %
6	-	1146	19.6 %
7	-	1750	29.9 %
8	-	1518	26.0 %

Value	Label	Unweighted Frequency	%
9	-	485	8.3 %
10	-	158	2.7 %
11	-	18	0.3 %
12	-	15	0.3 %
14	-	4	0.1 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
	<b>Missing Data</b>		
98	Refused/missing	2	0.0 %
99	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 7.03
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 1.52

*Location:* 26-27 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAW1CM: How much time did you spend sleeping? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since (this time/we spoke) yesterday, how much time did you spend sleeping, not including time you may have spent napping? Minutes

Value	Label	Unweighted Frequency	%
0	-	4183	71.5 %
3	-	2	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
9	-	1	0.0 %
10	-	5	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	87	1.5 %
18	-	1	0.0 %
20	-	24	0.4 %

Value	Label	Unweighted Frequency	%
23	-	2	0.0 %
25	-	5	0.1 %
27	-	1	0.0 %
30	-	1319	22.6 %
32	-	1	0.0 %
38	-	1	0.0 %
40	-	12	0.2 %
42	-	1	0.0 %
45	-	90	1.5 %
50	-	13	0.2 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	3	0.1 %
	<b>Missing Data</b>		
98	Refused/missing	2	0.0 %
99	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 8.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 13.76

*Location:* 28-29 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DA1H: How much time did you spend with child? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. This includes any time spent with children, shared activities as well as just being together in the same room. [Answer limited to 24 hours.] Since (this time/we spoke) yesterday, how much time did you spend taking care of or doing things with your children - such as helping with homework, playing with them, driving them around, or doing something else with them? Hours

Value	Label	Unweighted Frequency	%
0	-	1358	23.2 %
1	-	456	7.8 %
2	-	449	7.7 %
3	-	374	6.4 %



Value	Label	Unweighted Frequency	%
4	-	265	4.5 %
5	-	167	2.9 %
6	-	148	2.5 %
7	-	58	1.0 %
8	-	100	1.7 %
9	-	37	0.6 %
10	-	73	1.2 %
11	-	28	0.5 %
12	-	64	1.1 %
13	-	30	0.5 %
14	-	22	0.4 %
15	-	17	0.3 %
16	-	6	0.1 %
17	-	2	0.0 %
18	-	4	0.1 %
19	-	1	0.0 %
20	-	2	0.0 %
22	-	1	0.0 %
24	-	4	0.1 %
	<b>Missing Data</b>		
97	Don't know	181	3.1 %
98	Refused/missing	676	11.6 %
99	Inapplicable	1326	22.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,666 valid cases out of 5,849 total cases.

- Mean: 2.71
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.51

*Location:* 30-31 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA1M: How much time did you spend with child? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. This includes any time spent with children, shared activities as well as just being together in the same room. Since (this time/we spoke) yesterday, how

much time did you spend taking care of or doing things with your children - such as helping with homework, playing with them, driving them around, or doing something else with them? Minutes

Value	Label	Unweighted Frequency	%
0	-	3161	54.0 %
1	-	1	0.0 %
3	-	2	0.0 %
5	-	9	0.2 %
10	-	22	0.4 %
15	-	43	0.7 %
16	-	1	0.0 %
20	-	17	0.3 %
25	-	3	0.1 %
30	-	357	6.1 %
35	-	1	0.0 %
40	-	7	0.1 %
45	-	41	0.7 %
<b>Missing Data</b>			
99	Inapplicable	2184	37.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 3,665 valid cases out of 5,849 total cases.

- Mean: 3.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 10.22

*Location:* 32-33 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DA2H: How much time did you spend on chores? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. This does not include paid work, volunteer work, or time spent taking care of your own children. [Answer limited to 24 hours.] Since (this time/we spoke) yesterday, how much time did you spend doing yard work, house work, or other routine chores? Hours

Value	Label	Unweighted Frequency	%
0	-	2320	39.7 %
1	-	1552	26.5 %
2	-	900	15.4 %
3	-	479	8.2 %

Value	Label	Unweighted Frequency	%
4	-	258	4.4 %
5	-	102	1.7 %
6	-	68	1.2 %
7	-	26	0.4 %
8	-	27	0.5 %
9	-	12	0.2 %
10	-	6	0.1 %
12	-	7	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
24	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 1.64

*Location:* 34-35 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA2M: How much time did you spend on chores? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [This does not include paid work, volunteer work, or time spent taking care of your own children.] Since (this time/we spoke) yesterday, how much time did you spend doing yard work, house work, or other routine chores? Minutes

Value	Label	Unweighted Frequency	%
0	-	4300	73.5 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	14	0.2 %
10	-	55	0.9 %
15	-	132	2.3 %

Value	Label	Unweighted Frequency	%
20	-	90	1.5 %
25	-	4	0.1 %
30	-	1021	17.5 %
35	-	6	0.1 %
40	-	18	0.3 %
45	-	111	1.9 %
47	-	1	0.0 %
50	-	3	0.1 %
55	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 7.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 12.98

*Location:* 36-37 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA3H: How much time did you spend on work? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [If respondent not sure: "Would you consider this to be part of your required (work/school) activities, or volunteer work, or something else?" If respondent says volunteer: "I'm going to ask you about volunteering later." (Note: internships count as paid school/work, not volunteer work.) If respondent says: "I am self-employed" or "I help out in our family business", say "How much time did you spend on activities related to (that business/earning money?) Answer limited to 24 hours.] Since (this time/we spoke) yesterday, how much time did you spend on activities related to business, paid work, or school -- including travel time and time spent looking for work? Hours

Value	Label	Unweighted Frequency	%
0	-	2565	43.9 %
1	-	223	3.8 %
2	-	190	3.2 %
3	-	127	2.2 %
4	-	146	2.5 %
5	-	116	2.0 %
6	-	156	2.7 %

Value	Label	Unweighted Frequency	%
7	-	155	2.7 %
8	-	461	7.9 %
9	-	505	8.6 %
10	-	425	7.3 %
11	-	164	2.8 %
12	-	130	2.2 %
13	-	65	1.1 %
14	-	27	0.5 %
15	-	11	0.2 %
16	-	6	0.1 %
17	-	6	0.1 %
18	-	1	0.0 %
20	-	1	0.0 %
24	-	2	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	367	6.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,482 valid cases out of 5,849 total cases.

- Mean: 3.96
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.48

*Location:* 38-39 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DA3M: How much time did you spend on work? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [If respondent not sure: "Would you consider this to be part of your required (work/school) activities, or volunteer work, or something else?" If respondent says volunteer: "I'm going to ask you about volunteering later." (Note: internships count as paid school/work, not volunteer work.) If respondent says: "I am self-employed" or "I help out in our family business", say "How much time did you spend on activities related to (that business/earning money?) Answer limited to 24 hours.] Since (this time/we spoke) yesterday, how much time did you spend on activities related to business, paid work, or school -- including travel time and time spent looking for work? Minutes

Value	Label	Unweighted Frequency	%
0	-	4793	81.9 %
1	-	2	0.0 %
5	-	4	0.1 %

Value	Label	Unweighted Frequency	%
10	-	10	0.2 %
12	-	1	0.0 %
15	-	43	0.7 %
20	-	13	0.2 %
25	-	3	0.1 %
30	-	571	9.8 %
35	-	4	0.1 %
40	-	3	0.1 %
45	-	28	0.5 %
50	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	372	6.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,476 valid cases out of 5,849 total cases.

- Mean: 3.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 9.83

*Location:* 40-41 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA3AH2: What time did you begin this work? Hours

Value	Label	Unweighted Frequency	%
1	-	69	1.2 %
2	-	64	1.1 %
3	-	69	1.2 %
4	-	82	1.4 %
5	-	166	2.8 %
6	-	346	5.9 %
7	-	690	11.8 %
8	-	739	12.6 %
9	-	346	5.9 %
10	-	229	3.9 %
11	-	132	2.3 %
12	-	99	1.7 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	2815	48.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,031 valid cases out of 5,849 total cases.

- Mean: 7.40
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.24

*Location:* 42-43 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA3AM2: What time did you begin this work? Minutes

Value	Label	Unweighted Frequency	%
0	-	1737	29.7 %
1	-	3	0.1 %
3	-	5	0.1 %
5	-	1	0.0 %
6	-	3	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	15	0.3 %
12	-	2	0.0 %
15	-	121	2.1 %
18	-	1	0.0 %
20	-	22	0.4 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	7	0.1 %
30	-	904	15.5 %
34	-	1	0.0 %
35	-	9	0.2 %
40	-	33	0.6 %
45	-	142	2.4 %
47	-	1	0.0 %
50	-	13	0.2 %

Value	Label	Unweighted Frequency	%
53	-	1	0.0 %
55	-	5	0.1 %
58	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	2815	48.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,031 valid cases out of 5,849 total cases.

- Mean: 12.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 15.88

*Location:* 44-45 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA3AAP: What time did you begin this work? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	2479	42.4 %
5	PM	552	9.4 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	2815	48.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,031 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 46-46 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA3BH2: What time did you finish this work? Hours

Value	Label	Unweighted Frequency	%
1	-	127	2.2 %
2	-	176	3.0 %
3	-	324	5.5 %



Value	Label	Unweighted Frequency	%
4	-	521	8.9 %
5	-	669	11.4 %
6	-	354	6.1 %
7	-	182	3.1 %
8	-	112	1.9 %
9	-	98	1.7 %
10	-	111	1.9 %
11	-	88	1.5 %
12	-	125	2.1 %
	<b>Missing Data</b>		
97	Don't know	5	0.1 %
99	Inapplicable	2957	50.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,887 valid cases out of 5,849 total cases.

- Mean: 5.42
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.68

*Location:* 47-48 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA3BM2: What time did you finish this work? Minutes

Value	Label	Unweighted Frequency	%
0	-	1536	26.3 %
1	-	2	0.0 %
2	-	2	0.0 %
3	-	5	0.1 %
5	-	8	0.1 %
6	-	1	0.0 %
7	-	7	0.1 %
8	-	1	0.0 %
10	-	22	0.4 %
12	-	1	0.0 %
15	-	168	2.9 %
18	-	1	0.0 %
20	-	34	0.6 %

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
24	-	1	0.0 %
25	-	7	0.1 %
29	-	1	0.0 %
30	-	916	15.7 %
32	-	1	0.0 %
35	-	4	0.1 %
39	-	1	0.0 %
40	-	25	0.4 %
42	-	1	0.0 %
45	-	130	2.2 %
48	-	1	0.0 %
50	-	15	0.3 %
52	-	1	0.0 %
55	-	5	0.1 %
58	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	7	0.1 %
99	Inapplicable	2943	50.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,899 valid cases out of 5,849 total cases.

- Mean: 13.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 15.74

*Location:* 49-50 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA3BAP: What time did you finish this work? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	268	4.6 %
5	PM	2624	44.9 %
	<b>Missing Data</b>		
7	Don't know	135	2.3 %
8	Refused/missing	7	0.1 %
9	Inapplicable	2815	48.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,892 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 51-51 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA3C: Was this work more than one shift?

Value	Label	Unweighted Frequency	%
1	Yes	406	6.9 %
2	No	2431	41.6 %
	<b>Missing Data</b>		
8	Refused/missing	8	0.1 %
9	Inapplicable	3004	51.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,837 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 52-52 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA4H: How much time did you spend on leisure? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [If necessary: "Leisure time activities means actively choosing to do things for yourself. This may overlap with other categories, such as spending time with your children." Answer limited to 24 hours] Since (this time/we spoke) yesterday, how much time did you spend relaxing or doing leisure time activities? Hours

Value	Label	Unweighted Frequency	%
0	-	929	15.9 %
1	-	1144	19.6 %
2	-	1126	19.3 %
3	-	810	13.8 %
4	-	616	10.5 %
5	-	324	5.5 %
6	-	279	4.8 %
7	-	98	1.7 %

Value	Label	Unweighted Frequency	%
8	-	150	2.6 %
9	-	27	0.5 %
10	-	85	1.5 %
11	-	10	0.2 %
12	-	64	1.1 %
13	-	9	0.2 %
14	-	9	0.2 %
15	-	7	0.1 %
16	-	22	0.4 %
17	-	8	0.1 %
18	-	12	0.2 %
19	-	4	0.1 %
20	-	4	0.1 %
21	-	1	0.0 %
23	-	2	0.0 %
24	-	12	0.2 %
	<b>Missing Data</b>		
97	Don't know	9	0.2 %
99	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,752 valid cases out of 5,849 total cases.

- Mean: 2.96
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.07

*Location:* 53-54 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DA4M: How much time did you spend on leisure? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [If necessary: "Leisure time activities means actively choosing to do things for yourself. This may overlap with other categories, such as spending time with your children."] Since (this time/we spoke) yesterday, how much time did you spend relaxing or doing leisure time activities?  
Minutes

Value	Label	Unweighted Frequency	%
0	-	4913	84.0 %
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	1	0.0 %
5	-	3	0.1 %
10	-	17	0.3 %
12	-	1	0.0 %
15	-	34	0.6 %
20	-	27	0.5 %
25	-	1	0.0 %
30	-	678	11.6 %
35	-	2	0.0 %
40	-	12	0.2 %
45	-	49	0.8 %
	<b>Missing Data</b>		
97	Don't know	9	0.2 %
99	Inapplicable	100	1.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,740 valid cases out of 5,849 total cases.

- Mean: 4.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 10.63

*Location:* 55-56 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAW4H: How much time did you spend on TV? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [Note: This includes videos through Netflix, YouTube, or onDemand that you watch on your computer. Answer limited to 24 hours] Since (this time/we spoke) yesterday, how much time did you spend watching television (including time spent watching videos)? Hours

Value	Label	Unweighted Frequency	%
0	-	1810	30.9 %
1	-	1350	23.1 %
2	-	1146	19.6 %
3	-	646	11.0 %
4	-	376	6.4 %
5	-	154	2.6 %

Value	Label	Unweighted Frequency	%
6	-	127	2.2 %
7	-	34	0.6 %
8	-	40	0.7 %
9	-	12	0.2 %
10	-	18	0.3 %
11	-	4	0.1 %
12	-	13	0.2 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	6	0.1 %
16	-	6	0.1 %
17	-	2	0.0 %
18	-	3	0.1 %
20	-	3	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	3	0.1 %
	<b>Missing Data</b>		
97	Don't know	2	0.0 %
99	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 1.77
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 2.15

*Location:* 57-58 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAW4M: How much time did you spend on TV? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [Note: This includes videos through Netflix, YouTube, or onDemand that you watch on your computer.] Since (this time/we spoke) yesterday, how much time did you spend watching television (including time spent watching videos)? Minutes

Value	Label	Unweighted Frequency	%
0	-	4448	76.0 %

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
4	-	1	0.0 %
5	-	14	0.2 %
10	-	38	0.6 %
12	-	1	0.0 %
14	-	1	0.0 %
15	-	85	1.5 %
20	-	46	0.8 %
25	-	4	0.1 %
30	-	1007	17.2 %
35	-	3	0.1 %
40	-	16	0.3 %
45	-	89	1.5 %
50	-	1	0.0 %
51	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	91	1.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Mean: 6.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 51.00
- Standard Deviation: 12.62

*Location:* 59-60 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAX4H: How much time did you spend on social media? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since this (time/we spoke) yesterday, how much time did you spend on social media websites (Facebook, Twitter, MySpace)? Hours

Value	Label	Unweighted Frequency	%
0	-	4761	81.4 %
1	-	692	11.8 %
2	-	185	3.2 %

Value	Label	Unweighted Frequency	%
3	-	57	1.0 %
4	-	26	0.4 %
5	-	12	0.2 %
6	-	5	0.1 %
7	-	3	0.1 %
8	-	6	0.1 %
9	-	1	0.0 %
10	-	3	0.1 %
12	-	3	0.1 %
14	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
24	-	2	0.0 %
	<b>Missing Data</b>		
97	Don't know	2	0.0 %
99	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 0.98

*Location:* 61-62 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DAX4M: How much time did you spend on social media? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since this (time/we spoke) yesterday, how much time did you spend on social media websites (Facebook, Twitter, MySpace)? Minutes

Value	Label	Unweighted Frequency	%
0	-	4043	69.1 %
1	-	10	0.2 %
2	-	6	0.1 %
3	-	5	0.1 %
4	-	1	0.0 %
5	-	122	2.1 %



Value	Label	Unweighted Frequency	%
10	-	190	3.2 %
15	-	331	5.7 %
20	-	137	2.3 %
25	-	2	0.0 %
30	-	811	13.9 %
35	-	2	0.0 %
40	-	12	0.2 %
45	-	86	1.5 %
50	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	2	0.0 %
99	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 6.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 11.90

*Location:* 63-64 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DA4AH: How much time spent on physical activity? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Activities that would cause you to break a sweat. [Answer limited to 24 hours] Since (this time/we spoke) yesterday, how much time spent engaged in vigorous physical activity or exercise? Hours

Value	Label	Unweighted Frequency	%
0	-	4241	72.5 %
1	-	878	15.0 %
2	-	262	4.5 %
3	-	129	2.2 %
4	-	78	1.3 %
5	-	38	0.6 %
6	-	40	0.7 %
7	-	16	0.3 %
8	-	35	0.6 %

Value	Label	Unweighted Frequency	%
9	-	12	0.2 %
10	-	13	0.2 %
11	-	5	0.1 %
12	-	8	0.1 %
13	-	1	0.0 %
14	-	2	0.0 %
17	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 17.00
- Standard Deviation: 1.48

*Location:* 65-66 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DA4AM: How much time spent on physical activity? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since (this time/we spoke) yesterday, how much time spent engaged in vigorous physical activity or exercise? Minutes

Value	Label	Unweighted Frequency	%
0	-	4308	73.7 %
3	-	2	0.0 %
5	-	12	0.2 %
8	-	1	0.0 %
10	-	40	0.7 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	142	2.4 %
20	-	148	2.5 %
25	-	12	0.2 %
27	-	1	0.0 %
28	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	831	14.2 %
31	-	1	0.0 %
33	-	1	0.0 %
35	-	22	0.4 %
40	-	53	0.9 %
45	-	166	2.8 %
48	-	2	0.0 %
50	-	9	0.2 %
51	-	1	0.0 %
54	-	1	0.0 %
55	-	3	0.1 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Mean: 7.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 13.42

*Location:* 67-68 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAW5AH: What time did you begin physical activity? Hours

Value	Label	Unweighted Frequency	%
1	-	154	2.6 %
2	-	180	3.1 %
3	-	152	2.6 %
4	-	171	2.9 %
5	-	187	3.2 %
6	-	263	4.5 %
7	-	315	5.4 %
8	-	355	6.1 %
9	-	280	4.8 %
10	-	234	4.0 %
11	-	222	3.8 %

Value	Label	Unweighted Frequency	%
12	-	164	2.8 %
	<b>Missing Data</b>		
97	Don't know	5	0.1 %
99	Inapplicable	3167	54.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,677 valid cases out of 5,849 total cases.

- Mean: 6.90
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.13

*Location:* 69-70 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAW5AM: What time did you begin physical activity? Minutes

Value	Label	Unweighted Frequency	%
0	-	1591	27.2 %
1	-	2	0.0 %
4	-	1	0.0 %
5	-	7	0.1 %
10	-	14	0.2 %
14	-	1	0.0 %
15	-	121	2.1 %
20	-	23	0.4 %
23	-	1	0.0 %
25	-	4	0.1 %
28	-	1	0.0 %
30	-	768	13.1 %
32	-	1	0.0 %
35	-	3	0.1 %
39	-	1	0.0 %
40	-	16	0.3 %
41	-	1	0.0 %
44	-	1	0.0 %
45	-	101	1.7 %
47	-	1	0.0 %
50	-	12	0.2 %

Value	Label	Unweighted Frequency	%
51	-	2	0.0 %
52	-	2	0.0 %
55	-	2	0.0 %
	<b>Missing Data</b>		
97	Don't know	5	0.1 %
99	Inapplicable	3167	54.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,677 valid cases out of 5,849 total cases.

- Mean: 11.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 15.44

*Location:* 71-72 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAW5AA: What time did you begin physical activity? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	1395	23.9 %
5	PM	1282	21.9 %
	<b>Missing Data</b>		
8	Refused/missing	5	0.1 %
9	Inapplicable	3167	54.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,677 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 73-73 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA9: Did you spend time on volunteer work?

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [If necessary: This includes community organizations and local sports organizations. [OR] This includes any kind of voluntary work with an organization, such as coaching a softball team, or being a leader of a scout troop. If respondent says they work at church, nursing home, etc., say "Only count time spent volunteering -- that is, work that you are not paid for."] Since (this time/we spoke) yesterday, did you spend any time doing formal volunteer work at a church, hospital, senior center, or any other organization? Yes/no

Value	Label	Unweighted Frequency	%
1	Yes	461	7.9 %
2	No	5298	90.6 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA9AH: How much time spent on volunteer work? Hours

[Answer limited to 24 hours] How much time spent on formal volunteer work? Hours

Value	Label	Unweighted Frequency	%
0	-	52	0.9 %
1	-	149	2.5 %
2	-	104	1.8 %
3	-	69	1.2 %
4	-	40	0.7 %
5	-	13	0.2 %
6	-	17	0.3 %
7	-	3	0.1 %
8	-	7	0.1 %
9	-	3	0.1 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5388	92.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 461 valid cases out of 5,849 total cases.

- Mean: 2.26
- Median: 2.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 14.00
- Standard Deviation: 1.98

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DA9AM: How much time spent on volunteer work? Minutes

[Answer limited to 24 hours] How much time spent on formal volunteer work? Minutes

Value	Label	Unweighted Frequency	%
0	-	298	5.1 %
5	-	1	0.0 %
8	-	1	0.0 %
10	-	4	0.1 %
15	-	6	0.1 %
20	-	2	0.0 %
30	-	133	2.3 %
35	-	1	0.0 %
40	-	3	0.1 %
45	-	11	0.2 %
50	-	1	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5388	92.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 461 valid cases out of 5,849 total cases.

- Mean: 10.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 14.86

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DA10: Did you spend time giving unpaid assistance?

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since (this time/we spoke) yesterday, did you spend any time giving any unpaid assistance to people who do not live with you, such as free baby-sitting or help with shopping? Yes/no

[IF RA2DA10 = 2,7,8,9, GO TO 'RA2DA11']

Value	Label	Unweighted Frequency	%
1	Yes	492	8.4 %
2	No	5268	90.1 %
	Missing Data		
9	Inapplicable	89	1.5 %
	Total	5,849	100%

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA10A1: Who you gave unpaid assistance? Spouse

To whom did you help/give unpaid assistance? Spouse or partner (includes ex-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	12	0.2 %
2	No	480	8.2 %
	Missing Data		
9	Inapplicable	5357	91.6 %
	Total	5,849	100%

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA10A2: Who you gave unpaid assistance? Child

To whom did you help/give unpaid assistance? Child or grandchild (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	132	2.3 %
2	No	360	6.2 %
	Missing Data		



Value	Label	Unweighted Frequency	%
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 81-81 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DA10A3: Who you gave unpaid assistance? Parent

To whom did you help/give unpaid assistance? Parent (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	71	1.2 %
2	No	421	7.2 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 82-82 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DA10A4: Who you gave unpaid assistance? Sibling

To whom did you help/give unpaid assistance? Sibling (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	32	0.5 %
2	No	460	7.9 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA10A5: Who you gave unpaid assistance? Other relative

To whom did you help/give unpaid assistance? Other relative (includes in-laws) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	90	1.5 %
2	No	402	6.9 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA10A6: Who you gave unpaid assistance? Friend

To whom did you help/give unpaid assistance? Friend [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	84	1.4 %
2	No	408	7.0 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA10A7: Who you gave unpaid assistance? Neighbor

To whom did you help/give unpaid assistance? Neighbor [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	58	1.0 %
2	No	434	7.4 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 86-86 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA10A8: Who you gave unpaid assistance? Coworker

To whom did you help/give unpaid assistance? Coworker or fellow student [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	6	0.1 %
2	No	486	8.3 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 87-87 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA10A9: Who you gave unpaid assistance? Boss

To whom did you help/give unpaid assistance? Boss or teacher [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	1	0.0 %
2	No	491	8.4 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 88-88 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1010: Who you gave unpaid assistance? Employee

To whom did you help/give unpaid assistance? Employee or supervisee [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	492	8.4 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 89-89 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1011: Who you gave unpaid assistance? Other

To whom did you help/give unpaid assistance? Other (specify) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	32	0.5 %
2	No	460	7.9 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 90-90 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1012: Who you gave unpaid assistance? Stranger

To whom did you help/give unpaid assistance? Stranger [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	8	0.1 %
2	No	484	8.3 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 91-91 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1013: Who you gave unpaid assistance? Religious groups

To whom did you help/give unpaid assistance? Religious group/member (includes minister) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	8	0.1 %
2	No	484	8.3 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 92-92 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1014: Who you gave unpaid assistance? Self-help groups

To whom did you help/give unpaid assistance? Self-help group (e.g., AA, therapist, counselor) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	492	8.4 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 93-93 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1015: Who you gave unpaid assistance? Client

To whom did you help/give unpaid assistance? Client/customer/patient [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	492	8.4 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 94-94 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1016: Who you gave unpaid assistance? Other groups

To whom did you help/give unpaid assistance? Groups (besides religious and self-help) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	5	0.1 %
2	No	487	8.3 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 95-95 (width: 1; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1018: Who you gave unpaid assistance? Don't know

To whom did you help/give unpaid assistance? Do not know [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	492	8.4 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 96-96 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1019: Who you gave unpaid assistance? Refused

To whom did you help/give unpaid assistance? Refused [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	1	0.0 %
2	No	491	8.4 %
	<b>Missing Data</b>		
9	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 97-97 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA10BH: How much time did you spend helping? Hours

[Answer limited to 24 hours] Altogether how much time did you spend helping this person or these people? Hours

Value	Label	Unweighted Frequency	%
0	-	99	1.7 %
1	-	109	1.9 %
2	-	87	1.5 %
3	-	61	1.0 %
4	-	24	0.4 %
5	-	23	0.4 %
6	-	14	0.2 %
7	-	8	0.1 %
8	-	13	0.2 %
9	-	6	0.1 %
10	-	7	0.1 %
11	-	2	0.0 %
12	-	10	0.2 %
13	-	2	0.0 %
14	-	5	0.1 %
15	-	2	0.0 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	2	0.0 %
24	-	15	0.3 %
	<b>Missing Data</b>		
99	Inapplicable	5357	91.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 492 valid cases out of 5,849 total cases.

- Mean: 3.57
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.97

*Location:* 98-99 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA10BM: How much time did you spend helping? Minutes

Altogether how much time did you spend helping this person or these people? Minutes

Value	Label	Unweighted Frequency	%
0	-	310	5.3 %



Value	Label	Unweighted Frequency	%
5	-	2	0.0 %
10	-	6	0.1 %
15	-	10	0.2 %
20	-	11	0.2 %
30	-	114	1.9 %
35	-	1	0.0 %
40	-	4	0.1 %
45	-	18	0.3 %
	<b>Missing Data</b>		
99	Inapplicable	5373	91.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 476 valid cases out of 5,849 total cases.

- Mean: 10.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 14.81

*Location:* 100-101 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA11: Did you receive any unpaid assistance?

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. [If necessary: unpaid assistance includes things like getting help with child care, transportation, or shopping.] Since (this time/we spoke) yesterday, did you receive any unpaid assistance from any organization or person who does not live with you?

[IF RA2DA11 = 2,7,8,9, GO TO 'RA2DA12'.]

Value	Label	Unweighted Frequency	%
1	Yes	115	2.0 %
2	No	5645	96.5 %
	<b>Missing Data</b>		
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00

- Maximum: 2.00

*Location:* 102-102 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A1: Who gave you unpaid assistance? Spouse

Who gave you unpaid assistance? Spouse or partner (includes ex-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 103-103 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A2: Who gave you unpaid assistance? Child

Who gave you unpaid assistance? Child or grandchild (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	12	0.2 %
2	No	109	1.9 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 104-104 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A3: Who gave you unpaid assistance? Parent

Who gave you unpaid assistance? Parent (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	27	0.5 %
2	No	94	1.6 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 105-105 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A4: Who gave you unpaid assistance? Sibling

Who gave you unpaid assistance? Sibling (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
2	No	112	1.9 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 106-106 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A5: Who gave you unpaid assistance? Other relative

Who gave you unpaid assistance? Other relative (includes in-laws) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	22	0.4 %
2	No	99	1.7 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 107-107 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A6: Who gave you unpaid assistance? Friend

Who gave you unpaid assistance? Friend [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	24	0.4 %
2	No	97	1.7 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 108-108 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A7: Who gave you unpaid assistance? Neighbor

Who gave you unpaid assistance? Neighbor [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	5	0.1 %
2	No	116	2.0 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 109-109 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A8: Who gave you unpaid assistance? Coworker

Who gave you unpaid assistance? Coworker or fellow student [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 110-110 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA11A9: Who gave you unpaid assistance? Boss

Who gave you unpaid assistance? Boss or teacher [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	1	0.0 %
2	No	120	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 111-111 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1110: Who gave you unpaid assistance? Employee

Who gave you unpaid assistance? Employee or supervisee [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 112-112 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA1111: Who gave you unpaid assistance? Religious groups

Who gave you unpaid assistance? Religious group/member (includes minister) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
2	No	112	1.9 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 113-113 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA1112: Who gave you unpaid assistance? Governmental groups

Who gave you unpaid assistance? Governmental groups [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	3	0.1 %
2	No	118	2.0 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 114-114 (width: 1; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1113: Who gave you unpaid assistance? Non-governmental groups

Who gave you unpaid assistance? Non-governmental groups [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	3	0.1 %
2	No	118	2.0 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 115-115 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1114: Who gave you unpaid assistance? Other

Who gave you unpaid assistance? Other (specify) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	15	0.3 %
2	No	106	1.8 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 116-116 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1115: Who gave you unpaid assistance? Stranger

Who gave you unpaid assistance? Stranger [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 117-117 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1116: Who gave you unpaid assistance? Client, customer, patient

Who gave you unpaid assistance? Client/customer/patient [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 118-118 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1118: Who gave you unpaid assistance? Don't know

Who gave you unpaid assistance? Don't know [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>



Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 119-119 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA1119: Who gave you unpaid assistance? Refused

Who gave you unpaid assistance? Refused [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5728	97.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 121 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 120-120 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA11BH: How much time received unpaid assistance? Hours

[Answer limited to 24 hours] Altogether, about how much time did you receive this assistance? Hours

Value	Label	Unweighted Frequency	%
0	-	25	0.4 %
1	-	26	0.4 %
2	-	14	0.2 %
3	-	12	0.2 %
4	-	8	0.1 %
5	-	3	0.1 %
6	-	3	0.1 %
7	-	3	0.1 %
8	-	5	0.1 %
9	-	6	0.1 %
10	-	1	0.0 %
11	-	3	0.1 %
12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	2	0.0 %
99	Inapplicable	5734	98.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 113 valid cases out of 5,849 total cases.

- Mean: 3.43
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.31

*Location:* 121-122 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA11BM: How much time received unpaid assistance? Minutes

Altogether, about how much time did you receive this assistance? Minutes

Value	Label	Unweighted Frequency	%
0	-	71	1.2 %
5	-	1	0.0 %
10	-	2	0.0 %
15	-	7	0.1 %
20	-	3	0.1 %
30	-	24	0.4 %
45	-	4	0.1 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5734	98.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 112 valid cases out of 5,849 total cases.

- Mean: 9.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00

- Standard Deviation: 14.11

*Location:* 123-124 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DA12: Did you give emotional support?

Not counting work you might do as part of your job, did you spend any time giving emotional support to anyone, like listening to their problems, giving advice, or comforting them, since (this time/we spoke) yesterday?

[IF RA2DA12 = 2,7,8,9, GO TO 'RA2DA13']

Value	Label	Unweighted Frequency	%
1	Yes	1706	29.2 %
2	No	4052	69.3 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 125-125 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA12A1: Who you gave emotional support? Spouse

To whom did you give emotional support? Spouse or partner (includes ex-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	392	6.7 %
2	No	1315	22.5 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 126-126 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA12A2: Who you gave emotional support? Child

To whom did you give emotional support? Child or grandchild (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	437	7.5 %
2	No	1270	21.7 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA12A3: Who you gave emotional support? Parent

To whom did you give emotional support? Parent (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	137	2.3 %
2	No	1570	26.8 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA12A4: Who you gave emotional support? Sibling

To whom did you give emotional support? Sibling (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	116	2.0 %

Value	Label	Unweighted Frequency	%
2	No	1591	27.2 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 129-129 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA12A5: Who you gave emotional support? Other relative

To whom did you give emotional support? Other relative (includes in-laws) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	120	2.1 %
2	No	1587	27.1 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 130-130 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA12A6: Who you gave emotional support? Friend

To whom did you give emotional support? Friend [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	480	8.2 %
2	No	1227	21.0 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 131-131 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA12A7: Who you gave emotional support? Neighbor

To whom did you give emotional support? Neighbor [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	48	0.8 %
2	No	1659	28.4 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 132-132 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA12A8: Who you gave emotional support? Coworker

To whom did you give emotional support? Coworker or fellow student [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	155	2.7 %
2	No	1552	26.5 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 133-133 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA12A9: Who you gave emotional support? Boss

To whom did you give emotional support? Boss or teacher [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	6	0.1 %
2	No	1701	29.1 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 134-134 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1210: Who you gave emotional support? Employee

To whom did you give emotional support? Employee or supervisee [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	15	0.3 %
2	No	1692	28.9 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 135-135 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1211: Who you gave emotional support? Other

To whom did you give emotional support? Other (specify) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	85	1.5 %
2	No	1622	27.7 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 136-136 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA1212: Who you gave emotional support? Stranger

To whom did you give emotional support? Stranger [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	10	0.2 %
2	No	1697	29.0 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 137-137 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA1213: Who you gave emotional support? Religious groups

To whom did you give emotional support? Religious group/member (includes minister) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	33	0.6 %
2	No	1674	28.6 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 138-138 (width: 1; decimal: 0)



Variable Type: numeric  
(Range of Missing Values: 7 , 8 , 9

## RA2DA1214: Who you gave emotional support? Self-help groups

To whom did you give emotional support? Self-help group (e.g., AA, therapist, counselor) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	6	0.1 %
2	No	1701	29.1 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 139-139 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of Missing Values: 7 , 8 , 9

## RA2DA1215: Who you gave emotional support? Client, customer, patient

To whom did you give emotional support? Client/customer/patient [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	20	0.3 %
2	No	1687	28.8 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 140-140 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of Missing Values: 7 , 8 , 9

## RA2DA1217: Who you gave emotional support? Don't know

To whom did you give emotional support? Don't know [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1707	29.2 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 141-141 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1218: Who you gave emotional support? Refused

To whom did you give emotional support? Refused [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1707	29.2 %
	<b>Missing Data</b>		
9	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,707 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 142-142 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA12BH: How much time you gave emotional support? Hours

[Answer limited to 24 hours] Altogether, about how much time did you spend giving support to this person or these people? Hours

Value	Label	Unweighted Frequency	%
0	-	917	15.7 %
1	-	507	8.7 %
2	-	160	2.7 %
3	-	57	1.0 %
4	-	23	0.4 %
5	-	14	0.2 %

Value	Label	Unweighted Frequency	%
6	-	8	0.1 %
8	-	7	0.1 %
9	-	3	0.1 %
10	-	1	0.0 %
12	-	3	0.1 %
14	-	2	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
24	-	2	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	4142	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,706 valid cases out of 5,849 total cases.

- Mean: 0.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 1.66

*Location:* 143-144 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA12BM: How much time you gave emotional support? Minutes

Altogether, about how much time did you spend giving support to this person or these people? Minutes

Value	Label	Unweighted Frequency	%
0	-	653	11.2 %
3	-	1	0.0 %
5	-	24	0.4 %
6	-	1	0.0 %
8	-	2	0.0 %
10	-	72	1.2 %
15	-	152	2.6 %
20	-	147	2.5 %
22	-	1	0.0 %
25	-	6	0.1 %
30	-	539	9.2 %

Value	Label	Unweighted Frequency	%
34	-	1	0.0 %
35	-	4	0.1 %
40	-	14	0.2 %
42	-	1	0.0 %
45	-	83	1.4 %
50	-	2	0.0 %
55	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	4144	70.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,704 valid cases out of 5,849 total cases.

- Mean: 15.90
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 14.66

*Location:* 145-146 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DA13: Did you receive any emotional support?

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since (this time/we spoke) yesterday, did you receive any emotional support from anyone or any organizations?

[IF RA2DA13 = 2,7,8,9, GO TO 'RA2DAC']

Value	Label	Unweighted Frequency	%
1	Yes	719	12.3 %
2	No	5042	86.2 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA13A1: Who gave you emotional support? Spouse

Who gave you this emotional support? Spouse or partner (includes ex-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	297	5.1 %
2	No	429	7.3 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 148-148 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA13A2: Who gave you emotional support? Child

Who gave you this emotional support? Child or grandchild (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	64	1.1 %
2	No	662	11.3 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DA13A3: Who gave you emotional support? Parent

Who gave you this emotional support? Parent (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	61	1.0 %
2	No	665	11.4 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 150-150 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA13A4: Who gave you emotional support? Sibling

Who gave you this emotional support? Sibling (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	47	0.8 %
2	No	679	11.6 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 151-151 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA13A5: Who gave you emotional support? Other relative

Who gave you this emotional support? Other relative (includes in-laws) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	33	0.6 %
2	No	693	11.8 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 152-152 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA13A6: Who gave you emotional support? Friend

Who gave you this emotional support? Friend [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	224	3.8 %
2	No	502	8.6 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 153-153 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA13A7: Who gave you emotional support? Neighbor

Who gave you this emotional support? Neighbor [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
2	No	717	12.3 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 154-154 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA13A8: Who gave you emotional support? Coworker

Who gave you this emotional support? Coworker or fellow student [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	60	1.0 %
2	No	666	11.4 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 155-155 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA13A9: Who gave you emotional support? Boss

Who gave you this emotional support? Boss or teacher [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	4	0.1 %
2	No	722	12.3 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 156-156 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1310: Who gave you emotional support? Employee

Who gave you this emotional support? Employee or supervisee [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	1	0.0 %
2	No	725	12.4 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %



Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 157-157 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA1311: Who gave you emotional support? Religious groups

Who gave you this emotional support? Religious groups [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	21	0.4 %
2	No	705	12.1 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 158-158 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DA1312: Who gave you emotional support? Governmental groups

Who gave you this emotional support? Governmental groups [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	5	0.1 %
2	No	721	12.3 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 159-159 (width: 1; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1313: Who gave you emotional support? Non-governmental groups

Who gave you this emotional support? Non-governmental groups (include self-help groups) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	4	0.1 %
2	No	722	12.3 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 160-160 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1314: Who gave you emotional support? Other

Who gave you this emotional support? Other (specify) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	55	0.9 %
2	No	671	11.5 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 161-161 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DA1315: Who gave you emotional support? Stranger

Who gave you this emotional support? Stranger [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	1	0.0 %
2	No	725	12.4 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 162-162 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1316: Who gave you emotional support? Client, customer, patient

Who gave you this emotional support? Client/customer/patient [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	5	0.1 %
2	No	721	12.3 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 163-163 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1317: Who gave you emotional support? Other groups

Who gave you this emotional support? Groups (other than religious or non-governmental) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	10	0.2 %
2	No	716	12.2 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 164-164 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1318: Who gave you emotional support? Don't know

Who gave you this emotional support? Don't know [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	726	12.4 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 165-165 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA1319: Who gave you emotional support? Refused

Who gave you this emotional support? Refused [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	726	12.4 %
	<b>Missing Data</b>		
9	Inapplicable	5123	87.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 726 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 166-166 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DA13BH: How much time you received emotional support? Hours

[Answer limited to 24 hours] Altogether, about how much time did you spend receiving emotional support? Hours

Value	Label	Unweighted Frequency	%
0	-	434	7.4 %
1	-	173	3.0 %
2	-	66	1.1 %
3	-	21	0.4 %
4	-	9	0.2 %
5	-	6	0.1 %
6	-	3	0.1 %
8	-	2	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
17	-	1	0.0 %
24	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	5129	87.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 719 valid cases out of 5,849 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 1.62

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

---

## RA2DA13BM: How much time you received emotional support? Minutes

Altogether, about how much time did you spend receiving emotional support? Minutes

Value	Label	Unweighted Frequency	%
0	-	251	4.3 %
1	-	3	0.1 %
3	-	2	0.0 %
5	-	16	0.3 %
7	-	1	0.0 %
10	-	45	0.8 %
15	-	74	1.3 %

Value	Label	Unweighted Frequency	%
20	-	66	1.1 %
25	-	2	0.0 %
30	-	224	3.8 %
40	-	11	0.2 %
45	-	23	0.4 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	5130	87.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 718 valid cases out of 5,849 total cases.

- Mean: 15.63
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 13.96

*Location:* 169-170 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAC1: Did you provide assistance to person with disability?

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since (this time/we spoke) yesterday, did you spend any time providing assistance to someone who has a disability, health problem, or other special needs?

[IF RA2DAC1 = 2,7,8,9, GO TO 'RA2DRA1A']

Value	Label	Unweighted Frequency	%
1	Yes	695	11.9 %
2	No	5066	86.6 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 171-171 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D1: Who you gave disability assistance? Spouse

To whom with special needs did you give assistance? Spouse or partner not living with respondent [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	127	2.2 %
2	No	571	9.8 %
	Missing Data		
9	Inapplicable	5151	88.1 %
	Total	5,849	100%

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DAC2D2: Who you gave disability assistance? Child

To whom with special needs did you give assistance? Child or grandchild (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	104	1.8 %
2	No	594	10.2 %
	Missing Data		
9	Inapplicable	5151	88.1 %
	Total	5,849	100%

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DAC2D3: Who you gave disability assistance? Parent

To whom with special needs did you give assistance? Parent (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	106	1.8 %
2	No	592	10.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 174-174 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D4: Who you gave disability assistance? Sibling

To whom with special needs did you give assistance? Sibling (includes step-) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	21	0.4 %
2	No	677	11.6 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 175-175 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D5: Who you gave disability assistance? Other relative

To whom with special needs did you give assistance? Other relative (includes in-laws) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	65	1.1 %
2	No	633	10.8 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.



- Minimum: 1.00
- Maximum: 2.00

Location: 176-176 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DAC2D6: Who you gave disability assistance? Friend

To whom with special needs did you give assistance? Friend [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	41	0.7 %
2	No	657	11.2 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 177-177 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DAC2D7: Who you gave disability assistance? Neighbor

To whom with special needs did you give assistance? Neighbor [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	34	0.6 %
2	No	664	11.4 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 178-178 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DAC2D8: Who you gave disability assistance? Coworker

To whom with special needs did you give assistance? Coworker or fellow student [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
2	No	689	11.8 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 179-179 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D9: Who you gave disability assistance? Boss

To whom with special needs did you give assistance? Boss or teacher [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	2	0.0 %
2	No	696	11.9 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 180-180 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D10: Who you gave disability assistance? Employee

To whom with special needs did you give assistance? Employee or supervisee [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	4	0.1 %
2	No	694	11.9 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 181-181 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DAC2D11: Who you gave disability assistance? Other

To whom with special needs did you give assistance? Other (specify) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	57	1.0 %
2	No	640	10.9 %
	<b>Missing Data</b>		
9	Inapplicable	5152	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 697 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 182-182 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DAC2D12: Who you gave disability assistance? Stranger

To whom with special needs did you give assistance? Stranger [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	8	0.1 %
2	No	690	11.8 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 183-183 (width: 1; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

### RA2DAC2D13: Who you gave disability assistance? Religious groups

To whom with special needs did you give assistance? Religious group/member (includes minister) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	5	0.1 %
2	No	693	11.8 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 184-184 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

### RA2DAC2D14: Who you gave disability assistance? Self-help groups

To whom with special needs did you give assistance? Self-help group (e.g., AA, therapist, counselor) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	2	0.0 %
2	No	696	11.9 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 185-185 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

### RA2DAC2D15: Who you gave disability assistance? Client, customer, patient

To whom with special needs did you give assistance? Client/customer/patient [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	138	2.4 %
2	No	560	9.6 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 186-186 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D16: Who you gave disability assistance? Other groups

To whom with special needs did you give assistance? Groups (other than religious or self-help) [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	7	0.1 %
2	No	691	11.8 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 698 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 187-187 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D18: Who you gave disability assistance? Don't know

To whom with special needs did you give assistance? Don't know [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	698	11.9 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 188-188 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC2D19: Who you gave disability assistance? Refused

To whom with special needs did you give assistance? Refused [Check all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	698	11.9 %
	<b>Missing Data</b>		
9	Inapplicable	5151	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 698 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 189-189 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC3: How you describe their disability?

Would you describe their disability or need as - emotional, physical, or other?

Value	Label	Unweighted Frequency	%
1	Emotional	78	1.3 %
2	Physical	341	5.8 %
3	Combination	237	4.1 %
4	Other	40	0.7 %
	<b>Missing Data</b>		
9	Inapplicable	5153	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 696 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 190-190 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DAC4H: How much time provide disability assistance? Hours

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since this time yesterday, how much time did you spend providing assistance to someone who has a disability or other special needs? Hours

Value	Label	Unweighted Frequency	%
0	-	164	2.8 %
1	-	117	2.0 %
2	-	114	1.9 %
3	-	54	0.9 %
4	-	54	0.9 %
5	-	31	0.5 %
6	-	33	0.6 %
7	-	20	0.3 %
8	-	53	0.9 %
9	-	4	0.1 %
10	-	15	0.3 %
11	-	4	0.1 %
12	-	16	0.3 %
14	-	8	0.1 %
20	-	1	0.0 %
24	-	5	0.1 %
	<b>Missing Data</b>		
97	Don't know	2	0.0 %
99	Inapplicable	5154	88.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 693 valid cases out of 5,849 total cases.

- Mean: 3.34
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.80

*Location:* 191-192 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DAC4M: How much time provide disability assistance? Minutes

The first set of questions is about how you spent your time since (this time/we spoke) yesterday; That is, beginning from (this time/the time you hung up the phone) yesterday and going up to the time I called on the phone tonight. Since this time yesterday, how much time did you spend providing assistance to someone who has a disability or other special needs? Minutes

Value	Label	Unweighted Frequency	%
0	-	483	8.3 %
1	-	1	0.0 %
2	-	2	0.0 %
5	-	2	0.0 %
10	-	17	0.3 %
15	-	29	0.5 %
20	-	13	0.2 %
25	-	1	0.0 %
30	-	122	2.1 %
35	-	2	0.0 %
40	-	4	0.1 %
45	-	12	0.2 %
	<b>Missing Data</b>		
97	Don't know	2	0.0 %
99	Inapplicable	5159	88.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 688 valid cases out of 5,849 total cases.

- Mean: 7.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 12.98

*Location:* 193-194 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1A: Experienced a headache?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1A = 2,7,8,9 GO TO 'RA2DB1B']

Value	Label	Unweighted Frequency	%
1	Yes	786	13.4 %
2	No	4975	85.1 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>



Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 195-195 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1A2: Severity of headache?

Please rate the severity of the headache on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of headache

Value	Label	Unweighted Frequency	%
1	Very mild	78	1.3 %
2	-	141	2.4 %
3	-	155	2.7 %
4	-	133	2.3 %
5	-	107	1.8 %
6	-	70	1.2 %
7	-	50	0.9 %
8	-	33	0.6 %
9	-	11	0.2 %
10	Very severe	8	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5063	86.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 786 valid cases out of 5,849 total cases.

- Mean: 3.95
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.06

*Location:* 196-197 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1B: Experienced a backache?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1B = 2,7,8,9 GO TO 'RA2DB1C']

Value	Label	Unweighted Frequency	%
1	Yes	1027	17.6 %
2	No	4733	80.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 198-198 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1B2: Severity of backache?

Please rate the severity of the backache on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of backache

Value	Label	Unweighted Frequency	%
1	Very mild	82	1.4 %
2	-	184	3.1 %
3	-	212	3.6 %
4	-	133	2.3 %
5	-	128	2.2 %
6	-	90	1.5 %
7	-	88	1.5 %
8	-	60	1.0 %
9	-	11	0.2 %
10	Very severe	38	0.6 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	4822	82.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,026 valid cases out of 5,849 total cases.

- Mean: 4.26
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.32

*Location:* 199-200 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 97 , 98 , 99

## RA2DB1C: Experienced muscle soreness?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1C = 2,7,8,9 GO TO 'RA2DB1D']

Value	Label	Unweighted Frequency	%
1	Yes	1337	22.9 %
2	No	4423	75.6 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-201 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DB1C2: Severity of muscle soreness?

Please rate the severity of the muscle soreness on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of muscle soreness

Value	Label	Unweighted Frequency	%
1	Very mild	147	2.5 %
2	-	263	4.5 %
3	-	284	4.9 %
4	-	200	3.4 %
5	-	170	2.9 %
6	-	88	1.5 %
7	-	68	1.2 %
8	-	70	1.2 %
9	-	16	0.3 %
10	Very severe	31	0.5 %
	<b>Missing Data</b>		
99	Inapplicable	4512	77.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,337 valid cases out of 5,849 total cases.

- Mean: 3.88
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.19

*Location:* 202-203 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1D: Experienced fatigue?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1D = 2,7,8,9 GO TO 'RA2DB1E']

Value	Label	Unweighted Frequency	%
1	Yes	1411	24.1 %
2	No	4345	74.3 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,756 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 204-204 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1D2: Severity of fatigue?

Please rate the severity of the fatigue on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of fatigue

Value	Label	Unweighted Frequency	%
1	Very mild	83	1.4 %
2	-	221	3.8 %

Value	Label	Unweighted Frequency	%
3	-	258	4.4 %
4	-	216	3.7 %
5	-	231	3.9 %
6	-	132	2.3 %
7	-	114	1.9 %
8	-	84	1.4 %
9	-	33	0.6 %
10	Very severe	39	0.7 %
	<b>Missing Data</b>		
99	Inapplicable	4438	75.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,411 valid cases out of 5,849 total cases.

- Mean: 4.44
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.22

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1E: Experienced a joint pain?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1E = 2,7,8,9 GO TO 'RA2DB1F']

Value	Label	Unweighted Frequency	%
1	Yes	1248	21.3 %
2	No	4512	77.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DB1E2: Severity of joint pain?

Please rate the severity of the joint pain on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of joint pain

Value	Label	Unweighted Frequency	%
1	Very mild	88	1.5 %
2	-	194	3.3 %
3	-	233	4.0 %
4	-	216	3.7 %
5	-	172	2.9 %
6	-	102	1.7 %
7	-	95	1.6 %
8	-	85	1.5 %
9	-	28	0.5 %
10	Very severe	33	0.6 %
	<b>Missing Data</b>		
99	Inapplicable	4603	78.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,246 valid cases out of 5,849 total cases.

- Mean: 4.36
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.25

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DB1F: Experienced muscle weakness?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1F = 2,7,8,9 GO TO 'RA2DB1G']

Value	Label	Unweighted Frequency	%
1	Yes	500	8.5 %
2	No	5257	89.9 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 210-210 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DB1F2: Severity of muscle weakness?

Please rate the severity of the muscle weakness on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of muscle weakness

Value	Label	Unweighted Frequency	%
1	Very mild	47	0.8 %
2	-	63	1.1 %
3	-	85	1.5 %
4	-	75	1.3 %
5	-	86	1.5 %
6	-	37	0.6 %
7	-	43	0.7 %
8	-	34	0.6 %
9	-	8	0.1 %
10	Very severe	22	0.4 %
	<b>Missing Data</b>		
99	Inapplicable	5349	91.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 500 valid cases out of 5,849 total cases.

- Mean: 4.49
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.37

*Location:* 211-212 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1G: Experienced a cough?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1G = 2,7,8,9 GO TO 'RA2DB1H']

Value	Label	Unweighted Frequency	%
1	Yes	594	10.2 %
2	No	5166	88.3 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 213-213 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1G2: Severity of cough?

Please rate the severity of the cough on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of cough

Value	Label	Unweighted Frequency	%
1	Very mild	166	2.8 %
2	-	167	2.9 %
3	-	100	1.7 %
4	-	57	1.0 %
5	-	45	0.8 %
6	-	15	0.3 %
7	-	14	0.2 %
8	-	14	0.2 %
9	-	10	0.2 %
10	Very severe	6	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5255	89.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 594 valid cases out of 5,849 total cases.



- Mean: 2.87
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.02

*Location:* 214-215 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1H: Experienced sore throat?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1H = 2,7,8,9 GO TO 'RA2DB1I']

Value	Label	Unweighted Frequency	%
1	Yes	245	4.2 %
2	No	5516	94.3 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 216-216 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1H2: Severity of sore throat?

Please rate the severity of the sore throat on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of sore throat

Value	Label	Unweighted Frequency	%
1	Very mild	63	1.1 %
2	-	63	1.1 %
3	-	60	1.0 %
4	-	28	0.5 %
5	-	13	0.2 %
6	-	4	0.1 %
7	-	8	0.1 %
8	-	2	0.0 %

Value	Label	Unweighted Frequency	%
9	-	2	0.0 %
10	Very severe	2	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5604	95.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 245 valid cases out of 5,849 total cases.

- Mean: 2.78
- Median: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.77

*Location:* 217-218 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1I: Experienced a fever?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1I = 2,7,8,9 GO TO 'RA2DB1J']

Value	Label	Unweighted Frequency	%
1	Yes	45	0.8 %
2	No	5712	97.7 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 219-219 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1I2: Severity of fever?

Please rate the severity of the fever on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of fever

Value	Label	Unweighted Frequency	%
1	Very mild	12	0.2 %
2	-	11	0.2 %
3	-	5	0.1 %
4	-	10	0.2 %
5	-	3	0.1 %
6	-	2	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	Very severe	0	0.0 %
<b>Missing Data</b>			
99	Inapplicable	5804	99.2 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 45 valid cases out of 5,849 total cases.

- Mean: 2.91
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.78

*Location:* 220-221 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1J: Experienced a chill?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1J = 2,7,8,9 GO TO 'RA2DB1K']

Value	Label	Unweighted Frequency	%
1	Yes	98	1.7 %
2	No	5663	96.8 %
<b>Missing Data</b>			
9	Inapplicable	88	1.5 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 222-222 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DB1J2: Severity of chill?

Please rate the severity of the chills on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of chills

Value	Label	Unweighted Frequency	%
1	Very mild	10	0.2 %
2	-	21	0.4 %
3	-	15	0.3 %
4	-	14	0.2 %
5	-	16	0.3 %
6	-	9	0.2 %
7	-	4	0.1 %
8	-	6	0.1 %
9	-	2	0.0 %
10	Very severe	1	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5751	98.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 98 valid cases out of 5,849 total cases.

- Mean: 3.99
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.18

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DB1K: Experienced other cold and flu symptoms?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1K = 2,7,8,9 GO TO 'RA2DB1L']

Value	Label	Unweighted Frequency	%
1	Yes	299	5.1 %
2	No	5461	93.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 225-225 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DB1K2: Severity of other cold and flu symptoms?

Please rate the severity of the other cold and flu symptoms on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of other cold and flu symptoms

Value	Label	Unweighted Frequency	%
1	Very mild	47	0.8 %
2	-	65	1.1 %
3	-	63	1.1 %
4	-	52	0.9 %
5	-	38	0.6 %
6	-	11	0.2 %
7	-	9	0.2 %
8	-	6	0.1 %
9	-	3	0.1 %
10	Very severe	5	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5550	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 299 valid cases out of 5,849 total cases.

- Mean: 3.40
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.97

*Location:* 226-227 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1L: Experienced nausea?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1L = 2,7,8,9 GO TO 'RA2DB1LA']

Value	Label	Unweighted Frequency	%
1	Yes	137	2.3 %
2	No	5623	96.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 228-228 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1L2: Severity of nausea?

Please rate the severity of the nausea on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of nausea

Value	Label	Unweighted Frequency	%
1	Very mild	24	0.4 %
2	-	15	0.3 %
3	-	35	0.6 %
4	-	19	0.3 %
5	-	12	0.2 %
6	-	9	0.2 %
7	-	9	0.2 %
8	-	5	0.1 %
9	-	6	0.1 %
10	Very severe	3	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5712	97.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 137 valid cases out of 5,849 total cases.

- Mean: 3.91
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.39

*Location:* 229-230 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1LA: Experienced allergies?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1LA = 2,7,8,9 GO TO 'RA2DB1M']

Value	Label	Unweighted Frequency	%
1	Yes	879	15.0 %
2	No	4878	83.4 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 231-231 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1LA2: Severity of allergies?

Please rate the severity of the allergies on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of allergies

Value	Label	Unweighted Frequency	%
1	Very mild	167	2.9 %
2	-	183	3.1 %
3	-	201	3.4 %
4	-	109	1.9 %
5	-	75	1.3 %
6	-	43	0.7 %
7	-	39	0.7 %

Value	Label	Unweighted Frequency	%
8	-	40	0.7 %
9	-	12	0.2 %
10	Very severe	9	0.2 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	4970	85.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 878 valid cases out of 5,849 total cases.

- Mean: 3.41
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.13

*Location:* 232-233 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1M: Experienced diarrhea?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1M = 2,7,8,9 GO TO 'RA2DB1N']

Value	Label	Unweighted Frequency	%
1	Yes	161	2.8 %
2	No	5599	95.7 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 234-234 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1M2: Severity of diarrhea?



Please rate the severity of the diarrhea on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of diarrhea

Value	Label	Unweighted Frequency	%
1	Very mild	18	0.3 %
2	-	27	0.5 %
3	-	27	0.5 %
4	-	17	0.3 %
5	-	19	0.3 %
6	-	10	0.2 %
7	-	8	0.1 %
8	-	16	0.3 %
9	-	10	0.2 %
10	Very severe	9	0.2 %
	<b>Missing Data</b>		
99	Inapplicable	5688	97.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 161 valid cases out of 5,849 total cases.

- Mean: 4.60
- Median: 4.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.74

*Location:* 235-236 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1N: Experienced constipation?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1N = 2,7,8,9 GO TO 'RA2DB1O']

Value	Label	Unweighted Frequency	%
1	Yes	145	2.5 %
2	No	5615	96.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 237-237 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1N2: Severity of constipation?

Please rate the severity of the constipation on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of constipation

Value	Label	Unweighted Frequency	%
1	Very mild	6	0.1 %
2	-	29	0.5 %
3	-	20	0.3 %
4	-	21	0.4 %
5	-	22	0.4 %
6	-	17	0.3 %
7	-	10	0.2 %
8	-	6	0.1 %
9	-	5	0.1 %
10	Very severe	9	0.2 %
	<b>Missing Data</b>		
99	Inapplicable	5704	97.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 145 valid cases out of 5,849 total cases.

- Mean: 4.64
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.44

*Location:* 238-239 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1O: Experienced poor appetite?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1O = 2,7,8,9 GO TO 'RA2DB1P']

Value	Label	Unweighted Frequency	%
1	Yes	223	3.8 %
2	No	5537	94.7 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 240-240 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB102: Severity of poor appetite?

Please rate the severity of the poor appetite on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of poor appetite

Value	Label	Unweighted Frequency	%
1	Very mild	11	0.2 %
2	-	26	0.4 %
3	-	35	0.6 %
4	-	33	0.6 %
5	-	41	0.7 %
6	-	19	0.3 %
7	-	28	0.5 %
8	-	19	0.3 %
9	-	7	0.1 %
10	Very severe	4	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5626	96.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 223 valid cases out of 5,849 total cases.

- Mean: 4.80
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.21

*Location:* 241-242 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DB1P: Experienced other stomach problems?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1P = 2,7,8,9 GO TO 'RA2DB1Q']

Value	Label	Unweighted Frequency	%
1	Yes	216	3.7 %
2	No	5544	94.8 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 243-243 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DB1P2: Severity of other stomach problems?

Please rate the severity of the other stomach problems on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of other stomach problems

Value	Label	Unweighted Frequency	%
1	Very mild	21	0.4 %
2	-	26	0.4 %
3	-	46	0.8 %
4	-	24	0.4 %
5	-	28	0.5 %
6	-	22	0.4 %
7	-	20	0.3 %
8	-	17	0.3 %
9	-	5	0.1 %
10	Very severe	7	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5633	96.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 216 valid cases out of 5,849 total cases.

- Mean: 4.49
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.39

*Location:* 244-245 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1Q: Experienced chest pain?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1Q = 2,7,8,9 GO TO 'RA2DB1R']

Value	Label	Unweighted Frequency	%
1	Yes	89	1.5 %
2	No	5671	97.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 246-246 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1Q2: Severity of chest pain?

Please rate the severity of the chest pain on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of chest pain

Value	Label	Unweighted Frequency	%
1	Very mild	16	0.3 %
2	-	16	0.3 %
3	-	12	0.2 %
4	-	14	0.2 %
5	-	11	0.2 %

Value	Label	Unweighted Frequency	%
6	-	10	0.2 %
7	-	4	0.1 %
8	-	5	0.1 %
10	Very severe	1	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5760	98.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 89 valid cases out of 5,849 total cases.

- Mean: 3.74
- Median: 4.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.18

*Location:* 247-248 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1R: Experienced dizziness?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1R = 2,7,8,9 GO TO 'RA2DB1S']

Value	Label	Unweighted Frequency	%
1	Yes	180	3.1 %
2	No	5579	95.4 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 249-249 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1R2: Severity of dizziness?

Please rate the severity of the dizziness on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of dizziness

Value	Label	Unweighted Frequency	%
1	Very mild	31	0.5 %
2	-	38	0.6 %
3	-	27	0.5 %
4	-	18	0.3 %
5	-	29	0.5 %
6	-	10	0.2 %
7	-	11	0.2 %
8	-	10	0.2 %
9	-	2	0.0 %
10	Very severe	4	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5669	96.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 180 valid cases out of 5,849 total cases.

- Mean: 3.78
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.33

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

---

## RA2DB1S: Experienced shortness of breath?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1S = 2,7,8,9 GO TO 'RA2DB1T']

Value	Label	Unweighted Frequency	%
1	Yes	287	4.9 %
2	No	5473	93.6 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 252-252 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1S2: Severity of shortness of breath?

Please rate the severity of the shortness of breath or difficulty breathing on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of shortness of breath or difficulty breathing

Value	Label	Unweighted Frequency	%
1	Very mild	30	0.5 %
2	-	63	1.1 %
3	-	59	1.0 %
4	-	23	0.4 %
5	-	40	0.7 %
6	-	23	0.4 %
7	-	16	0.3 %
8	-	20	0.3 %
9	-	10	0.2 %
10	Very severe	3	0.1 %
	<b>Missing Data</b>		
99	Inapplicable	5562	95.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 287 valid cases out of 5,849 total cases.

- Mean: 4.02
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.32

*Location:* 253-254 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1T: Experienced menstrual related symptoms?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."



[IF RA2DB1T = 2,7,8,9 GO TO 'RA2DB1U']

Value	Label	Unweighted Frequency	%
1	Yes	141	2.4 %
2	No	2756	47.1 %
	<b>Missing Data</b>		
7	Don't know	38	0.6 %
8	Refused/missing	1	0.0 %
9	Inapplicable	2913	49.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,897 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 255-255 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DB1T2: Severity of menstrual related symptoms?

Please rate the severity of the menstrual related symptoms on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of menstrual related symptoms

Value	Label	Unweighted Frequency	%
1	Very mild	28	0.5 %
2	-	35	0.6 %
3	-	28	0.5 %
4	-	18	0.3 %
5	-	14	0.2 %
6	-	8	0.1 %
7	-	2	0.0 %
8	-	4	0.1 %
9	-	3	0.1 %
10	Very severe	1	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5708	97.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 141 valid cases out of 5,849 total cases.

- Mean: 3.23
- Median: 3.00
- Mode: 2.00

- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.03

*Location:* 256-257 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DB1U: Experienced hot flashes or flushes?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1U = 2,7,8,9 GO TO 'RA2DB1V']

Value	Label	Unweighted Frequency	%
1	Yes	331	5.7 %
2	No	2604	44.5 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	2913	49.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,935 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 258-258 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DB1U2: Severity of hot flashes or flushes?

Please rate the severity of the hot flashes/flushes on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of hot flashes/flushes

Value	Label	Unweighted Frequency	%
1	Very mild	22	0.4 %
2	-	33	0.6 %
3	-	73	1.2 %
4	-	47	0.8 %
5	-	47	0.8 %
6	-	30	0.5 %
7	-	24	0.4 %
8	-	31	0.5 %

Value	Label	Unweighted Frequency	%
9	-	12	0.2 %
10	Very severe	12	0.2 %
	<b>Missing Data</b>		
99	Inapplicable	5518	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 331 valid cases out of 5,849 total cases.

- Mean: 4.69
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.37

*Location:* 259-260 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DB1V: Experienced any other physical symptoms?

Next, I would just like to ask you whether or not you had any of the following symptoms today. Please answer by saying "yes" or "no."

[IF RA2DB1V = 2,7,8,9 GO TO 'RA2DB1W']

Value	Label	Unweighted Frequency	%
1	Yes	362	6.2 %
2	No	5398	92.3 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 261-261 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DB1V2: Severity of any other physical symptoms?

Please rate the severity of these other physical symptoms or discomforts on a 1 to 10 scale, 1 being very mild to 10 being very severe. Severity of any other physical symptoms or discomforts

Value	Label	Unweighted Frequency	%
1	Very mild	38	0.6 %
2	-	45	0.8 %
3	-	57	1.0 %
4	-	48	0.8 %
5	-	41	0.7 %
6	-	28	0.5 %
7	-	27	0.5 %
8	-	35	0.6 %
9	-	24	0.4 %
10	Very severe	18	0.3 %
	<b>Missing Data</b>		
99	Inapplicable	5488	93.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 361 valid cases out of 5,849 total cases.

- Mean: 4.79
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.67

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

---

## RA2DB2: How many cigarettes did you smoke?

How many cigarettes did you smoke since (this time/we spoke) yesterday?

[If respondent mentions cigars or pipes, enter number of cigars or bowls and leave note. If don't know: "What is your best estimate?"  
One pack =20 cigarettes]

Value	Label	Unweighted Frequency	%
0	-	3785	64.7 %
1	-	22	0.4 %
2	-	38	0.6 %
3	-	24	0.4 %
4	-	36	0.6 %
5	-	57	1.0 %

Value	Label	Unweighted Frequency	%
6	-	40	0.7 %
7	-	32	0.5 %
8	-	32	0.5 %
9	-	13	0.2 %
10	-	93	1.6 %
11	-	16	0.3 %
12	-	41	0.7 %
13	-	11	0.2 %
14	-	8	0.1 %
15	-	51	0.9 %
16	-	5	0.1 %
17	-	1	0.0 %
18	-	10	0.2 %
19	-	1	0.0 %
20	-	74	1.3 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	3	0.1 %
25	-	21	0.4 %
26	-	4	0.1 %
27	-	1	0.0 %
28	-	3	0.1 %
29	-	1	0.0 %
30	-	17	0.3 %
32	-	1	0.0 %
35	-	3	0.1 %
38	-	1	0.0 %
40	-	18	0.3 %
50	-	1	0.0 %
60	-	4	0.1 %
77	-	5	0.1 %
80	-	5	0.1 %
100	-	2	0.0 %
555	E-cigarettes	2	0.0 %
666	Chewing tobacco	0	0.0 %
	<b>Missing Data</b>		
998	Refused/missing	2	0.0 %
999	Inapplicable	1363	23.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 4,484 valid cases out of 5,849 total cases.

- Mean: 2.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 555.00
- Standard Deviation: 13.67

*Location:* 264-266 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 997 , 998 , 999

## RA2DB3: How many drinks did you have?

Counting a drink as either a bottle of beer, a glass of wine, or a shot of liquor, how many drinks did you have since (this time/we spoke) yesterday?

[If do not know: "What is your best estimate?"]

Value	Label	Unweighted Frequency	%
0	-	3510	60.0 %
1	-	719	12.3 %
2	-	385	6.6 %
3	-	167	2.9 %
4	-	112	1.9 %
5	-	79	1.4 %
6	-	34	0.6 %
7	-	24	0.4 %
8	-	17	0.3 %
9	-	6	0.1 %
10	-	11	0.2 %
11	-	2	0.0 %
12	-	6	0.1 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	2	0.0 %
41	-	1	0.0 %
52	-	1	0.0 %
	<b>Missing Data</b>		
997	Don't know	1	0.0 %
999	Inapplicable	769	13.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,079 valid cases out of 5,849 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 1.80

*Location:* 267-269 (width: 3; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 997 , 998 , 999

---

## RA2DC1: Did you feel restless or fidgety?

The next questions are about your mood today. How much of the time today did you feel restless or fidgety?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	4286	73.3 %
1	A little of the time	957	16.4 %
2	Some of the time	392	6.7 %
3	Most of the time	94	1.6 %
4	All of the time	30	0.5 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 270-270 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC2: Did you feel nervous?

The next questions are about your mood today. How much of the time today did you feel nervous?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	4658	79.6 %
1	A little of the time	751	12.8 %
2	Some of the time	274	4.7 %
3	Most of the time	56	1.0 %
4	All of the time	20	0.3 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 271-271 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DC3: Did you feel worthless?

The next questions are about your mood today. How much of the time today did you feel worthless?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	5518	94.3 %
1	A little of the time	134	2.3 %
2	Some of the time	78	1.3 %
3	Most of the time	16	0.3 %
4	All of the time	13	0.2 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 272-272 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9



---

## RA2DC4: Did you feel so sad nothing cheer up?

The next questions are about your mood today. How much of the time today did you feel so sad nothing could cheer you up?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	5509	94.2 %
1	A little of the time	141	2.4 %
2	Some of the time	76	1.3 %
3	Most of the time	24	0.4 %
4	All of the time	10	0.2 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 273-273 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC5: Did you feel that everything effort?

The next questions are about your mood today. How much of the time today did you feel that everything was an effort?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	4726	80.8 %
1	A little of the time	510	8.7 %
2	Some of the time	346	5.9 %
3	Most of the time	105	1.8 %
4	All of the time	73	1.2 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 274-274 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC6: Did you feel hopeless?

The next questions are about your mood today. How much of the time today did you feel hopeless?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	5468	93.5 %
1	A little of the time	170	2.9 %
2	Some of the time	85	1.5 %
3	Most of the time	18	0.3 %
4	All of the time	19	0.3 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 275-275 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC13: Did you feel lonely?

The next questions are about your mood today. How much of the time today did you feel lonely?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	5140	87.9 %
1	A little of the time	385	6.6 %
2	Some of the time	174	3.0 %

Value	Label	Unweighted Frequency	%
3	Most of the time	37	0.6 %
4	All of the time	25	0.4 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 276-276 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC14: Did you feel afraid?

The next questions are about your mood today. How much of the time today did you feel afraid?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	5420	92.7 %
1	A little of the time	223	3.8 %
2	Some of the time	95	1.6 %
3	Most of the time	16	0.3 %
4	All of the time	7	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 277-277 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC15: Did you feel jittery?

The next questions are about your mood today. How much of the time today did you feel jittery?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	5170	88.4 %
1	A little of the time	395	6.8 %
2	Some of the time	155	2.7 %
3	Most of the time	34	0.6 %
4	All of the time	4	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 278-278 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC16: Did you feel irritable?

The next questions are about your mood today. How much of the time today did you feel irritable?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	4232	72.4 %
1	A little of the time	1026	17.5 %
2	Some of the time	428	7.3 %
3	Most of the time	58	1.0 %
4	All of the time	16	0.3 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 279-279 (width: 1; decimal: 0)

Variable Type: numeric  
(Range of Missing Values: 7 , 8 , 9

## RA2DC17: Did you feel ashamed?

The next questions are about your mood today. How much of the time today did you feel ashamed?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	5541	94.7 %
1	A little of the time	156	2.7 %
2	Some of the time	49	0.8 %
3	Most of the time	10	0.2 %
4	All of the time	4	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 280-280 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of Missing Values: 7 , 8 , 9

## RA2DC18: Did you feel upset?

The next questions are about your mood today. How much of the time today did you feel upset?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	4431	75.8 %
1	A little of the time	887	15.2 %
2	Some of the time	368	6.3 %
3	Most of the time	57	1.0 %
4	All of the time	18	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 281-281 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC19: Did you feel angry?

The next questions are about your mood today. How much of the time today did you feel angry?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	4782	81.8 %
1	A little of the time	695	11.9 %
2	Some of the time	240	4.1 %
3	Most of the time	33	0.6 %
4	All of the time	11	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 282-282 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC20: Did you feel frustrated?

The next questions are about your mood today. How much of the time today did you feel frustrated?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	3319	56.7 %

Value	Label	Unweighted Frequency	%
1	A little of the time	1623	27.7 %
2	Some of the time	679	11.6 %
3	Most of the time	112	1.9 %
4	All of the time	27	0.5 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 283-283 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DC7: Did you feel in good spirits?

The next questions are about your mood today. How much of the time today did you feel in good spirits?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	150	2.6 %
1	A little of the time	363	6.2 %
2	Some of the time	822	14.1 %
3	Most of the time	3332	57.0 %
4	All of the time	1094	18.7 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 284-284 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DC8: Did you feel cheerful?

The next questions are about your mood today. How much of the time today did you feel cheerful?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	264	4.5 %
1	A little of the time	532	9.1 %
2	Some of the time	1204	20.6 %
3	Most of the time	2869	49.1 %
4	All of the time	892	15.3 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 285-285 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC9: Did you feel extremely happy?

The next questions are about your mood today. How much of the time today did you feel extremely happy?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	1203	20.6 %
1	A little of the time	1082	18.5 %
2	Some of the time	1621	27.7 %
3	Most of the time	1355	23.2 %
4	All of the time	499	8.5 %
	<b>Missing Data</b>		
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 286-286 (width: 1; decimal: 0)



Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DC10: Did you feel calm and peaceful?

The next questions are about your mood today. How much of the time today did you feel calm and peaceful?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	239	4.1 %
1	A little of the time	612	10.5 %
2	Some of the time	1095	18.7 %
3	Most of the time	2776	47.5 %
4	All of the time	1039	17.8 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 287-287 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DC11: Did you feel satisfied?

The next questions are about your mood today. How much of the time today did you feel satisfied?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	258	4.4 %
1	A little of the time	520	8.9 %
2	Some of the time	1082	18.5 %
3	Most of the time	2751	47.0 %
4	All of the time	1150	19.7 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 288-288 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC12: Did you feel full of life?

The next questions are about your mood today. How much of the time today did you feel full of life?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	589	10.1 %
1	A little of the time	734	12.5 %
2	Some of the time	1352	23.1 %
3	Most of the time	2000	34.2 %
4	All of the time	1085	18.6 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 289-289 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC21: Did you feel close to others?

The next questions are about your mood today. How much of the time today did you feel close to others?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	305	5.2 %
1	A little of the time	673	11.5 %
2	Some of the time	1586	27.1 %

Value	Label	Unweighted Frequency	%
3	Most of the time	2081	35.6 %
4	All of the time	1112	19.0 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DC22: Did you feel like you belong?

The next questions are about your mood today. How much of the time today did you feel like you belong?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	198	3.4 %
1	A little of the time	427	7.3 %
2	Some of the time	913	15.6 %
3	Most of the time	2480	42.4 %
4	All of the time	1730	29.6 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	97	1.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,748 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DC23: Did you feel enthusiastic?

The next questions are about your mood today. How much of the time today did you feel enthusiastic?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	533	9.1 %
1	A little of the time	920	15.7 %
2	Some of the time	1614	27.6 %
3	Most of the time	1902	32.5 %
4	All of the time	789	13.5 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DC24: Did you feel attentive?

The next questions are about your mood today. How much of the time today did you feel attentive?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	177	3.0 %
1	A little of the time	462	7.9 %
2	Some of the time	1183	20.2 %
3	Most of the time	2790	47.7 %
4	All of the time	1132	19.4 %
	<b>Missing Data</b>		
8	Refused/missing	13	0.2 %
9	Inapplicable	92	1.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,744 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 293-293 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DC25: Did you feel proud?

The next questions are about your mood today. How much of the time today did you feel proud?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	673	11.5 %
1	A little of the time	879	15.0 %
2	Some of the time	1545	26.4 %
3	Most of the time	1746	29.9 %
4	All of the time	873	14.9 %
	<b>Missing Data</b>		
8	Refused/missing	11	0.2 %
9	Inapplicable	122	2.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,716 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 294-294 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DC26: Did you feel active?

The next questions are about your mood today. How much of the time today did you feel active?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	423	7.2 %
1	A little of the time	914	15.6 %
2	Some of the time	1530	26.2 %
3	Most of the time	1945	33.3 %
4	All of the time	947	16.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 295-295 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DC27: Did you feel confident?

The next questions are about your mood today. How much of the time today did you feel confident?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	189	3.2 %
1	A little of the time	483	8.3 %
2	Some of the time	1140	19.5 %
3	Most of the time	2647	45.3 %
4	All of the time	1299	22.2 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 296-296 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DY1: How often think about personal problems/concerns?

[These next questions ask about some things you might have thought about today.]

How often did you think about personal problems/concerns?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	1714	29.3 %
1	A little of the time	2390	40.9 %
2	Some of the time	1258	21.5 %
3	Most of the time	299	5.1 %
4	All of the time	100	1.7 %
<b>Missing Data</b>			
9	Inapplicable	88	1.5 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 297-297 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DY2: How often experience thoughts difficult to stop

[These next questions ask about some things you might have thought about today.]

Today, how often did you experience thoughts that were difficult to stop?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	4353	74.4 %
1	A little of the time	907	15.5 %
2	Some of the time	346	5.9 %
3	Most of the time	114	1.9 %
4	All of the time	39	0.7 %
<b>Missing Data</b>			
8	Refused/missing	1	0.0 %
9	Inapplicable	89	1.5 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 298-298 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DY3: How often have trouble concentrating?

[These next questions ask about some things you might have thought about today.]

Today, how often did you have trouble concentrating?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	3869	66.1 %
1	A little of the time	1280	21.9 %
2	Some of the time	485	8.3 %
3	Most of the time	107	1.8 %
4	All of the time	20	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 299-299 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DY4: How often thoughts kept jumping into your head?

[These next questions ask about some things you might have thought about today.]

Today, how often did you have thoughts that kept jumping into your head?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	3923	67.1 %
1	A little of the time	1041	17.8 %
2	Some of the time	615	10.5 %



Value	Label	Unweighted Frequency	%
3	Most of the time	115	2.0 %
4	All of the time	62	1.1 %
	<b>Missing Data</b>		
8	Refused/missing	5	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,756 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 300-300 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DY5: How often think about situations that upset you?

[These next questions ask about some things you might have thought about today.]

Today, how often did you think about situations that upset you?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	3133	53.6 %
1	A little of the time	1757	30.0 %
2	Some of the time	713	12.2 %
3	Most of the time	112	1.9 %
4	All of the time	46	0.8 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 301-301 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DY6: How often think about financial situation?

[These next questions ask about some things you might have thought about today.]

Today, how often did you think about your financial situation?

[All of the time, most, some, a little, or none of the time?]

Value	Label	Unweighted Frequency	%
0	None of the time	2453	41.9 %
1	A little of the time	1974	33.7 %
2	Some of the time	1000	17.1 %
3	Most of the time	216	3.7 %
4	All of the time	117	2.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 302-302 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DD1: Did you cut back on work today?

The next questions are about how much work you got done compared to usual. [If necessary: Normal work activities includes paid work, school work, house work, and volunteer work] Did you cut back on your normal work activities today because of any problems with your physical health, your emotions, use of alcohol, or some combination?

[IF RA2DD1 = 2,7,8,9, GO TO 'RA2DD2']

Value	Label	Unweighted Frequency	%
1	Yes	486	8.3 %
2	No	5228	89.4 %
6	If vol, yes but for these reasons	10	0.2 %
	<b>Missing Data</b>		
7	Don't know	32	0.5 %
8	Refused/missing	2	0.0 %
9	Inapplicable	91	1.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,724 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 303-303 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DD1A: How much work did you get done?

On a scale from zero to ten where zero means that you didn't do any work today and ten means you did all your normal amount of work for this day of the week, how much work did you get done? You can use any number from zero to ten.

[If respondent says he/she worked more than normal, enter 10]

Value	Label	Unweighted Frequency	%
0	Did not do any work	59	1.0 %
1	-	30	0.5 %
2	-	51	0.9 %
3	-	71	1.2 %
4	-	53	0.9 %
5	-	79	1.4 %
6	-	40	0.7 %
7	-	49	0.8 %
8	-	48	0.8 %
9	-	10	0.2 %
10	Did all work	5	0.1 %
	<b>Missing Data</b>		
98	Refused/missing	1	0.0 %
99	Inapplicable	5353	91.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 495 valid cases out of 5,849 total cases.

- Mean: 4.16
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.61

*Location:* 304-305 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DD1B: Main reason for work cutback

What was the main reason for your work cut back today - your physical health, your emotions, use of alcohol, some combination?

Value	Label	Unweighted Frequency	%
1	Physical	326	5.6 %
2	Emotional	65	1.1 %
3	Alcohol	5	0.1 %
4	Combination	65	1.1 %
5	Other	35	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	5353	91.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 496 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 306-306 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DD2: Did the quality of your work suffer?

Did the quality of your work or how carefully you worked suffer today because of any problems with either your physical health, your emotions, use of alcohol, or some combination?

[IF RA2DD2 = 2,7,8,9, GO TO 'RA2DD3']

Value	Label	Unweighted Frequency	%
1	Yes	379	6.5 %
2	No	5344	91.4 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	125	2.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,723 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 307-307 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DD2A: What was the main reason for this?

What was the main reason for this - your physical health, your emotions, use of alcohol, some combination?

Value	Label	Unweighted Frequency	%
1	Physical	241	4.1 %
2	Emotional	73	1.2 %
3	Alcohol	1	0.0 %
4	Combination	58	1.0 %
5	Other	6	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5469	93.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 379 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 308-308 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DD3: Did you spend less time with people?

Did you spend less time with people in your personal life today compared to usual because of any problems with either your physical health, your emotions, use of alcohol, some combination?

[IF RA2DD3 = 2,7,8,9, GO TO 'RA2DD4']

Value	Label	Unweighted Frequency	%
1	Yes	209	3.6 %
2	No	5552	94.9 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 309-309 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DD3A: Main reason for less time spent?

What was the main reason for this --your physical health, your emotions, use of alcohol, some combination, or other?

Value	Label	Unweighted Frequency	%
1	Physical	109	1.9 %
2	Emotional	51	0.9 %
3	Alcohol	1	0.0 %
4	Combination	41	0.7 %
5	Other	7	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5640	96.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 209 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 310-310 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DD4: Main reason for cut back of norm activity-someone needs help?

Sometimes people get less done than usual because their babysitter cancels, their child stays home sick from school, or some other family member needs their help. Did you cut back on any of your normal activities today because of something like this?

[IF RA2DD4 = 2,7,8,9, GO TO 'RA2DF1']

Value	Label	Unweighted Frequency	%
1	Yes	306	5.2 %
2	No	5451	93.2 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 311-311 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DD4A: Who needed your help?

Who needed your help?

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	56	1.0 %
2	Child or grandchild(includes step-)	163	2.8 %
3	Parent(includes step-)	21	0.4 %
4	Sibling(includes step-)	11	0.2 %
5	Other relative(includes in-laws)	32	0.5 %
6	Friend	7	0.1 %
7	Neighbor	5	0.1 %
8	Coworker or fellow student	1	0.0 %
9	Boss or teacher	1	0.0 %
10	Employee or supervisee	0	0.0 %
11	Other(specify)	7	0.1 %
12	Stranger	0	0.0 %
13	Religious groups member(including minister)	2	0.0 %
14	Self-help groups(AA, therapist, counselor)	0	0.0 %
15	Client/customer/patient	0	0.0 %
16	Groups	0	0.0 %
18	Family-general	0	0.0 %
19	Pets/animals	0	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5543	94.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 306 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF1: Did you have an argument/disagreement?

The next questions are about stressful experiences that may have happened to you since this time yesterday [IF RA2DF1 = 2,7,8,9, GO TO 'RA2DF2'] Did you have an argument or disagreement with anyone since (this time/we spoke) yesterday?

Value	Label	Unweighted Frequency	%
1	Yes	600	10.3 %
2	No	5160	88.2 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %

Value	Label	Unweighted Frequency	%
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 314-314 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DF1A: With whom-argument?

Think of the most stressful disagreement or argument you had since (this time/we spoke) yesterday. Who was that with?

[Choose one only. If necessary: "Who was the most stressful disagreement with?"]

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	262	4.5 %
2	Child or grandchild(includes step-)	141	2.4 %
3	Parent(includes step-)	16	0.3 %
4	Sibling(includes step-)	10	0.2 %
5	Other relative(includes in-laws)	8	0.1 %
6	Friend	23	0.4 %
7	Neighbor	1	0.0 %
8	Coworker or fellow student	53	0.9 %
9	Boss or teacher	12	0.2 %
10	Employee or supervisee	20	0.3 %
11	Other(specify)	22	0.4 %
12	Stranger	10	0.2 %
13	Religious groups member(including minister)	2	0.0 %
14	Self-help groups(AA, therapist, counselor)	1	0.0 %
15	Client/customer/patient	19	0.3 %
16	Groups	0	0.0 %
18	Family-general	0	0.0 %
19	Pets/animals	0	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.



- Minimum: 1.00
- Maximum: 15.00

Location: 315-316 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , 98 , 99

## RA2DF1A1: RA2DF1A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	135	2.3 %
5	Today	465	8.0 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 317-317 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DF1A2H: RA2DF1A2H What time of day? Hours

What time of day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	35	0.6 %
2	-	44	0.8 %
3	-	39	0.7 %
4	-	45	0.8 %
5	-	34	0.6 %
6	-	59	1.0 %
7	-	64	1.1 %
8	-	73	1.2 %
9	-	61	1.0 %
10	-	59	1.0 %
11	-	51	0.9 %
12	-	35	0.6 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %

Value	Label	Unweighted Frequency	%
99	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 599 valid cases out of 5,849 total cases.

- Mean: 6.84
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.20

*Location:* 318-319 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF1A2M: RA2DF1A2M What time of day? Minutes

What time of day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	377	6.4 %
1	-	1	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
15	-	22	0.4 %
20	-	1	0.0 %
30	-	172	2.9 %
36	-	1	0.0 %
40	-	3	0.1 %
41	-	1	0.0 %
45	-	16	0.3 %
50	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 599 valid cases out of 5,849 total cases.

- Mean: 10.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 50.00
- Standard Deviation: 14.87

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF1A2A: RA2DF1A2A What time of day? AM/PM

What time of day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	177	3.0 %
5	PM	423	7.2 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 322-322 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF1C: RA2DF1C How stressful was this for you?

How stressful was this for you -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	28	0.5 %
1	Not very	111	1.9 %
2	Somewhat	304	5.2 %
3	Very	157	2.7 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 323-323 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF1WC1: RA2DF1WC1 How angry were you feeling?

During this experience, how angry were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	72	1.2 %
1	Not very	148	2.5 %
2	Somewhat	259	4.4 %
3	Very	121	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 324-324 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1WC2: RA2DF1WC2 How nervous or anxious were you feeling?

During this experience, how nervous or anxious were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	246	4.2 %
1	Not very	142	2.4 %
2	Somewhat	154	2.6 %
3	Very	58	1.0 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 325-325 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1WC3: RA2DF1WC3 How sad were you feeling?

During this experience, how sad were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	284	4.9 %
1	Not very	111	1.9 %
2	Somewhat	134	2.3 %
3	Very	71	1.2 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 326-326 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

#### RA2DF1WC4: RA2DF1WC4 How shameful were you feeling?

During this experience, how shameful were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	461	7.9 %
1	Not very	69	1.2 %
2	Somewhat	61	1.0 %
3	Very	9	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 327-327 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

#### RA2DF1WC5: RA2DF1WC5 How much control over the situation?

How much control did you have over the situation -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	100	1.7 %
1	Not very	138	2.4 %

Value	Label	Unweighted Frequency	%
2	Somewhat	206	3.5 %
3	Very	156	2.7 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 328-328 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1WC6: RA2DF1WC6 Is the issue resolved?

Is the issue resolved?

Value	Label	Unweighted Frequency	%
1	Yes	388	6.6 %
2	No	201	3.4 %
	<b>Missing Data</b>		
8	Refused/missing	11	0.2 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 589 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 329-329 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1D: RA2DF1D How much risk disrupting daily routine?

How much were each of the following things at risk for you in this disagreement? How much did it risk disrupting your daily routine -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	257	4.4 %
1	A little	175	3.0 %
2	Some	94	1.6 %
3	A lot	74	1.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 330-330 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1E: RA2DF1E How much risk your financial situation?

How much were each of the following things at risk for you in this disagreement? How much did it risk your financial situation -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	501	8.6 %
1	A little	42	0.7 %
2	Some	33	0.6 %
3	A lot	23	0.4 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 599 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 331-331 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1F: RA2DF1F How much risk you feel about yourself?

How much were each of the following things at risk for you in this disagreement? How much did it risk the way you feel about yourself -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	348	5.9 %
1	A little	154	2.6 %
2	Some	67	1.1 %

Value	Label	Unweighted Frequency	%
3	A lot	31	0.5 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 332-332 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1G: RA2DF1G How much risk people feel about you?

How much were each of the following things at risk for you in this disagreement? How much did it risk the way other people feel about you -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	291	5.0 %
1	A little	177	3.0 %
2	Some	97	1.7 %
3	A lot	28	0.5 %
	<b>Missing Data</b>		
8	Refused/missing	7	0.1 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 593 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 333-333 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1H: RA2DF1H How much risk your physical health?

How much were each of the following things at risk for you in this disagreement? How much did it risk your physical health or safety -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	534	9.1 %
1	A little	33	0.6 %



Value	Label	Unweighted Frequency	%
2	Some	21	0.4 %
3	A lot	11	0.2 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 599 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 334-334 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1I: RA2DF1I How much risk the health of someone?

How much were each of the following things at risk for you in this disagreement? How much did it risk the health or well-being of someone you care about -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	442	7.6 %
1	A little	81	1.4 %
2	Some	51	0.9 %
3	A lot	25	0.4 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 599 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 335-335 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF1J: RA2DF1J How much risk your plans for the future?

How much were each of the following things at risk for you in this disagreement? How much did it risk your plans for the future -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	430	7.4 %
1	A little	78	1.3 %
2	Some	63	1.1 %
3	A lot	28	0.5 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 599 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 336-336 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2: Did you avoid a disagreement?

Since (this time/we spoke) yesterday, did anything happen that you could have argued about but you decided to let pass in order to avoid a disagreement?

[IF RA2DF2 = 2,7,8,9, GO TO 'RA2DF3']

Value	Label	Unweighted Frequency	%
1	Yes	1013	17.3 %
2	No	4747	81.2 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 337-337 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2A: With whom-avoid a disagreement?

Think of the most stressful incident of this sort. Who was the person you decided not to argue with?

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	376	6.4 %
2	Child or grandchild(includes step-)	125	2.1 %
3	Parent(includes step-)	42	0.7 %
4	Sibling(includes step-)	33	0.6 %
5	Other relative(includes in-laws)	28	0.5 %
6	Friend	55	0.9 %
7	Neighbor	13	0.2 %
8	Coworker or fellow student	124	2.1 %
9	Boss or teacher	49	0.8 %
10	Employee or supervisee	40	0.7 %
11	Other(specify)	56	1.0 %
12	Stranger	27	0.5 %
13	Religious groups member(including minister)	1	0.0 %
14	Self-help groups(AA, therapist, counselor)	1	0.0 %
15	Client/customer/patient	34	0.6 %
16	Groups	1	0.0 %
18	Family-general	0	0.0 %
19	Pets/animals	0	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	4843	82.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,005 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF2A1: RA2DF2A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	234	4.0 %
5	Today	779	13.3 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 340-340 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2A2H: RA2DF2A2H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	75	1.3 %
2	-	81	1.4 %
3	-	77	1.3 %
4	-	68	1.2 %
5	-	72	1.2 %
6	-	56	1.0 %
7	-	83	1.4 %
8	-	103	1.8 %
9	-	106	1.8 %
10	-	112	1.9 %
11	-	118	2.0 %
12	-	58	1.0 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,010 valid cases out of 5,849 total cases.

- Mean: 6.84
- Median: 7.00
- Mode: 11.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.42

*Location:* 341-342 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF2A2M: RA2DF2A2M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	684	11.7 %
5	-	2	0.0 %
8	-	3	0.1 %
10	-	1	0.0 %
15	-	27	0.5 %
20	-	4	0.1 %
21	-	1	0.0 %
25	-	1	0.0 %
30	-	254	4.3 %
33	-	1	0.0 %
38	-	1	0.0 %
40	-	3	0.1 %
44	-	1	0.0 %
45	-	21	0.4 %
50	-	3	0.1 %
55	-	2	0.0 %
	<b>Missing Data</b>		
97	Don't know	4	0.1 %
99	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,009 valid cases out of 5,849 total cases.

- Mean: 9.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 14.47

*Location:* 343-344 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF2A2A: RA2DF2A2A What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	309	5.3 %
5	PM	698	11.9 %
	<b>Missing Data</b>		
8	Refused/missing	6	0.1 %

Value	Label	Unweighted Frequency	%
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,007 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 345-345 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2C: RA2DF2C How stressful was this for you?

How stressful was this for you -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	141	2.4 %
1	Not very	391	6.7 %
2	Somewhat	388	6.6 %
3	Very	93	1.6 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 346-346 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2WC1: RA2DF2WC1 How angry were you feeling?

During this experience, how angry were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	266	4.5 %
1	Not very	373	6.4 %
2	Somewhat	318	5.4 %
3	Very	56	1.0 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 347-347 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2WC2: RA2DF2WC2 How nervous or anxious were you feeling?

During this experience, how nervous or anxious were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	498	8.5 %
1	Not very	261	4.5 %
2	Somewhat	202	3.5 %
3	Very	52	0.9 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 348-348 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2WC3: RA2DF2WC3 How sad were you feeling?

During this experience, how sad were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	646	11.0 %
1	Not very	183	3.1 %
2	Somewhat	145	2.5 %
3	Very	39	0.7 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF2WC4: RA2DF2WC4 How shameful were you feeling?

During this experience, how shameful were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	871	14.9 %
1	Not very	81	1.4 %
2	Somewhat	53	0.9 %
3	Very	8	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF2WC5: RA2DF2WC5 How much control over the situation?

How much control did you have over the situation -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	204	3.5 %
1	A little	189	3.2 %
2	Some	259	4.4 %
3	A lot	361	6.2 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9



---

## RA2DF2WC6: RA2DF2WC6 Is the issue resolved?

Is the issue resolved?

Value	Label	Unweighted Frequency	%
1	Yes	706	12.1 %
2	No	293	5.0 %
	<b>Missing Data</b>		
8	Refused/missing	12	0.2 %
9	Inapplicable	4838	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 999 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 352-352 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2D: RA2DF2D How much risk disrupting daily routine?

How much were each of the following things at risk for you in this disagreement? How much did it risk disrupting your daily routine -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	530	9.1 %
1	A little	264	4.5 %
2	Some	143	2.4 %
3	A lot	76	1.3 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 353-353 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2E: RA2DF2E How much risk your financial situation?

How much were each of the following things at risk for you in this disagreement? How much did it risk your financial situation -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	860	14.7 %
1	A little	72	1.2 %
2	Some	48	0.8 %
3	A lot	33	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 354-354 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2F: RA2DF2F How much risk you feel about yourself?

How much were each of the following things at risk for you in this disagreement? How much did it risk the way you feel about yourself -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	719	12.3 %
1	A little	184	3.1 %
2	Some	83	1.4 %
3	A lot	26	0.4 %
	<b>Missing Data</b>		
9	Inapplicable	4837	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,012 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 355-355 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2G: RA2DF2G How much risk people feel about you?

How much were each of the following things at risk for you in this disagreement? How much did it risk the way other people feel about you -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	596	10.2 %
1	A little	263	4.5 %
2	Some	109	1.9 %
3	A lot	29	0.5 %
	<b>Missing Data</b>		
8	Refused/missing	16	0.3 %
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 997 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 356-356 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2H: RA2DF2H How much risk your physical health?

How much were each of the following things at risk for you in this disagreement? How much did it risk your physical health or safety -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	935	16.0 %
1	A little	44	0.8 %
2	Some	25	0.4 %
3	A lot	9	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 357-357 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF2I: RA2DF2I How much risk the health of someone?

How much were each of the following things at risk for you in this disagreement? How much did it risk the health or well-being of someone you care about -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	811	13.9 %
1	A little	103	1.8 %
2	Some	54	0.9 %
3	A lot	43	0.7 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,011 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DF2J: RA2DF2J How much risk your plans for the future?

How much were each of the following things at risk for you in this disagreement? How much did it risk your plans for the future -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	784	13.4 %
1	A little	122	2.1 %
2	Some	59	1.0 %
3	A lot	48	0.8 %
	<b>Missing Data</b>		
9	Inapplicable	4836	82.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,013 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DF3: Did anything happen at work/school?

Since (this time/we spoke) yesterday, did anything happen at work or school that most people would consider stressful?

[IF RA2DF3=2,7,8,9, GO TO 'RA2DF4']

Value	Label	Unweighted Frequency	%
1	Yes	600	10.3 %
2	No	5151	88.1 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	96	1.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,751 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 360-360 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3A1: RA2DF3A1 When did it happen? Yesterday/today

When did that happen --was that some time yesterday or today?

[Note: If R says they have a stressful job and the whole day was stressful, probe with "Thinking of the most stressful thing that happened today" or "I understand that the whole day was stressful, does any particular event stand out as most stressful? If so, when did that occur?"]

Value	Label	Unweighted Frequency	%
1	Yesterday	47	0.8 %
5	Today	550	9.4 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 597 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 361-361 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3A2H: RA2DF3A2H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	42	0.7 %
2	-	64	1.1 %
3	-	46	0.8 %
4	-	41	0.7 %
5	-	24	0.4 %
6	-	23	0.4 %
7	-	40	0.7 %
8	-	65	1.1 %
9	-	69	1.2 %
10	-	79	1.4 %
11	-	47	0.8 %
12	-	46	0.8 %
	<b>Missing Data</b>		
97	Don't know	10	0.2 %
99	Inapplicable	5253	89.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 586 valid cases out of 5,849 total cases.

- Mean: 6.84
- Median: 8.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.53

*Location:* 362-363 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF3A2M: RA2DF3A2M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	400	6.8 %
1	-	3	0.1 %
10	-	2	0.0 %
15	-	14	0.2 %
20	-	2	0.0 %
21	-	1	0.0 %
30	-	140	2.4 %

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
40	-	2	0.0 %
45	-	18	0.3 %
50	-	2	0.0 %
53	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	10	0.2 %
99	Inapplicable	5253	89.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 586 valid cases out of 5,849 total cases.

- Mean: 9.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 53.00
- Standard Deviation: 14.69

*Location:* 364-365 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF3A2A: RA2DF3A2A What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	295	5.0 %
5	PM	291	5.0 %
	<b>Missing Data</b>		
8	Refused/missing	10	0.2 %
9	Inapplicable	5253	89.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 586 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 366-366 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3B: RA2DF3B How stressful was this for you?

How stressful was this for you -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	24	0.4 %
1	Not very	116	2.0 %
2	Somewhat	358	6.1 %
3	Very	102	1.7 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 367-367 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3WB1: RA2DF3WB1 How angry were you feeling?

During this experience, how angry were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	349	6.0 %
1	Not very	124	2.1 %
2	Somewhat	103	1.8 %
3	Very	24	0.4 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 368-368 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3WB2: RA2DF3WB2 How nervous or anxious were you feeling?

During this experience, how nervous or anxious were you feeling -- very, somewhat, not very, or not at all?



Value	Label	Unweighted Frequency	%
0	Not at all	196	3.4 %
1	Not very	159	2.7 %
2	Somewhat	192	3.3 %
3	Very	53	0.9 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 369-369 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF3WB3: RA2DF3WB3 How sad were you feeling?

During this experience, how sad were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	433	7.4 %
1	Not very	67	1.1 %
2	Somewhat	76	1.3 %
3	Very	24	0.4 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 370-370 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF3WB4: RA2DF3WB4 How shameful were you feeling?

During this experience, how shameful were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	532	9.1 %
1	Not very	43	0.7 %

Value	Label	Unweighted Frequency	%
2	Somewhat	23	0.4 %
3	Very	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 371-371 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3WB5: RA2DF3WB5 How much control over the situation?

How much control did you have over the situation -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	180	3.1 %
1	A little	147	2.5 %
2	Some	146	2.5 %
3	A lot	127	2.2 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 372-372 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3WB6: RA2DF3WB6 Is the issue resolved?

Is the issue resolved?

Value	Label	Unweighted Frequency	%
1	Yes	382	6.5 %
2	No	212	3.6 %
	<b>Missing Data</b>		
8	Refused/missing	6	0.1 %

Value	Label	Unweighted Frequency	%
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 594 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 373-373 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3C: RA2DF3C How much risk disrupting daily routine?

How much were each of the following things at risk for you in this disagreement? How much did it risk disrupting your daily routine -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	151	2.6 %
1	A little	160	2.7 %
2	Some	150	2.6 %
3	A lot	139	2.4 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 374-374 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3D: RA2DF3D How much risk your financial situation?

How much were each of the following things at risk for you in this disagreement? How much did it risk your financial situation -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	457	7.8 %
1	A little	62	1.1 %
2	Some	45	0.8 %
3	A lot	36	0.6 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 375-375 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3E: RA2DF3E How much risk you feel about yourself?

How much were each of the following things at risk for you in this disagreement? How much did it risk the way you feel about yourself -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	416	7.1 %
1	A little	118	2.0 %
2	Some	46	0.8 %
3	A lot	20	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 376-376 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3F: RA2DF3F How much risk people feel about you?

How much were each of the following things at risk for you in this disagreement? How much did it risk the way other people feel about you -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	323	5.5 %
1	A little	170	2.9 %
2	Some	81	1.4 %
3	A lot	24	0.4 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
8	Refused/missing	2	0.0 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 598 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 377-377 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3G: RA2DF3G How much risk your physical health?

How much were each of the following things at risk for you in this disagreement? How much did it risk your physical health or safety -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	493	8.4 %
1	A little	59	1.0 %
2	Some	31	0.5 %
3	A lot	17	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 378-378 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3H: RA2DF3H How much risk the health of someone?

How much were each of the following things at risk for you in this disagreement? How much did it risk the health or well-being of someone you care about -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	469	8.0 %
1	A little	57	1.0 %
2	Some	44	0.8 %
3	A lot	29	0.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 599 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 379-379 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF3I: RA2DF3I How much risk your plans for the future?

How much were each of the following things at risk for you in this disagreement? How much did it risk your plans for the future -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	408	7.0 %
1	A little	96	1.6 %
2	Some	58	1.0 %
3	A lot	38	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	5249	89.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 600 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 380-380 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4: Did anything happen at home?

Since (this time/we spoke) yesterday, did anything happen at home that most people would consider stressful?

[IF RA2DF4 = 2,7,8,9, GO TO 'RA2DF5']

Value	Label	Unweighted Frequency	%
1	Yes	474	8.1 %

Value	Label	Unweighted Frequency	%
2	No	5283	90.3 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 381-381 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4A1: RA2DF4A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	111	1.9 %
5	Today	372	6.4 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 382-382 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4A2H: RA2DF4A2H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	25	0.4 %
2	-	32	0.5 %
3	-	28	0.5 %
4	-	28	0.5 %
5	-	41	0.7 %
6	-	33	0.6 %

Value	Label	Unweighted Frequency	%
7	-	66	1.1 %
8	-	70	1.2 %
9	-	50	0.9 %
10	-	42	0.7 %
11	-	33	0.6 %
12	-	30	0.5 %
	<b>Missing Data</b>		
97	Don't know	5	0.1 %
99	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 478 valid cases out of 5,849 total cases.

- Mean: 6.91
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.08

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

---

## RA2DF4A2M: RA2DF4A2M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	325	5.6 %
8	-	1	0.0 %
10	-	2	0.0 %
15	-	17	0.3 %
20	-	3	0.1 %
25	-	1	0.0 %
30	-	112	1.9 %
40	-	3	0.1 %
45	-	11	0.2 %
50	-	2	0.0 %
58	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	5	0.1 %
99	Inapplicable	5366	91.7 %



Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 478 valid cases out of 5,849 total cases.

- Mean: 9.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 14.46

*Location:* 385-386 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DF4A2A: RA2DF4A2A What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	184	3.1 %
5	PM	294	5.0 %
	<b>Missing Data</b>		
8	Refused/missing	5	0.1 %
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 478 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 387-387 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DF4B: RA2DF4B How stressful was this for you?

How stressful was this for you -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	13	0.2 %
1	Not very	63	1.1 %
2	Somewhat	252	4.3 %
3	Very	155	2.7 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 388-388 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DF4WB1: RA2DF4WB1 How angry were you feeling?

During this experience, how angry were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	227	3.9 %
1	Not very	95	1.6 %
2	Somewhat	129	2.2 %
3	Very	32	0.5 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 389-389 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DF4WB2: RA2DF4WB2 How nervous or anxious were you feeling?

During this experience, how nervous or anxious were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	142	2.4 %
1	Not very	107	1.8 %
2	Somewhat	154	2.6 %
3	Very	80	1.4 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 390-390 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF4WB3: RA2DF4WB3 How sad were you feeling?

During this experience, how sad were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	234	4.0 %
1	Not very	78	1.3 %
2	Somewhat	113	1.9 %
3	Very	58	1.0 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 391-391 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF4WB4: RA2DF4WB4 How shameful were you feeling?

During this experience, how shameful were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	408	7.0 %
1	Not very	39	0.7 %
2	Somewhat	25	0.4 %
3	Very	11	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 392-392 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF4WB5: RA2DF4WB5 How much control over the situation?

How much control did you have over the situation -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	228	3.9 %
1	A little	108	1.8 %
2	Some	68	1.2 %
3	A lot	79	1.4 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 393-393 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF4WB6: RA2DF4WB6 Is the issue resolved?

Is the issue resolved?

Value	Label	Unweighted Frequency	%
1	Yes	261	4.5 %
2	No	212	3.6 %
	<b>Missing Data</b>		
8	Refused/missing	10	0.2 %
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 473 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 394-394 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF4C: RA2DF4C How much risk disrupting daily routine?

How much were each of the following things at risk for you in this situation? How much did it risk disrupting your daily routine -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	101	1.7 %
1	A little	110	1.9 %
2	Some	142	2.4 %
3	A lot	130	2.2 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 395-395 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4D: RA2DF4D How much risk your financial situation?

How much were each of the following things at risk for you in this situation? How much did it risk your financial situation -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	319	5.5 %
1	A little	60	1.0 %
2	Some	50	0.9 %
3	A lot	53	0.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 482 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 396-396 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4E: RA2DF4E How much risk you feel about yourself?

How much were each of the following things at risk for you in this situation? How much did it risk the way you feel about yourself -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	307	5.2 %
1	A little	85	1.5 %
2	Some	60	1.0 %
3	A lot	30	0.5 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 482 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 397-397 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4F: RA2DF4F How much risk people feel about you?

How much were each of the following things at risk for you in this situation? How much did it risk the way other people feel about you -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	326	5.6 %
1	A little	85	1.5 %
2	Some	47	0.8 %
3	A lot	20	0.3 %
	<b>Missing Data</b>		
8	Refused/missing	5	0.1 %
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 478 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 398-398 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4G: RA2DF4G How much risk your physical health?

How much were each of the following things at risk for you in this situation? How much did it risk your physical health or safety -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	349	6.0 %
1	A little	68	1.2 %
2	Some	36	0.6 %
3	A lot	30	0.5 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 399-399 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4H: RA2DF4H How much risk the health of someone?

How much were each of the following things at risk for you in this situation? How much did it risk the health or well-being of someone you care about -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	257	4.4 %
1	A little	82	1.4 %
2	Some	69	1.2 %
3	A lot	75	1.3 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 400-400 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF4I: RA2DF4I How much risk your plans for the future?

How much were each of the following things at risk for you in this situation? How much did it risk your plans for the future -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	286	4.9 %
1	A little	80	1.4 %
2	Some	63	1.1 %
3	A lot	54	0.9 %
	<b>Missing Data</b>		
9	Inapplicable	5366	91.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 483 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 401-401 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5: Did any discrimination happen to you?

Many people experience discrimination on the basis of such things as race, sex, or age. Did anything like this happen to you since (this time/we spoke) yesterday?

[IF RA2DF5 = 2,7,8,9, GO TO 'RA2DF6']

Value	Label	Unweighted Frequency	%
1	Yes	30	0.5 %
2	No	5731	98.0 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 402-402 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5A\_1: Basis for discrimination-race

Think of the most stressful incident of this sort. What was the basis for the discrimination you experienced -- Race



[Mark all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	2	0.0 %
2	No	28	0.5 %
	Missing Data		
9	Inapplicable	5819	99.5 %
	Total	5,849	100%

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 403-403 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF5A\_2: Basis for discrimination-sex

Think of the most stressful incident of this sort. What was the basis for the discrimination you experienced-- Sex race

[Mark all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	5	0.1 %
2	No	25	0.4 %
	Missing Data		
9	Inapplicable	5819	99.5 %
	Total	5,849	100%

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 404-404 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF5A\_3: Basis for discrimination-age

Think of the most stressful incident of this sort. What was the basis for the discrimination you experienced-- Age race

[Mark all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	15	0.3 %
2	No	15	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 30 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 405-405 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5A\_4: Basis for discrimination-something else

Think of the most stressful incident of this sort. What was the basis for the discrimination you experienced-- Something else (specify) race

[Mark all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	12	0.2 %
2	No	18	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based on 30 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 406-406 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5A\_5: Basis for discrimination-don't know

Think of the most stressful incident of this sort. What was the basis for the discrimination you experienced-- Don't know race

[Mark all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	30	0.5 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 407-407 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5A\_6: Basis for discrimination-refused

Think of the most stressful incident of this sort. What was the basis for the discrimination you experienced-- Refused race

[Mark all mentioned]

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	30	0.5 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 408-408 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5A1: RA2DF5A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	6	0.1 %
5	Today	24	0.4 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 409-409 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DF5A2H: RA2DF5A2H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	5	0.1 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	3	0.1 %
9	-	2	0.0 %
10	-	6	0.1 %
11	-	4	0.1 %
12	-	2	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Mean: 7.07
- Median: 8.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.72

*Location:* 410-411 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF5A2M: RA2DF5A2M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	21	0.4 %
30	-	8	0.1 %
55	-	1	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Mean: 9.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 15.89

*Location:* 412-413 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF5A2A: RA2DF5A2A What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	13	0.2 %
5	PM	17	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 414-414 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5C: RA2DF5C How stressful was this for you?

How stressful was this for you -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	2	0.0 %
1	Not very	8	0.1 %
2	Somewhat	13	0.2 %
3	Very	7	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 415-415 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5WC1: RA2DF5WC1 How angry were you feeling?

During this experience, how angry were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	8	0.1 %
1	Not very	7	0.1 %
2	Somewhat	12	0.2 %
3	Very	3	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 416-416 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5WC2: RA2DF5WC2 How nervous or anxious were you feeling?

During this experience, how nervous or anxious were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	10	0.2 %
1	Not very	4	0.1 %

Value	Label	Unweighted Frequency	%
2	Somewhat	11	0.2 %
3	Very	5	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 417-417 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF5WC3: RA2DF5WC3 How sad were you feeling?

During this experience, how sad were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	12	0.2 %
1	Not very	5	0.1 %
2	Somewhat	10	0.2 %
3	Very	3	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 418-418 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF5WC4: RA2DF5WC4 How shameful were you feeling?

During this experience, how shameful were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	20	0.3 %
1	Not very	3	0.1 %
2	Somewhat	5	0.1 %
3	Very	2	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 419-419 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5WC5: RA2DF5WC5 How much control over the situation?

How much control did you have over the situation -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	16	0.3 %
1	A little	5	0.1 %
2	Some	7	0.1 %
3	A lot	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 420-420 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5WC6: RA2DF5WC6 Is the issue resolved?

Is the issue resolved?

Value	Label	Unweighted Frequency	%
1	Yes	10	0.2 %
2	No	19	0.3 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>



Based upon 29 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 421-421 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5D: RA2DF5D How much risk disrupting daily routine?

How much were each of the following things at risk for you in this situation? How much did it risk disrupting your daily routine -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	11	0.2 %
1	A little	9	0.2 %
2	Some	10	0.2 %
3	A lot	0	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 422-422 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF5E: RA2DF5E How much risk your financial situation?

How much were each of the following things at risk for you in this situation? How much did it risk your financial situation -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	16	0.3 %
1	A little	6	0.1 %
2	Some	6	0.1 %
3	A lot	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 423-423 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DF5F: RA2DF5F How much risk you feel about yourself?

How much were each of the following things at risk for you in this situation? How much did it risk the way you feel about yourself -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	15	0.3 %
1	A little	3	0.1 %
2	Some	10	0.2 %
3	A lot	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 424-424 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DF5G: RA2DF5G How much risk people feel about you?

How much were each of the following things at risk for you in this situation? How much did it risk the way other people feel about you -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	7	0.1 %
1	A little	10	0.2 %
2	Some	9	0.2 %
3	A lot	3	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 29 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 425-425 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF5H: RA2DF5H How much risk your physical health?

How much were each of the following things at risk for you in this situation? How much did it risk your physical health or safety -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	20	0.3 %
1	A little	4	0.1 %
2	Some	4	0.1 %
3	A lot	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 426-426 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF5I: RA2DF5I How much risk the health of someone?

How much were each of the following things at risk for you in this situation? How much did it risk the health or well-being of someone you care about -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	23	0.4 %
1	A little	4	0.1 %
2	Some	1	0.0 %
3	A lot	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 427-427 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF5J: RA2DF5J How much risk your plans for the future?

How much were each of the following things at risk for you in this situation? How much did it risk your plans for the future -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	15	0.3 %
1	A little	7	0.1 %
2	Some	6	0.1 %
3	A lot	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5819	99.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 30 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 428-428 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF6: Did anything happen to friend stress you?

Since (this time/we spoke) yesterday, did anything happen to a close friend or relative that turned out to be stressful for you?

[IF RA2DF6=2,7,8,9, GO TO 'RA2DF7']

Value	Label	Unweighted Frequency	%
1	Yes	271	4.6 %
2	No	5489	93.8 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 429-429 (width: 1; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

## RA2DF6A: Who did this happen?

Who did this happen to?

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	26	0.4 %
2	Child or grandchild(includes step-)	58	1.0 %
3	Parent(includes step-)	29	0.5 %
4	Sibling(includes step-)	23	0.4 %
5	Other relative(includes in-laws)	51	0.9 %
6	Friend	63	1.1 %
7	Neighbor	9	0.2 %
8	Coworker or fellow student	7	0.1 %
9	Boss or teacher	0	0.0 %
10	Employee or supervisee	2	0.0 %
11	Other(specify)	3	0.1 %
12	Stranger	1	0.0 %
13	Religious groups member(including minister)	0	0.0 %
14	Self-help groups(AA, therapist, counselor)	0	0.0 %
15	Client/customer/patient	0	0.0 %
16	Groups	0	0.0 %
18	Family-general	0	0.0 %
19	Pets/animals	0	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5577	95.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 272 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 430-431 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , 98 , 99

## RA2DF6A1: RA2DF6A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	71	1.2 %

Value	Label	Unweighted Frequency	%
5	Today	200	3.4 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5577	95.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 271 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 432-432 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6A2H: RA2DF6A2H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	19	0.3 %
2	-	14	0.2 %
3	-	19	0.3 %
4	-	27	0.5 %
5	-	16	0.3 %
6	-	16	0.3 %
7	-	23	0.4 %
8	-	32	0.5 %
9	-	30	0.5 %
10	-	29	0.5 %
11	-	26	0.4 %
12	-	14	0.2 %
	<b>Missing Data</b>		
97	Don't know	6	0.1 %
99	Inapplicable	5578	95.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 265 valid cases out of 5,849 total cases.

- Mean: 6.86
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00

- Standard Deviation: 3.28

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF6A2M: RA2DF6A2M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	196	3.4 %
15	-	4	0.1 %
20	-	1	0.0 %
30	-	55	0.9 %
45	-	6	0.1 %
50	-	3	0.1 %
	<b>Missing Data</b>		
97	Don't know	6	0.1 %
99	Inapplicable	5578	95.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 265 valid cases out of 5,849 total cases.

- Mean: 8.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 14.17

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF6A2A: RA2DF6A2A What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	98	1.7 %
5	PM	168	2.9 %
	<b>Missing Data</b>		
8	Refused/missing	5	0.1 %
9	Inapplicable	5578	95.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 266 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 437-437 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6C: RA2DF6C How stressful was this for you?

How stressful was this for you -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	8	0.1 %
1	Not very	38	0.6 %
2	Somewhat	164	2.8 %
3	Very	62	1.1 %
	<b>Missing Data</b>		
9	Inapplicable	5577	95.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 272 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 438-438 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6WC1: RA2DF6WC1 How angry were you feeling?

During this experience, how angry were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	160	2.7 %
1	Not very	25	0.4 %
2	Somewhat	55	0.9 %
3	Very	14	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5595	95.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 254 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00



Location: 439-439 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DF6WC2: RA2DF6WC2 How nervous or anxious were you feeling?

During this experience, how nervous or anxious were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	89	1.5 %
1	Not very	47	0.8 %
2	Somewhat	84	1.4 %
3	Very	34	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	5595	95.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 254 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 440-440 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DF6WC3: RA2DF6WC3 How sad were you feeling?

During this experience, how sad were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	48	0.8 %
1	Not very	35	0.6 %
2	Somewhat	107	1.8 %
3	Very	64	1.1 %
	<b>Missing Data</b>		
9	Inapplicable	5595	95.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 254 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 441-441 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DF6WC4: RA2DF6WC4 How shameful were you feeling?

During this experience, how shameful were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	233	4.0 %
1	Not very	10	0.2 %
2	Somewhat	11	0.2 %
3	Very	0	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5595	95.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 254 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 442-442 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6WC5: RA2DF6WC5 How much control over the situation?

How much control did you have over the situation -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	204	3.5 %
1	A little	22	0.4 %
2	Some	14	0.2 %
3	A lot	14	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5595	95.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 254 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 443-443 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6WC6: RA2DF6WC6 Is the issue resolved?

Is the issue resolved?

Value	Label	Unweighted Frequency	%
1	Yes	91	1.6 %
2	No	150	2.6 %
	<b>Missing Data</b>		
8	Refused/missing	13	0.2 %
9	Inapplicable	5595	95.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 241 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 444-444 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF6D: RA2DF6D How much risk disrupting daily routine?

How much were each of the following things at risk for you in this situation? How much did it risk disrupting your daily routine -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	132	2.3 %
1	A little	67	1.1 %
2	Some	37	0.6 %
3	A lot	36	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	5577	95.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 272 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 445-445 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF6E: RA2DF6E How much risk your financial situation?

How much were each of the following things at risk for you in this situation? How much did it risk your financial situation -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	231	3.9 %

Value	Label	Unweighted Frequency	%
1	A little	18	0.3 %
2	Some	14	0.2 %
3	A lot	8	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5577	95.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 271 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 446-446 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6F: RA2DF6F How much risk you feel about yourself?

How much were each of the following things at risk for you in this situation? How much did it risk the way you feel about yourself -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	223	3.8 %
1	A little	28	0.5 %
2	Some	12	0.2 %
3	A lot	8	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5577	95.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 271 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 447-447 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6G: RA2DF6G How much risk people feel about you?

How much were each of the following things at risk for you in this situation? How much did it risk the way other people feel about you -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	224	3.8 %
1	A little	28	0.5 %
2	Some	14	0.2 %
3	A lot	6	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5577	95.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 272 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 448-448 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6H: RA2DF6H How much risk your physical health?

How much were each of the following things at risk for you in this situation? How much did it risk your physical health or safety -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	245	4.2 %
1	A little	8	0.1 %
2	Some	12	0.2 %
3	A lot	6	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5578	95.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 271 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 449-449 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF6I: RA2DF6I How much risk the health of someone?

How much were each of the following things at risk for you in this situation? How much did it risk the health or well-being of someone you care about -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	63	1.1 %
1	A little	44	0.8 %
2	Some	71	1.2 %
3	A lot	91	1.6 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5579	95.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 269 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 450-450 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DF6J: RA2DF6J How much risk your plans for the future?

How much were each of the following things at risk for you in this situation? How much did it risk your plans for the future -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	171	2.9 %
1	A little	38	0.6 %
2	Some	27	0.5 %
3	A lot	18	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5595	95.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 254 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 451-451 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DF7: Did anything else happen to you?

Did anything else happen to you since (this time/we spoke) yesterday that most people would consider stressful?

[IF RA2DF7 = 2,7,8,9, GO TO 'RA2DF8']

Value	Label	Unweighted Frequency	%
1	Yes	199	3.4 %
2	No	5558	95.0 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 452-452 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF7AA: With whom-anything else stressful?

Was anyone else involved? If so, who?

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	13	0.2 %
2	Child or grandchild(includes step-)	13	0.2 %
3	Parent(includes step-)	0	0.0 %
4	Sibling(includes step-)	3	0.1 %
5	Other relative(includes in-laws)	0	0.0 %
6	Friend	12	0.2 %
7	Neighbor	5	0.1 %
8	Coworker or fellow student	6	0.1 %
9	Boss or teacher	0	0.0 %
10	Employee or supervisee	12	0.2 %
11	Other(specify)	20	0.3 %
12	Stranger	11	0.2 %
13	Religious groups member(including minister)	0	0.0 %
14	Self-help groups(AA, therapist, counselor)	2	0.0 %
15	Client/customer/patient	6	0.1 %
16	Groups	5	0.1 %
17	No one was involved	24	0.4 %
18	Family-general	64	1.1 %
19	Pets/animals	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
99	Inapplicable	5653	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 196 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 18.00

*Location:* 453-454 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF7A: RA2DF7A When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	37	0.6 %
5	Today	158	2.7 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5652	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 195 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 455-455 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF7A1H: RA2DF7A1H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	13	0.2 %
2	-	15	0.3 %
3	-	11	0.2 %
4	-	16	0.3 %
5	-	15	0.3 %
6	-	16	0.3 %
7	-	17	0.3 %



Value	Label	Unweighted Frequency	%
8	-	14	0.2 %
9	-	23	0.4 %
10	-	17	0.3 %
11	-	28	0.5 %
12	-	10	0.2 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	5653	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 195 valid cases out of 5,849 total cases.

- Mean: 6.91
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.36

*Location:* 456-457 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF7A1M: RA2DF7A1M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	113	1.9 %
15	-	8	0.1 %
17	-	1	0.0 %
20	-	4	0.1 %
30	-	58	1.0 %
35	-	1	0.0 %
40	-	1	0.0 %
45	-	5	0.1 %
50	-	3	0.1 %
58	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	5653	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 195 valid cases out of 5,849 total cases.

- Mean: 12.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 15.82

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF7A1A: RA2DF7A1A What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	81	1.4 %
5	PM	114	1.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5653	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 195 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 460-460 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF7B: RA2DF7B How stressful was this for you?

How stressful was this for you -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	15	0.3 %
1	Not very	29	0.5 %
2	Somewhat	97	1.7 %
3	Very	57	1.0 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00

- Maximum: 3.00

Location: 461-461 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF7WB1: RA2DF7WB1 How angry were you feeling?

During this experience, how angry were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	105	1.8 %
1	Not very	36	0.6 %
2	Somewhat	44	0.8 %
3	Very	13	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 462-462 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF7WB2: RA2DF7WB2 How nervous or anxious were you feeling?

During this experience, how nervous or anxious were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	49	0.8 %
1	Not very	38	0.6 %
2	Somewhat	74	1.3 %
3	Very	37	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 463-463 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

### RA2DF7WB3: RA2DF7WB3 How sad were you feeling?

During this experience, how sad were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	122	2.1 %
1	Not very	20	0.3 %
2	Somewhat	42	0.7 %
3	Very	14	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 464-464 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF7WB4: RA2DF7WB4 How shameful were you feeling?

During this experience, how shameful were you feeling -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	174	3.0 %
1	Not very	8	0.1 %
2	Somewhat	11	0.2 %
3	Very	5	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 465-465 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DF7WB5: RA2DF7WB5 How much control over the situation?

How much control did you have over the situation -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	92	1.6 %
1	A little	41	0.7 %
2	Some	30	0.5 %
3	A lot	35	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 466-466 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF7WB6: RA2DF7WB6 Is the issue resolved?

Is the issue resolved?

Value	Label	Unweighted Frequency	%
1	Yes	134	2.3 %
2	No	62	1.1 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	5650	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 196 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 467-467 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF7C: RA2DF7C How much risk disrupting daily routine?

How much were each of the following things at risk for you in this situation? How much did it risk disrupting your daily routine -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	40	0.7 %
1	A little	51	0.9 %

Value	Label	Unweighted Frequency	%
2	Some	55	0.9 %
3	A lot	51	0.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 197 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 468-468 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF7D: RA2DF7D How much risk your financial situation?

How much were each of the following things at risk for you in this situation? How much did it risk your financial situation -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	141	2.4 %
1	A little	23	0.4 %
2	Some	19	0.3 %
3	A lot	15	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 469-469 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF7E: RA2DF7E How much risk you feel about yourself?

How much were each of the following things at risk for you in this situation? How much did it risk the way you feel about yourself -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	129	2.2 %

Value	Label	Unweighted Frequency	%
1	A little	43	0.7 %
2	Some	18	0.3 %
3	A lot	8	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 470-470 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF7F: RA2DF7F How much risk people feel about you?

How much were each of the following things at risk for you in this situation? How much did it risk the way other people feel about you -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	142	2.4 %
1	A little	35	0.6 %
2	Some	15	0.3 %
3	A lot	5	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 197 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 471-471 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF7G: RA2DF7G How much risk your physical health?

How much were each of the following things at risk for you in this situation? How much did it risk your physical health or safety -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	114	1.9 %
1	A little	35	0.6 %
2	Some	31	0.5 %
3	A lot	18	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 472-472 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF7H: RA2DF7H How much risk the health of someone?

How much were each of the following things at risk for you in this situation? How much did it risk the health or well-being of someone you care about -- a lot, some, a little, or none at all?

Value	Label	Unweighted Frequency	%
0	None at all	147	2.5 %
1	A little	23	0.4 %
2	Some	18	0.3 %
3	A lot	10	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 473-473 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF7I: RA2DF7I How much risk your plans for the future?

How much were each of the following things at risk for you in this situation? How much did it risk your plans for the future -- a lot, some, a little, or none at all?



Value	Label	Unweighted Frequency	%
0	None at all	125	2.1 %
1	A little	33	0.6 %
2	Some	28	0.5 %
3	A lot	12	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5651	96.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 198 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 474-474 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DS14A: You treated w/less courtesy than others?

Did any of the following things happen to you today? You were treated with less courtesy than other people?

Value	Label	Unweighted Frequency	%
1	Yes	129	2.2 %
2	No	5628	96.2 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 475-475 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DS14B: You treated w/less respect than others?

Did any of the following things happen to you today? You were treated with less respect than other people?

Value	Label	Unweighted Frequency	%
1	Yes	144	2.5 %
2	No	5614	96.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
8	Refused/missing	1	0.0 %
9	Inapplicable	90	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 476-476 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DS14C: You received poorer service than others?

Did any of the following things happen to you today? You received poorer service than other people at restaurants or stores?

Value	Label	Unweighted Frequency	%
1	Yes	49	0.8 %
2	No	5710	97.6 %
	<b>Missing Data</b>		
9	Inapplicable	90	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 477-477 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

---

## RA2DS14D: People acted as if you are not smart?

Did any of the following things happen to you today? People acted as if you are not smart?

Value	Label	Unweighted Frequency	%
1	Yes	123	2.1 %
2	No	5634	96.3 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 478-478 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DS14E: People acted as if afraid of you?

Did any of the following things happen to you today? People acted as if they were afraid of you?

Value	Label	Unweighted Frequency	%
1	Yes	81	1.4 %
2	No	5679	97.1 %
	<b>Missing Data</b>		
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 479-479 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DS14F: People acted as if you are dishonest?

Did any of the following things happen to you today? People acted as if they thought you are dishonest?

Value	Label	Unweighted Frequency	%
1	Yes	44	0.8 %
2	No	5715	97.7 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 480-480 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DS14G: People acted as if you are not as good?

Did any of the following things happen to you today? People acted as if they thought you are not as good as they are?

Value	Label	Unweighted Frequency	%
1	Yes	142	2.4 %
2	No	5615	96.0 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 481-481 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS14H: You were called names or insulted

Did any of the following things happen to you today? You were called names or insulted?

Value	Label	Unweighted Frequency	%
1	Yes	60	1.0 %
2	No	5700	97.5 %
	<b>Missing Data</b>		
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 482-482 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS14I: You were threatened or harassed

Did any of the following things happen to you today? You were threatened or harassed?

Value	Label	Unweighted Frequency	%
1	Yes	38	0.6 %
2	No	5723	97.8 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 483-483 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS15\_1: Reason treated-your age

Thinking of all of these experiences, what was the main reason for you being treated this way? Your age

Value	Label	Unweighted Frequency	%
1	Yes	55	0.9 %
2	No	341	5.8 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 484-484 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS15\_2: Reason treated-your gender

Thinking of all of these experiences, what was the main reason for you being treated this way? Your gender

Value	Label	Unweighted Frequency	%
1	Yes	46	0.8 %
2	No	350	6.0 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 485-485 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

### RA2DS15\_3: Reason treated-your race

Thinking of all of these experiences, what was the main reason for you being treated this way? Your race

Value	Label	Unweighted Frequency	%
1	Yes	28	0.5 %
2	No	368	6.3 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

### RA2DS15\_4: Reason treated-your ethnicity/national

Thinking of all of these experiences, what was the main reason for you being treated this way? Your ethnicity/nationality

Value	Label	Unweighted Frequency	%
1	Yes	28	0.5 %
2	No	368	6.3 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 487-487 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

### RA2DS15\_5: Reason treated-your religion

Thinking of all of these experiences, what was the main reason for you being treated this way? Your religion

Value	Label	Unweighted Frequency	%
1	Yes	12	0.2 %
2	No	384	6.6 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 488-488 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS15\_6: Reason treated-your height or weight

Thinking of all of these experiences, what was the main reason for you being treated this way? Your height or weight

Value	Label	Unweighted Frequency	%
1	Yes	40	0.7 %
2	No	356	6.1 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 489-489 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS15\_7: Reason treated-other appearance

Thinking of all of these experiences, what was the main reason for you being treated this way? Some other aspect of appearance

Value	Label	Unweighted Frequency	%
1	Yes	41	0.7 %
2	No	355	6.1 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 490-490 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS15\_8: Reason treated-physical disability

Thinking of all of these experiences, what was the main reason for you being treated this way? A physical disability

Value	Label	Unweighted Frequency	%
1	Yes	47	0.8 %
2	No	349	6.0 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 491-491 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS15\_9: Reason treated-your sexual orientation

Thinking of all of these experiences, what was the main reason for you being treated this way? Your sexual orientation

Value	Label	Unweighted Frequency	%
1	Yes	7	0.1 %
2	No	389	6.7 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 492-492 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS1510: Reason treated-other reason



Thinking of all of these experiences, what was the main reason for you being treated this way? Some other reason for discrimination

Value	Label	Unweighted Frequency	%
1	Yes	223	3.8 %
2	No	173	3.0 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 493-493 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS1511: Reason treated-don't know

Thinking of all of these experiences, what was the main reason for you being treated this way? Don't know

Value	Label	Unweighted Frequency	%
1	Yes	39	0.7 %
2	No	357	6.1 %
	<b>Missing Data</b>		
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 494-494 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DS1512: Reason treated-refused

Thinking of all of these experiences, what was the main reason for you being treated this way? Refused

Value	Label	Unweighted Frequency	%
1	Yes	7	0.1 %
2	No	389	6.7 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
9	Inapplicable	5453	93.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 396 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 495-495 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX1A: Forget errand or chore?

Next, I want to ask you about the things you wanted to do since this time yesterday. I am going to read off some different things people plan to do during their day but sometimes forget. I'd like you to say "yes" if you forgot that thing today. Say "no" if you did not. Today, did you forget to do an errand or chore?

Value	Label	Unweighted Frequency	%
1	Yes	446	7.6 %
2	No	5314	90.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 496-496 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX2A: Forget medication?

Next, I want to ask you about the things you wanted to do since this time yesterday. I am going to read off some different things people plan to do during their day but sometimes forget. I'd like you to say "yes" if you forgot that thing today. Say "no" if you did not. Did you forget to take a medication?

Value	Label	Unweighted Frequency	%
1	Yes	308	5.3 %
2	No	5451	93.2 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 497-497 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX3A: Forget to finish something you started?

Next, I want to ask you about the things you wanted to do since this time yesterday. I am going to read off some different things people plan to do during their day but sometimes forget. I'd like you to say "yes" if you forgot that thing today. Say "no" if you did not. Did you forget to finish something you started?

Value	Label	Unweighted Frequency	%
1	Yes	425	7.3 %
2	No	5331	91.1 %
	<b>Missing Data</b>		
8	Refused/missing	5	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,756 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 498-498 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX4A: Forget an appointment?

Next, I want to ask you about the things you wanted to do since this time yesterday. I am going to read off some different things people plan to do during their day but sometimes forget. I'd like you to say "yes" if you forgot that thing today. Say "no" if you did not. Did you forget an appointment?

Value	Label	Unweighted Frequency	%
1	Yes	142	2.4 %
2	No	5619	96.1 %
	<b>Missing Data</b>		
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 499-499 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX5A: Forget why entered a room?

Next, I want to ask you about the things you wanted to do since this time yesterday. I am going to read off some different things people plan to do during their day but sometimes forget. I'd like you to say "yes" if you forgot that thing today. Say "no" if you did not. Did you forget why you entered a room?

Value	Label	Unweighted Frequency	%
1	Yes	569	9.7 %
2	No	5190	88.7 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 500-500 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX5A2: How much did forgetting bother you?

On a scale of 1 to 10 how much did forgetting these things bother you, with 1 being not at all to 10 being very much?

Value	Label	Unweighted Frequency	%
1	Not at all	460	7.9 %
2	-	327	5.6 %
3	-	225	3.8 %
4	-	100	1.7 %
5	-	117	2.0 %
6	-	48	0.8 %
7	-	43	0.7 %
8	-	33	0.6 %
9	-	18	0.3 %
10	Very much	38	0.6 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
99	Inapplicable	4440	75.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,409 valid cases out of 5,849 total cases.

- Mean: 2.96
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.26

*Location:* 501-502 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

### RA2DX5A3: How much did forgetting interfere with routine?

Using that same scale, how much did forgetting these things interfere with your routine today?

Value	Label	Unweighted Frequency	%
1	Not at all	920	15.7 %
2	-	225	3.8 %
3	-	103	1.8 %
4	-	51	0.9 %
5	-	43	0.7 %
6	-	21	0.4 %
7	-	21	0.4 %
8	-	6	0.1 %
9	-	9	0.2 %
10	Very much	8	0.1 %
	<b>Missing Data</b>		
98	Refused/missing	1	0.0 %
99	Inapplicable	4441	75.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,407 valid cases out of 5,849 total cases.

- Mean: 1.83
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.60

*Location:* 503-504 (width: 2; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 97 , 98 , 99

---

## RA2DX6A: Forget someone's name

Now please tell me whether you forgot any of these other things since this time yesterday. Did you forget someone's name?

Value	Label	Unweighted Frequency	%
1	Yes	633	10.8 %
2	No	5125	87.6 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 505-505 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

## RA2DX7A: Forget where put something?

Now please tell me whether you forgot any of these other things since this time yesterday. Did you forget where you put something?

Value	Label	Unweighted Frequency	%
1	Yes	937	16.0 %
2	No	4821	82.4 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 506-506 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , 8 , 9

---

## RA2DX8A: Forget a word?

Now please tell me whether you forgot any of these other things since this time yesterday. Did you forget a word you wanted to use?

Value	Label	Unweighted Frequency	%
1	Yes	711	12.2 %
2	No	5047	86.3 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,758 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 507-507 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX9A: Forget important information?

Now please tell me whether you forgot any of these other things since this time yesterday. Did you forget important information?

Value	Label	Unweighted Frequency	%
1	Yes	214	3.7 %
2	No	5545	94.8 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 508-508 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DX9A2: How much did forgetting these things bother you?

On a scale of 1 to 10 how much did forgetting these things bother you, with 1 being not at all to 10 being very much?

Value	Label	Unweighted Frequency	%
1	Not at all	547	9.4 %
2	-	416	7.1 %

Value	Label	Unweighted Frequency	%
3	-	247	4.2 %
4	-	140	2.4 %
5	-	139	2.4 %
6	-	68	1.2 %
7	-	47	0.8 %
8	-	65	1.1 %
9	-	20	0.3 %
10	Very much	44	0.8 %
	<b>Missing Data</b>		
98	Refused/missing	1	0.0 %
99	Inapplicable	4115	70.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,733 valid cases out of 5,849 total cases.

- Mean: 3.03
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.30

*Location:* 509-510 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DX9A3: How much did forgetting these things interfere with routine?

Using that same scale, how much did forgetting these things interfere with your routine today?

Value	Label	Unweighted Frequency	%
1	Not at all	1199	20.5 %
2	-	238	4.1 %
3	-	95	1.6 %
4	-	63	1.1 %
5	-	59	1.0 %
6	-	25	0.4 %
7	-	25	0.4 %
8	-	16	0.3 %
9	-	3	0.1 %
10	Very much	9	0.2 %
	<b>Missing Data</b>		
98	Refused/missing	2	0.0 %



Value	Label	Unweighted Frequency	%
99	Inapplicable	4115	70.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 1,732 valid cases out of 5,849 total cases.

- Mean: 1.78
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.58

*Location:* 511-512 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF8: Have a positive interaction w/someone?

The next questions are about positive experiences that may have happened to you since this time yesterday. [IF RA2DF8 = 2,7,8,9, GO TO 'RA2DF9'] Did you have an interaction with someone that most people would consider particularly positive (for example, sharing a good laugh with someone, or having a good conversation) since (this time/we spoke) yesterday?

Value	Label	Unweighted Frequency	%
1	Yes	3033	51.9 %
2	No	2724	46.6 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 513-513 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF8A: With whom-positive?

Think of the most positive interaction you had with someone since (this time/we spoke) yesterday. Who was that with?

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	617	10.5 %
2	Child or grandchild(includes step-)	453	7.7 %
3	Parent(includes step-)	102	1.7 %

Value	Label	Unweighted Frequency	%
4	Sibling(includes step-)	87	1.5 %
5	Other relative(includes in-laws)	104	1.8 %
6	Friend	704	12.0 %
7	Neighbor	55	0.9 %
8	Coworker or fellow student	404	6.9 %
9	Boss or teacher	50	0.9 %
10	Employee or supervisee	109	1.9 %
11	Other(specify)	78	1.3 %
12	Stranger	62	1.1 %
13	Religious groups member(including minister)	58	1.0 %
14	Self-help groups(AA, therapist, counselor)	8	0.1 %
15	Client/customer/patient	69	1.2 %
16	Groups	40	0.7 %
18	Family-general	31	0.5 %
19	Pets/animals	2	0.0 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	2815	48.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,033 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 19.00

*Location:* 514-515 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF8A1: RA2DF8A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	573	9.8 %
5	Today	2460	42.1 %
	<b>Missing Data</b>		
9	Inapplicable	2816	48.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,033 valid cases out of 5,849 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF8A2H: RA2DF8A2H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	262	4.5 %
2	-	227	3.9 %
3	-	217	3.7 %
4	-	217	3.7 %
5	-	182	3.1 %
6	-	248	4.2 %
7	-	255	4.4 %
8	-	275	4.7 %
9	-	294	5.0 %
10	-	291	5.0 %
11	-	265	4.5 %
12	-	281	4.8 %
	<b>Missing Data</b>		
97	Don't know	16	0.3 %
99	Inapplicable	2819	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,014 valid cases out of 5,849 total cases.

- Mean: 6.79
- Median: 7.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.49

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF8A2M: RA2DF8A2M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	2044	34.9 %

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
4	-	2	0.0 %
8	-	2	0.0 %
10	-	9	0.2 %
14	-	1	0.0 %
15	-	82	1.4 %
20	-	13	0.2 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
30	-	765	13.1 %
32	-	1	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %
40	-	7	0.1 %
42	-	1	0.0 %
45	-	70	1.2 %
47	-	1	0.0 %
50	-	6	0.1 %
52	-	1	0.0 %
55	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	16	0.3 %
99	Inapplicable	2819	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,014 valid cases out of 5,849 total cases.

- Mean: 9.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 14.40

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

---

## RA2DF8A2A: RA2DF8A2A What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	882	15.1 %
5	PM	2133	36.5 %
	<b>Missing Data</b>		
8	Refused/missing	15	0.3 %
9	Inapplicable	2819	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,015 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF8B: RA2DF8B How pleasant was this for you?

How pleasant or enjoyable was this experience -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	5	0.1 %
1	Not very	17	0.3 %
2	Somewhat	804	13.7 %
3	Very	2206	37.7 %
	<b>Missing Data</b>		
9	Inapplicable	2817	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,032 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF8WB1: RA2DF8WB1 How much was event a surprise

To what extent was this event a surprise -- very much, somewhat, a little, not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	1454	24.9 %
1	Not very	542	9.3 %
2	Somewhat	606	10.4 %

Value	Label	Unweighted Frequency	%
3	Very	428	7.3 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	2817	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,030 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 523-523 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF8WB2: RA2DF8WB2 How much have you thought about event?

How much have you thought about this experience since it happened -- a lot, some, a little, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	711	12.2 %
1	A little	1222	20.9 %
2	Some	753	12.9 %
3	A lot	345	5.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	2817	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,031 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 524-524 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF8WB4: RA2DF8WB4 How calm were you feeling?

During this experience, how calm were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	30	0.5 %
1	Not very	59	1.0 %
2	Somewhat	540	9.2 %

Value	Label	Unweighted Frequency	%
3	Very	2401	41.0 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	2817	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,030 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 525-525 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF8WB5: RA2DF8WB5 How proud were you feeling?

During this experience, how proud were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	502	8.6 %
1	Not very	204	3.5 %
2	Somewhat	1216	20.8 %
3	Very	1087	18.6 %
	<b>Missing Data</b>		
8	Refused/missing	7	0.1 %
9	Inapplicable	2833	48.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,009 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 526-526 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF8WB8: RA2DF8WB8 How close did you feel to others?

During this experience, how close did you feel to others -- very much, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	83	1.4 %
1	Not very	84	1.4 %
2	Somewhat	1024	17.5 %

Value	Label	Unweighted Frequency	%
3	Very	1838	31.4 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	2817	48.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 3,029 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 527-527 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF9: Have a positive experience at work?

Since (this time/we spoke) yesterday, did you have an experience at work, school, or at a volunteer position that most people would consider particularly positive?

[IF RA2DF9 = 2,7,8,9, GO TO 'RA2DF10']

Value	Label	Unweighted Frequency	%
1	Yes	455	7.8 %
2	No	5297	90.6 %
	<b>Missing Data</b>		
8	Refused/missing	7	0.1 %
9	Inapplicable	90	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,752 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 528-528 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF9A: With whom-positive at work?

Think of the most positive event that happened at work since (this time/we spoke) yesterday. Did this event take place with another person and if so, who?



[Choose one only. If necessary: "Who was the most positive interactions with?"]

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	15	0.3 %
2	Child or grandchild(includes step-)	13	0.2 %
3	Parent(includes step-)	5	0.1 %
4	Sibling(includes step-)	3	0.1 %
5	Other relative(includes in-laws)	5	0.1 %
6	Friend	49	0.8 %
7	Neighbor	2	0.0 %
8	Coworker or fellow student	132	2.3 %
9	Boss or teacher	37	0.6 %
10	Employee or supervisee	32	0.5 %
11	Other(specify)	25	0.4 %
12	Stranger	4	0.1 %
13	Religious groups member(including minister)	15	0.3 %
14	Self-help groups(AA, therapist, counselor)	0	0.0 %
15	Client/customer/patient	57	1.0 %
16	Groups	25	0.4 %
17	No one was involved	11	0.2 %
18	Family-general	25	0.4 %
19	Pets/animals	0	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5394	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 455 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 18.00

*Location:* 529-530 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

## RA2DF9A1: RA2DF9A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	41	0.7 %
5	Today	415	7.1 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
9	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 456 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 531-531 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DF9H: RA2DF9H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	43	0.7 %
2	-	47	0.8 %
3	-	39	0.7 %
4	-	30	0.5 %
5	-	19	0.3 %
6	-	21	0.4 %
7	-	29	0.5 %
8	-	36	0.6 %
9	-	47	0.8 %
10	-	54	0.9 %
11	-	43	0.7 %
12	-	45	0.8 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 453 valid cases out of 5,849 total cases.

- Mean: 6.76
- Median: 7.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.71

*Location:* 532-533 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF9M: RA2DF9M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	280	4.8 %
10	-	2	0.0 %
15	-	8	0.1 %
20	-	1	0.0 %
30	-	137	2.3 %
35	-	1	0.0 %
45	-	20	0.3 %
48	-	1	0.0 %
50	-	3	0.1 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 453 valid cases out of 5,849 total cases.

- Mean: 11.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 15.80

*Location:* 534-535 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF9AP: RA2DF9AP What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	175	3.0 %
5	PM	279	4.8 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 454 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 536-536 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF9B: RA2DF9B How pleasant was this for you?

How pleasant or enjoyable was this experience -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	4	0.1 %
1	Not very	4	0.1 %
2	Somewhat	166	2.8 %
3	Very	282	4.8 %
	<b>Missing Data</b>		
9	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 456 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 537-537 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF9WB1: RA2DF9WB1 How much was event a surprise?

To what extent was this event a surprise -- very much, somewhat, a little, not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	158	2.7 %
1	Not very	92	1.6 %
2	Somewhat	137	2.3 %
3	Very	69	1.2 %
	<b>Missing Data</b>		
9	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 456 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 538-538 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF9WB2: RA2DF9WB2 How much have you thought about event?

How much have you thought about this experience since it happened -- a lot, some, a little, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	104	1.8 %
1	A little	188	3.2 %
2	Some	115	2.0 %
3	A lot	49	0.8 %
	<b>Missing Data</b>		
9	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 456 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF9WB4: RA2DF9WB4 How calm were you feeling?

During this experience, how calm were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	9	0.2 %
1	Not very	13	0.2 %
2	Somewhat	100	1.7 %
3	Very	334	5.7 %
	<b>Missing Data</b>		
9	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 456 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF9WB5: RA2DF9WB5 How proud were you feeling?

During this experience, how proud were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	36	0.6 %
1	Not very	33	0.6 %
2	Somewhat	186	3.2 %
3	Very	200	3.4 %
	<b>Missing Data</b>		
9	Inapplicable	5394	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 455 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 541-541 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF9WB8: RA2DF9WB8 How close did you feel to others?

During this experience, how close did you feel to others -- very much, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	30	0.5 %
1	Not very	36	0.6 %
2	Somewhat	196	3.4 %
3	Very	194	3.3 %
	<b>Missing Data</b>		
9	Inapplicable	5393	92.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 456 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 542-542 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10: Have a positive experience at home?

Since (this time/we spoke) yesterday, did you have an experience at home that most people would consider particularly positive?

[IF RA2DF10 = 2,7,8,9, GO TO 'RA2DF11']

Value	Label	Unweighted Frequency	%
1	Yes	846	14.5 %
2	No	4910	83.9 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,756 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 543-543 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF10A: With whom-positive at home?

Think of the most positive event that happened at home since (this time/we spoke) yesterday. Did this event take place with another person and if so, who?

[Choose one only. If necessary: "Who was the most positive interactions with?"]

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	253	4.3 %
2	Child or grandchild(includes step-)	304	5.2 %
3	Parent(includes step-)	16	0.3 %
4	Sibling(includes step-)	4	0.1 %
5	Other relative(includes in-laws)	20	0.3 %
6	Friend	50	0.9 %
7	Neighbor	21	0.4 %
8	Coworker or fellow student	2	0.0 %
9	Boss or teacher	0	0.0 %
10	Employee or supervisee	11	0.2 %
11	Other(specify)	3	0.1 %
12	Stranger	4	0.1 %
13	Religious groups member(including minister)	0	0.0 %
14	Self-help groups(AA, therapist, counselor)	0	0.0 %
15	Client/customer/patient	2	0.0 %
16	Groups	5	0.1 %

Value	Label	Unweighted Frequency	%
17	No one was involved	44	0.8 %
18	Family-general	93	1.6 %
19	Pets/animals	13	0.2 %
	<b>Missing Data</b>		
97	Don't know	1	0.0 %
99	Inapplicable	5003	85.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 845 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 19.00

*Location:* 544-545 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF10A1: RA2DF10A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	198	3.4 %
5	Today	647	11.1 %
	<b>Missing Data</b>		
9	Inapplicable	5004	85.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 845 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 546-546 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10H: RA2DF10H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	46	0.8 %
2	-	40	0.7 %
3	-	47	0.8 %
4	-	78	1.3 %



Value	Label	Unweighted Frequency	%
5	-	92	1.6 %
6	-	89	1.5 %
7	-	109	1.9 %
8	-	92	1.6 %
9	-	82	1.4 %
10	-	68	1.2 %
11	-	48	0.8 %
12	-	52	0.9 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5003	85.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 843 valid cases out of 5,849 total cases.

- Mean: 6.69
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.00

*Location:* 547-548 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF10M: RA2DF10M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	530	9.1 %
10	-	2	0.0 %
11	-	1	0.0 %
15	-	31	0.5 %
20	-	1	0.0 %
25	-	3	0.1 %
30	-	247	4.2 %
35	-	1	0.0 %
40	-	2	0.0 %
45	-	20	0.3 %
49	-	1	0.0 %
50	-	3	0.1 %

Value	Label	Unweighted Frequency	%
55	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5003	85.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 843 valid cases out of 5,849 total cases.

- Mean: 11.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 14.93

*Location:* 549-550 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF10AP: RA2DF10AP What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	199	3.4 %
5	PM	645	11.0 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5003	85.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 844 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 551-551 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10B: RA2DF10B How pleasant was this for you?

How pleasant or enjoyable was this experience -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	4	0.1 %
1	Not very	8	0.1 %

Value	Label	Unweighted Frequency	%
2	Somewhat	189	3.2 %
3	Very	644	11.0 %
	<b>Missing Data</b>		
9	Inapplicable	5004	85.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 845 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 552-552 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10WB1: RA2DF10WB1 How much was event a surprise

To what extent was this event a surprise -- very much, somewhat, a little, not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	349	6.0 %
1	Not very	150	2.6 %
2	Somewhat	221	3.8 %
3	Very	125	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5004	85.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 845 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 553-553 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10WB2: RA2DF10WB2 How much have you thought about event?

How much have you thought about this experience since it happened -- a lot, some, a little, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	145	2.5 %
1	A little	345	5.9 %
2	Some	238	4.1 %
3	A lot	117	2.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
9	Inapplicable	5004	85.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 845 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 554-554 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10WB4: RA2DF10WB4 How calm were you feeling?

During this experience, how calm were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	12	0.2 %
1	Not very	28	0.5 %
2	Somewhat	162	2.8 %
3	Very	642	11.0 %
	<b>Missing Data</b>		
9	Inapplicable	5005	85.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 844 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 555-555 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10WB5: RA2DF10WB5 How proud were you feeling?

During this experience, how proud were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	107	1.8 %
1	Not very	47	0.8 %
2	Somewhat	270	4.6 %
3	Very	409	7.0 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %

Value	Label	Unweighted Frequency	%
9	Inapplicable	5013	85.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 833 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 556-556 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF10WB8: RA2DF10WB8 How close did you feel to others?

During this experience, how close did you feel to others -- very much, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	73	1.2 %
1	Not very	26	0.4 %
2	Somewhat	202	3.5 %
3	Very	541	9.2 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5005	85.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 842 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 557-557 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF11: Anything happened to friend positive to you?

Since (this time/we spoke) yesterday, did anything happen to a close friend or relative that turned out to be particularly positive for you?

[IF RA2DF11 = 2,7,8,9, GO TO RA2DF12]

Value	Label	Unweighted Frequency	%
1	Yes	297	5.1 %
2	No	5462	93.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 558-558 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DF11A: Who was that with-pos network

Who was that with? [Choose one only. If necessary: "Who was the most positive interaction with?"]

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	30	0.5 %
2	Child or grandchild(includes step-)	95	1.6 %
3	Parent(includes step-)	22	0.4 %
4	Sibling(includes step-)	26	0.4 %
5	Other relative(includes in-laws)	39	0.7 %
6	Friend	65	1.1 %
7	Neighbor	6	0.1 %
8	Coworker or fellow student	4	0.1 %
9	Boss or teacher	0	0.0 %
10	Employee or supervisee	2	0.0 %
11	Other(specify)	1	0.0 %
12	Stranger	1	0.0 %
13	Religious groups member(including minister)	3	0.1 %
14	Self-help groups(AA, therapist, counselor)	1	0.0 %
15	Client/customer/patient	0	0.0 %
16	Groups	0	0.0 %
18	Family-general	2	0.0 %
19	Pets/animals	0	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 297 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

## RA2DF11A1: RA2DF11A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	76	1.3 %
5	Today	221	3.8 %
	<b>Missing Data</b>		
9	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 297 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 561-561 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF11H: RA2DF11H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	19	0.3 %
2	-	19	0.3 %
3	-	29	0.5 %
4	-	16	0.3 %
5	-	25	0.4 %
6	-	24	0.4 %
7	-	34	0.6 %
8	-	30	0.5 %
9	-	33	0.6 %
10	-	26	0.4 %
11	-	15	0.3 %
12	-	24	0.4 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %

Value	Label	Unweighted Frequency	%
99	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 294 valid cases out of 5,849 total cases.

- Mean: 6.68
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.25

*Location:* 562-563 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF11M: RA2DF11M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	181	3.1 %
10	-	2	0.0 %
15	-	5	0.1 %
25	-	1	0.0 %
30	-	93	1.6 %
35	-	1	0.0 %
45	-	7	0.1 %
55	-	3	0.1 %
59	-	1	0.0 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 294 valid cases out of 5,849 total cases.

- Mean: 11.85
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 15.71

*Location:* 564-565 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99



---

## RA2DF11AP: RA2DF11AP What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	68	1.2 %
5	PM	228	3.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 296 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 566-566 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF11B: RA2DF11B How pleasant was this for you?

How pleasant or enjoyable was this experience -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	2	0.0 %
1	Not very	4	0.1 %
2	Somewhat	77	1.3 %
3	Very	214	3.7 %
	<b>Missing Data</b>		
9	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 297 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 567-567 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF11WB1: RA2DF11WB1 How much was event a surprise?

To what extent was this event a surprise -- very much, somewhat, a little, not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	70	1.2 %
1	Not very	46	0.8 %
2	Somewhat	93	1.6 %
3	Very	88	1.5 %
	<b>Missing Data</b>		
9	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 297 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 568-568 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF11WB2: RA2DF11WB2 How much have you thought about event?

How much have you thought about this experience since it happened -- a lot, some, a little, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	43	0.7 %
1	A little	124	2.1 %
2	Some	90	1.5 %
3	A lot	40	0.7 %
	<b>Missing Data</b>		
9	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 297 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 569-569 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF11WB4: RA2DF11WB4 How calm were you feeling?

During this experience, how calm were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	3	0.1 %
1	Not very	10	0.2 %

Value	Label	Unweighted Frequency	%
2	Somewhat	63	1.1 %
3	Very	221	3.8 %
	<b>Missing Data</b>		
9	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 297 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 570-570 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF11WB5: RA2DF11WB5 How proud were you feeling?

During this experience, how proud were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	42	0.7 %
1	Not very	13	0.2 %
2	Somewhat	97	1.7 %
3	Very	142	2.4 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5553	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 294 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 571-571 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF11WB8: RA2DF11WB8 How close did you feel to others?

During this experience, how close did you feel to others -- very much, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	12	0.2 %
1	Not very	9	0.2 %
2	Somewhat	99	1.7 %

Value	Label	Unweighted Frequency	%
3	Very	177	3.0 %
	<b>Missing Data</b>		
9	Inapplicable	5552	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 297 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 572-572 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF12: Did you spend time enjoying/viewing nature?

Since this time yesterday, did you spend time enjoying/viewing nature? [IF RA2DF12 = 2,7,8,9, GO TO 'RA2DF13']

Value	Label	Unweighted Frequency	%
1	Yes	333	5.7 %
2	No	5424	92.7 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 573-573 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF12A: Who was that with-nature

Did this event take place with another person, if so, who?

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	44	0.8 %
2	Child or grandchild(includes step-)	43	0.7 %
3	Parent(includes step-)	8	0.1 %
4	Sibling(includes step-)	5	0.1 %
5	Other relative(includes in-laws)	14	0.2 %
6	Friend	42	0.7 %

Value	Label	Unweighted Frequency	%
7	Neighbor	4	0.1 %
8	Coworker or fellow student	10	0.2 %
9	Boss or teacher	6	0.1 %
10	Employee or supervisee	17	0.3 %
11	Other(specify)	9	0.2 %
12	Stranger	10	0.2 %
13	Religious groups member(including minister)	11	0.2 %
14	Self-help groups(AA, therapist, counselor)	3	0.1 %
15	Client/customer/patient	6	0.1 %
16	Groups	10	0.2 %
17	No one was involved	29	0.5 %
18	Family-general	61	1.0 %
19	Pets/animals	1	0.0 %
	<b>Missing Data</b>		
99	Inapplicable	5516	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 333 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 19.00

*Location:* 574-575 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF12A1: RA2DF12A1 When did it happen? Yesterday/today

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	61	1.0 %
5	Today	271	4.6 %
	<b>Missing Data</b>		
9	Inapplicable	5517	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 332 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 576-576 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF12H: RA2DF12H What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	23	0.4 %
2	-	17	0.3 %
3	-	29	0.5 %
4	-	30	0.5 %
5	-	24	0.4 %
6	-	33	0.6 %
7	-	30	0.5 %
8	-	35	0.6 %
9	-	23	0.4 %
10	-	30	0.5 %
11	-	25	0.4 %
12	-	30	0.5 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5517	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 329 valid cases out of 5,849 total cases.

- Mean: 6.73
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.33

*Location:* 577-578 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF12M: RA2DF12M What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	205	3.5 %
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15	-	11	0.2 %
20	-	2	0.0 %
24	-	1	0.0 %
30	-	91	1.6 %
35	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	10	0.2 %
50	-	2	0.0 %
	<b>Missing Data</b>		
97	Don't know	3	0.1 %
99	Inapplicable	5517	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 329 valid cases out of 5,849 total cases.

- Mean: 11.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 15.17

*Location:* 579-580 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF12AP: RA2DF12AP What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	93	1.6 %
5	PM	237	4.1 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5517	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 330 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 581-581 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF12B: RA2DF12B How pleasant was this for you?

How pleasant or enjoyable was this experience -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	3	0.1 %
1	Not very	8	0.1 %
2	Somewhat	52	0.9 %
3	Very	269	4.6 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5516	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 332 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 582-582 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF12WB1: RA2DF12WB1 How much was event a surprise?

To what extent was this event a surprise -- very much, somewhat, a little, not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	129	2.2 %
1	Not very	36	0.6 %
2	Somewhat	92	1.6 %
3	Very	76	1.3 %
	<b>Missing Data</b>		
9	Inapplicable	5516	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 333 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9



---

## RA2DF12WB2: RA2DF12WB2 How much have you thought about event?

How much have you thought about this experience since it happened -- a lot, some, a little, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	46	0.8 %
1	A little	120	2.1 %
2	Some	89	1.5 %
3	A lot	78	1.3 %
	<b>Missing Data</b>		
9	Inapplicable	5516	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 333 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 584-584 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF12WB4: RA2DF12WB4 How calm were you feeling?

During this experience, how calm were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	7	0.1 %
1	Not very	16	0.3 %
2	Somewhat	83	1.4 %
3	Very	226	3.9 %
	<b>Missing Data</b>		
9	Inapplicable	5517	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 332 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 585-585 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF12WB5: RA2DF12WB5 How proud were you feeling?

During this experience, how proud were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	45	0.8 %
1	Not very	24	0.4 %
2	Somewhat	105	1.8 %
3	Very	151	2.6 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	5521	94.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 325 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 586-586 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7 , 8 , 9

---

## RA2DF12WB8: RA2DF12WB8 How close did you feel to others?

During this experience, how close did you feel to others -- very much, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	36	0.6 %
1	Not very	13	0.2 %
2	Somewhat	101	1.7 %
3	Very	182	3.1 %
	<b>Missing Data</b>		
9	Inapplicable	5517	94.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 332 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 587-587 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7 , 8 , 9

---

## RA2DF13: Anything else positive happened?

Did anything else happen to you since (this time/we spoke) yesterday that most people would consider particularly positive?

[IF RA2DF13 = 2,7,8,9, GO TO 'RA2DW1']

Value	Label	Unweighted Frequency	%
1	Yes	2449	41.9 %
2	No	3311	56.6 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

## RA2DF13A: With whom-positive other?

Did this event take place with another person, if so, who?

[Choose one only. If necessary: "Who was the most positive interaction with?"]

Value	Label	Unweighted Frequency	%
1	Spouse or partner(includes ex-)	379	6.5 %
2	Child or grandchild(includes step-)	267	4.6 %
3	Parent(includes step-)	20	0.3 %
4	Sibling(includes step-)	14	0.2 %
5	Other relative(includes in-laws)	22	0.4 %
6	Friend	106	1.8 %
7	Neighbor	20	0.3 %
8	Coworker or fellow student	35	0.6 %
9	Boss or teacher	2	0.0 %
10	Employee or supervisee	13	0.2 %
11	Other(specify)	8	0.1 %
12	Stranger	3	0.1 %
13	Religious groups member(including minister)	3	0.1 %
14	Self-help groups(AA, therapist, counselor)	1	0.0 %
15	Client/customer/patient	7	0.1 %
16	Groups	14	0.2 %
17	No one was involved	554	9.5 %

Value	Label	Unweighted Frequency	%
18	Family-general	956	16.3 %
19	Pets/animals	24	0.4 %
	<b>Missing Data</b>		
99	Inapplicable	3401	58.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,448 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 19.00

*Location:* 589-590 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF13A1: When did it happen?

When did that happen -- was that some time yesterday or today?

Value	Label	Unweighted Frequency	%
1	Yesterday	236	4.0 %
5	Today	2213	37.8 %
	<b>Missing Data</b>		
9	Inapplicable	3400	58.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,449 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 591-591 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF13H: What time of day? Hours

What time of the day did this happen? Hour

Value	Label	Unweighted Frequency	%
1	-	158	2.7 %
2	-	212	3.6 %
3	-	213	3.6 %
4	-	190	3.2 %
5	-	174	3.0 %
6	-	231	3.9 %

Value	Label	Unweighted Frequency	%
7	-	302	5.2 %
8	-	268	4.6 %
9	-	175	3.0 %
10	-	195	3.3 %
11	-	147	2.5 %
12	-	173	3.0 %
	<b>Missing Data</b>		
97	Don't know	7	0.1 %
99	Inapplicable	3404	58.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,438 valid cases out of 5,849 total cases.

- Mean: 6.45
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.25

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

---

## RA2DF13M: What time of day? Minutes

What time of the day did this happen? Minutes

Value	Label	Unweighted Frequency	%
0	-	1538	26.3 %
1	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
8	-	2	0.0 %
10	-	15	0.3 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	85	1.5 %
20	-	14	0.2 %
25	-	3	0.1 %
30	-	680	11.6 %
35	-	4	0.1 %

Value	Label	Unweighted Frequency	%
40	-	14	0.2 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	58	1.0 %
50	-	12	0.2 %
52	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
58	-	2	0.0 %
	<b>Missing Data</b>		
97	Don't know	7	0.1 %
99	Inapplicable	3404	58.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,438 valid cases out of 5,849 total cases.

- Mean: 10.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 14.97

*Location:* 594-595 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , 98 , 99

---

## RA2DF13AP: What time of day? AM/PM

What time of the day did this happen? AM/PM

Value	Label	Unweighted Frequency	%
1	AM	970	16.6 %
5	PM	1469	25.1 %
	<b>Missing Data</b>		
8	Refused/missing	6	0.1 %
9	Inapplicable	3404	58.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,439 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 596-596 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF13B: How pleasant was this for you?

How pleasant or enjoyable was this experience -- very, somewhat, not very, or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	10	0.2 %
1	Not very	36	0.6 %
2	Somewhat	1019	17.4 %
3	Very	1383	23.6 %
	<b>Missing Data</b>		
9	Inapplicable	3401	58.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,448 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 597-597 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF13WB1: How much was event a surprise?

To what extent was this event a surprise -- very much, somewhat, a little, not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	1569	26.8 %
1	Not very	353	6.0 %
2	Somewhat	362	6.2 %
3	Very	163	2.8 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	3401	58.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,447 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 598-598 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DF13WB2: How much have you thought about event?

How much have you thought about this experience since it happened -- a lot, some, a little, or not at all?

Value	Label	Unweighted Frequency	%
0	None at all	1088	18.6 %
1	A little	861	14.7 %
2	Some	379	6.5 %
3	A lot	118	2.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	3402	58.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,446 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 599-599 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF13WB4: How calm were you feeling?

During this experience, how calm were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	26	0.4 %
1	Not very	39	0.7 %
2	Somewhat	483	8.3 %
3	Very	1900	32.5 %
	<b>Missing Data</b>		
9	Inapplicable	3401	58.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,448 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 600-600 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF13WB5: How proud were you feeling?



During this experience, how proud were you feeling -- very, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	767	13.1 %
1	Not very	224	3.8 %
2	Somewhat	835	14.3 %
3	Very	578	9.9 %
	<b>Missing Data</b>		
8	Refused/missing	14	0.2 %
9	Inapplicable	3431	58.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,404 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 601-601 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DF13WB8: How close did you feel to others?

During this experience, how close did you feel to others -- very much, somewhat, not very or not at all?

Value	Label	Unweighted Frequency	%
0	Not at all	767	13.1 %
1	Not very	238	4.1 %
2	Somewhat	711	12.2 %
3	Very	721	12.3 %
	<b>Missing Data</b>		
8	Refused/missing	5	0.1 %
9	Inapplicable	3407	58.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,437 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 602-602 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DW1: Opportunity to be physically active?

The next items ask whether you had the opportunity to do certain things since this time yesterday. Even if you did not do the activity, we would like to know if you could have done it if you'd wanted to. Please say "yes" if each statement applies to you. Since this time yesterday, did you have the opportunity to be physically active?

Value	Label	Unweighted Frequency	%
1	Yes	4592	78.5 %
2	No	1167	20.0 %
8	Don't know	0	0.0 %
	<b>Missing Data</b>		
9	Refused/missing	90	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 603-603 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 9

---

## RA2DW2: Opportunity to eat healthy?

The next items ask whether you had the opportunity to do certain things since this time yesterday. Even if you did not do the activity, we would like to know if you could have done it if you'd wanted to. Please say "yes" if each statement applies to you. Since this time yesterday, did you have the opportunity to eat healthy?

Value	Label	Unweighted Frequency	%
1	Yes	5514	94.3 %
2	No	245	4.2 %
	<b>Missing Data</b>		
8	Don't know	1	0.0 %
9	Refused/missing	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,759 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 604-604 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , 9

---

## RA2DW3: Opportunity take time to yourself?

The next items ask whether you had the opportunity to do certain things since this time yesterday. Even if you did not do the activity, we would like to know if you could have done it if you'd wanted to. Please say "yes" if each statement applies to you. Since this time yesterday, did you have the opportunity to take time for yourself?

Value	Label	Unweighted Frequency	%
1	Yes	4942	84.5 %
2	No	818	14.0 %
8	Don't know	0	0.0 %
	<b>Missing Data</b>		
9	Refused/missing	89	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,760 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 605-605 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 9

---

## RA2DH1\_D8: Past 7 days, feel restless or fidgety?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel restless or fidgety?

Value	Label	Unweighted Frequency	%
0	None of the time	356	6.1 %
1	A little of the time	235	4.0 %
2	Some of the time	74	1.3 %
3	Most of the time	13	0.2 %
4	All of the time	4	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 682 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 606-606 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH2\_D8: Past 7 days, feel nervous?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel nervous?

Value	Label	Unweighted Frequency	%
0	None of the time	389	6.7 %
1	A little of the time	223	3.8 %
2	Some of the time	62	1.1 %
3	Most of the time	8	0.1 %
4	All of the time	1	0.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 607-607 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DH3\_D8: Past 7 days, feel worthless?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel worthless?

Value	Label	Unweighted Frequency	%
0	None of the time	629	10.8 %
1	A little of the time	34	0.6 %
2	Some of the time	17	0.3 %
3	Most of the time	1	0.0 %
4	All of the time	2	0.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 608-608 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

### RA2DH4\_D8: Past 7 days, feel sad nothing cheer up?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel so sad that nothing could cheer you up?

Value	Label	Unweighted Frequency	%
0	None of the time	618	10.6 %
1	A little of the time	54	0.9 %
2	Some of the time	8	0.1 %
3	Most of the time	2	0.0 %
4	All of the time	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 609-609 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH5\_D8: Past 7 days, feel everything effort?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel everything was an effort?

Value	Label	Unweighted Frequency	%
0	None of the time	509	8.7 %
1	A little of the time	111	1.9 %
2	Some of the time	45	0.8 %
3	Most of the time	14	0.2 %
4	All of the time	5	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 610-610 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH6\_D8: Past 7 days, feel hopeless?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel hopeless?

Value	Label	Unweighted Frequency	%
0	None of the time	615	10.5 %
1	A little of the time	54	0.9 %
2	Some of the time	9	0.2 %
3	Most of the time	4	0.1 %
4	All of the time	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 611-611 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH7\_D8: Past 7 days, feel lonely?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel lonely?

Value	Label	Unweighted Frequency	%
0	None of the time	503	8.6 %
1	A little of the time	127	2.2 %
2	Some of the time	47	0.8 %
3	Most of the time	4	0.1 %
4	All of the time	3	0.1 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 612-612 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH8\_D8: Past 7 days, feel afraid?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel afraid?

Value	Label	Unweighted Frequency	%
0	None of the time	604	10.3 %
1	A little of the time	64	1.1 %
2	Some of the time	13	0.2 %
3	Most of the time	2	0.0 %
4	All of the time	1	0.0 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 613-613 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH9\_D8: Past 7 days, feel jittery?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel jittery?

Value	Label	Unweighted Frequency	%
0	None of the time	507	8.7 %
1	A little of the time	146	2.5 %
2	Some of the time	26	0.4 %
3	Most of the time	5	0.1 %
4	All of the time	0	0.0 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 614-614 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH10D8: Past 7 days, feel irritable?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel irritable?

Value	Label	Unweighted Frequency	%
0	None of the time	305	5.2 %
1	A little of the time	266	4.5 %
2	Some of the time	99	1.7 %
3	Most of the time	13	0.2 %
4	All of the time	1	0.0 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 615-615 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH11D8: Past 7 days, feel ashamed?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel ashamed?

Value	Label	Unweighted Frequency	%
0	None of the time	614	10.5 %
1	A little of the time	62	1.1 %
2	Some of the time	7	0.1 %
3	Most of the time	1	0.0 %
4	All of the time	0	0.0 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 3.00

*Location:* 616-616 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH12D8: Past 7 days, feel upset?



The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel upset?

Value	Label	Unweighted Frequency	%
0	None of the time	267	4.6 %
1	A little of the time	293	5.0 %
2	Some of the time	115	2.0 %
3	Most of the time	7	0.1 %
4	All of the time	2	0.0 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 617-617 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH13D8: Past 7 days, feel angry?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel angry?

Value	Label	Unweighted Frequency	%
0	None of the time	326	5.6 %
1	A little of the time	262	4.5 %
2	Some of the time	95	1.6 %
3	Most of the time	0	0.0 %
4	All of the time	1	0.0 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 618-618 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DH14D8: Past 7 days, feel frustrated?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel frustrated?

Value	Label	Unweighted Frequency	%
0	None of the time	203	3.5 %
1	A little of the time	316	5.4 %
2	Some of the time	152	2.6 %
3	Most of the time	11	0.2 %
4	All of the time	2	0.0 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 619-619 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DI1\_D8: More/less often negative feeling 7 day?

We just reviewed a number of negative feelings and experiences that you may have had in the past 7 days. Taking them altogether, did these feelings occur more often in the past 7 days than is usual for you, less often than is usual, or about the same as usual?

[IF RA2DI1\_D8 = 3,4,7,8,9, GO TO 'RA2DJ1\_D8']

Value	Label	Unweighted Frequency	%
1	More often	77	1.3 %
2	Less often	90	1.5 %
3	About the same	510	8.7 %
4	Never have any	5	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 682 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 620-620 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DI1AD8: How much often negative feeling 7 days?

How much more often than usual -- a lot, some, or only a little?

Value	Label	Unweighted Frequency	%
0	A little	73	1.2 %
1	Some	57	1.0 %
2	A lot	37	0.6 %
	<b>Missing Data</b>		
9	Inapplicable	5682	97.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 167 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 621-621 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ1\_D8: Past 7 days, feel in good spirits?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel in good spirits?

Value	Label	Unweighted Frequency	%
0	None of the time	4	0.1 %
1	A little of the time	40	0.7 %
2	Some of the time	104	1.8 %
3	Most of the time	459	7.8 %
4	All of the time	77	1.3 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 622-622 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ2\_D8: Past 7 days, feel cheerful?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel cheerful?

Value	Label	Unweighted Frequency	%
0	None of the time	12	0.2 %
1	A little of the time	53	0.9 %
2	Some of the time	165	2.8 %
3	Most of the time	386	6.6 %
4	All of the time	68	1.2 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 623-623 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ3\_D8: Past 7 days, feel extremely happy?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel extremely happy?

Value	Label	Unweighted Frequency	%
0	None of the time	66	1.1 %
1	A little of the time	179	3.1 %
2	Some of the time	210	3.6 %
3	Most of the time	180	3.1 %
4	All of the time	49	0.8 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 624-624 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ4\_D8: Past 7 days, feel calm and peaceful?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel calm and peaceful?

Value	Label	Unweighted Frequency	%
0	None of the time	5	0.1 %
1	A little of the time	62	1.1 %
2	Some of the time	124	2.1 %
3	Most of the time	402	6.9 %
4	All of the time	91	1.6 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 625-625 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ5\_D8: Past 7 days, feel satisfied?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel satisfied?

Value	Label	Unweighted Frequency	%
0	None of the time	11	0.2 %
1	A little of the time	63	1.1 %
2	Some of the time	131	2.2 %
3	Most of the time	384	6.6 %
4	All of the time	95	1.6 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 626-626 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ6\_D8: Past 7 days, feel full of life?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel full of life?

Value	Label	Unweighted Frequency	%
0	None of the time	46	0.8 %
1	A little of the time	123	2.1 %
2	Some of the time	161	2.8 %
3	Most of the time	256	4.4 %
4	All of the time	98	1.7 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 627-627 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ7\_D8: Past 7 days, feel close to others?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel close to others?

Value	Label	Unweighted Frequency	%
0	None of the time	7	0.1 %
1	A little of the time	64	1.1 %
2	Some of the time	197	3.4 %
3	Most of the time	308	5.3 %
4	All of the time	108	1.8 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 628-628 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ8\_D8: Past 7 days, feel like you belong?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel like you belong?

Value	Label	Unweighted Frequency	%
0	None of the time	10	0.2 %
1	A little of the time	59	1.0 %
2	Some of the time	107	1.8 %
3	Most of the time	343	5.9 %
4	All of the time	164	2.8 %
<b>Missing Data</b>			
9	Inapplicable	5166	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 629-629 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ9\_D8: Past 7 days, feel enthusiastic?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel enthusiastic?

Value	Label	Unweighted Frequency	%
0	None of the time	35	0.6 %
1	A little of the time	112	1.9 %
2	Some of the time	205	3.5 %
3	Most of the time	250	4.3 %
4	All of the time	82	1.4 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 630-630 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ10D8: Past 7 days, feel attentive?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel attentive?

Value	Label	Unweighted Frequency	%
0	None of the time	11	0.2 %
1	A little of the time	54	0.9 %
2	Some of the time	137	2.3 %
3	Most of the time	368	6.3 %
4	All of the time	112	1.9 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 682 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 631-631 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ11D8: Past 7 days, feel proud?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel proud?

Value	Label	Unweighted Frequency	%
0	None of the time	43	0.7 %
1	A little of the time	118	2.0 %
2	Some of the time	210	3.6 %
3	Most of the time	215	3.7 %
4	All of the time	90	1.5 %
	<b>Missing Data</b>		
8	Refused/missing	2	0.0 %
9	Inapplicable	5171	88.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 676 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 632-632 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9



---

## RA2DJ12D8: Past 7 days, feel active?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel active?

Value	Label	Unweighted Frequency	%
0	None of the time	20	0.3 %
1	A little of the time	108	1.8 %
2	Some of the time	202	3.5 %
3	Most of the time	268	4.6 %
4	All of the time	86	1.5 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 633-633 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DJ13D8: Past 7 days, feel confident?

The next questions are about your week. Please think about your experiences during the past 7 days. In the past 7 days, how much of the time did you feel confident?

Value	Label	Unweighted Frequency	%
0	None of the time	14	0.2 %
1	A little of the time	52	0.9 %
2	Some of the time	129	2.2 %
3	Most of the time	358	6.1 %
4	All of the time	131	2.2 %
<b>Missing Data</b>			
9	Inapplicable	5165	88.3 %
<b>Total</b>		<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 4.00

*Location:* 634-634 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DK1\_D8: More/less often positive feeling 7 days?

We just reviewed a number of positive feelings and experiences that you may have had in the past 7 days. Taking them altogether, did these feelings occur more often in the past 7 days than is usual for you, less often than is usual, or about the same as usual?

[IF RA2DK1\_D8 = 3,4,7,8,9, GO TO 'RA2DK2\_D8']

Value	Label	Unweighted Frequency	%
1	More often	42	0.7 %
2	Less often	34	0.6 %
3	About the same	607	10.4 %
4	Never have any	0	0.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 635-635 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DK1AD8: How much often positive feeling 7 days?

How much more often than usual -- a lot, some, or only a little?

Value	Label	Unweighted Frequency	%
0	A little	32	0.5 %
1	Some	30	0.5 %
2	A lot	14	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5773	98.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 76 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 636-636 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DK2\_D8: More or fewer health problems 7 days?

What about any physical health problems that you have had in the past 7 days -- would you say you have had more physical health problems than is usual for you, fewer problems than is usual, or about the same as usual in the past 7 days?

[IF RA2DK2\_D8 = 3,4,7,8,9, GO TO 'RA2DK3\_D8']

Value	Label	Unweighted Frequency	%
1	More	102	1.7 %
2	Fewer	58	1.0 %
3	About the same	508	8.7 %
4	Never have any	16	0.3 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 637-637 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DK2AD8: How much health problems 7 days?

How much more than is usual for you -- a lot, some, or only a little?

Value	Label	Unweighted Frequency	%
0	A little	42	0.7 %
1	Some	58	1.0 %
2	A lot	61	1.0 %
	<b>Missing Data</b>		
9	Inapplicable	5688	97.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 161 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 638-638 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DK3\_D8: More/less stress 7 days?

How about the amount of stress you experienced in the past 7 days -- was that more than usual for you, less than usual, or about the same as usual?

[IF RA2DK3\_D8 = 3,4,7,8,9, GO TO 'RA2DS14A']

Value	Label	Unweighted Frequency	%
1	More	124	2.1 %
2	Less	109	1.9 %
3	About the same	442	7.6 %
4	Never have any	9	0.2 %
	<b>Missing Data</b>		
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 684 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 639-639 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DK3AD8: How much stress 7 days?

How much more than is usual for you -- a lot, some, or only a little?

Value	Label	Unweighted Frequency	%
0	A little	55	0.9 %
1	Some	90	1.5 %
2	A lot	88	1.5 %
	<b>Missing Data</b>		
9	Inapplicable	5616	96.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 233 valid cases out of 5,849 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 640-640 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT2D8: Past week, used talking on phone for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Talking on phone

Value	Label	Unweighted Frequency	%
1	Yes	170	2.9 %
2	No	406	6.9 %
	Missing Data		
9	Inapplicable	5273	90.2 %
	Total	5,849	100%

Based upon 576 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 641-641 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DHT3D8: Past week, used texting for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Texting

Value	Label	Unweighted Frequency	%
1	Yes	54	0.9 %
2	No	522	8.9 %
	Missing Data		
9	Inapplicable	5273	90.2 %
	Total	5,849	100%

Based upon 576 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 642-642 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DHT4D8: Past week, used email for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Email

Value	Label	Unweighted Frequency	%
1	Yes	107	1.8 %
2	No	469	8.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
9	Inapplicable	5273	90.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 576 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 643-643 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT5D8: Past week, used instant messaging for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Instant messaging

Value	Label	Unweighted Frequency	%
1	Yes	20	0.3 %
2	No	555	9.5 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5273	90.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 575 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 644-644 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT6D8: Past week, used video chat for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Skype, FaceTime, or other video chat software

Value	Label	Unweighted Frequency	%
1	Yes	9	0.2 %
2	No	567	9.7 %
	<b>Missing Data</b>		
9	Inapplicable	5273	90.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 576 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 645-645 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT7D8: Past week, used blogging/forum post for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Blogging or posting on forums

Value	Label	Unweighted Frequency	%
1	Yes	15	0.3 %
2	No	561	9.6 %
	<b>Missing Data</b>		
9	Inapplicable	5273	90.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 576 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 646-646 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT8D8: Past week, used social networking for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Social networking (e.g., Facebook, MySpace, Twitter)

Value	Label	Unweighted Frequency	%
1	Yes	67	1.1 %
2	No	509	8.7 %
	<b>Missing Data</b>		
9	Inapplicable	5273	90.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 576 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 647-647 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT9D8: Past week, used internet browsing for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? [Note: Internet browsing can include accessing or seeking health-related information on the web, such as WEBMD or other health sites, YouTube, organizations, articles/books, non-profits, etc. For example, "YouTubing" how to do an exercise counts.] Internet browsing

Value	Label	Unweighted Frequency	%
1	Yes	199	3.4 %
2	No	376	6.4 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5273	90.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 575 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 648-648 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT10D8: Past week, used smartphone app for health activity?

Over the past week have you used any of the following technology for any of these health-related activities? Smart phone or iPhone apps

Value	Label	Unweighted Frequency	%
1	Yes	70	1.2 %
2	No	506	8.7 %
	<b>Missing Data</b>		
9	Inapplicable	5273	90.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 576 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 649-649 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT12D8: Used tech for-monitor health condition?

Did you use this technology to... Monitor a health condition (e.g., track insulin level, blood pressure, mood, menstrual cycle, side effects)?



Value	Label	Unweighted Frequency	%
1	Yes	54	0.9 %
2	No	241	4.1 %
	<b>Missing Data</b>		
9	Inapplicable	5554	95.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 295 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 650-650 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT13D8: Used tech for-monitor health behavior?

Did you use this technology to... Monitor a health behavior (e.g., counting calories, exercise)?

Value	Label	Unweighted Frequency	%
1	Yes	102	1.7 %
2	No	194	3.3 %
	<b>Missing Data</b>		
9	Inapplicable	5553	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 296 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 651-651 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT14D8: Used tech for-browsing/communicating w/social network?

Did you use this technology to... Browsing/communicating with social network?

Value	Label	Unweighted Frequency	%
1	Yes	82	1.4 %
2	No	214	3.7 %
	<b>Missing Data</b>		
9	Inapplicable	5553	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 296 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 652-652 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DHT15D8: Used tech for-communicate health w/family/friend/caregiver?

Did you use this technology to... Communicate with a family member, friend, or caregiver about your health?

Value	Label	Unweighted Frequency	%
1	Yes	116	2.0 %
2	No	180	3.1 %
	<b>Missing Data</b>		
9	Inapplicable	5553	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 296 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 653-653 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DHT16D8: Used tech for-communicate health w/health care provider?

Did you use this technology to... Communicate with a health care provider about your health?

Value	Label	Unweighted Frequency	%
1	Yes	72	1.2 %
2	No	224	3.8 %
	<b>Missing Data</b>		
9	Inapplicable	5553	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 296 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 654-654 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DHT17D8: Used tech for-health care appointment/information?

Did you use this technology to... Make an appointment, check test results, refill prescriptions with your health care provider(s), seek information about some health aspect/issue important to you?

Value	Label	Unweighted Frequency	%
1	Yes	173	3.0 %
2	No	122	2.1 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5553	94.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 295 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 655-655 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DHT18D8: Used tech for-other?

Did you use this technology to... Do something OTHER than what I've already asked you about?

Value	Label	Unweighted Frequency	%
1	Yes	12	0.2 %
2	No	153	2.6 %
	<b>Missing Data</b>		
9	Inapplicable	5684	97.2 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 165 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 656-656 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DL2D8: Past 7 days, did you use public transport to decrease cost?

In the past 7 days, did you use public transportation to decrease travel costs?

Value	Label	Unweighted Frequency	%
1	Yes	35	0.6 %
2	No	645	11.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5168	88.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 680 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 657-657 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DL3D8: Past 7 days, did you bike to decrease cost?

In the past 7 days, did you walk or ride your bike places to decrease travel costs?

Value	Label	Unweighted Frequency	%
1	Yes	62	1.1 %
2	No	621	10.6 %
	<b>Missing Data</b>		
9	Inapplicable	5166	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 658-658 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DL4D8: Past 7 days, did you put off paying bills?

In the past 7 days, did you put off paying certain bills to better manage your finances?

Value	Label	Unweighted Frequency	%
1	Yes	101	1.7 %
2	No	582	10.0 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 659-659 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DL5D8: Past 7 days, did you shop for essentials less often?

In the past 7 days, did you shop for groceries or other essentials less often than you would have liked in order to save money?

Value	Label	Unweighted Frequency	%
1	Yes	118	2.0 %
2	No	565	9.7 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 660-660 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DL6D8: Past 7 days, spend money on non-essential items less often?

In the past 7 days, did you spend money on non-essential items, like going to the movies or out to eat, less often than would have liked in order to save money?

Value	Label	Unweighted Frequency	%
1	Yes	134	2.3 %
2	No	549	9.4 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5165	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 661-661 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DL7D8: Past 7 days, work more hours than usual to make money?

In the past 7 days, did you work more hours than usual this week to make more money?

Value	Label	Unweighted Frequency	%
1	Yes	42	0.7 %
2	No	640	10.9 %
	<b>Missing Data</b>		
8	Refused/missing	1	0.0 %
9	Inapplicable	5166	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 682 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 662-662 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DL8D8: Past 7 days, check bank account to see how you are managing?

In the past 7 days, did you check your bank account to see how you are managing your finances?

Value	Label	Unweighted Frequency	%
1	Yes	444	7.6 %
2	No	239	4.1 %
	<b>Missing Data</b>		
9	Inapplicable	5166	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 663-663 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

---

## RA2DL8AD8: Past 7 days, did you avoid checking bank account?

In the past 7 days, did you avoid checking your bank account because you were worried/concerned about your finances?

Value	Label	Unweighted Frequency	%
1	Yes	7	0.1 %
2	No	232	4.0 %
	<b>Missing Data</b>		
9	Inapplicable	5610	95.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 239 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 664-664 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DL9D8: Past 7 days, did you have enough money to make ends meet?

In the past 7 days, did you feel like you had enough money to make ends meet?

Value	Label	Unweighted Frequency	%
1	Yes	557	9.5 %
2	No	125	2.1 %
	<b>Missing Data</b>		
9	Inapplicable	5167	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 682 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 665-665 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DL10D8: Past 7 days, did you borrow money?

In the past 7 days, did you borrow money from anyone?

Value	Label	Unweighted Frequency	%
1	Yes	22	0.4 %
2	No	661	11.3 %
	<b>Missing Data</b>		
9	Inapplicable	5166	88.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 683 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 666-666 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DMED1: Steroid nasal spray

Now, I'm going to ask whether you used any of the following medications during the days you provided saliva. During the days you provided saliva, did you use steroid nasal spray (e.g., Flonase, Nasonex, Rinocort, Nasarel, Nasacort, Omnaris, Beconase, Veramyst)?

Value	Label	Unweighted Frequency	%
1	Yes	42	0.7 %
2	No	670	11.5 %
	<b>Missing Data</b>		
8	Refused/missing	3	0.1 %
9	Inapplicable	5134	87.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 712 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 667-667 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DMED2: A steroid inhaler

Now, I'm going to ask whether you used any of the following medications during the days you provided saliva. During the days you provided saliva, did you use any of the following medications -- inhaled steroid medication (e.g., Advair, Aerobid, Symbicort, Asmanax, Azmacort, Flovent, Pulmicort, Qvar)?

Value	Label	Unweighted Frequency	%
1	Yes	30	0.5 %
2	No	681	11.6 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	5134	87.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 711 valid cases out of 5,849 total cases.

- Minimum: 1.00



- Maximum: 2.00

*Location:* 668-668 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DMED3: Oral steroid meds

Now, I'm going to ask whether you used any of the following medications during the days you provided saliva. During the days you provided saliva, did you use any of the following medications -- oral steroid medication (e.g., prednisone)?

Value	Label	Unweighted Frequency	%
1	Yes	11	0.2 %
2	No	515	8.8 %
	<b>Missing Data</b>		
8	Refused/missing	6	0.1 %
9	Inapplicable	5317	90.9 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 526 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 669-669 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

## RA2DMED4: Meds or creams containing cortisone

Now, I'm going to ask whether you used any of the following medications during the days you provided saliva. During the days you provided saliva, did you use any of the following medications -- cream or ointment containing cortisone (e.g., Cortaid)?

Value	Label	Unweighted Frequency	%
1	Yes	27	0.5 %
2	No	679	11.6 %
	<b>Missing Data</b>		
8	Refused/missing	8	0.1 %
9	Inapplicable	5135	87.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 706 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 670-670 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DMED5: Corticosteroid injection

Now, I'm going to ask whether you used any of the following medications during the days you provided saliva. During the days you provided saliva, did you use any of the following medications -- corticosteroid injection (e.g., epidural corticosteroid injection, joint corticosteroid injection)?

Value	Label	Unweighted Frequency	%
1	Yes	3	0.1 %
2	No	705	12.1 %
	<b>Missing Data</b>		
8	Refused/missing	6	0.1 %
9	Inapplicable	5135	87.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 708 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 671-671 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DMED6: Anti-depressant or anti-anxiety meds

Now, I'm going to ask whether you used any of the following medications during the days you provided saliva. During the days you provided saliva, did you use any of the following medications -- anti-depressants or anti-anxiety medications?

Value	Label	Unweighted Frequency	%
1	Yes	126	2.2 %
2	No	584	10.0 %
	<b>Missing Data</b>		
8	Refused/missing	4	0.1 %
9	Inapplicable	5135	87.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 710 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 672-672 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DMED7: Other hormonal meds

Now, I'm going to ask whether you used any of the following medications during the days you provided saliva. During the days you provided saliva, did you use any of the following medications -- other hormonal medications?

Value	Label	Unweighted Frequency	%
1	Yes	76	1.3 %
2	No	633	10.8 %
	<b>Missing Data</b>		
8	Refused/missing	7	0.1 %
9	Inapplicable	5133	87.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 709 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 673-673 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , 9

---

## RA2DCORT: Participant provided saliva

Value	Label	Unweighted Frequency	%
1	Yes	2638	45.1 %
2	No	13	0.2 %
	<b>Missing Data</b>		
8	Refused/missing	3198	54.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,651 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 674-674 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8

---

## RA2DCDAY: Cortisol day

Value	Label	Unweighted Frequency	%
1	Yes	2638	45.1 %
2	No	31	0.5 %
	<b>Missing Data</b>		
8	Refused/missing	3180	54.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,669 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 675-675 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8

## RA2DCWDAY: Cortisol on wrong days

Value	Label	Unweighted Frequency	%
1	Yes	24	0.4 %
2	No	2645	45.2 %
	<b>Missing Data</b>		
8	Refused/missing	3180	54.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,669 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 676-676 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8

## RA2DCORW: Wake cortisol

Cortisol at waking

Value	Label	Unweighted Frequency	%
0.07189047	-	1	0.0 %
0.09293888	-	1	0.0 %
0.70334280	-	1	0.0 %
1.29269830	-	1	0.0 %
1.79786017	-	1	0.0 %
2.27047767	-	1	0.0 %
2.30302203	-	1	0.0 %
2.36616727	-	1	0.0 %
2.42931250	-	1	0.0 %
2.45036091	-	1	0.0 %
2.55560296	-	1	0.0 %
2.85028072	-	1	0.0 %
2.93447436	-	2	0.0 %
2.97657118	-	1	0.0 %
2.99761960	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.06076483	-	1	0.0 %
3.08181324	-	1	0.0 %
3.13346252	-	1	0.0 %
3.14495847	-	1	0.0 %
3.20810371	-	1	0.0 %
3.25020053	-	1	0.0 %
3.37649099	-	1	0.0 %
3.42814027	-	1	0.0 %
3.46068464	-	2	0.0 %
3.67116875	-	1	0.0 %
3.73431398	-	1	0.0 %
3.75536239	-	1	0.0 %
3.77641080	-	1	0.0 %
3.79745921	-	1	0.0 %
3.81850762	-	1	0.0 %
3.91225372	-	1	0.0 %
3.95435055	-	1	0.0 %
4.19737902	-	1	0.0 %
4.32366949	-	1	0.0 %
4.47100837	-	2	0.0 %
4.49205678	-	1	0.0 %
4.51310519	-	1	0.0 %
4.59729883	-	1	0.0 %
4.61834724	-	1	0.0 %
4.63939565	-	2	0.0 %
4.70254089	-	3	0.1 %
4.76568612	-	1	0.0 %
4.84987976	-	1	0.0 %
4.85943222	-	1	0.0 %
4.95512182	-	2	0.0 %
4.99721864	-	1	0.0 %
5.02781951	-	1	0.0 %
5.08141228	-	3	0.1 %
5.11201315	-	2	0.0 %
5.15410997	-	1	0.0 %
	<b>Missing Data</b>		
999995.00000000	Not done	72	1.2 %
999996.00000000	Empty	50	0.9 %
999998.00000000	Refused/missing	3181	54.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,546 valid cases out of 5,849 total cases.

- Mean: 24.18703438
- Minimum: 0.07189047
- Maximum: 1785.58754719
- Standard Deviation: 37.47552716

*Location:* 677-691 (width: 15; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* 999994.00000000 , 999995.00000000 , 999996.00000000 , 999998.00000000

---

## RA2DCORA: 30 minutes after wake cortisol

Cortisol 30 minutes after waking

Value	Label	Unweighted Frequency	%
0.02979364	-	4	0.1 %
0.64019756	-	1	0.0 %
1.50318241	-	1	0.0 %
2.38721568	-	2	0.0 %
2.42931250	-	1	0.0 %
2.47140932	-	1	0.0 %
2.51350614	-	1	0.0 %
2.59769979	-	1	0.0 %
2.81773635	-	1	0.0 %
2.85028072	-	1	0.0 %
2.87132913	-	1	0.0 %
2.93447436	-	1	0.0 %
2.97657118	-	1	0.0 %
3.31334576	-	2	0.0 %
3.32289822	-	1	0.0 %
3.52382987	-	1	0.0 %
3.70176961	-	1	0.0 %
3.96584650	-	1	0.0 %
4.23947584	-	1	0.0 %
4.32366949	-	1	0.0 %
4.36576631	-	1	0.0 %
4.61834724	-	1	0.0 %
4.62789970	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.70254089	-	1	0.0 %
4.74463771	-	1	0.0 %
4.79628699	-	1	0.0 %
4.80778294	-	1	0.0 %
4.84987976	-	1	0.0 %
4.87092817	-	1	0.0 %
4.89197659	-	1	0.0 %
4.97617023	-	1	0.0 %
5.08141228	-	1	0.0 %
5.33399322	-	1	0.0 %
5.50238050	-	1	0.0 %
5.58657415	-	1	0.0 %
5.60762256	-	1	0.0 %
5.64971938	-	1	0.0 %
5.75496144	-	1	0.0 %
5.79705826	-	1	0.0 %
5.81810667	-	1	0.0 %
5.86020349	-	1	0.0 %
5.96544555	-	1	0.0 %
6.07068760	-	1	0.0 %
6.12233688	-	1	0.0 %
6.28117171	-	2	0.0 %
6.40746218	-	1	0.0 %
6.52225669	-	1	0.0 %
6.66004311	-	1	0.0 %
6.66959556	-	1	0.0 %
6.71169239	-	1	0.0 %
	<b>Missing Data</b>		
999995.00000000	Not done	86	1.5 %
999996.00000000	Empty	31	0.5 %
999998.00000000	Refused/missing	3182	54.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,550 valid cases out of 5,849 total cases.

- Mean: 30.91670447
- Minimum: 0.02979364
- Maximum: 1212.01834744
- Standard Deviation: 28.16004166

Location: 692-706 (width: 15; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: 999994.00000000 , 999995.00000000 , 999996.00000000 , 999998.00000000

## RA2DCORL: Lunch cortisol

Cortisol before lunch

Value	Label	Unweighted Frequency	%
0.02979364	-	4	0.1 %
0.32447140	-	1	0.0 %
0.53495551	-	1	0.0 %
1.39794036	-	1	0.0 %
1.48213400	-	1	0.0 %
1.92415063	-	1	0.0 %
2.01789673	-	1	0.0 %
2.09253792	-	1	0.0 %
2.13463474	-	1	0.0 %
2.19777998	-	1	0.0 %
2.47140932	-	1	0.0 %
2.49245773	-	1	0.0 %
2.53455455	-	1	0.0 %
2.56515542	-	1	0.0 %
2.59769979	-	1	0.0 %
2.61874820	-	2	0.0 %
2.63979661	-	2	0.0 %
2.66084502	-	1	0.0 %
2.68189343	-	1	0.0 %
2.76608707	-	1	0.0 %
2.78713549	-	1	0.0 %
2.80818390	-	2	0.0 %
2.85983317	-	1	0.0 %
2.89237754	-	1	0.0 %
2.91300000	-	1	0.0 %
2.92297841	-	1	0.0 %
2.97657118	-	1	0.0 %
3.03971642	-	1	0.0 %
3.06076483	-	1	0.0 %
3.08181324	-	1	0.0 %
3.12391006	-	1	0.0 %
3.14495847	-	1	0.0 %
3.18705529	-	1	0.0 %



Value	Label	Unweighted Frequency	%
3.20810371	-	2	0.0 %
3.21765616	-	1	0.0 %
3.29229735	-	2	0.0 %
3.31334576	-	1	0.0 %
3.33439417	-	1	0.0 %
3.35544258	-	1	0.0 %
3.37649099	-	1	0.0 %
3.39753940	-	2	0.0 %
3.42814027	-	1	0.0 %
3.46068464	-	1	0.0 %
3.48173305	-	1	0.0 %
3.50278146	-	1	0.0 %
3.54487828	-	1	0.0 %
3.60802351	-	1	0.0 %
3.62907193	-	1	0.0 %
3.69221716	-	2	0.0 %
3.75536239	-	1	0.0 %
	<b>Missing Data</b>		
999995.00000000	Not done	118	2.0 %
999996.00000000	Empty	20	0.3 %
999998.00000000	Refused/missing	3184	54.4 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,527 valid cases out of 5,849 total cases.

- Mean: 14.47928927
- Minimum: 0.02979364
- Maximum: 2535.41614065
- Standard Deviation: 50.88218769

*Location:* 707-721 (width: 15; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* 999994.00000000 , 999995.00000000 , 999996.00000000 , 999998.00000000

---

## RA2DCORB: Before bed cortisol

Cortisol before bedtime

Value	Label	Unweighted Frequency	%
0.00874523	-	1	0.0 %
0.02979364	-	5	0.1 %

Value	Label	Unweighted Frequency	%
0.26132617	-	1	0.0 %
0.30342299	-	1	0.0 %
0.33402385	-	1	0.0 %
0.41821750	-	1	0.0 %
0.53495551	-	1	0.0 %
0.55600392	-	1	0.0 %
0.57705233	-	1	0.0 %
0.60765320	-	1	0.0 %
0.66124597	-	1	0.0 %
0.72439121	-	1	0.0 %
0.74543962	-	1	0.0 %
0.76648803	-	1	0.0 %
0.85068167	-	1	0.0 %
0.89277850	-	1	0.0 %
0.91382691	-	1	0.0 %
0.99802055	-	1	0.0 %
1.08221419	-	1	0.0 %
1.10326261	-	1	0.0 %
1.12431102	-	1	0.0 %
1.14535943	-	1	0.0 %
1.16640784	-	1	0.0 %
1.20850466	-	1	0.0 %
1.29269830	-	2	0.0 %
1.31374672	-	2	0.0 %
1.33479513	-	5	0.1 %
1.34434758	-	1	0.0 %
1.35584354	-	1	0.0 %
1.36539599	-	1	0.0 %
1.37689195	-	1	0.0 %
1.41898877	-	3	0.1 %
1.44003718	-	2	0.0 %
1.48213400	-	2	0.0 %
1.49168646	-	1	0.0 %
1.50318241	-	2	0.0 %
1.52423083	-	1	0.0 %
1.54527924	-	3	0.1 %
1.56632765	-	2	0.0 %
1.57588010	-	1	0.0 %
1.58737606	-	4	0.1 %

Value	Label	Unweighted Frequency	%
1.59692851	-	1	0.0 %
1.62947288	-	1	0.0 %
1.63902534	-	1	0.0 %
1.65052129	-	3	0.1 %
1.67156970	-	2	0.0 %
1.69261811	-	2	0.0 %
1.72321898	-	1	0.0 %
1.73471494	-	3	0.1 %
1.76531580	-	3	0.1 %
	<b>Missing Data</b>		
999995.00000000	Not done	94	1.6 %
999996.00000000	Empty	17	0.3 %
999998.00000000	Refused/missing	3186	54.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,552 valid cases out of 5,849 total cases.

- Mean: 8.46211592
- Minimum: 0.00874523
- Maximum: 1174.00491717
- Standard Deviation: 27.74719175

*Location:* 722-736 (width: 15; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* 999994.00000000 , 999995.00000000 , 999996.00000000 , 999998.00000000

---

## RA2DCORWT: Cortisol collection time-wake

Cortisol collection time at waking

Value	Label	Unweighted Frequency	%
1.50	-	3	0.1 %
1.55	-	1	0.0 %
1.67	-	1	0.0 %
1.95	-	1	0.0 %
2.00	-	2	0.0 %
2.20	-	1	0.0 %
2.50	-	4	0.1 %
2.60	-	1	0.0 %
2.63	-	1	0.0 %
2.75	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.78	-	1	0.0 %
2.83	-	1	0.0 %
2.95	-	1	0.0 %
3.00	-	2	0.0 %
3.17	-	1	0.0 %
3.20	-	1	0.0 %
3.25	-	3	0.1 %
3.30	-	1	0.0 %
3.38	-	1	0.0 %
3.42	-	1	0.0 %
3.50	-	4	0.1 %
3.57	-	1	0.0 %
3.58	-	1	0.0 %
3.67	-	1	0.0 %
3.70	-	1	0.0 %
3.75	-	3	0.1 %
3.83	-	3	0.1 %
3.92	-	1	0.0 %
3.97	-	1	0.0 %
3.98	-	2	0.0 %
4.00	-	12	0.2 %
4.03	-	1	0.0 %
4.08	-	2	0.0 %
4.12	-	1	0.0 %
4.13	-	1	0.0 %
4.17	-	7	0.1 %
4.18	-	1	0.0 %
4.20	-	1	0.0 %
4.23	-	2	0.0 %
4.25	-	7	0.1 %
4.28	-	1	0.0 %
4.30	-	1	0.0 %
4.33	-	2	0.0 %
4.38	-	1	0.0 %
4.40	-	1	0.0 %
4.42	-	1	0.0 %
4.47	-	1	0.0 %
4.48	-	1	0.0 %
4.50	-	24	0.4 %

Value	Label	Unweighted Frequency	%
4.52	-	5	0.1 %
	<b>Missing Data</b>		
98.00	Refused/missing	3220	55.1 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,629 valid cases out of 5,849 total cases.

- Mean: 6.96
- Minimum: 1.50
- Maximum: 24.03
- Standard Deviation: 1.80

*Location:* 737-741 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 98.00

---

## RA2DCORAT: Cortisol collection time-30 mins

Cortisol collection time 30 minutes after waking

Value	Label	Unweighted Frequency	%
1.92	-	1	0.0 %
2.00	-	1	0.0 %
2.05	-	1	0.0 %
2.08	-	1	0.0 %
2.50	-	2	0.0 %
2.75	-	1	0.0 %
3.00	-	4	0.1 %
3.25	-	1	0.0 %
3.37	-	1	0.0 %
3.50	-	2	0.0 %
3.67	-	2	0.0 %
3.75	-	2	0.0 %
3.80	-	1	0.0 %
3.83	-	1	0.0 %
3.88	-	1	0.0 %
3.92	-	1	0.0 %
4.00	-	3	0.1 %
4.03	-	2	0.0 %
4.08	-	1	0.0 %
4.17	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.25	-	3	0.1 %
4.33	-	2	0.0 %
4.50	-	15	0.3 %
4.55	-	1	0.0 %
4.58	-	2	0.0 %
4.62	-	1	0.0 %
4.67	-	7	0.1 %
4.73	-	2	0.0 %
4.75	-	7	0.1 %
4.80	-	1	0.0 %
4.83	-	5	0.1 %
4.92	-	1	0.0 %
4.95	-	1	0.0 %
4.97	-	1	0.0 %
4.98	-	1	0.0 %
5.00	-	29	0.5 %
5.03	-	3	0.1 %
5.05	-	1	0.0 %
5.07	-	1	0.0 %
5.08	-	3	0.1 %
5.10	-	3	0.1 %
5.15	-	1	0.0 %
5.17	-	5	0.1 %
5.20	-	2	0.0 %
5.23	-	1	0.0 %
5.25	-	8	0.1 %
5.27	-	1	0.0 %
5.28	-	1	0.0 %
5.30	-	3	0.1 %
5.33	-	11	0.2 %
	<b>Missing Data</b>		
98.00	Refused/missing	3233	55.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,616 valid cases out of 5,849 total cases.

- Mean: 7.56
- Minimum: 1.92

- Maximum: 24.50
- Standard Deviation: 1.86

Location: 742-746 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

## RA2DCORLT: Cortisol collection time-lunch

Cortisol collection time before lunch

Value	Label	Unweighted Frequency	%
1.00	-	1	0.0 %
1.25	-	1	0.0 %
1.33	-	1	0.0 %
2.00	-	2	0.0 %
5.00	-	2	0.0 %
5.50	-	1	0.0 %
7.83	-	1	0.0 %
9.50	-	1	0.0 %
10.00	-	1	0.0 %
10.13	-	1	0.0 %
10.17	-	1	0.0 %
10.18	-	1	0.0 %
10.28	-	2	0.0 %
10.30	-	2	0.0 %
10.33	-	2	0.0 %
10.38	-	1	0.0 %
10.42	-	2	0.0 %
10.50	-	22	0.4 %
10.52	-	1	0.0 %
10.53	-	1	0.0 %
10.57	-	1	0.0 %
10.60	-	2	0.0 %
10.62	-	1	0.0 %
10.67	-	4	0.1 %
10.75	-	14	0.2 %
10.77	-	3	0.1 %
10.78	-	1	0.0 %
10.82	-	1	0.0 %
10.83	-	1	0.0 %
10.85	-	1	0.0 %
10.92	-	3	0.1 %

Value	Label	Unweighted Frequency	%
10.97	-	2	0.0 %
11.00	-	51	0.9 %
11.02	-	1	0.0 %
11.03	-	1	0.0 %
11.05	-	2	0.0 %
11.07	-	2	0.0 %
11.08	-	9	0.2 %
11.10	-	2	0.0 %
11.12	-	2	0.0 %
11.13	-	1	0.0 %
11.15	-	2	0.0 %
11.17	-	16	0.3 %
11.18	-	5	0.1 %
11.20	-	1	0.0 %
11.23	-	3	0.1 %
11.25	-	28	0.5 %
11.27	-	1	0.0 %
11.28	-	5	0.1 %
11.30	-	3	0.1 %
	<b>Missing Data</b>		
98.00	Refused/missing	3273	56.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,576 valid cases out of 5,849 total cases.

- Mean: 12.94
- Minimum: 1.00
- Maximum: 23.50
- Standard Deviation: 1.80

*Location:* 747-751 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 98.00

---

## RA2DCORBT: Cortisol collection time-bed

Cortisol collection time before bed

Value	Label	Unweighted Frequency	%
12.00	-	1	0.0 %
14.00	-	1	0.0 %



Value	Label	Unweighted Frequency	%
16.00	-	1	0.0 %
16.50	-	1	0.0 %
17.25	-	2	0.0 %
17.32	-	1	0.0 %
17.50	-	3	0.1 %
17.77	-	1	0.0 %
18.00	-	7	0.1 %
18.13	-	1	0.0 %
18.50	-	4	0.1 %
18.67	-	2	0.0 %
18.68	-	1	0.0 %
18.75	-	2	0.0 %
18.83	-	1	0.0 %
18.87	-	1	0.0 %
18.90	-	1	0.0 %
19.00	-	4	0.1 %
19.08	-	1	0.0 %
19.15	-	1	0.0 %
19.25	-	3	0.1 %
19.27	-	1	0.0 %
19.30	-	1	0.0 %
19.33	-	2	0.0 %
19.50	-	9	0.2 %
19.57	-	1	0.0 %
19.58	-	1	0.0 %
19.67	-	1	0.0 %
19.75	-	3	0.1 %
19.83	-	3	0.1 %
19.85	-	2	0.0 %
19.87	-	1	0.0 %
19.92	-	2	0.0 %
19.97	-	1	0.0 %
20.00	-	29	0.5 %
20.03	-	2	0.0 %
20.05	-	1	0.0 %
20.08	-	3	0.1 %
20.15	-	1	0.0 %
20.18	-	1	0.0 %
20.22	-	2	0.0 %

Value	Label	Unweighted Frequency	%
20.25	-	6	0.1 %
20.28	-	2	0.0 %
20.30	-	1	0.0 %
20.32	-	2	0.0 %
20.33	-	2	0.0 %
20.35	-	2	0.0 %
20.42	-	2	0.0 %
20.43	-	1	0.0 %
20.45	-	1	0.0 %
	<b>Missing Data</b>		
98.00	Refused/missing	3235	55.3 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,614 valid cases out of 5,849 total cases.

- Mean: 22.73
- Minimum: 12.00
- Maximum: 35.00
- Standard Deviation: 1.67

*Location:* 752-756 (width: 5; decimal: 2)

*Variable Type:* numeric

*(Range of) Missing Values:* 98.00

---

## RA2DN\_STR: Number stressor events

Value	Label	Unweighted Frequency	%
0	-	3340	57.1 %
1	-	1806	30.9 %
2	-	491	8.4 %
3	-	101	1.7 %
4	-	19	0.3 %
5	-	4	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.76

Location: 757-757 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

## RA2DA\_STR: Any stressor event

Value	Label	Unweighted Frequency	%
1	Yes	2421	41.4 %
2	No	3340	57.1 %
	<b>Missing Data</b>		
8	Refused/missing	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 758-758 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

## RA2DSSEVS: Total stressor severity

Value	Label	Unweighted Frequency	%
0	-	164	2.8 %
1	-	417	7.1 %
2	-	822	14.1 %
3	-	315	5.4 %
4	-	259	4.4 %
5	-	107	1.8 %
6	-	187	3.2 %
7	-	40	0.7 %
8	-	44	0.8 %
9	-	31	0.5 %
10	-	12	0.2 %
11	-	10	0.2 %
12	-	7	0.1 %
14	-	2	0.0 %
15	-	3	0.1 %
	<b>Missing Data</b>		
98	Refused/missing	3429	58.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,420 valid cases out of 5,849 total cases.

- Mean: 2.89
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.19

Location: 759-760 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

## RA2DSSEVA: Average stressor severity

Value	Label	Unweighted Frequency	%
0.000000000000	-	164	2.8 %
0.333333333333	-	3	0.1 %
0.500000000000	-	7	0.1 %
0.666666666667	-	8	0.1 %
0.800000000000	-	1	0.0 %
1.000000000000	-	522	8.9 %
1.200000000000	-	1	0.0 %
1.250000000000	-	2	0.0 %
1.333333333333	-	21	0.4 %
1.400000000000	-	2	0.0 %
1.500000000000	-	78	1.3 %
1.666666666667	-	45	0.8 %
1.750000000000	-	12	0.2 %
1.800000000000	-	2	0.0 %
2.000000000000	-	1051	18.0 %
2.200000000000	-	1	0.0 %
2.250000000000	-	6	0.1 %
2.333333333333	-	27	0.5 %
2.400000000000	-	2	0.0 %
2.500000000000	-	71	1.2 %
2.666666666667	-	28	0.5 %
2.750000000000	-	9	0.2 %
2.800000000000	-	1	0.0 %
3.000000000000	-	356	6.1 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
8.00000000000000	Refused/missing	3429	58.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,420 valid cases out of 5,849 total cases.

- Mean: 1.7838636363636
- Median: 2.00000000000000
- Mode: 2.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 0.7972347071663

*Location:* 761-775 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.00000000000000

---

## RA2DSNEGS: Total stressor negative affect

Value	Label	Unweighted Frequency	%
0	-	261	4.5 %
1	-	280	4.8 %
2	-	468	8.0 %
3	-	277	4.7 %
4	-	303	5.2 %
5	-	185	3.2 %
6	-	165	2.8 %
7	-	105	1.8 %
8	-	89	1.5 %
9	-	63	1.1 %
10	-	40	0.7 %
11	-	36	0.6 %
12	-	28	0.5 %
13	-	16	0.3 %
14	-	22	0.4 %
15	-	10	0.2 %
16	-	13	0.2 %
17	-	8	0.1 %
18	-	8	0.1 %
19	-	5	0.1 %
20	-	5	0.1 %
21	-	6	0.1 %
22	-	6	0.1 %
24	-	2	0.0 %

Value	Label	Unweighted Frequency	%
25	-	2	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
	<b>Missing Data</b>		
98	Refused/missing	3440	58.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,409 valid cases out of 5,849 total cases.

- Mean: 4.24
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 4.08

Location: 776-777 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

---

## RA2DSNEGA: Average stressor negative affect

Value	Label	Unweighted Frequency	%
0.000000000000	-	261	4.5 %
0.083333333333	-	1	0.0 %
0.125000000000	-	12	0.2 %
0.166666666667	-	2	0.0 %
0.250000000000	-	316	5.4 %
0.312500000000	-	2	0.0 %
0.333333333333	-	5	0.1 %
0.375000000000	-	35	0.6 %
0.416666666667	-	4	0.1 %
0.500000000000	-	480	8.2 %
0.583333333333	-	4	0.1 %
0.625000000000	-	54	0.9 %
0.666666666667	-	6	0.1 %
0.750000000000	-	300	5.1 %
0.800000000000	-	1	0.0 %
0.833333333333	-	8	0.1 %

Value	Label	Unweighted Frequency	%
0.87500000000000	-	37	0.6 %
0.90000000000000	-	1	0.0 %
0.91666666666667	-	5	0.1 %
0.93750000000000	-	1	0.0 %
1.00000000000000	-	305	5.2 %
1.06250000000000	-	1	0.0 %
1.08333333333333	-	3	0.1 %
1.12500000000000	-	31	0.5 %
1.16666666666667	-	9	0.2 %
1.25000000000000	-	158	2.7 %
1.31250000000000	-	1	0.0 %
1.33333333333333	-	6	0.1 %
1.37500000000000	-	25	0.4 %
1.41666666666667	-	3	0.1 %
1.50000000000000	-	122	2.1 %
1.56250000000000	-	1	0.0 %
1.58333333333333	-	3	0.1 %
1.60000000000000	-	1	0.0 %
1.62500000000000	-	13	0.2 %
1.66666666666667	-	1	0.0 %
1.75000000000000	-	81	1.4 %
1.81250000000000	-	1	0.0 %
1.83333333333333	-	3	0.1 %
1.87500000000000	-	7	0.1 %
2.00000000000000	-	41	0.7 %
2.06250000000000	-	1	0.0 %
2.12500000000000	-	4	0.1 %
2.16666666666667	-	1	0.0 %
2.25000000000000	-	29	0.5 %
2.37500000000000	-	2	0.0 %
2.50000000000000	-	6	0.1 %
2.62500000000000	-	2	0.0 %
2.75000000000000	-	9	0.2 %
2.91666666666667	-	1	0.0 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3440	58.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,409 valid cases out of 5,849 total cases.

- Mean: 0.7667116369171
- Median: 0.75000000000000
- Mode: 0.50000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 0.5589570430838

*Location:* 778-792 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.00000000000000

## RA2DSAPRA: Average risk to daily routine from stressors

Value	Label	Unweighted Frequency	%
0.00000000000000	-	874	14.9 %
0.25000000000000	-	2	0.0 %
0.33333333333333	-	7	0.1 %
0.50000000000000	-	84	1.4 %
0.66666666666667	-	14	0.2 %
0.75000000000000	-	3	0.1 %
1.00000000000000	-	554	9.5 %
1.20000000000000	-	1	0.0 %
1.25000000000000	-	2	0.0 %
1.33333333333333	-	13	0.2 %
1.40000000000000	-	1	0.0 %
1.50000000000000	-	112	1.9 %
1.66666666666667	-	12	0.2 %
1.75000000000000	-	3	0.1 %
2.00000000000000	-	435	7.4 %
2.20000000000000	-	1	0.0 %
2.33333333333333	-	8	0.1 %
2.50000000000000	-	27	0.5 %
2.66666666666667	-	5	0.1 %
2.75000000000000	-	1	0.0 %
3.00000000000000	-	260	4.4 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3430	58.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,419 valid cases out of 5,849 total cases.



- Mean: 1.0667837949566
- Median: 1.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.0000000000000
- Standard Deviation: 1.0158675214441

*Location:* 793-807 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.0000000000000

## RA2DSAPRB: Average risk to finances from stressors

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1832	31.3 %
0.2500000000000	-	3	0.1 %
0.3333333333333	-	17	0.3 %
0.4000000000000	-	1	0.0 %
0.5000000000000	-	55	0.9 %
0.6666666666667	-	16	0.3 %
0.7500000000000	-	2	0.0 %
0.8000000000000	-	1	0.0 %
1.0000000000000	-	229	3.9 %
1.3333333333333	-	6	0.1 %
1.5000000000000	-	37	0.6 %
1.6666666666667	-	4	0.1 %
1.7500000000000	-	1	0.0 %
1.8000000000000	-	1	0.0 %
2.0000000000000	-	119	2.0 %
2.5000000000000	-	3	0.1 %
2.6666666666667	-	1	0.0 %
3.0000000000000	-	90	1.5 %
	<b>Missing Data</b>		
8.0000000000000	Refused/missing	3431	58.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,418 valid cases out of 5,849 total cases.

- Mean: 0.3590432864626
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.0000000000000
- Standard Deviation: 0.7515931157915

*Location:* 808-822 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.0000000000000

## RA2DSAPRC: Average risk to feelings about self from stressors

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1588	27.1 %
0.25000000000000	-	4	0.1 %
0.33333333333333	-	12	0.2 %
0.50000000000000	-	80	1.4 %
0.66666666666667	-	15	0.3 %
0.75000000000000	-	1	0.0 %
0.80000000000000	-	3	0.1 %
1.00000000000000	-	428	7.3 %
1.25000000000000	-	1	0.0 %
1.33333333333333	-	6	0.1 %
1.50000000000000	-	41	0.7 %
1.66666666666667	-	6	0.1 %
1.75000000000000	-	1	0.0 %
2.00000000000000	-	156	2.7 %
2.25000000000000	-	1	0.0 %
2.33333333333333	-	3	0.1 %
2.50000000000000	-	9	0.2 %
2.66666666666667	-	2	0.0 %
3.00000000000000	-	62	1.1 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3430	58.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,419 valid cases out of 5,849 total cases.

- Mean: 0.4562766983602
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 0.7480885727575

Location: 823-837 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.00000000000000

## RA2DSAPRD: Average risk to others' feelings about you from stressors

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1413	24.2 %
0.25000000000000	-	1	0.0 %
0.33333333333333	-	18	0.3 %

Value	Label	Unweighted Frequency	%
0.40000000000000	-	1	0.0 %
0.50000000000000	-	98	1.7 %
0.60000000000000	-	1	0.0 %
0.66666666666667	-	16	0.3 %
0.80000000000000	-	1	0.0 %
1.00000000000000	-	515	8.8 %
1.25000000000000	-	3	0.1 %
1.33333333333333	-	12	0.2 %
1.50000000000000	-	60	1.0 %
1.60000000000000	-	1	0.0 %
1.66666666666667	-	6	0.1 %
1.75000000000000	-	1	0.0 %
2.00000000000000	-	182	3.1 %
2.33333333333333	-	4	0.1 %
2.50000000000000	-	18	0.3 %
2.66666666666667	-	2	0.0 %
3.00000000000000	-	44	0.8 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3452	59.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,397 valid cases out of 5,849 total cases.

- Mean: 0.5262759004311
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 0.7483301761791

*Location:* 838-852 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.00000000000000

---

## RA2DSAPRE: Average risk to health/safety from stressors

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1980	33.9 %
0.20000000000000	-	1	0.0 %
0.25000000000000	-	3	0.1 %
0.33333333333333	-	15	0.3 %
0.50000000000000	-	54	0.9 %
0.66666666666667	-	9	0.2 %

Value	Label	Unweighted Frequency	%
0.75000000000000	-	1	0.0 %
1.00000000000000	-	177	3.0 %
1.25000000000000	-	1	0.0 %
1.33333333333333	-	8	0.1 %
1.50000000000000	-	25	0.4 %
1.66666666666667	-	5	0.1 %
1.75000000000000	-	2	0.0 %
2.00000000000000	-	85	1.5 %
2.33333333333333	-	1	0.0 %
2.50000000000000	-	2	0.0 %
3.00000000000000	-	49	0.8 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3431	58.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,418 valid cases out of 5,849 total cases.

- Mean: 0.2490832644058
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 0.6229413006620

*Location:* 853-867 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.00000000000000

---

## RA2DSAPRF: Average risk to loved one's health/well-being from stressors

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1590	27.2 %
0.20000000000000	-	1	0.0 %
0.25000000000000	-	2	0.0 %
0.33333333333333	-	12	0.2 %
0.40000000000000	-	1	0.0 %
0.50000000000000	-	70	1.2 %
0.66666666666667	-	19	0.3 %
0.75000000000000	-	3	0.1 %
0.80000000000000	-	1	0.0 %
1.00000000000000	-	290	5.0 %
1.25000000000000	-	4	0.1 %
1.33333333333333	-	10	0.2 %

Value	Label	Unweighted Frequency	%
1.50000000000000	-	56	1.0 %
1.66666666666667	-	3	0.1 %
2.00000000000000	-	186	3.2 %
2.20000000000000	-	1	0.0 %
2.33333333333333	-	1	0.0 %
2.50000000000000	-	16	0.3 %
3.00000000000000	-	149	2.5 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3434	58.7 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,415 valid cases out of 5,849 total cases.

- Mean: 0.5452104899931
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 0.9000842886059

*Location:* 868-882 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.00000000000000

---

## RA2DSAPRG: Average risk to future plans from stressors

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1621	27.7 %
0.25000000000000	-	3	0.1 %
0.33333333333333	-	15	0.3 %
0.50000000000000	-	78	1.3 %
0.60000000000000	-	2	0.0 %
0.66666666666667	-	11	0.2 %
0.75000000000000	-	2	0.0 %
0.80000000000000	-	1	0.0 %
1.00000000000000	-	316	5.4 %
1.33333333333333	-	12	0.2 %
1.40000000000000	-	1	0.0 %
1.50000000000000	-	44	0.8 %
1.66666666666667	-	6	0.1 %
1.75000000000000	-	1	0.0 %
2.00000000000000	-	175	3.0 %
2.25000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.33333333333333	-	1	0.0 %
2.50000000000000	-	10	0.2 %
2.66666666666667	-	2	0.0 %
2.75000000000000	-	1	0.0 %
3.00000000000000	-	105	1.8 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3441	58.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,408 valid cases out of 5,849 total cases.

- Mean: 0.4856312292359
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 0.8301158094292

Location: 883-897 (width: 15; decimal: 13)

Variable Type: numeric

(Range of) Missing Values: 8.00000000000000

---

## RA2DSCOTS: Total control over stressors

Value	Label	Unweighted Frequency	%
0	-	671	11.5 %
1	-	413	7.1 %
2	-	504	8.6 %
3	-	566	9.7 %
4	-	96	1.6 %
5	-	74	1.3 %
6	-	59	1.0 %
7	-	10	0.2 %
8	-	11	0.2 %
9	-	3	0.1 %
10	-	2	0.0 %
	<b>Missing Data</b>		
98	Refused/missing	3440	58.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,409 valid cases out of 5,849 total cases.

- Mean: 1.84
- Median: 2.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.65

*Location:* 898-899 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98

## RA2DSCOTA: Average control over stressors

Value	Label	Unweighted Frequency	%
0.00000000000000	-	671	11.5 %
0.33333333333333	-	9	0.2 %
0.40000000000000	-	1	0.0 %
0.50000000000000	-	58	1.0 %
0.66666666666667	-	14	0.2 %
0.75000000000000	-	2	0.0 %
0.80000000000000	-	1	0.0 %
1.00000000000000	-	458	7.8 %
1.25000000000000	-	3	0.1 %
1.33333333333333	-	15	0.3 %
1.40000000000000	-	1	0.0 %
1.50000000000000	-	105	1.8 %
1.66666666666667	-	18	0.3 %
1.75000000000000	-	2	0.0 %
2.00000000000000	-	482	8.2 %
2.33333333333333	-	7	0.1 %
2.50000000000000	-	54	0.9 %
2.66666666666667	-	10	0.2 %
3.00000000000000	-	498	8.5 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	3440	58.8 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 2,409 valid cases out of 5,849 total cases.

- Mean: 1.3923550574236
- Median: 1.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 3.00000000000000
- Standard Deviation: 1.1150295504737

*Location:* 900-914 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.00000000000000

---

## RA2DN\_SYM: Number symptoms

Value	Label	Unweighted Frequency	%
0	-	2009	34.3 %
1	-	1333	22.8 %
2	-	848	14.5 %
3	-	525	9.0 %
4	-	352	6.0 %
5	-	257	4.4 %
6	-	141	2.4 %
7	-	104	1.8 %
8	-	70	1.2 %
9	-	29	0.5 %
10	-	28	0.5 %
11	-	20	0.3 %
12	-	12	0.2 %
13	-	20	0.3 %
14	-	3	0.1 %
15	-	2	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
22	-	1	0.0 %
	<b>Missing Data</b>		
98	Refused/missing	92	1.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Mean: 1.87
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.33

*Location:* 915-916 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98

---

## RA2DA\_SYM: Any symptom

Value	Label	Unweighted Frequency	%
1	Yes	3748	64.1 %
2	No	2009	34.3 %



Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
8	Refused/missing	92	1.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,757 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 917-917 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8

## RA2DSYMAV: Average physical symptom severity

Value	Label	Unweighted Frequency	%
1.000000000000	-	369	6.3 %
1.142857142857	-	2	0.0 %
1.200000000000	-	2	0.0 %
1.250000000000	-	2	0.0 %
1.333333333333	-	22	0.4 %
1.400000000000	-	2	0.0 %
1.500000000000	-	72	1.2 %
1.571428571429	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.666666666667	-	26	0.4 %
1.750000000000	-	12	0.2 %
1.800000000000	-	7	0.1 %
1.833333333333	-	1	0.0 %
1.857142857143	-	1	0.0 %
2.000000000000	-	455	7.8 %
2.100000000000	-	1	0.0 %
2.142857142857	-	3	0.1 %
2.166666666667	-	3	0.1 %
2.200000000000	-	10	0.2 %
2.222222222222	-	1	0.0 %
2.250000000000	-	19	0.3 %
2.285714285714	-	3	0.1 %
2.333333333333	-	46	0.8 %
2.400000000000	-	13	0.2 %
2.428571428571	-	3	0.1 %
2.500000000000	-	128	2.2 %

Value	Label	Unweighted Frequency	%
2.555555555556	-	1	0.0 %
2.600000000000	-	10	0.2 %
2.666666666667	-	41	0.7 %
2.714000000000	-	1	0.0 %
2.714285714286	-	2	0.0 %
2.750000000000	-	20	0.3 %
2.769230769231	-	2	0.0 %
2.800000000000	-	14	0.2 %
2.818181818182	-	1	0.0 %
2.833333333333	-	5	0.1 %
2.857142857143	-	1	0.0 %
2.875000000000	-	1	0.0 %
3.000000000000	-	479	8.2 %
3.083333333333	-	1	0.0 %
3.090909090909	-	1	0.0 %
3.100000000000	-	1	0.0 %
3.125000000000	-	3	0.1 %
3.142857142857	-	4	0.1 %
3.166666666667	-	4	0.1 %
3.200000000000	-	6	0.1 %
3.250000000000	-	28	0.5 %
3.272727272727	-	1	0.0 %
3.285714285714	-	2	0.0 %
3.307692307692	-	1	0.0 %
	<b>Missing Data</b>		
98.000000000000	Refused/missing	2104	36.0 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,745 valid cases out of 5,849 total cases.

- Mean: 3.626061196113
- Median: 3.333333333333
- Mode: 3.000000000000
- Minimum: 1.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 1.807758996156

*Location:* 918-932 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* 98.000000000000

---

## RA2DN\_POS: Number positive events

Value	Label	Unweighted Frequency	%
0	-	1494	25.5 %
1	-	2088	35.7 %
2	-	1461	25.0 %
3	-	517	8.8 %
4	-	157	2.7 %
5	-	41	0.7 %
6	-	3	0.1 %
	<b>Missing Data</b>		
8	Refused/missing	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.08

*Location:* 933-933 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8

---

## RA2DA\_POS: Any positive event

Value	Label	Unweighted Frequency	%
1	Yes	4267	73.0 %
2	No	1494	25.5 %
	<b>Missing Data</b>		
8	Refused/missing	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,761 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 934-934 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8

---

## RA2DPOSAV: Average positive affect

Value	Label	Unweighted Frequency	%
0.00000000000000	-	10	0.2 %
0.0769230769231	-	5	0.1 %
0.1538461538462	-	5	0.1 %
0.2307692307692	-	9	0.2 %
0.3076923076923	-	13	0.2 %
0.3846153846154	-	20	0.3 %
0.4615384615385	-	23	0.4 %
0.5384615384615	-	22	0.4 %
0.6153846153846	-	42	0.7 %
0.6923076923077	-	43	0.7 %
0.7692307692308	-	39	0.7 %
0.8461538461538	-	36	0.6 %
0.9230769230769	-	54	0.9 %
1.00000000000000	-	46	0.8 %
1.0769230769231	-	55	0.9 %
1.1538461538462	-	47	0.8 %
1.1666666666667	-	2	0.0 %
1.2307692307692	-	59	1.0 %
1.3076923076923	-	59	1.0 %
1.3846153846154	-	56	1.0 %
1.4615384615385	-	77	1.3 %
1.5384615384615	-	88	1.5 %
1.60000000000000	-	1	0.0 %
1.6153846153846	-	82	1.4 %
1.6666666666667	-	2	0.0 %
1.6923076923077	-	91	1.6 %
1.75000000000000	-	2	0.0 %
1.7692307692308	-	95	1.6 %
1.8181818181818	-	1	0.0 %
1.8333333333333	-	1	0.0 %
1.8461538461538	-	125	2.1 %
1.9166666666667	-	1	0.0 %
1.9230769230769	-	113	1.9 %
2.00000000000000	-	169	2.9 %
2.0769230769231	-	159	2.7 %
2.0833333333333	-	3	0.1 %
2.0909090909091	-	1	0.0 %
2.1538461538462	-	164	2.8 %
2.2307692307692	-	147	2.5 %

Value	Label	Unweighted Frequency	%
2.25000000000000	-	3	0.1 %
2.3076923076923	-	188	3.2 %
2.33333333333333	-	3	0.1 %
2.3846153846154	-	197	3.4 %
2.4615384615385	-	195	3.3 %
2.50000000000000	-	3	0.1 %
2.5384615384615	-	217	3.7 %
2.58333333333333	-	1	0.0 %
2.6153846153846	-	201	3.4 %
2.6363636363636	-	1	0.0 %
2.6666666666667	-	2	0.0 %
	<b>Missing Data</b>		
8.00000000000000	Refused/missing	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,761 valid cases out of 5,849 total cases.

- Mean: 2.5211277786612
- Median: 2.6153846153846
- Mode: 3.00000000000000
- Minimum: 0.00000000000000
- Maximum: 4.00000000000000
- Standard Deviation: 0.8440162219502

*Location:* 935-949 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.00000000000000

---

## RA2DNEGAV: Average negative affect

Value	Label	Unweighted Frequency	%
0.00000000000000	-	2248	38.4 %
0.0714285714286	-	680	11.6 %
0.1428571428571	-	656	11.2 %
0.1538461538462	-	1	0.0 %
0.2142857142857	-	446	7.6 %
0.2307692307692	-	1	0.0 %
0.2857142857143	-	409	7.0 %
0.3076923076923	-	1	0.0 %
0.3333333333333	-	1	0.0 %
0.3571428571429	-	231	3.9 %

Value	Label	Unweighted Frequency	%
0.4285714285714	-	232	4.0 %
0.5000000000000	-	144	2.5 %
0.5714285714286	-	134	2.3 %
0.6428571428571	-	86	1.5 %
0.6923076923077	-	1	0.0 %
0.7142857142857	-	89	1.5 %
0.7857142857143	-	71	1.2 %
0.8571428571429	-	68	1.2 %
0.9285714285714	-	39	0.7 %
1.0000000000000	-	30	0.5 %
1.0714285714286	-	27	0.5 %
1.1428571428571	-	22	0.4 %
1.2142857142857	-	19	0.3 %
1.2857142857143	-	11	0.2 %
1.3571428571429	-	15	0.3 %
1.4285714285714	-	14	0.2 %
1.5000000000000	-	6	0.1 %
1.5714285714286	-	11	0.2 %
1.6428571428571	-	9	0.2 %
1.6923076923077	-	1	0.0 %
1.7142857142857	-	9	0.2 %
1.7857142857143	-	4	0.1 %
1.8571428571429	-	4	0.1 %
1.9285714285714	-	5	0.1 %
2.0000000000000	-	7	0.1 %
2.0714285714286	-	1	0.0 %
2.1428571428571	-	4	0.1 %
2.2142857142857	-	2	0.0 %
2.2857142857143	-	1	0.0 %
2.3571428571429	-	3	0.1 %
2.5000000000000	-	1	0.0 %
2.5714285714286	-	4	0.1 %
2.6428571428571	-	1	0.0 %
2.7857142857143	-	3	0.1 %
2.8571428571429	-	3	0.1 %
2.9285714285714	-	1	0.0 %
3.0000000000000	-	1	0.0 %
3.0714285714286	-	1	0.0 %
3.1428571428571	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.2857142857143	-	1	0.0 %
	<b>Missing Data</b>		
8.0000000000000	Refused/missing	88	1.5 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,761 valid cases out of 5,849 total cases.

- Mean: 0.2238790833653
- Median: 0.0714285714286
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.4285714285714
- Standard Deviation: 0.3495349096688

*Location:* 950-964 (width: 15; decimal: 13)

*Variable Type:* numeric

*(Range of) Missing Values:* 8.0000000000000

---

## RA2DAA: Person has alpha-amylase data

Value	Label	Unweighted Frequency	%
1	Yes	2656	45.4 %
2	No	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Based upon 5,849 valid cases out of 5,849 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 965-965 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## RA2DAWW: Alpha-amylase weight-wake

Value	Label	Unweighted Frequency	%
-0.08850	-	1	0.0 %
0.07830	-	1	0.0 %
0.13730	-	1	0.0 %
0.13820	-	1	0.0 %
0.14440	-	1	0.0 %
0.14520	-	1	0.0 %
0.17210	-	1	0.0 %
0.18350	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.18570	-	1	0.0 %
0.21190	-	1	0.0 %
0.21770	-	1	0.0 %
0.21810	-	1	0.0 %
0.22180	-	1	0.0 %
0.22370	-	1	0.0 %
0.22670	-	1	0.0 %
0.23010	-	1	0.0 %
0.23360	-	1	0.0 %
0.23860	-	1	0.0 %
0.24370	-	1	0.0 %
0.24600	-	1	0.0 %
0.25040	-	1	0.0 %
0.25270	-	1	0.0 %
0.25460	-	1	0.0 %
0.25480	-	1	0.0 %
0.25490	-	1	0.0 %
0.25700	-	1	0.0 %
0.25760	-	1	0.0 %
0.26400	-	1	0.0 %
0.26460	-	1	0.0 %
0.26530	-	1	0.0 %
0.26860	-	1	0.0 %
0.26930	-	1	0.0 %
0.27010	-	1	0.0 %
0.27430	-	1	0.0 %
0.27510	-	1	0.0 %
0.27980	-	1	0.0 %
0.28390	-	1	0.0 %
0.28460	-	1	0.0 %
0.28780	-	1	0.0 %
0.29080	-	2	0.0 %
0.29170	-	1	0.0 %
0.29340	-	1	0.0 %
0.29440	-	1	0.0 %
0.29470	-	1	0.0 %
0.29800	-	1	0.0 %
0.30570	-	1	0.0 %
0.30980	-	1	0.0 %



Value	Label	Unweighted Frequency	%
0.31090	-	1	0.0 %
0.31180	-	1	0.0 %
0.32390	-	1	0.0 %
	<b>Missing Data</b>		
98.00000	Missing	79	1.4 %
99.00000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,577 valid cases out of 5,849 total cases.

- Mean: 1.774069270470
- Minimum: -0.088500000000
- Maximum: 4.276800000000
- Standard Deviation: 0.763113693329

*Location:* 966-980 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* 95.00000 , 98.00000 , 99.00000

---

## RA2DAWA: Alpha-amylase weight-30 mins

Value	Label	Unweighted Frequency	%
-0.0180	-	1	0.0 %
-0.0172	-	1	0.0 %
0.0339	-	1	0.0 %
0.0352	-	1	0.0 %
0.1194	-	1	0.0 %
0.1219	-	1	0.0 %
0.1247	-	1	0.0 %
0.1462	-	1	0.0 %
0.1521	-	1	0.0 %
0.1632	-	1	0.0 %
0.1825	-	1	0.0 %
0.1835	-	1	0.0 %
0.2030	-	1	0.0 %
0.2256	-	1	0.0 %
0.2369	-	1	0.0 %
0.2427	-	1	0.0 %
0.2445	-	1	0.0 %
0.2489	-	1	0.0 %
0.2604	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.2735	-	1	0.0 %
0.2754	-	1	0.0 %
0.2755	-	1	0.0 %
0.2762	-	1	0.0 %
0.2782	-	1	0.0 %
0.3004	-	1	0.0 %
0.3014	-	1	0.0 %
0.3190	-	1	0.0 %
0.3198	-	1	0.0 %
0.3223	-	1	0.0 %
0.3236	-	1	0.0 %
0.3360	-	1	0.0 %
0.3384	-	1	0.0 %
0.3396	-	1	0.0 %
0.3436	-	1	0.0 %
0.3441	-	1	0.0 %
0.3443	-	1	0.0 %
0.3537	-	1	0.0 %
0.3544	-	1	0.0 %
0.3570	-	1	0.0 %
0.3579	-	1	0.0 %
0.3618	-	1	0.0 %
0.3631	-	1	0.0 %
0.3678	-	1	0.0 %
0.3688	-	1	0.0 %
0.3743	-	1	0.0 %
0.3783	-	1	0.0 %
0.3807	-	1	0.0 %
0.3813	-	1	0.0 %
0.3881	-	1	0.0 %
0.3911	-	1	0.0 %
	<b>Missing Data</b>		
98.0000	Missing	98	1.7 %
99.0000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,558 valid cases out of 5,849 total cases.

- Mean: 1.992075058640
- Minimum: -0.018000000000
- Maximum: 4.865900000000
- Standard Deviation: 0.772207775592

*Location:* 981-995 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* 95.0000 , 98.0000 , 99.0000

## RA2DAAWL: Alpha-amylase weight-lunch

Value	Label	Unweighted Frequency	%
-0.0879	-	1	0.0 %
-0.0651	-	1	0.0 %
-0.0621	-	1	0.0 %
-0.0288	-	1	0.0 %
0.0340	-	1	0.0 %
0.1444	-	1	0.0 %
0.1760	-	1	0.0 %
0.1819	-	1	0.0 %
0.1976	-	1	0.0 %
0.2007	-	1	0.0 %
0.2164	-	1	0.0 %
0.2286	-	1	0.0 %
0.2327	-	1	0.0 %
0.2427	-	1	0.0 %
0.2588	-	1	0.0 %
0.2626	-	1	0.0 %
0.2815	-	1	0.0 %
0.2823	-	1	0.0 %
0.2886	-	1	0.0 %
0.2904	-	1	0.0 %
0.2948	-	1	0.0 %
0.3008	-	1	0.0 %
0.3033	-	1	0.0 %
0.3182	-	1	0.0 %
0.3199	-	1	0.0 %
0.3203	-	1	0.0 %
0.3289	-	1	0.0 %
0.3294	-	1	0.0 %
0.3476	-	1	0.0 %
0.3642	-	1	0.0 %
0.3698	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.3753	-	1	0.0 %
0.3784	-	1	0.0 %
0.3834	-	1	0.0 %
0.3845	-	1	0.0 %
0.3891	-	1	0.0 %
0.3894	-	1	0.0 %
0.3955	-	2	0.0 %
0.4037	-	1	0.0 %
0.4040	-	1	0.0 %
0.4060	-	1	0.0 %
0.4089	-	1	0.0 %
0.4161	-	1	0.0 %
0.4213	-	1	0.0 %
0.4230	-	1	0.0 %
0.4283	-	1	0.0 %
0.4321	-	1	0.0 %
0.4389	-	1	0.0 %
0.4500	-	1	0.0 %
0.4549	-	1	0.0 %
	<b>Missing Data</b>		
98.0000	Missing	128	2.2 %
99.0000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,528 valid cases out of 5,849 total cases.

- Mean: 2.161583979430
- Minimum: -0.087900000000
- Maximum: 4.576100000000
- Standard Deviation: 0.728455431254

*Location:* 996-1010 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* 95.0000 , 98.0000 , 99.0000

---

## RA2DAAWB: Alpha-amylase weight-bed

Value	Label	Unweighted Frequency	%
-0.0597	-	1	0.0 %
0.0080	-	1	0.0 %
0.0695	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.0716	-	1	0.0 %
0.1281	-	1	0.0 %
0.1689	-	1	0.0 %
0.1778	-	1	0.0 %
0.1812	-	1	0.0 %
0.1866	-	1	0.0 %
0.1944	-	1	0.0 %
0.2006	-	1	0.0 %
0.2207	-	1	0.0 %
0.2306	-	1	0.0 %
0.2419	-	1	0.0 %
0.2518	-	1	0.0 %
0.2778	-	1	0.0 %
0.2859	-	1	0.0 %
0.2892	-	1	0.0 %
0.2971	-	1	0.0 %
0.2988	-	1	0.0 %
0.3051	-	1	0.0 %
0.3187	-	1	0.0 %
0.3223	-	1	0.0 %
0.3232	-	1	0.0 %
0.3288	-	1	0.0 %
0.3340	-	1	0.0 %
0.3347	-	1	0.0 %
0.3362	-	1	0.0 %
0.3369	-	1	0.0 %
0.3431	-	1	0.0 %
0.3436	-	1	0.0 %
0.3479	-	1	0.0 %
0.3659	-	1	0.0 %
0.3683	-	1	0.0 %
0.3733	-	1	0.0 %
0.3773	-	1	0.0 %
0.3849	-	1	0.0 %
0.3871	-	1	0.0 %
0.3960	-	1	0.0 %
0.4090	-	1	0.0 %
0.4149	-	1	0.0 %
0.4211	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.4265	-	1	0.0 %
0.4304	-	1	0.0 %
0.4312	-	1	0.0 %
0.4413	-	1	0.0 %
0.4447	-	1	0.0 %
0.4637	-	1	0.0 %
0.4705	-	1	0.0 %
0.4827	-	1	0.0 %
	<b>Missing Data</b>		
98.0000	Missing	106	1.8 %
99.0000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,550 valid cases out of 5,849 total cases.

- Mean: 2.110698823529
- Minimum: -0.059700000000
- Maximum: 4.497600000000
- Standard Deviation: 0.751347710675

*Location:* 1011-1025 (width: 15; decimal: 12)

*Variable Type:* numeric

*(Range of) Missing Values:* 95.0000 , 98.0000 , 99.0000

---

## RA2DAA1W: Alpha-amylase raw-wake

Value	Label	Unweighted Frequency	%
0.0000000000	-	1	0.0 %
0.0435000000	-	1	0.0 %
0.1305000000	-	3	0.1 %
0.2175000000	-	1	0.0 %
0.3045000000	-	2	0.0 %
0.3915000000	-	1	0.0 %
0.5220000000	-	1	0.0 %
0.6090000000	-	1	0.0 %
0.6960000000	-	1	0.0 %
0.9135000000	-	1	0.0 %
1.0875000000	-	2	0.0 %
1.1310000000	-	1	0.0 %
1.1745000000	-	1	0.0 %
1.3050000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.3485000000	-	1	0.0 %
1.4355000000	-	1	0.0 %
1.5660000000	-	3	0.1 %
1.6530000000	-	2	0.0 %
1.6965000000	-	1	0.0 %
1.7400000000	-	1	0.0 %
1.7835000000	-	2	0.0 %
1.8270000000	-	2	0.0 %
1.8705000000	-	3	0.1 %
2.0445000000	-	3	0.1 %
2.1750000000	-	1	0.0 %
2.2185000000	-	1	0.0 %
2.3925000000	-	1	0.0 %
2.4795000000	-	1	0.0 %
2.6100000000	-	1	0.0 %
2.6535000000	-	2	0.0 %
2.8710000000	-	1	0.0 %
2.9145000000	-	1	0.0 %
3.0015000000	-	1	0.0 %
3.0450000000	-	1	0.0 %
3.0885000000	-	1	0.0 %
3.1320000000	-	2	0.0 %
3.2190000000	-	1	0.0 %
3.2625000000	-	1	0.0 %
3.3495000000	-	2	0.0 %
3.3500000000	-	1	0.0 %
3.3900000000	-	1	0.0 %
3.4365000000	-	2	0.0 %
3.5235000000	-	2	0.0 %
3.5670000000	-	2	0.0 %
3.6540000000	-	1	0.0 %
3.6975000000	-	1	0.0 %
4.0455000000	-	2	0.0 %
4.1325000000	-	1	0.0 %
4.2195000000	-	1	0.0 %
4.6110000000	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000000000	Missing	125	2.1 %
9999.0000000000	Inapplicable	3193	54.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,531 valid cases out of 5,849 total cases.

- Mean: 91.2099117543
- Minimum: 0.0000000000
- Maximum: 745.4160000001
- Standard Deviation: 92.9350431025

*Location:* 1026-1040 (width: 15; decimal: 10)

*Variable Type:* numeric

*(Range of) Missing Values:* 9995.0000000000 , 9998.0000000000 , 9999.0000000000

## RA2DAA1A: Alpha-amylase raw-30 mins

Value	Label	Unweighted Frequency	%
0.0000	-	1	0.0 %
0.1305	-	1	0.0 %
0.1740	-	2	0.0 %
0.2175	-	2	0.0 %
0.2610	-	1	0.0 %
0.3000	-	1	0.0 %
0.3045	-	2	0.0 %
0.3915	-	4	0.1 %
0.4785	-	1	0.0 %
0.5200	-	1	0.0 %
0.5220	-	2	0.0 %
0.6090	-	1	0.0 %
0.6100	-	1	0.0 %
0.6525	-	2	0.0 %
0.7395	-	1	0.0 %
0.7830	-	1	0.0 %
0.8265	-	1	0.0 %
0.9570	-	1	0.0 %
1.1310	-	1	0.0 %
1.1700	-	1	0.0 %
1.2615	-	1	0.0 %
1.3050	-	1	0.0 %
1.3485	-	1	0.0 %
1.3920	-	2	0.0 %
1.5660	-	1	0.0 %



Value	Label	Unweighted Frequency	%
1.6530	-	2	0.0 %
1.6965	-	1	0.0 %
1.7400	-	1	0.0 %
1.8270	-	2	0.0 %
1.9140	-	1	0.0 %
1.9575	-	3	0.1 %
2.0445	-	1	0.0 %
2.1315	-	1	0.0 %
2.2620	-	1	0.0 %
2.3055	-	2	0.0 %
2.3490	-	1	0.0 %
2.4360	-	1	0.0 %
2.5665	-	2	0.0 %
2.6100	-	1	0.0 %
2.6535	-	2	0.0 %
2.6970	-	2	0.0 %
2.7405	-	1	0.0 %
2.7840	-	1	0.0 %
2.8710	-	3	0.1 %
2.9145	-	2	0.0 %
2.9580	-	1	0.0 %
3.0450	-	1	0.0 %
3.0885	-	2	0.0 %
3.1755	-	1	0.0 %
3.2190	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000	Missing	125	2.1 %
9999.0000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,531 valid cases out of 5,849 total cases.

- Mean: 55.1946
- Minimum: 0.0000
- Maximum: 645.6270
- Standard Deviation: 58.5446

*Location:* 1041-1049 (width: 9; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* 9995.0000 , 9998.0000 , 9999.0000

## RA2DAA1L: Alpha-amylase raw-lunch

Value	Label	Unweighted Frequency	%
0.0870000000	-	1	0.0 %
0.1305000000	-	1	0.0 %
0.2610000000	-	1	0.0 %
0.3045000000	-	1	0.0 %
0.3915000000	-	1	0.0 %
1.3920000000	-	2	0.0 %
1.6530000000	-	1	0.0 %
1.8270000000	-	1	0.0 %
1.9575000000	-	1	0.0 %
2.3055000000	-	1	0.0 %
2.5665000000	-	2	0.0 %
2.9580000000	-	2	0.0 %
3.0015000000	-	2	0.0 %
3.1320000000	-	1	0.0 %
3.1800000000	-	1	0.0 %
3.3060000000	-	1	0.0 %
3.4365000000	-	1	0.0 %
3.4400000000	-	1	0.0 %
3.4800000000	-	1	0.0 %
3.6975000000	-	1	0.0 %
3.9585000000	-	1	0.0 %
4.0020000000	-	1	0.0 %
4.1325000000	-	3	0.1 %
4.2195000000	-	1	0.0 %
4.3935000000	-	1	0.0 %
4.4805000000	-	1	0.0 %
4.5240000000	-	1	0.0 %
4.6545000000	-	1	0.0 %
4.7415000000	-	2	0.0 %
4.7850000000	-	1	0.0 %
4.8285000000	-	1	0.0 %
4.9590000000	-	1	0.0 %
5.1800000000	-	1	0.0 %
5.2200000000	-	1	0.0 %
5.3940000000	-	2	0.0 %
5.8290000000	-	1	0.0 %
5.9595000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.0465000000	-	1	0.0 %
6.1335000000	-	2	0.0 %
6.3510000000	-	1	0.0 %
6.6555000000	-	2	0.0 %
6.8295000000	-	1	0.0 %
6.8730000000	-	1	0.0 %
6.9165000000	-	1	0.0 %
7.0470000000	-	3	0.1 %
7.0905000000	-	1	0.0 %
7.3950000000	-	1	0.0 %
7.6125000000	-	1	0.0 %
7.9170000000	-	1	0.0 %
7.9605000000	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000000000	Missing	148	2.5 %
9999.0000000000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,508 valid cases out of 5,849 total cases.

- Mean: 114.7281681818
- Minimum: 0.0870000000
- Maximum: 662.8965000000
- Standard Deviation: 94.3017439925

*Location:* 1050-1064 (width: 15; decimal: 10)

*Variable Type:* numeric

*(Range of) Missing Values:* 9995.0000000000 , 9998.0000000000 , 9999.0000000000

## RA2DAA1B: Alpha-amylase raw-bed

Value	Label	Unweighted Frequency	%
0.0000	-	1	0.0 %
0.3045	-	1	0.0 %
0.7800	-	1	0.0 %
1.0005	-	1	0.0 %
1.0440	-	1	0.0 %
1.0875	-	1	0.0 %
1.1310	-	1	0.0 %
1.1745	-	1	0.0 %
1.3050	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.3920	-	1	0.0 %
1.4790	-	1	0.0 %
1.7835	-	1	0.0 %
1.8705	-	1	0.0 %
1.9575	-	1	0.0 %
2.2185	-	1	0.0 %
2.5200	-	1	0.0 %
2.8710	-	1	0.0 %
2.9580	-	1	0.0 %
2.9600	-	1	0.0 %
3.0015	-	1	0.0 %
3.0450	-	1	0.0 %
3.0885	-	1	0.0 %
3.1300	-	1	0.0 %
3.1320	-	1	0.0 %
3.2190	-	1	0.0 %
3.2625	-	1	0.0 %
3.3060	-	2	0.0 %
3.5235	-	1	0.0 %
3.6105	-	1	0.0 %
3.6975	-	1	0.0 %
3.8715	-	1	0.0 %
3.9585	-	1	0.0 %
4.1325	-	1	0.0 %
4.2195	-	1	0.0 %
4.2630	-	1	0.0 %
4.3935	-	1	0.0 %
4.5240	-	2	0.0 %
4.7415	-	2	0.0 %
4.7850	-	2	0.0 %
4.8285	-	2	0.0 %
4.9155	-	2	0.0 %
4.9590	-	1	0.0 %
5.0025	-	2	0.0 %
5.1330	-	1	0.0 %
5.2200	-	1	0.0 %
5.3070	-	1	0.0 %
5.3940	-	2	0.0 %
5.4810	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.5680	-	1	0.0 %
6.0030	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000	Missing	119	2.0 %
9999.0000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,537 valid cases out of 5,849 total cases.

- Mean: 99.3582
- Minimum: 0.0000
- Maximum: 831.1548
- Standard Deviation: 92.7105

*Location:* 1065-1073 (width: 9; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* 9995.0000 , 9998.0000 , 9999.0000

## RA2DAA2W: Alpha-amylase per min-wake

Value	Label	Unweighted Frequency	%
0.0000000000	-	1	0.0 %
0.0358440000	-	1	0.0 %
0.0477042750	-	1	0.0 %
0.0762337500	-	1	0.0 %
0.0992061000	-	1	0.0 %
0.1019857500	-	1	0.0 %
0.1206733500	-	1	0.0 %
0.1401765750	-	1	0.0 %
0.1747786500	-	1	0.0 %
0.1868238000	-	1	0.0 %
0.2714008500	-	1	0.0 %
0.3244882500	-	1	0.0 %
0.3422928000	-	1	0.0 %
0.4300562250	-	1	0.0 %
0.4578195000	-	1	0.0 %
0.4615219500	-	1	0.0 %
0.4635012000	-	1	0.0 %
0.5372902500	-	1	0.0 %
0.5373946500	-	1	0.0 %
0.5774690250	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.6060768000	-	1	0.0 %
0.6067467000	-	1	0.0 %
0.6399937500	-	1	0.0 %
0.6492300000	-	1	0.0 %
0.6772950000	-	1	0.0 %
0.7209798750	-	1	0.0 %
0.7651215000	-	1	0.0 %
0.8168647500	-	1	0.0 %
0.8911149000	-	1	0.0 %
0.9037777500	-	1	0.0 %
0.9102048750	-	1	0.0 %
0.9329706000	-	1	0.0 %
1.0221608250	-	1	0.0 %
1.0626093000	-	1	0.0 %
1.0657935000	-	1	0.0 %
1.0713419250	-	1	0.0 %
1.1089629000	-	1	0.0 %
1.1816122500	-	1	0.0 %
1.1843310000	-	1	0.0 %
1.2243075000	-	1	0.0 %
1.4082733500	-	1	0.0 %
1.4446350000	-	1	0.0 %
1.4569194000	-	1	0.0 %
1.4948000000	-	1	0.0 %
1.5322527000	-	1	0.0 %
1.5617544000	-	1	0.0 %
1.6412463000	-	1	0.0 %
1.6850181750	-	1	0.0 %
1.7035992000	-	1	0.0 %
1.7758440000	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000000000	Missing	125	2.1 %
9999.0000000000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,531 valid cases out of 5,849 total cases.

- Mean: 81.1363204408

- Minimum: 0.0000000000
- Maximum: 860.1355224001
- Standard Deviation: 88.0404692261

*Location:* 1074-1088 (width: 15; decimal: 10)

*Variable Type:* numeric

*(Range of) Missing Values:* 9995.0000000000 , 9998.0000000000 , 9999.0000000000

## RA2DAA2A: Alpha-amylase per min-30 mins

Value	Label	Unweighted Frequency	%
0.0000000000	-	1	0.0 %
0.0340257000	-	1	0.0 %
0.0462492000	-	1	0.0 %
0.0723320000	-	1	0.0 %
0.0898101000	-	1	0.0 %
0.0903750000	-	1	0.0 %
0.0911064000	-	1	0.0 %
0.1086195000	-	1	0.0 %
0.1344367500	-	1	0.0 %
0.1445548500	-	1	0.0 %
0.1695804000	-	1	0.0 %
0.1699893000	-	1	0.0 %
0.2012085000	-	1	0.0 %
0.2115187500	-	1	0.0 %
0.2168518500	-	1	0.0 %
0.2401265250	-	1	0.0 %
0.2790438000	-	1	0.0 %
0.2902320000	-	1	0.0 %
0.3068968500	-	1	0.0 %
0.3141396000	-	1	0.0 %
0.3223806750	-	1	0.0 %
0.3326771250	-	1	0.0 %
0.3751020000	-	1	0.0 %
0.3981359250	-	1	0.0 %
0.4483980000	-	1	0.0 %
0.4484436750	-	1	0.0 %
0.4497943500	-	1	0.0 %
0.4551970500	-	1	0.0 %
0.5333622000	-	1	0.0 %
0.5384756250	-	1	0.0 %
0.5747676750	-	1	0.0 %
0.6005784000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.6377013000	-	1	0.0 %
0.6619830000	-	1	0.0 %
0.6746197500	-	1	0.0 %
0.6801921000	-	1	0.0 %
0.6944340000	-	1	0.0 %
0.6973485000	-	1	0.0 %
0.7032688500	-	1	0.0 %
0.7208733000	-	1	0.0 %
0.7488525000	-	1	0.0 %
0.8091435000	-	1	0.0 %
0.8162100750	-	1	0.0 %
0.8345649000	-	1	0.0 %
0.8863233750	-	1	0.0 %
0.9022639500	-	1	0.0 %
0.9483500250	-	1	0.0 %
1.0848900000	-	1	0.0 %
1.1042257500	-	1	0.0 %
1.1335839000	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000000000	Missing	125	2.1 %
9999.0000000000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,531 valid cases out of 5,849 total cases.

- Mean: 55.8265726249
- Minimum: 0.0000000000
- Maximum: 858.8775981000
- Standard Deviation: 60.7805556003

*Location:* 1089-1103 (width: 15; decimal: 10)

*Variable Type:* numeric

*(Range of) Missing Values:* 9995.0000000000 , 9998.0000000000 , 9999.0000000000

## RA2DAA2L: Alpha-amylase per min-lunch

Value	Label	Unweighted Frequency	%
0.0633512250	-	1	0.0 %
0.0824694750	-	1	0.0 %
0.0863170500	-	1	0.0 %
0.1991038500	-	1	0.0 %



Value	Label	Unweighted Frequency	%
0.3586140000	-	1	0.0 %
0.4323595500	-	1	0.0 %
0.5843920500	-	1	0.0 %
0.6741630000	-	1	0.0 %
0.8053285500	-	1	0.0 %
0.9053220000	-	1	0.0 %
0.9658283250	-	1	0.0 %
1.0748400000	-	1	0.0 %
1.1092970000	-	1	0.0 %
1.2210280000	-	1	0.0 %
1.2758593500	-	1	0.0 %
1.2979965000	-	1	0.0 %
1.4073924750	-	1	0.0 %
1.4229720000	-	1	0.0 %
1.4449569000	-	1	0.0 %
1.5022507500	-	1	0.0 %
1.5564996000	-	1	0.0 %
1.7984727000	-	1	0.0 %
1.8326441250	-	1	0.0 %
1.9032337500	-	1	0.0 %
2.1476776500	-	1	0.0 %
2.1763876500	-	1	0.0 %
2.2423728000	-	1	0.0 %
2.2562514750	-	1	0.0 %
2.3517448500	-	1	0.0 %
2.4234633000	-	1	0.0 %
2.4440496750	-	1	0.0 %
2.4457461750	-	1	0.0 %
2.4771966750	-	1	0.0 %
2.5392320250	-	1	0.0 %
2.5792020000	-	1	0.0 %
2.8673351250	-	1	0.0 %
2.8998492000	-	1	0.0 %
2.9591745000	-	1	0.0 %
2.9605795500	-	1	0.0 %
2.9855463750	-	1	0.0 %
3.0035880000	-	1	0.0 %
3.1844718750	-	1	0.0 %
3.3647515000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.4099737000	-	1	0.0 %
3.4622172000	-	1	0.0 %
3.5516358000	-	1	0.0 %
3.6348926250	-	1	0.0 %
3.7605054000	-	1	0.0 %
3.7859333250	-	1	0.0 %
4.1443842000	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000000000	Missing	148	2.5 %
9999.0000000000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,508 valid cases out of 5,849 total cases.

- Mean: 126.9876596904
- Minimum: 0.0633512250
- Maximum: 821.8707604500
- Standard Deviation: 111.1665423695

*Location:* 1104-1118 (width: 15; decimal: 10)

*Variable Type:* numeric

*(Range of) Missing Values:* 9995.0000000000 , 9998.0000000000 , 9999.0000000000

---

## RA2DAA2B: Alpha-amylase per min-bed

Value	Label	Unweighted Frequency	%
0.0000000000	-	1	0.0 %
0.0499590000	-	1	0.0 %
0.0923548500	-	1	0.0 %
0.2467733250	-	1	0.0 %
0.3327358500	-	1	0.0 %
0.4060980000	-	1	0.0 %
0.4472887500	-	1	0.0 %
0.4717923000	-	1	0.0 %
0.4999846500	-	1	0.0 %
0.5118645000	-	1	0.0 %
0.7363325000	-	1	0.0 %
0.8454834000	-	1	0.0 %
0.8614044000	-	1	0.0 %
0.8735670000	-	1	0.0 %
0.9205535250	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.9583528500	-	1	0.0 %
1.0718247750	-	1	0.0 %
1.0884787500	-	1	0.0 %
1.1010285000	-	1	0.0 %
1.1571696000	-	1	0.0 %
1.1629377000	-	1	0.0 %
1.2383079750	-	1	0.0 %
1.2418680000	-	1	0.0 %
1.3438237500	-	1	0.0 %
1.5844940250	-	1	0.0 %
1.5849834000	-	1	0.0 %
1.6413050250	-	1	0.0 %
1.6929960750	-	1	0.0 %
1.7034752250	-	1	0.0 %
1.8295447500	-	1	0.0 %
1.8811836000	-	1	0.0 %
1.9389037500	-	1	0.0 %
2.0770445250	-	1	0.0 %
2.1238266000	-	1	0.0 %
2.3101110000	-	1	0.0 %
2.3156028750	-	1	0.0 %
2.3312172000	-	1	0.0 %
2.4062503500	-	1	0.0 %
2.4759873750	-	1	0.0 %
2.5320480000	-	1	0.0 %
2.5934178000	-	1	0.0 %
2.6435994000	-	1	0.0 %
2.6884305000	-	1	0.0 %
2.7130950000	-	1	0.0 %
2.8364262000	-	1	0.0 %
2.8693687500	-	1	0.0 %
2.9792976000	-	1	0.0 %
2.9878932000	-	1	0.0 %
3.0508050750	-	1	0.0 %
3.1058543250	-	1	0.0 %
	<b>Missing Data</b>		
9998.0000000000	Missing	119	2.0 %
9999.0000000000	Inapplicable	3193	54.6 %
	<b>Total</b>	<b>5,849</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,537 valid cases out of 5,849 total cases.

- Mean: 108.5741201264
- Minimum: 0.0000000000
- Maximum: 1062.9844940251
- Standard Deviation: 112.2888712455

*Location:* 1119-1133 (width: 15; decimal: 10)

*Variable Type:* numeric

*(Range of) Missing Values:* 9995.0000000000 , 9998.0000000000 , 9999.0000000000