

ICPSR 36532

**Midlife in the United States
(MIDUS Refresher), 2011-2014**

ICPSR Codebook for Coded Text Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Midlife in the United States (MIDUS Refresher), 2011-2014

Carol Ryff

University of Wisconsin-Madison

David Almeida

Pennsylvania State University

John Ayanian

University of Michigan

Neil Binkley

University of Wisconsin-Madison

Deborah Carr

Rutgers Unive

Christopher Coe

University of Wisconsin-Madison

Richard Davidson

University of Wisconsin-Madison

Joseph Grzywacz

Florida State University

Arun Karlamangla

University of California-Los Angeles

Robert Krueger

University of Minnesota

Margie Lachman

Brandeis University

Gayle Love

University of Wisconsin-Madison

Marsha Mailick

University of Wisconsin-Madison

Daniel Mroczek

Northwestern University

Barry Radler

University of Wisconsin-Madison

Teresa Seeman

University of California-Los Angeles

Richard Sloan

Columbia University

Duncan Thomas

Duke University

Maxine Weinstein

Georgetown University

David Williams

Harvard University

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36532/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #36532
Midlife in the United States (MIDUS Refresher), 2011-2014
Dataset 2: Coded Text Data

1. **Sequential Record Identifier:** ICPSR created a unique sequential record identifier variable named **CASEID** for use with online analysis.
2. **Linking Variable:** The variable **MRID** is the linking variable for the two datasets in this collection.
3. **Additional Information:** For additional information on the MIDUS Refresher Project, please see the [MIDUS](#) Web site.

Coded Text Data

MRID: MIDUS REFRESHER ID

Based upon 3,394 valid cases out of 3,394 total cases.

- Mean: 34979.55
- Minimum: 30000.00
- Maximum: 39999.00
- Standard Deviation: 2874.85

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

SAMPLMAJ: Major sample identification

Value	Label	Unweighted Frequency	%
1	MAIN RDD	0	0.0 %
2	SIBLING	0	0.0 %
3	TWIN	0	0.0 %
4	CITY OVERSAMPLE	0	0.0 %
13	MILWAUKEE	0	0.0 %
14	BOSTON NEW	0	0.0 %
20	MIDUS REFRESHER	3394	100.0 %
21	MILWAUKEE REFRESHER	0	0.0 %
Total		3,394	100%

Based upon 3,394 valid cases out of 3,394 total cases.

- Minimum: 20.00
- Maximum: 20.00

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

RA1PRAGE: Respondent's calculated age

Value	Label	Unweighted Frequency	%
23	-	2	0.1 %
24	-	4	0.1 %
25	-	28	0.8 %
26	-	39	1.1 %
27	-	31	0.9 %
28	-	51	1.5 %
29	-	55	1.6 %
30	-	62	1.8 %
31	-	72	2.1 %

Value	Label	Unweighted Frequency	%
32	-	99	2.9 %
33	-	106	3.1 %
34	-	89	2.6 %
35	-	58	1.7 %
36	-	44	1.3 %
37	-	58	1.7 %
38	-	52	1.5 %
39	-	49	1.4 %
40	-	61	1.8 %
41	-	75	2.2 %
42	-	88	2.6 %
43	-	107	3.2 %
44	-	84	2.5 %
45	-	44	1.3 %
46	-	47	1.4 %
47	-	52	1.5 %
48	-	61	1.8 %
49	-	72	2.1 %
50	-	73	2.2 %
51	-	81	2.4 %
52	-	73	2.2 %
53	-	86	2.5 %
54	-	100	2.9 %
55	-	14	0.4 %
56	-	49	1.4 %
57	-	66	1.9 %
58	-	63	1.9 %
59	-	62	1.8 %
60	-	45	1.3 %
61	-	97	2.9 %
62	-	81	2.4 %
63	-	63	1.9 %
64	-	87	2.6 %
65	-	72	2.1 %
66	-	71	2.1 %
67	-	81	2.4 %
68	-	62	1.8 %
69	-	77	2.3 %
70	-	78	2.3 %

Value	Label	Unweighted Frequency	%
71	-	64	1.9 %
72	-	78	2.3 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,394 valid cases out of 3,394 total cases.

- Mean: 50.78
- Median: 51.00
- Mode: 43.00
- Minimum: 23.00
- Maximum: 76.00
- Standard Deviation: 14.34

Location: 8-9 (width: 2; decimal: 0)

Variable Type: numeric

RA1PRSEX: Respondent's sex

Value	Label	Unweighted Frequency	%
1	MALE	1612	47.5 %
2	FEMALE	1782	52.5 %
	Total	3,394	100%

Based upon 3,394 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

RA1PAA1A: OE-Specific event that made them aware that the recession had begun #1

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	278	8.2 %
2	Increased gas price	126	3.7 %
3	Lost job/unemployed	417	12.3 %
4	Decreased income/didn't get raise	76	2.2 %
5	Increased cost of living/prices	130	3.8 %
6	Recognized through media coverage/economic indicator	249	7.3 %
7	Lack of job/hard to get a job	106	3.1 %
8	Collapsed housing market/increased foreclosure	345	10.2 %

Value	Label	Unweighted Frequency	%
9	Collapse of financial firm	68	2.0 %
10	Affected pension plan/insurance	107	3.2 %
11	Company/plant/store closed/went bankrupt	32	0.9 %
12	Other	144	4.2 %
13	Personal finance/investment/credit was affected	89	2.6 %
14	Company/business slow down & sales/construction decreased	149	4.4 %
15	Political situations/election	25	0.7 %
Missing Data			
99	INAPP	1053	31.0 %
Total		3,394	100%

Based upon 2,341 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA1B: OE-Specific event that made them aware that the recession had begun #2

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	22	0.6 %
2	Increased gas price	38	1.1 %
3	Lost job/unemployed	14	0.4 %
4	Decreased income/didn't get raise	32	0.9 %
5	Increased cost of living/prices	6	0.2 %
6	Recognized through media coverage/economic indicator	73	2.2 %
7	Lack of job/hard to get a job	23	0.7 %
8	Collapsed housing market/increased foreclosure	36	1.1 %
9	Collapse of financial firm	5	0.1 %
10	Affected pension plan/insurance	34	1.0 %
11	Company/plant/store closed/went bankrupt	7	0.2 %
12	Other	12	0.4 %
13	Personal finance/investment/credit was affected	24	0.7 %
14	Company/business slow down & sales/construction decreased	24	0.7 %
15	Political situations/election	0	0.0 %
Missing Data			
99	INAPP	3044	89.7 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 350 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA1C: OE-Specific event that made them aware that the recession had begun #3

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	0	0.0 %
2	Increased gas price	4	0.1 %
3	Lost job/unemployed	0	0.0 %
4	Decreased income/didn't get raise	4	0.1 %
5	Increased cost of living/prices	3	0.1 %
6	Recognized through media coverage/economic indicator	11	0.3 %
7	Lack of job/hard to get a job	3	0.1 %
8	Collapsed housing market/increased foreclosure	3	0.1 %
9	Collapse of financial firm	0	0.0 %
10	Affected pension plan/insurance	7	0.2 %
11	Company/plant/store closed/went bankrupt	2	0.1 %
12	Other	4	0.1 %
13	Personal finance/investment/credit was affected	5	0.1 %
14	Company/business slow down & sales/construction decreased	3	0.1 %
15	Political situations/election	0	0.0 %
Missing Data			
99	INAPP	3345	98.6 %
Total		3,394	100%

Based upon 49 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 14.00

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA1D: OE-Specific event that made them aware that the recession had begun #4

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	1	0.0 %
2	Increased gas price	0	0.0 %
3	Lost job/unemployed	0	0.0 %
4	Decreased income/didn't get raise	0	0.0 %
5	Increased cost of living/prices	1	0.0 %
6	Recognized through media coverage/economic indicator	0	0.0 %
7	Lack of job/hard to get a job	0	0.0 %
8	Collapsed housing market/increased foreclosure	0	0.0 %
9	Collapse of financial firm	0	0.0 %
10	Affected pension plan/insurance	0	0.0 %
11	Company/plant/store closed/went bankrupt	0	0.0 %
12	Other	0	0.0 %
13	Personal finance/investment/credit was affected	0	0.0 %
14	Company/business slow down & sales/construction decreased	2	0.1 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 17-18 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA2LBA: OE-What happened when lost a home due to something other than foreclosure #1

Since the recession began in 2008 have you - Lost a home due to something other than foreclosure? If yes: What happened? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Evicted	6	0.2 %
2	Couldn't afford	8	0.2 %
3	Swindled	2	0.1 %
4	Divorced	11	0.3 %
5	Fire on house	2	0.1 %
6	Hurricane	3	0.1 %
7	Lost job	4	0.1 %

Value	Label	Unweighted Frequency	%
8	Abandoned house	2	0.1 %
9	Bankruptcy	5	0.1 %
10	Other	15	0.4 %
11	Sold house	7	0.2 %
12	Death	3	0.1 %
Missing Data			
99	INAPP	3326	98.0 %
Total		3,394	100%

Based upon 68 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA2LBB: OE-What happened when lost a home due to something other than foreclosure #2

Since the recession began in 2008 have you - Lost a home due to something other than foreclosure? If yes: What happened?
(Open-ended response)

Value	Label	Unweighted Frequency	%
1	Evicted	0	0.0 %
2	Couldn't afford	3	0.1 %
3	Swindled	0	0.0 %
4	Divorced	0	0.0 %
5	Fire on house	0	0.0 %
6	Hurricane	0	0.0 %
7	Lost job	0	0.0 %
8	Abandoned house	0	0.0 %
9	Bankruptcy	0	0.0 %
10	Other	0	0.0 %
11	Sold house	3	0.1 %
12	Death	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 2.00

- Maximum: 11.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PA7BJA: OS-Diagnosis for suspected or confirmed heart trouble #1

What was the diagnosis - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Anxiety	6	0.2 %
2	Stress	3	0.1 %
3	Blocked/closed artery	35	1.0 %
4	Gastroesophageal Reflux Disease (GERD)	5	0.1 %
5	High cholesterol	7	0.2 %
6	High blood pressure	9	0.3 %
7	Irregular/fast heart beat/arrhythmia	20	0.6 %
8	Not diagnosed yet	8	0.2 %
9	Wolff-Parkinson-White Syndrome (WPW)	2	0.1 %
10	Tachycardia	3	0.1 %
11	Palpitation	5	0.1 %
12	Valve disease	15	0.4 %
13	Mitrovalve prolapse	2	0.1 %
14	Supraventricular Tachycardia (SVT)	3	0.1 %
15	Sinus tachycardia	2	0.1 %
16	Ventricle problem	4	0.1 %
17	Not specified	12	0.4 %
18	Atrial fibrillation	26	0.8 %
19	Other	45	1.3 %
20	Diabetes	6	0.2 %
21	Blood platelet	1	0.0 %
22	Weakend heart	1	0.0 %
23	Congenital heart disease	1	0.0 %
24	Heart attack	3	0.1 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	5	0.1 %
27	Cardiomyopathy	4	0.1 %
28	Stroke	0	0.0 %
Missing Data			
99	INAPP	3161	93.1 %
Total		3,394	100%

Based upon 233 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 27.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA7BJB: OS-Diagnosis for suspected or confirmed heart trouble #2

What was the diagnosis - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	1	0.0 %
3	Blocked/closed artery	0	0.0 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	1	0.0 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	2	0.1 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	1	0.0 %
12	Valve disease	1	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	2	0.1 %
19	Other	0	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	0	0.0 %
25	Cyst on brain	1	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	0	0.0 %
28	Stroke	1	0.0 %
Missing Data			
99	INAPP	3384	99.7 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 10 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 28.00

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA7BJC: OS-Diagnosis for suspected or confirmed heart trouble #3

What was the diagnosis - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	0	0.0 %
4	Gastroesophageal Reflux Disease (GERD)	1	0.0 %
5	High cholesterol	1	0.0 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	0	0.0 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	1	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	0	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	0	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	0	0.0 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	1	0.0 %

Value	Label	Unweighted Frequency	%
28	Stroke	0	0.0 %
	Missing Data		
99	INAPP	3390	99.9 %
	Total	3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 27.00

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PA22A: OS-Location of pain or discomfort #1

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	4	0.1 %
2	Right chest	17	0.5 %
3	Back	5	0.1 %
4	Center chest	10	0.3 %
5	Whole chest	7	0.2 %
6	Left arm	2	0.1 %
7	Right arm	2	0.1 %
8	Jaw	2	0.1 %
9	Lung	3	0.1 %
10	Neck	1	0.0 %
11	Stomach	1	0.0 %
12	Other	6	0.2 %
	Missing Data		
99	INAPP	3334	98.2 %
	Total	3,394	100%

Based upon 60 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PA22B: OS-Location of pain or discomfort #2

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	6	0.2 %
2	Right chest	1	0.0 %
3	Back	1	0.0 %
4	Center chest	4	0.1 %
5	Whole chest	1	0.0 %
6	Left arm	3	0.1 %
7	Right arm	2	0.1 %
8	Jaw	1	0.0 %
9	Lung	0	0.0 %
10	Neck	0	0.0 %
11	Stomach	1	0.0 %
12	Other	2	0.1 %
Missing Data			
99	INAPP	3372	99.4 %
Total		3,394	100%

Based upon 22 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22C: OS-Location of pain or discomfort #3

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	2	0.1 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	2	0.1 %
7	Right arm	1	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	1	0.0 %

Value	Label	Unweighted Frequency	%
11	Stomach	0	0.0 %
12	Other	0	0.0 %
	Missing Data		
99	INAPP	3388	99.8 %
	Total	3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22D: OS-Location of pain or discomfort #4

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	1	0.0 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	1	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	1	0.0 %
10	Neck	0	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
	Missing Data		
99	INAPP	3391	99.9 %
	Total	3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22E: OS-Location of pain or discomfort #5

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	0	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	1	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22F: OS-Location of pain or discomfort #6

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	0	0.0 %
3	Back	1	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	0	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Neck	0	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA23CJA: OS-What doctor said it was about a severe pain across the front of chest #1

What did the doctor say it was - OTHER (ENTER DIAGNOSIS)?

Value	Label	Unweighted Frequency	%
1	Heart	11	0.3 %
2	Panic attack	4	0.1 %
3	Gall bladder/gallstone	6	0.2 %
4	Gas	3	0.1 %
5	Acid reflux	7	0.2 %
6	Stress/anxiety	19	0.6 %
7	Indigestion	5	0.1 %
8	Hernia	3	0.1 %
9	Ulcer	3	0.1 %
10	Esophageal	6	0.2 %
11	Other	14	0.4 %
12	Heart burn	4	0.1 %
13	Muscle	12	0.4 %
14	Cartilage	2	0.1 %
15	Lung/asthma	7	0.2 %
16	Not diagnosed yet/unknown	7	0.2 %
17	Nothing to be concerned	1	0.0 %
18	Pancreas	1	0.0 %
19	Exercise routine/activity	3	0.1 %
	Missing Data		
99	INAPP	3276	96.5 %
	Total	3,394	100%

Based upon 118 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PA23CJB: OS-What doctor said it was about a severe pain across the front of chest #2

What did the doctor say it was - OTHER (ENTER DIAGNOSIS)?

Value	Label	Unweighted Frequency	%
1	Heart	1	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	0	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	1	0.0 %
6	Stress/anxiety	2	0.1 %
7	Indigestion	0	0.0 %
8	Hernia	0	0.0 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	0	0.0 %
12	Heart burn	0	0.0 %
13	Muscle	2	0.1 %
14	Cartilage	0	0.0 %
15	Lung/asthma	4	0.1 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	1	0.0 %
18	Pancreas	1	0.0 %
19	Exercise routine/activity	0	0.0 %
Missing Data			
99	INAPP	3382	99.6 %
Total		3,394	100%

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PA23CJC: OS-What doctor said it was about a severe pain across the front of chest #3

What did the doctor say it was - OTHER (ENTER DIAGNOSIS)?

Value	Label	Unweighted Frequency	%
1	Heart	0	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	0	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	0	0.0 %
6	Stress/anxiety	1	0.0 %
7	Indigestion	0	0.0 %
8	Hernia	0	0.0 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	0	0.0 %
12	Heart burn	0	0.0 %
13	Muscle	0	0.0 %
14	Cartilage	0	0.0 %
15	Lung/asthma	0	0.0 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 45-46 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA24EFA: OS-Treatment/therapy for high blood pressure #1

What is that treatment or therapy - OTHER (ENTER TREATMENT)?

Value	Label	Unweighted Frequency	%
1	Lose weight	12	0.4 %
2	Exercise	6	0.2 %
3	Low sodium/sugar	11	0.3 %
4	Other	2	0.1 %
5	Medication	13	0.4 %

Value	Label	Unweighted Frequency	%
6	Supplement	10	0.3 %
7	Healthy diet	7	0.2 %
8	Regularly monitor	4	0.1 %
9	Rest	1	0.0 %
10	Release stress	4	0.1 %
11	Physical therapy	2	0.1 %
12	Massage/spa	2	0.1 %
13	Portion control	1	0.0 %
14	Lifestyle change	1	0.0 %
Missing Data			
99	INAPP	3318	97.8 %
Total		3,394	100%

Based upon 76 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 47-48 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA24EFB: OS-Treatment/therapy for high blood pressure #2

What is that treatment or therapy - OTHER (ENTER TREATMENT)?

Value	Label	Unweighted Frequency	%
1	Lose weight	2	0.1 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	0	0.0 %
4	Other	0	0.0 %
5	Medication	0	0.0 %
6	Supplement	1	0.0 %
7	Healthy diet	2	0.1 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	0	0.0 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA24EFC: OS-Treatment/therapy for high blood pressure #3

What is that treatment or therapy - OTHER (ENTER TREATMENT)?

Value	Label	Unweighted Frequency	%
1	Lose weight	0	0.0 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	0	0.0 %
4	Other	0	0.0 %
5	Medication	1	0.0 %
6	Supplement	0	0.0 %
7	Healthy diet	0	0.0 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	0	0.0 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA28JA: OS-Type of cancer respondent has had #1

What type of cancer have you had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	5	0.1 %
2	Skin	28	0.8 %
3	Bone	4	0.1 %
4	Blood	4	0.1 %
5	Muscles	1	0.0 %
6	Esophagus	1	0.0 %
7	Liver	1	0.0 %
8	Gall bladder	1	0.0 %
9	Kidney	6	0.2 %
10	Mouth	3	0.1 %
11	Thyroid	13	0.4 %
12	Testicular	5	0.1 %
13	Throat	1	0.0 %
14	Colon/rectal	2	0.1 %
15	Other: Cancer	16	0.5 %
16	Other: Non cancer	3	0.1 %
17	Other	1	0.0 %
18	Lung	1	0.0 %
19	Bladder	9	0.3 %
20	Stomach	2	0.1 %
21	Uterus	6	0.2 %
Missing Data			
99	INAPP	3281	96.7 %
Total		3,394	100%

Based upon 113 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 53-54 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA28JB: OS-Type of cancer respondent has had #2

What type of cancer have you had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Blood	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Muscles	0	0.0 %
6	Esophagus	0	0.0 %
7	Liver	0	0.0 %
8	Gall bladder	0	0.0 %
9	Kidney	0	0.0 %
10	Mouth	0	0.0 %
11	Thyroid	1	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Colon/rectal	0	0.0 %
15	Other: Cancer	0	0.0 %
16	Other: Non cancer	0	0.0 %
17	Other	0	0.0 %
18	Lung	1	0.0 %
19	Bladder	1	0.0 %
20	Stomach	0	0.0 %
21	Uterus	0	0.0 %
Missing Data			
99	INAPP	3391	99.9 %
Total		3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 19.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA28JC: OS-Type of cancer respondent has had #3

What type of cancer have you had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Blood	0	0.0 %
5	Muscles	0	0.0 %
6	Esophagus	0	0.0 %
7	Liver	0	0.0 %
8	Gall bladder	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Kidney	0	0.0 %
10	Mouth	0	0.0 %
11	Thyroid	0	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Colon/rectal	1	0.0 %
15	Other: Cancer	0	0.0 %
16	Other: Non cancer	0	0.0 %
17	Other	0	0.0 %
18	Lung	0	0.0 %
19	Bladder	0	0.0 %
20	Stomach	0	0.0 %
21	Uterus	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 14.00
- Maximum: 14.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA29AIA: OS-Type of treatment/therapy currently using for cancer #1

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	21	0.6 %
2	Sunscreen	4	0.1 %
3	Supplement	2	0.1 %
4	Nutrition	0	0.0 %
5	Other	1	0.0 %
6	Removal	3	0.1 %
Missing Data			
9	INAPP	3363	99.1 %
Total		3,394	100%

Based upon 31 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PA29AIB: OS-Type of treatment/therapy currently using for cancer #2

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	0	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	1	0.0 %
6	Removal	0	0.0 %
Missing Data			
9	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PA29AIC: OS-Type of treatment/therapy currently using for cancer #3

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	0	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	1	0.0 %
5	Other	0	0.0 %
6	Removal	0	0.0 %
Missing Data			
9	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 61-61 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PA29AID: OS-Type of treatment/therapy currently using for cancer #4

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	1	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	0	0.0 %
6	Removal	0	0.0 %
Missing Data			
9	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 62-62 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PA31JA: OS-Type of cancer mother has had #1

What type of cancer has your mother had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Breast	5	0.1 %
2	Lung	9	0.3 %
3	Lymph nodes	1	0.0 %
4	Bone	18	0.5 %
5	Spine/back	2	0.1 %
6	Blood	3	0.1 %
7	Brain	24	0.7 %
8	Esophagus	9	0.3 %
9	Stomach	9	0.3 %
10	Intestine	5	0.1 %
11	Liver	18	0.5 %

Value	Label	Unweighted Frequency	%
12	Kidney	18	0.5 %
13	Bladder	7	0.2 %
14	Pancreas	31	0.9 %
15	Thyroid	11	0.3 %
16	Throat	9	0.3 %
17	Other: Cancer	19	0.6 %
18	Metastasized	7	0.2 %
19	Other: Non cancer	2	0.1 %
20	Myeloma	5	0.1 %
21	Skin	4	0.1 %
Missing Data			
97	DON'T KNOW	6	0.2 %
99	INAPP	3172	93.5 %
Total		3,394	100%

Based upon 216 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA31JB: OS-Type of cancer mother has had #2

What type of cancer has your mother had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Breast	0	0.0 %
2	Lung	2	0.1 %
3	Lymph nodes	1	0.0 %
4	Bone	1	0.0 %
5	Spine/back	1	0.0 %
6	Blood	0	0.0 %
7	Brain	4	0.1 %
8	Esophagus	0	0.0 %
9	Stomach	0	0.0 %
10	Intestine	1	0.0 %
11	Liver	4	0.1 %
12	Kidney	1	0.0 %
13	Bladder	1	0.0 %
14	Pancreas	4	0.1 %

Value	Label	Unweighted Frequency	%
15	Thyroid	1	0.0 %
16	Throat	0	0.0 %
17	Other: Cancer	0	0.0 %
18	Metastasized	2	0.1 %
19	Other: Non cancer	0	0.0 %
20	Myeloma	0	0.0 %
21	Skin	0	0.0 %
Missing Data			
99	INAPP	3371	99.3 %
Total		3,394	100%

Based upon 23 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 18.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA31JC: OS-Type of cancer mother has had #3

What type of cancer has your mother had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Breast	0	0.0 %
2	Lung	1	0.0 %
3	Lymph nodes	0	0.0 %
4	Bone	0	0.0 %
5	Spine/back	0	0.0 %
6	Blood	0	0.0 %
7	Brain	1	0.0 %
8	Esophagus	0	0.0 %
9	Stomach	1	0.0 %
10	Intestine	0	0.0 %
11	Liver	1	0.0 %
12	Kidney	0	0.0 %
13	Bladder	0	0.0 %
14	Pancreas	1	0.0 %
15	Thyroid	0	0.0 %
16	Throat	0	0.0 %
17	Other: Cancer	0	0.0 %
18	Metastasized	0	0.0 %

Value	Label	Unweighted Frequency	%
19	Other: Non cancer	0	0.0 %
20	Myeloma	0	0.0 %
21	Skin	0	0.0 %
	Missing Data		
99	INAPP	3389	99.9 %
	Total	3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 14.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA32JA: OS-Type of cancer father has had #1

What type of cancer has your father had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	7	0.2 %
2	Myeloma	10	0.3 %
3	Esophagus	12	0.4 %
4	Larynx	3	0.1 %
5	Metastasized	2	0.1 %
6	Bladder	37	1.1 %
7	Bone	26	0.8 %
8	Brain/head	23	0.7 %
9	Kidney	24	0.7 %
10	Pancreas	33	1.0 %
11	Throat	19	0.6 %
12	Liver	18	0.5 %
13	Stomach	30	0.9 %
14	Testicular	3	0.1 %
15	Lung	8	0.2 %
16	Mouth	5	0.1 %
17	Intestine	5	0.1 %
18	Other: Pre-cancer	1	0.0 %
19	Other: Cancer	10	0.3 %
20	Blood	2	0.1 %
	Missing Data		
97	DON'T KNOW	3	0.1 %

Value	Label	Unweighted Frequency	%
99	INAPP	3113	91.7 %
Total		3,394	100%

Based upon 278 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA32JB: OS-Type of cancer father has had #2

What type of cancer has your father had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Myeloma	0	0.0 %
3	Esophagus	1	0.0 %
4	Larynx	0	0.0 %
5	Metastasized	1	0.0 %
6	Bladder	1	0.0 %
7	Bone	0	0.0 %
8	Brain/head	3	0.1 %
9	Kidney	0	0.0 %
10	Pancreas	0	0.0 %
11	Throat	0	0.0 %
12	Liver	2	0.1 %
13	Stomach	1	0.0 %
14	Testicular	0	0.0 %
15	Lung	1	0.0 %
16	Mouth	0	0.0 %
17	Intestine	0	0.0 %
18	Other: Pre-cancer	0	0.0 %
19	Other: Cancer	2	0.1 %
20	Blood	1	0.0 %
Missing Data			
99	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 20.00

Location: 71-72 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA32JC: OS-Type of cancer father has had #3

What type of cancer has your father had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Myeloma	0	0.0 %
3	Esophagus	0	0.0 %
4	Larynx	0	0.0 %
5	Metastasized	0	0.0 %
6	Bladder	0	0.0 %
7	Bone	0	0.0 %
8	Brain/head	0	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	1	0.0 %
11	Throat	0	0.0 %
12	Liver	0	0.0 %
13	Stomach	0	0.0 %
14	Testicular	0	0.0 %
15	Lung	1	0.0 %
16	Mouth	0	0.0 %
17	Intestine	0	0.0 %
18	Other: Pre-cancer	0	0.0 %
19	Other: Cancer	0	0.0 %
20	Blood	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 10.00
- Maximum: 15.00

Location: 73-74 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA33JA: OS-Type of cancer brother has had #1

What type of cancer has/have your brother(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	8	0.2 %
2	Bone	9	0.3 %
3	Blood	1	0.0 %
4	Myeloma	2	0.1 %
5	Sinuses	1	0.0 %
6	Esophagus	7	0.2 %
7	Intestine	5	0.1 %
8	Liver	8	0.2 %
9	Kidney	9	0.3 %
10	Pancreas	4	0.1 %
11	Thyroid	2	0.1 %
12	Testicular	12	0.4 %
13	Throat	11	0.3 %
14	Tonsils	1	0.0 %
15	Leg	1	0.0 %
16	Brain	11	0.3 %
17	Mouth	1	0.0 %
18	Other: Non cancer	1	0.0 %
19	Metastasized	1	0.0 %
20	Other	1	0.0 %
21	Bladder	3	0.1 %
22	Stomach	4	0.1 %
23	Other: Cancer	13	0.4 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3275	96.5 %
Total		3,394	100%

Based upon 116 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 23.00

Location: 75-76 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA33JB: OS-Type of cancer brother has had #2

What type of cancer has/have your brother(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Bone	0	0.0 %
3	Blood	0	0.0 %
4	Myeloma	0	0.0 %
5	Sinuses	0	0.0 %
6	Esophagus	0	0.0 %
7	Intestine	0	0.0 %
8	Liver	0	0.0 %
9	Kidney	1	0.0 %
10	Pancreas	3	0.1 %
11	Thyroid	0	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Tonsils	0	0.0 %
15	Leg	0	0.0 %
16	Brain	2	0.1 %
17	Mouth	0	0.0 %
18	Other: Non cancer	0	0.0 %
19	Metastasized	0	0.0 %
20	Other	0	0.0 %
21	Bladder	0	0.0 %
22	Stomach	1	0.0 %
23	Other: Cancer	1	0.0 %
Missing Data			
99	INAPP	3386	99.8 %
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 9.00
- Maximum: 23.00

Location: 77-78 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA33JC: OS-Type of cancer brother has had #3

What type of cancer has/have your brother(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Bone	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Blood	0	0.0 %
4	Myeloma	0	0.0 %
5	Sinuses	0	0.0 %
6	Esophagus	0	0.0 %
7	Intestine	0	0.0 %
8	Liver	0	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	1	0.0 %
11	Thyroid	0	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Tonsils	0	0.0 %
15	Leg	0	0.0 %
16	Brain	0	0.0 %
17	Mouth	0	0.0 %
18	Other: Non cancer	0	0.0 %
19	Metastasized	0	0.0 %
20	Other	0	0.0 %
21	Bladder	0	0.0 %
22	Stomach	0	0.0 %
23	Other: Cancer	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 79-80 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JA: OS-Type of cancer sister has had #1

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	1	0.0 %
2	Skin	3	0.1 %
3	Bone	7	0.2 %
4	Spine/back	5	0.1 %

Value	Label	Unweighted Frequency	%
5	Brain	11	0.3 %
6	Mouth	2	0.1 %
7	Stomach	4	0.1 %
8	Liver	5	0.1 %
9	Kidney	2	0.1 %
10	Pancreas	6	0.2 %
11	Thyroid	10	0.3 %
12	Throat	6	0.2 %
13	Other: Non cancer	1	0.0 %
14	Other: Cancer	10	0.3 %
15	Other	2	0.1 %
16	Lung	2	0.1 %
17	Bladder	2	0.1 %
18	Metastasized	2	0.1 %
19	Breast	1	0.0 %
Missing Data			
97	DON'T KNOW	2	0.1 %
99	INAPP	3310	97.5 %
Total		3,394	100%

Based upon 82 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JB: OS-Type of cancer sister has had #2

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	1	0.0 %
3	Bone	0	0.0 %
4	Spine/back	1	0.0 %
5	Brain	2	0.1 %
6	Mouth	0	0.0 %
7	Stomach	1	0.0 %
8	Liver	1	0.0 %
9	Kidney	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Pancreas	0	0.0 %
11	Thyroid	0	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	1	0.0 %
Missing Data			
99	INAPP	3387	99.8 %
Total		3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 19.00

Location: 83-84 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JC: OS-Type of cancer sister has had #3

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Spine/back	0	0.0 %
5	Brain	1	0.0 %
6	Mouth	0	0.0 %
7	Stomach	0	0.0 %
8	Liver	0	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	1	0.0 %
11	Thyroid	0	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	1	0.0 %
	Missing Data		
99	INAPP	3391	99.9 %
	Total	3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 19.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JD: OS-Type of cancer sister has had #4

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Spine/back	0	0.0 %
5	Brain	0	0.0 %
6	Mouth	0	0.0 %
7	Stomach	0	0.0 %
8	Liver	1	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	0	0.0 %
11	Thyroid	1	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	0	0.0 %
	Missing Data		
99	INAPP	3392	99.9 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 8.00
- Maximum: 11.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JE: OS-Type of cancer sister has had #5

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Spine/back	0	0.0 %
5	Brain	1	0.0 %
6	Mouth	0	0.0 %
7	Stomach	0	0.0 %
8	Liver	1	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	0	0.0 %
11	Thyroid	0	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 8.00

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

RA1PA35JA: OS-Type of cancer child has had

What type of cancer has/have your child(ren) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Bone	1	0.0 %
2	Brain	5	0.1 %
3	Stomach	1	0.0 %
4	Other: Cancer	1	0.0 %
5	Skin	1	0.0 %
6	Thyroid	3	0.1 %
Missing Data			
7	DON'T KNOW	1	0.0 %
9	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PB2A11A: OS-Respondent's employment situation before the recession #1

Think back to January, 2008, just before the recession began. In January 2008, what was your employment situation - were you working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	47	1.4 %
2	Was working	21	0.6 %
3	Health problem	6	0.2 %
4	Homemaker	3	0.1 %
5	Volunteer	7	0.2 %
6	Military	4	0.1 %
7	Caregiving for family/friend	4	0.1 %
8	Missionary work	2	0.1 %
9	Live on insurance benefit	1	0.0 %
10	Unemployed	2	0.1 %
11	Not working: Other reasons	3	0.1 %
12	Part-time job	4	0.1 %

Value	Label	Unweighted Frequency	%
13	Self-employed	2	0.1 %
	Missing Data		
97	DON'T KNOW	4	0.1 %
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3283	96.7 %
	Total	3,394	100%

Based upon 106 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2A11B: OS-Respondent's employment situation before the recession #2

Think back to January, 2008, just before the recession began. In January 2008, what was your employment situation - were you working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	1	0.0 %
2	Was working	1	0.0 %
3	Health problem	2	0.1 %
4	Homemaker	0	0.0 %
5	Volunteer	0	0.0 %
6	Military	0	0.0 %
7	Caregiving for family/friend	0	0.0 %
8	Missionary work	0	0.0 %
9	Live on insurance benefit	3	0.1 %
10	Unemployed	0	0.0 %
11	Not working: Other reasons	0	0.0 %
12	Part-time job	0	0.0 %
	Missing Data		
99	INAPP	3387	99.8 %
	Total	3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGA: OS-Reason for respondent's first unemployment since the recession began #1

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	41	1.2 %
2	Disabled	20	0.6 %
3	Resigned/voluntary leave	10	0.3 %
4	Had a baby/child care/married/homemaker	25	0.7 %
5	Temporary or seasonal job/contract or project ended	19	0.6 %
6	Lack of work/no work available	13	0.4 %
7	Lost job/laid off/forced to quit	21	0.6 %
8	Graduated from school	11	0.3 %
9	Moved/relocated	15	0.4 %
10	Other	30	0.9 %
11	Was not working/hadn't been working	10	0.3 %
12	Company or business moved/slow down/closed	29	0.9 %
13	Caregiving for family	12	0.4 %
14	Self-employed	5	0.1 %
15	Job/position was eliminated	11	0.3 %
16	Had problem at job	4	0.1 %
17	Weather condition	0	0.0 %
Missing Data			
97	DON'T KNOW	1	0.0 %
98	REFUSED/MISSING	2	0.1 %
99	INAPP	3115	91.8 %
Total		3,394	100%

Based upon 276 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGB: OS-Reason for respondent's first unemployment since the recession began #2

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	1	0.0 %
2	Disabled	0	0.0 %
3	Resigned/voluntary leave	1	0.0 %
4	Had a baby/child care/married/homemaker	1	0.0 %
5	Temporary or seasonal job/contract or project ended	1	0.0 %
6	Lack of work/no work available	0	0.0 %
7	Lost job/laid off/forced to quit	3	0.1 %
8	Graduated from school	0	0.0 %
9	Moved/relocated	1	0.0 %
10	Other	0	0.0 %
11	Was not working/hadn't been working	1	0.0 %
12	Company or business moved/slow down/closed	2	0.1 %
13	Caregiving for family	0	0.0 %
14	Self-employed	6	0.2 %
15	Job/position was eliminated	0	0.0 %
16	Had problem at job	0	0.0 %
17	Weather condition	1	0.0 %
Missing Data			
99	INAPP	3376	99.5 %
Total		3,394	100%

Based upon 18 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGC: OS-Reason for respondent's first unemployment since the recession began #3

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	0	0.0 %
2	Disabled	0	0.0 %
3	Resigned/voluntary leave	0	0.0 %
4	Had a baby/child care/married/homemaker	0	0.0 %
5	Temporary or seasonal job/contract or project ended	0	0.0 %
6	Lack of work/no work available	0	0.0 %
7	Lost job/laid off/forced to quit	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Graduated from school	0	0.0 %
9	Moved/relocated	0	0.0 %
10	Other	0	0.0 %
11	Was not working/hadn't been working	0	0.0 %
12	Company or business moved/slow down/closed	1	0.0 %
13	Caregiving for family	0	0.0 %
14	Self-employed	0	0.0 %
15	Job/position was eliminated	0	0.0 %
16	Had problem at job	0	0.0 %
17	Weather condition	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGD: OS-Reason for respondent's first unemployment since the recession began #4

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	0	0.0 %
2	Disabled	0	0.0 %
3	Resigned/voluntary leave	0	0.0 %
4	Had a baby/child care/married/homemaker	0	0.0 %
5	Temporary or seasonal job/contract or project ended	0	0.0 %
6	Lack of work/no work available	0	0.0 %
7	Lost job/laid off/forced to quit	0	0.0 %
8	Graduated from school	0	0.0 %
9	Moved/relocated	0	0.0 %
10	Other	0	0.0 %
11	Was not working/hadn't been working	0	0.0 %
12	Company or business moved/slow down/closed	0	0.0 %
13	Caregiving for family	0	0.0 %
14	Self-employed	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Job/position was eliminated	0	0.0 %
16	Had problem at job	1	0.0 %
17	Weather condition	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 16.00
- Maximum: 16.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB3KA: OS-Respondent's current employment situation #1

What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Disabled	41	1.2 %
2	Caregiving for family	6	0.2 %
3	Volunteer	14	0.4 %
4	Homemaker	5	0.1 %
5	Health problem	2	0.1 %
6	Live on insurance benefit	3	0.1 %
7	Laid off	1	0.0 %
8	Working	9	0.3 %
9	Self-employed	4	0.1 %
10	Part-time work	13	0.4 %
11	Apprenticeship	1	0.0 %
12	Not specified	3	0.1 %
13	Unpaid internship	2	0.1 %
	Missing Data		
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3289	96.9 %
	Total	3,394	100%

Based upon 104 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB3KB: OS-Respondent's current employment situation #2

What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Caregiving for family	0	0.0 %
3	Volunteer	0	0.0 %
4	Homemaker	0	0.0 %
5	Health problem	0	0.0 %
6	Live on insurance benefit	1	0.0 %
7	Laid off	0	0.0 %
8	Working	1	0.0 %
9	Self-employed	1	0.0 %
10	Part-time work	2	0.1 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 10.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5GA: OS-Reason for respondent's unemployment #1

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	51	1.5 %
2	Had a baby/child care/married/homemaker	25	0.7 %
3	Health problem/accident	100	2.9 %
4	Other	21	0.6 %
5	Schooling	4	0.1 %

Value	Label	Unweighted Frequency	%
6	Moved	18	0.5 %
7	Imprisoned	1	0.0 %
8	Temporary job/seasonal job/contract ended	16	0.5 %
9	Laid off	12	0.4 %
10	No work/lack of work	7	0.2 %
11	Caregiving for family	17	0.5 %
12	Graduated from school/semester ended	2	0.1 %
13	Company moved/closed	8	0.2 %
14	Resigned/chose to quit	14	0.4 %
15	Didn't like working condition	1	0.0 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3096	91.2 %
Total		3,394	100%

Based upon 297 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5GB: OS-Reason for respondent's unemployment #2

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	3	0.1 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	2	0.1 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	1	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
	Missing Data		
99	INAPP	3388	99.8 %
	Total	3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 10.00

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5GC: OS-Reason for respondent's unemployment #3

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	0	0.0 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	0	0.0 %
7	Imprisoned	1	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 112-113 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5AB1A: OE-What respondent is doing to find a job #1

What are you doing to find a job? (Open ended)

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	84	2.5 %
2	Networking	60	1.8 %
3	Internet/online/other media: Not specified	32	0.9 %
4	Interviewing	12	0.4 %
5	Schooling	3	0.1 %
6	Other	10	0.3 %
7	Already has a job	6	0.2 %
Missing Data			
99	INAPP	3187	93.9 %
Total		3,394	100%

Based upon 207 valid cases out of 3,394 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 114-115 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5AB1B: OE-What respondent is doing to find a job #2

What are you doing to find a job? (Open ended)

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	47	1.4 %
2	Networking	0	0.0 %
3	Internet/online/other media: Not specified	32	0.9 %
4	Interviewing	3	0.1 %
5	Schooling	4	0.1 %
6	Other	1	0.0 %
7	Already has a job	0	0.0 %
Missing Data			
99	INAPP	3307	97.4 %
Total		3,394	100%

Based upon 87 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5AB1C: OE-What respondent is doing to find a job #3

What are you doing to find a job? (Open ended)

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	4	0.1 %
2	Networking	0	0.0 %
3	Internet/online/other media: Not specified	9	0.3 %
4	Interviewing	0	0.0 %
5	Schooling	0	0.0 %
6	Other	0	0.0 %
7	Already has a job	0	0.0 %
Missing Data			
99	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB33AKA: OS-Spouse/partner's employment situation before the recession

Think back to January, 2008, just before the recession began. In January 2008, what was your spouse or partner's employment situation - was he/she working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	17	0.5 %
2	Imprisoned	3	0.1 %
3	Schooling	1	0.0 %
4	Volunteer	2	0.1 %
5	Looking for job	1	0.0 %
6	Health problem	4	0.1 %
7	Staying abroad	1	0.0 %
8	Other	4	0.1 %
9	Military	1	0.0 %

Value	Label	Unweighted Frequency	%
10	Laid off	1	0.0 %
11	Seasonal work	1	0.0 %
12	Working	1	0.0 %
13	Caregiving for family/friend	2	0.1 %
14	Self employed	2	0.1 %
15	Part-time job	1	0.0 %
Missing Data			
97	DON'T KNOW	2	0.1 %
99	INAPP	3350	98.7 %
Total		3,394	100%

Based upon 42 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB33BBGA: OS-Reason for spouse/partner's first unemployment since the recession began #1

What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Company or business moved/slow down/closed	9	0.3 %
2	Disabled	12	0.4 %
3	Health problem/accident	13	0.4 %
4	Temporary or seasonal job/contract or project ended	35	1.0 %
5	Other	17	0.5 %
6	Moved	4	0.1 %
7	Job/position was eliminated	6	0.2 %
8	Schooling	4	0.1 %
9	Self-employed	1	0.0 %
10	Was not working/hadn't been working	7	0.2 %
11	Lack of work/no work available	12	0.4 %
12	Had a job/was working	5	0.1 %
13	Graduating from school	5	0.1 %
14	Looking for a job	8	0.2 %
15	Laid off	7	0.2 %
16	Caregiving for family/friend	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
97	DON'T KNOW	1	0.0 %
99	INAPP	3247	95.7 %
	Total	3,394	100%

Based upon 146 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PB33BBGB: OS-Reason for spouse/partner's first unemployment since the recession began #2

What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Company or business moved/slow down/closed	0	0.0 %
2	Disabled	0	0.0 %
3	Health problem/accident	0	0.0 %
4	Temporary or seasonal job/contract or project ended	3	0.1 %
5	Other	1	0.0 %
6	Moved	1	0.0 %
7	Job/position was eliminated	0	0.0 %
8	Schooling	0	0.0 %
9	Self-employed	2	0.1 %
10	Was not working/hadn't been working	2	0.1 %
11	Lack of work/no work available	4	0.1 %
12	Had a job/was working	0	0.0 %
13	Graduating from school	3	0.1 %
14	Looking for a job	0	0.0 %
15	Laid off	1	0.0 %
16	Caregiving for family/friend	0	0.0 %
	Missing Data		
99	INAPP	3377	99.5 %
	Total	3,394	100%

Based upon 17 valid cases out of 3,394 total cases.

- Minimum: 4.00

- Maximum: 15.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB34KA: OS-Spouse/partner's current employment situation

What about your spouse or partner's current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Disabled	18	0.5 %
2	Health problem	2	0.1 %
3	Volunteer/unpaid job	5	0.1 %
4	Part-time job	5	0.1 %
5	Maternity leave	1	0.0 %
6	Not working	1	0.0 %
7	Working	6	0.2 %
8	About to start working	1	0.0 %
9	Caregiving for family/friend	4	0.1 %
10	Live on insurance benefit	1	0.0 %
11	Homemaker	1	0.0 %
12	Self-employed	1	0.0 %
Missing Data			
99	INAPP	3348	98.6 %
Total		3,394	100%

Based upon 46 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36GA: OS-Reason for spouse/partner's unemployment #1

What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	54	1.6 %
2	Had a baby/child care/married/homemaker	42	1.2 %
3	Disabled	20	0.6 %
4	Schooling	4	0.1 %
5	Temporary or seasonal job/contract or project ended	13	0.4 %

Value	Label	Unweighted Frequency	%
6	Moved	6	0.2 %
7	Business stopped/slow down	8	0.2 %
8	No work available	3	0.1 %
9	Other	12	0.4 %
10	Resigned/chose to quit	12	0.4 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3219	94.8 %
Total		3,394	100%

Based upon 174 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36GB: OS-Reason for spouse/partner's unemployment #2

What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	1	0.0 %
2	Had a baby/child care/married/homemaker	1	0.0 %
3	Disabled	0	0.0 %
4	Schooling	0	0.0 %
5	Temporary or seasonal job/contract or project ended	0	0.0 %
6	Moved	0	0.0 %
7	Business stopped/slow down	0	0.0 %
8	No work available	0	0.0 %
9	Other	0	0.0 %
10	Resigned/chose to quit	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1A: OE-What spouse/partner is doing to find a job #1

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	39	1.1 %
2	Already has a job	8	0.2 %
3	Networking	26	0.8 %
4	Internet, online, other media: Ambiguous response	15	0.4 %
5	Interviewing	4	0.1 %
6	Schooling	0	0.0 %
7	Other	5	0.1 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3296	97.1 %
Total		3,394	100%

Based upon 97 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 132-133 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1B: OE-What spouse/partner is doing to find a job #2

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	19	0.6 %
2	Already has a job	0	0.0 %
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	18	0.5 %
5	Interviewing	2	0.1 %
6	Schooling	1	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3354	98.8 %
Total		3,394	100%

Based upon 40 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1C: OE-What spouse/partner is doing to find a job #3

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	6	0.2 %
2	Already has a job	1	0.0 %
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	1	0.0 %
5	Interviewing	0	0.0 %
6	Schooling	1	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3385	99.7 %
Total		3,394	100%

Based upon 9 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1D: OE-What spouse/partner is doing to find a job #4

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	0	0.0 %
2	Already has a job	0	0.0 %
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	1	0.0 %
5	Interviewing	0	0.0 %
6	Schooling	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PB43GA: OS-The reason participant did not live with their biological parents up until 16 years old #1

Why didn't you live with your biological parents? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Parents never married	15	0.4 %
2	Parents' misbehavior/crime/imprisoned	7	0.2 %
3	Parents divorced/remarried	10	0.3 %
4	Parents left	18	0.5 %
5	Parents couldn't handle me	6	0.2 %
6	Other	9	0.3 %
7	Lived with only one parent	10	0.3 %
8	Parents' work	5	0.1 %
9	Never knew/saw father	9	0.3 %
10	Lived at school	5	0.1 %
11	Parents moved away	3	0.1 %
12	Lived with one biological parent and new spouse	2	0.1 %
13	Respondent left home/didn't live together	7	0.2 %
14	Lived in foster care	3	0.1 %
15	Didn't have a good relationship with parents	1	0.0 %
16	Lived with grandparents	4	0.1 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3277	96.6 %
Total		3,394	100%

Based upon 114 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PB43GB: OS-The reason participant did not live with their biological parents up until 16 years old #2

Why didn't you live with your biological parents? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Parents never married	3	0.1 %
2	Parents' misbehavior/crime/imprisoned	1	0.0 %
3	Parents divorced/remarried	2	0.1 %
4	Parents left	0	0.0 %
5	Parents couldn't handle me	1	0.0 %
6	Other	0	0.0 %
7	Lived with only one parent	0	0.0 %
8	Parents' work	0	0.0 %
9	Never knew/saw father	0	0.0 %
10	Lived at school	0	0.0 %
11	Parents moved away	0	0.0 %
12	Lived with one biological parent and new spouse	0	0.0 %
13	Respondent left home/didn't live together	0	0.0 %
14	Lived in foster care	0	0.0 %
15	Didn't have a good relationship with parents	0	0.0 %
16	Lived with grandparents	4	0.1 %
Missing Data			
99	INAPP	3383	99.7 %
Total		3,394	100%

Based upon 11 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 142-143 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB43GC: OS-The reason participant did not live with their biological parents up until 16 years old #3

Why didn't you live with your biological parents? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Parents never married	0	0.0 %
2	Parents' misbehavior/crime/imprisoned	1	0.0 %
3	Parents divorced/remarried	0	0.0 %
4	Parents left	0	0.0 %
5	Parents couldn't handle me	0	0.0 %
6	Other	0	0.0 %
7	Lived with only one parent	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Parents' work	0	0.0 %
9	Never knew/saw father	0	0.0 %
10	Lived at school	0	0.0 %
11	Parents moved away	0	0.0 %
12	Lived with one biological parent and new spouse	0	0.0 %
13	Respondent left home/didn't live together	0	0.0 %
14	Lived in foster care	0	0.0 %
15	Didn't have a good relationship with parents	0	0.0 %
16	Lived with grandparents	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB45A: OS-Male head of household for most of childhood #1

Who was the male head of your household for most of your childhood? - OTHER MALE (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandfather	56	1.6 %
2	Brother	32	0.9 %
3	Uncle	10	0.3 %
4	Myself	6	0.2 %
5	Mother's boyfriend/husband	6	0.2 %
6	Father/stepfather/foster father	8	0.2 %
7	Mother/foster mother	2	0.1 %
8	Other	2	0.1 %
Missing Data			
97	DON'T KNOW	2	0.1 %
99	INAPP	3270	96.3 %
Total		3,394	100%

Based upon 122 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB45B: OS-Male head of household for most of childhood #2

Who was the male head of your household for most of your childhood? - OTHER MALE (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandfather	0	0.0 %
2	Brother	0	0.0 %
3	Uncle	3	0.1 %
4	Myself	0	0.0 %
5	Mother's boyfriend/husband	0	0.0 %
6	Father/stepfather/foster father	2	0.1 %
7	Mother/foster mother	1	0.0 %
8	Other	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB45C: OS-Male head of household for most of childhood #3

Who was the male head of your household for most of your childhood? - OTHER MALE (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandfather	0	0.0 %
2	Brother	0	0.0 %
3	Uncle	1	0.0 %
4	Myself	0	0.0 %
5	Mother's boyfriend/husband	0	0.0 %
6	Father/stepfather/foster father	0	0.0 %
7	Mother/foster mother	0	0.0 %
8	Other	1	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 8.00

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB47AEA: OS-Main reason male household was not working for pay during most of participant's childhood years

What was the main reason he was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Disabled	2	0.1 %
2	Retired	11	0.3 %
3	Didn't need to work	2	0.1 %
4	Health problem	4	0.1 %
5	No work available/unemployed	6	0.2 %
6	Not old enough to work	2	0.1 %
7	Criminal/drug and alcohol abuser	4	0.1 %
8	Social security income	2	0.1 %
9	Schooling	5	0.1 %
10	Other	7	0.2 %
11	Caregiving for family	1	0.0 %
12	Self-employed	2	0.1 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3343	98.5 %
Total		3,394	100%

Based upon 48 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB49A: OS-Female head of household for most of childhood

Who was the female head of your household for most of your childhood? - OTHER FEMALE YEA(SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandmother	66	1.9 %
2	Foster Mother/stepmother	7	0.2 %

Value	Label	Unweighted Frequency	%
3	Myself	2	0.1 %
4	Aunt	11	0.3 %
5	Sister	5	0.1 %
6	Other	2	0.1 %
	Missing Data		
9	INAPP	3301	97.3 %
	Total	3,394	100%

Based upon 93 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 154-154 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

RA1PB51AEA: OS-Main reason female household was not working for pay during most of participant's childhood years #1

What was the main reason she was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	90	2.7 %
2	Didn't need to work	78	2.3 %
3	Health problem	11	0.3 %
4	Retired	4	0.1 %
5	She chose not to/didn't want to work	36	1.1 %
6	Father didn't want her to work	14	0.4 %
7	Lack of skill/education	3	0.1 %
8	Cultural reason	17	0.5 %
9	Other	37	1.1 %
10	Had part-time/temporary job	4	0.1 %
11	Ambiguous response	3	0.1 %
12	Self-employed	7	0.2 %
13	No work available/unemployed	4	0.1 %
	Missing Data		
97	DON'T KNOW	4	0.1 %
99	INAPP	3082	90.8 %
	Total	3,394	100%

Based upon 308 valid cases out of 3,394 total cases.

- Minimum: 1.00

- Maximum: 13.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB51AEB: OS-Main reason female household was not working for pay during most of participant's childhood years #2

What was the main reason she was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	7	0.2 %
2	Didn't need to work	1	0.0 %
3	Health problem	0	0.0 %
4	Retired	0	0.0 %
5	She chose not to/didn't want to work	4	0.1 %
6	Father didn't want her to work	5	0.1 %
7	Lack of skill/education	1	0.0 %
8	Cultural reason	3	0.1 %
9	Other	0	0.0 %
10	Had part-time/temporary job	0	0.0 %
11	Ambiguous response	0	0.0 %
12	Self-employed	1	0.0 %
13	No work available/unemployed	0	0.0 %
Missing Data			
99	INAPP	3372	99.4 %
Total		3,394	100%

Based upon 22 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB51AEC: OS-Main reason female household was not working for pay during most of participant's childhood years #3

What was the main reason she was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	1	0.0 %
2	Didn't need to work	0	0.0 %
3	Health problem	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Retired	0	0.0 %
5	She chose not to/didn't want to work	0	0.0 %
6	Father didn't want her to work	0	0.0 %
7	Lack of skill/education	0	0.0 %
8	Cultural reason	0	0.0 %
9	Other	0	0.0 %
10	Had part-time/temporary job	0	0.0 %
11	Ambiguous response	0	0.0 %
12	Self-employed	0	0.0 %
13	No work available/unemployed	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PC6A: OS-Anyone you have not already mentioned lived in your household in last 12 months #1

In the last 12 months, has anyone you haven't already mentioned lived in your household? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	21	0.6 %
2	Sister	11	0.3 %
3	Brother	7	0.2 %
4	Spouse	15	0.4 %
5	Nephew	12	0.4 %
6	In-laws	21	0.6 %
7	Roommate	3	0.1 %
8	Parents	26	0.8 %
9	Niece	4	0.1 %
10	Other: Non family member	27	0.8 %
11	Other: Family member	6	0.2 %
12	Children	20	0.6 %
13	Boyfriend/girlfriend/domestic partner/fiance	9	0.3 %
14	Grandchildren	18	0.5 %

Value	Label	Unweighted Frequency	%
15	Other	21	0.6 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3172	93.5 %
Total		3,394	100%

Based upon 221 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PC6B: OS-Anyone you have not already mentioned lived in your household in last 12 months #2

In the last 12 months, has anyone you haven't already mentioned lived in your household? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	1	0.0 %
2	Sister	3	0.1 %
3	Brother	3	0.1 %
4	Spouse	1	0.0 %
5	Nephew	0	0.0 %
6	In-laws	0	0.0 %
7	Roommate	1	0.0 %
8	Parents	0	0.0 %
9	Niece	1	0.0 %
10	Other: Non family member	2	0.1 %
11	Other: Family member	1	0.0 %
12	Children	1	0.0 %
13	Boyfriend/girlfriend/domestic partner/fiance	2	0.1 %
14	Grandchildren	4	0.1 %
15	Other	0	0.0 %
Missing Data			
99	INAPP	3374	99.4 %
Total		3,394	100%

Based upon 20 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PC6C: OS-Anyone you have not already mentioned lived in your household in last 12 months #3

In the last 12 months, has anyone you haven't already mentioned lived in your household? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	0	0.0 %
2	Sister	0	0.0 %
3	Brother	0	0.0 %
4	Spouse	0	0.0 %
5	Nephew	0	0.0 %
6	In-laws	0	0.0 %
7	Roommate	0	0.0 %
8	Parents	0	0.0 %
9	Niece	0	0.0 %
10	Other: Non family member	0	0.0 %
11	Other: Family member	1	0.0 %
12	Children	3	0.1 %
13	Boyfriend/girlfriend/domestic partner/fiance	0	0.0 %
14	Grandchildren	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 12.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PCDTA1: OS-Condition disability/mental problem 1: Child #1

What type of developmental disability or serious mental health problem does [name] have - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	1	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %

Value	Label	Unweighted Frequency	%
105	Developmental disability (DD)	7	0.2 %
106	Down syndrome	1	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	2	0.1 %
223	Attention deficit hyperactivity disorder (ADHD)	2	0.1 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	4	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %

Value	Label	Unweighted Frequency	%
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	1	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3338	98.4 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 56 valid cases out of 3,394 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 167-169 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA2: OS-Condition disability/mental problem 1: Child #2

What type of developmental disability or serious mental health problem does [name] have - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	1	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	4	0.1 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	1	0.0 %
224	Handicapped	4	0.1 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	4	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	1	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3342	98.5 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 52 valid cases out of 3,394 total cases.

- Minimum: 102.00
- Maximum: 996.00

Location: 170-172 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDTA3: OS-Condition disability/mental problem 1: Child #3

What type of developmental disability or serious mental health problem does [name] have - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %

Value	Label	Unweighted Frequency	%
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3381	99.6 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 105.00
- Maximum: 996.00

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA4: OS-Condition disability/mental problem 1: Child #4

What type of developmental disability or serious mental health problem does [name] have - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %

Value	Label	Unweighted Frequency	%
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3385	99.7 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9 valid cases out of 3,394 total cases.

- Minimum: 105.00
- Maximum: 996.00

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA5: OS-Condition disability/mental problem 1: Child #5

What type of developmental disability or serious mental health problem does [name] have - CHILD #5?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %

Value	Label	Unweighted Frequency	%
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3389	99.9 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 800.00
- Maximum: 996.00

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA6: OS-Condition disability/mental problem 1: Child #6

What type of developmental disability or serious mental health problem does [name] have - CHILD #6?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %

Value	Label	Unweighted Frequency	%
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3389	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 657.00
- Maximum: 996.00

Location: 182-184 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA7: OS-Condition disability/mental problem 1: Child #7

What type of developmental disability or serious mental health problem does [name] have - CHILD #7?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %

Value	Label	Unweighted Frequency	%
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA8: OS-Condition disability/mental problem 1: Child #8

What type of developmental disability or serious mental health problem does [name] have - CHILD #8?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %

Value	Label	Unweighted Frequency	%
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
997	DON'T KNOW	1	0.0 %
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 0 valid cases out of 3,394 total cases.

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA9: OS-Condition disability/mental problem 1: Child #9

What type of developmental disability or serious mental health problem does [name] have - CHILD #9?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %

Value	Label	Unweighted Frequency	%
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	1	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 538.00
- Maximum: 538.00

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTB1: OS-Condition disability/mental problem 2: Child #1

What type of developmental disability or serious mental health problem does [name] have - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	1	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %

Value	Label	Unweighted Frequency	%
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 223.00
- Maximum: 996.00

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTB2: OS-Condition disability/mental problem 2: Child #2

What type of developmental disability or serious mental health problem does [name] have - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %

Value	Label	Unweighted Frequency	%
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 110.00
- Maximum: 996.00

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDTB9: OS-Condition disability/mental problem 2: Child #9

What type of developmental disability or serious mental health problem does [name] have - CHILD #9?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %

Value	Label	Unweighted Frequency	%
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	1	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 543.00
- Maximum: 543.00

Location: 200-202 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA1: OS-Any other condition 1: Child #1

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	2	0.1 %
102	Autism	1	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	4	0.1 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	1	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	3	0.1 %
224	Handicapped	2	0.1 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	3	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	2	0.1 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %

Value	Label	Unweighted Frequency	%
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	1	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
997	DON'T KNOW	1	0.0 %
998	REFUSED	1	0.0 %
999	INAPP	3356	98.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 36 valid cases out of 3,394 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOA2: OS-Any other condition 1: Child #2

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	1	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %

Value	Label	Unweighted Frequency	%
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	2	0.1 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	4	0.1 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	1	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	1	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	1	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %

Value	Label	Unweighted Frequency	%
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
997	DON'T KNOW	2	0.1 %
999	INAPP	3362	99.1 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 30 valid cases out of 3,394 total cases.

- Minimum: 102.00
- Maximum: 996.00

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA3: OS-Any other condition 1: Child #3

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	1	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %

Value	Label	Unweighted Frequency	%
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	1	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	2	0.1 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	2	0.1 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	1	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
998	REFUSED	1	0.0 %
999	INAPP	3374	99.4 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 19 valid cases out of 3,394 total cases.

- Minimum: 101.00

- Maximum: 996.00

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA4: OS-Any other condition 1: Child #4

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	1	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %

Value	Label	Unweighted Frequency	%
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3386	99.8 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 103.00
- Maximum: 996.00

Location: 212-214 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOA5: OS-Any other condition 1: Child #5

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #5?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	1	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %

Value	Label	Unweighted Frequency	%
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %

Value	Label	Unweighted Frequency	%
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3388	99.8 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA6: OS-Any other condition 1: Child #6

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #6?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %

Value	Label	Unweighted Frequency	%
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3392	99.9 %
Total			100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 222.00
- Maximum: 996.00

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOA7: OS-Any other condition 1: Child #7

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #7?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %

Value	Label	Unweighted Frequency	%
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	1	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3392	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 226.00
- Maximum: 332.00

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA9: OS-Any other condition 1: Child #9

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #9?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizopreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	1	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 543.00
- Maximum: 543.00

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB1: OS-Any other condition 2: Child #1

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %

Value	Label	Unweighted Frequency	%
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	1	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	2	0.1 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	1	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	1	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3382	99.6 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 105.00
- Maximum: 996.00

Location: 227-229 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB2: OS-Any other condition 2: Child #2

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	1	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %

Value	Label	Unweighted Frequency	%
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 104.00
- Maximum: 996.00

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB3: OS-Any other condition 2: Child #3

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %

Value	Label	Unweighted Frequency	%
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	1	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3390	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 222.00
- Maximum: 875.00

Location: 233-235 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB4: OS-Any other condition 2: Child #4

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %

Value	Label	Unweighted Frequency	%
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	1	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 110.00
- Maximum: 649.00

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB5: OS-Any other condition 2: Child #5

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #5?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %

Value	Label	Unweighted Frequency	%
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 875.00
- Maximum: 875.00

Location: 239-241 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB6: OS-Any other condition 2: Child #6

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #6?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %

Value	Label	Unweighted Frequency	%
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 226.00
- Maximum: 226.00

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB7: OS-Any other condition 2: Child #7

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #7?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %

Value	Label	Unweighted Frequency	%
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 230.00
- Maximum: 230.00

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOC3: OS-Any other condition 3: Child #3

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %

Value	Label	Unweighted Frequency	%
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 655.00
- Maximum: 655.00

Location: 248-250 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOC4: OS-Any other condition 3: Child #4

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %

Value	Label	Unweighted Frequency	%
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PD2A: OS-Recipient of the most personal care #1

To whom did you give the MOST personal care? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	24	0.7 %
2	Aunt	8	0.2 %
3	Children	4	0.1 %
4	Uncle	4	0.1 %
5	Stepfather	3	0.1 %
6	Boyfriend/girlfriend	5	0.1 %
7	Domestic partner	3	0.1 %
8	In-laws	12	0.4 %
9	Other: Family member	5	0.1 %
10	Other: Non family member	5	0.1 %
11	Other	7	0.2 %

Value	Label	Unweighted Frequency	%
12	Grandchildren	4	0.1 %
	Missing Data		
99	INAPP	3310	97.5 %
	Total	3,394	100%

Based upon 84 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD2B: OS-Recipient of the most personal care #2

To whom did you give the MOST personal care? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	0	0.0 %
2	Aunt	0	0.0 %
3	Children	0	0.0 %
4	Uncle	1	0.0 %
5	Stepfather	0	0.0 %
6	Boyfriend/girlfriend	0	0.0 %
7	Domestic partner	0	0.0 %
8	In-laws	0	0.0 %
9	Other: Family member	0	0.0 %
10	Other: Non family member	0	0.0 %
11	Other	0	0.0 %
12	Grandchildren	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4A: OS-Condition caused recipient to need personal care #1

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	5	0.1 %
2	Arthritis	5	0.1 %
3	Bipolar	6	0.2 %
4	Diabetes	7	0.2 %
5	Other cancer	46	1.4 %
6	Old age	40	1.2 %
7	Mental disease	27	0.8 %
8	Dementia/Alzheimer	43	1.3 %
9	Surgery	18	0.5 %
10	Parkinson's disease	6	0.2 %
11	Depression	14	0.4 %
12	Stroke	22	0.6 %
13	Down syndrome	5	0.1 %
14	Accident/injury/negative life event	15	0.4 %
15	Back/spine	10	0.3 %
16	Epilepsy/seizure	3	0.1 %
17	Chronic Obstructive Pulmonary Disease (COPD)	5	0.1 %
18	Heart	26	0.8 %
19	Other	67	2.0 %
20	Blood/blood clot/blood pressure	7	0.2 %
21	Brain	12	0.4 %
22	Broken bone	13	0.4 %
23	Lung/asthma	2	0.1 %
24	Disabled	6	0.2 %
25	Hip/knee replacement	15	0.4 %
26	Brain cancer	5	0.1 %
27	Kidney	5	0.1 %
Missing Data			
99	INAPP	2959	87.2 %
Total		3,394	100%

Based upon 435 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 27.00

Location: 258-259 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4B: OS-Condition caused recipient to need personal care #2

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	1	0.0 %
2	Arthritis	4	0.1 %
3	Bipolar	0	0.0 %
4	Diabetes	8	0.2 %
5	Other cancer	3	0.1 %
6	Old age	7	0.2 %
7	Mental disease	4	0.1 %
8	Dementia/Alzheimer	2	0.1 %
9	Surgery	1	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	1	0.0 %
12	Stroke	2	0.1 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	5	0.1 %
15	Back/spine	7	0.2 %
16	Epilepsy/seizure	2	0.1 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	4	0.1 %
19	Other	8	0.2 %
20	Blood/blood clot/blood pressure	2	0.1 %
21	Brain	3	0.1 %
22	Broken bone	4	0.1 %
23	Lung/asthma	3	0.1 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	1	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
Missing Data			
99	INAPP	3322	97.9 %
Total		3,394	100%

Based upon 72 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 25.00

Location: 260-261 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4C: OS-Condition caused recipient to need personal care #3

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	1	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	3	0.1 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	1	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	1	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	9	0.3 %
19	Other	0	0.0 %
20	Blood/blood clot/blood pressure	2	0.1 %
21	Brain	0	0.0 %
22	Broken bone	1	0.0 %
23	Lung/asthma	1	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
Missing Data			
99	INAPP	3375	99.4 %
Total		3,394	100%

Based upon 19 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 23.00

Location: 262-263 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4D: OS-Condition caused recipient to need personal care #4

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	0	0.0 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	1	0.0 %
19	Other	1	0.0 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	0	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 18.00
- Maximum: 19.00

Location: 264-265 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD8A: OS-The reason for no longer helping recipient

Why are you no longer helping? Is it because (he/she) no longer needs care, someone else is helping (him/her), (he/she) is deceased, or for some other reason? FIRST RESPONSE.

Value	Label	Unweighted Frequency	%
1	Condition improved	4	0.1 %
2	No longer live together	3	0.1 %
3	Problem in relationship with recipient	2	0.1 %
4	Other	2	0.1 %
5	Someone else is helping	3	0.1 %
Missing Data			
9	INAPP	3380	99.6 %
Total		3,394	100%

Based upon 14 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PE1A7A: OS-Institution setting where participant has lived last 5 years

Over the past 5 years, have you lived in SOME OTHER INSTITUTIONAL SETTING? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Hospital/rehab center	7	0.2 %
2	Jail/halfway house	3	0.1 %
3	Barrack/armed forces housing	3	0.1 %
4	Educational institution	2	0.1 %
Missing Data			
9	INAPP	3379	99.6 %
Total		3,394	100%

Based upon 15 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PF1A: OS-Other Spanish origin

The next questions are about your ethnic background or origin. Most people in the United States have ancestors that come from other parts of the world. Are you of Spanish, Hispanic or Latino descent, that is, Mexican, Mexican American, Chicano, Puerto Rican, Cuban or some other Spanish origin? OTHER SPANISH (Please specify):

Value	Label	Unweighted Frequency	%
1	Dominican	5	0.1 %
2	Columbian	4	0.1 %
3	Hispanic	19	0.6 %
4	Spanish	13	0.4 %
5	Portuguese	3	0.1 %
6	El Salvador	2	0.1 %
7	Brazilian	3	0.1 %
8	Ecuadorian	2	0.1 %
9	Latino	4	0.1 %
10	South American	2	0.1 %
11	Central American	4	0.1 %
12	Other	9	0.3 %
13	Mixed racial origins	6	0.2 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3317	97.7 %
Total		3,394	100%

Based upon 76 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2A: OS-Other main ethnic background or origins #1

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	25	0.7 %
2	American/United States	56	1.6 %
3	African American	21	0.6 %
4	Caucasian	18	0.5 %
5	Netherland	44	1.3 %
6	Great Britain	38	1.1 %
7	Native American	27	0.8 %
8	Scandinavian	15	0.4 %
9	European	69	2.0 %
10	Switzerland	24	0.7 %
11	Finland	11	0.3 %

Value	Label	Unweighted Frequency	%
12	Asian	8	0.2 %
13	Other	50	1.5 %
14	Ukraine	9	0.3 %
15	Not specified	1	0.0 %
16	Germany	6	0.2 %
17	Lithuania	10	0.3 %
18	Jewish	6	0.2 %
19	Wales	16	0.5 %
20	Belgium	6	0.2 %
21	Austria	11	0.3 %
22	French Canadian	4	0.1 %
23	Hungary	2	0.1 %
24	Ireland	5	0.1 %
25	Pacific Islander	1	0.0 %
26	Slovakia	3	0.1 %
27	Middle Eastern	1	0.0 %
28	Spain	1	0.0 %
29	Bermuda	1	0.0 %
30	Scotland	1	0.0 %
31	France	1	0.0 %
32	England	0	0.0 %
Missing Data			
99	INAPP	2903	85.5 %
Total		3,394	100%

Based upon 491 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 31.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2B: OS-Other main ethnic background or origins #2

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	4	0.1 %
2	American/United States	1	0.0 %
3	African American	1	0.0 %
4	Caucasian	3	0.1 %

Value	Label	Unweighted Frequency	%
5	Netherland	12	0.4 %
6	Great Britain	2	0.1 %
7	Native American	2	0.1 %
8	Scandinavian	1	0.0 %
9	European	6	0.2 %
10	Switzerland	1	0.0 %
11	Finland	0	0.0 %
12	Asian	3	0.1 %
13	Other	1	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	1	0.0 %
17	Lithuania	1	0.0 %
18	Jewish	1	0.0 %
19	Wales	4	0.1 %
20	Belgium	0	0.0 %
21	Austria	3	0.1 %
22	French Canadian	2	0.1 %
23	Hungary	0	0.0 %
24	Ireland	1	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	1	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	1	0.0 %
31	France	1	0.0 %
32	England	2	0.1 %
Missing Data			
99	INAPP	3339	98.4 %
Total		3,394	100%

Based upon 55 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 32.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2C: OS-Other main ethnic background or origins #3

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	2	0.1 %
6	Great Britain	0	0.0 %
7	Native American	2	0.1 %
8	Scandinavian	1	0.0 %
9	European	0	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	0	0.0 %
20	Belgium	0	0.0 %
21	Austria	0	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	1	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 32.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2D: OS-Other main ethnic background or origins #4

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	0	0.0 %
6	Great Britain	1	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	1	0.0 %
20	Belgium	0	0.0 %
21	Austria	0	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %

Value	Label	Unweighted Frequency	%
32	England	0	0.0 %
	Missing Data		
99	INAPP	3392	99.9 %
	Total	3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 19.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2E: OS-Other main ethnic background or origins #5

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	0	0.0 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	1	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	0	0.0 %
20	Belgium	0	0.0 %
21	Austria	0	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %

Value	Label	Unweighted Frequency	%
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2F: OS-Other main ethnic background or origins #6

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	0	0.0 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %

Value	Label	Unweighted Frequency	%
18	Jewish	0	0.0 %
19	Wales	0	0.0 %
20	Belgium	0	0.0 %
21	Austria	1	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 21.00
- Maximum: 21.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PF3A: OS-Other which best describes background or origins

Which group best describes your background or origins?

Value	Label	Unweighted Frequency	%
1	All equally together	49	1.4 %
2	England	2	0.1 %
3	Jewish	3	0.1 %
4	American	11	0.3 %
5	Scandinavian	2	0.1 %
6	White	3	0.1 %
7	Swiss	1	0.0 %
8	Ireland	2	0.1 %
9	French Canadian	2	0.1 %
10	African American	1	0.0 %

Value	Label	Unweighted Frequency	%
11	European	2	0.1 %
12	Other	3	0.1 %
	Missing Data		
97	DON'T KNOW	1	0.0 %
99	INAPP	3312	97.6 %
	Total	3,394	100%

Based upon 81 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF7A: OS-Other main racial origins

What are your main racial origins -- that is, what race or races are your parents, grandparents, and other ancestors? OTHER (PLEASE SPECIFY):

Value	Label	Unweighted Frequency	%
1	White	130	3.8 %
2	Black/African American	2	0.1 %
3	Native American or Alaska Native	4	0.1 %
4	Asian	16	0.5 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	20	0.6 %
7	Hispanic/Latino	79	2.3 %
8	Mixed race	24	0.7 %
	Missing Data		
98	REFUSED/MISSING	2	0.1 %
99	INAPP	3117	91.8 %
	Total	3,394	100%

Based upon 275 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF8A: OS-Other which best describes racial background

Which do you feel best describes your racial background? White, Black or African American, American Indian or Alaska Native, Asian, or Native Hawaiian or Pacific Islander? OTHER (PLEASE SPECIFY):

Value	Label	Unweighted Frequency	%
1	White	6	0.2 %
2	Black/African American	2	0.1 %
3	Native American or Alaska Native	2	0.1 %
4	Asian	0	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	2	0.1 %
7	Hispanic/Latino	1	0.0 %
8	Mixed race	7	0.2 %
Missing Data			
99	INAPP	3374	99.4 %
Total		3,394	100%

Based upon 20 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF12BA: OS-Country of citizenship

In what country do you have citizenship? - Country (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Canada	4	0.1 %
2	Argentina	2	0.1 %
3	India	10	0.3 %
4	China	5	0.1 %
5	Mexico	5	0.1 %
6	Jamaica	3	0.1 %
7	Japan	2	0.1 %
8	El Salvador	2	0.1 %
9	United Kingdom	5	0.1 %
10	Have no citizenship	2	0.1 %
11	Other	18	0.5 %
Missing Data			
99	INAPP	3336	98.3 %
Total		3,394	100%

Based upon 58 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SA14OA: OS-Vitamin, mineral, or herbal supplements you take regularly #1

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	33	1.0 %
2	Folic Acid	8	0.2 %
3	Vitamin D	228	6.7 %
4	Melatonin	7	0.2 %
5	Potassium	15	0.4 %
6	Pre-natal vitamins	9	0.3 %
7	Vitamin E	16	0.5 %
8	Niacin	11	0.3 %
9	Probiotic	21	0.6 %
10	Vitamin B/B-12/B complex	120	3.5 %
11	CoQ10	41	1.2 %
12	Other	184	5.4 %
13	Zinc	3	0.1 %
14	Cinnamon	9	0.3 %
15	Red yeast rice	4	0.1 %
16	Biotin	12	0.4 %
17	Lutein	3	0.1 %
Missing Data			
99	INAPP	2670	78.7 %
Total		3,394	100%

Based upon 724 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SA14OB: OS-Vitamin, mineral, or herbal supplements you take regularly #2

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	8	0.2 %
2	Folic Acid	2	0.1 %
3	Vitamin D	55	1.6 %
4	Melatonin	0	0.0 %
5	Potassium	5	0.1 %
6	Pre-natal vitamins	1	0.0 %
7	Vitamin E	19	0.6 %
8	Niacin	10	0.3 %
9	Probiotic	5	0.1 %
10	Vitamin B/B-12/B complex	29	0.9 %
11	CoQ10	6	0.2 %
12	Other	17	0.5 %
13	Zinc	2	0.1 %
14	Cinnamon	2	0.1 %
15	Red yeast rice	5	0.1 %
16	Biotin	5	0.1 %
17	Lutein	3	0.1 %
Missing Data			
99	INAPP	3220	94.9 %
Total		3,394	100%

Based upon 174 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OC: OS-Vitamin, mineral, or herbal supplements you take regularly #3

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	1	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	14	0.4 %
4	Melatonin	1	0.0 %
5	Potassium	2	0.1 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	7	0.2 %

Value	Label	Unweighted Frequency	%
8	Niacin	1	0.0 %
9	Probiotic	1	0.0 %
10	Vitamin B/B-12/B complex	4	0.1 %
11	CoQ10	2	0.1 %
12	Other	5	0.1 %
13	Zinc	3	0.1 %
14	Cinnamon	1	0.0 %
15	Red yeast rice	1	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
Missing Data			
99	INAPP	3351	98.7 %
Total		3,394	100%

Based upon 43 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OD: OS-Vitamin, mineral, or herbal supplements you take regularly #4

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	4	0.1 %
4	Melatonin	1	0.0 %
5	Potassium	1	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	2	0.1 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	1	0.0 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	1	0.0 %
14	Cinnamon	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	3	0.1 %
	Missing Data		
99	INAPP	3381	99.6 %
	Total	3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 17.00

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OE: OS-Vitamin, mineral, or herbal supplements you take regularly #5

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	1	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	2	0.1 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	1	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
	Missing Data		
99	INAPP	3390	99.9 %
	Total	3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 12.00

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA17IA: OS-Location where pain primarily located #1

Where is your pain primarily located? - OTHER

Value	Label	Unweighted Frequency	%
1	Chest	6	0.2 %
2	Abdomen	12	0.4 %
3	Ankle	4	0.1 %
4	Spine	5	0.1 %
5	Other	8	0.2 %
6	Ribs	3	0.1 %
7	Wrist	2	0.1 %
8	Toe	2	0.1 %
9	Leg	2	0.1 %
10	Pelvis	1	0.0 %
11	Jaw	1	0.0 %
12	Rectum	3	0.1 %
13	Lungs	1	0.0 %
14	Joint	4	0.1 %
15	Groin	1	0.0 %
16	Tail bone	1	0.0 %
17	Bone spur	1	0.0 %
18	Shoulder	1	0.0 %
19	Finger	1	0.0 %
20	Teeth	1	0.0 %
21	Hip	1	0.0 %
22	Stomach	2	0.1 %
23	Eye	3	0.1 %
24	Intestine	1	0.0 %
25	Ear	0	0.0 %
26	Kidney	1	0.0 %
27	Face	1	0.0 %
Missing Data			
99	INAPP	3325	98.0 %
Total		3,394	100%

Based upon 69 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 27.00

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA17IB: OS-Location where pain primarily located #2

Where is your pain primarily located? - OTHER

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	1	0.0 %
4	Spine	0	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	1	0.0 %
10	Pelvis	0	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %
13	Lungs	0	0.0 %
14	Joint	0	0.0 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	1	0.0 %
22	Stomach	0	0.0 %
23	Eye	0	0.0 %
24	Intestine	2	0.1 %
25	Ear	1	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 25.00

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA17IC: OS-Location where pain primarily located #3

Where is your pain primarily located? - OTHER

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	0	0.0 %
4	Spine	0	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	0	0.0 %
10	Pelvis	0	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %
13	Lungs	0	0.0 %
14	Joint	0	0.0 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	0	0.0 %
22	Stomach	2	0.1 %
23	Eye	0	0.0 %
24	Intestine	0	0.0 %
25	Ear	0	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 22.00
- Maximum: 22.00

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19A: OE-Diagnosis given by physician or other health care professional about pain #1

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	10	0.3 %
2	Migraine/headache	10	0.3 %
3	Back/spine/disc/Scoliosis/rib	161	4.7 %
4	Carpal Tunnel Syndrome	6	0.2 %
5	Bone spur	4	0.1 %
6	Injury from accident	7	0.2 %
7	Other	118	3.5 %
8	Not diagnosed	6	0.2 %
9	Hip problem/Sciatica	36	1.1 %
10	Other muscle problem	27	0.8 %
11	Other knee problem	43	1.3 %
12	Plantar Fasciitis/foot/ankle problem	36	1.1 %
13	Arthritis	148	4.4 %
14	Other joint problem/gout	17	0.5 %
15	Neck/shoulder problem	16	0.5 %
16	Nerve problem	36	1.1 %
17	Cervical problem	5	0.1 %
Missing Data			
99	INAPP	2708	79.8 %
Total		3,394	100%

Based upon 686 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19B: OE-Diagnosis given by physician or other health care professional about pain #2

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	1	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	39	1.1 %
4	Carpal Tunnel Syndrome	2	0.1 %
5	Bone spur	4	0.1 %
6	Injury from accident	0	0.0 %
7	Other	4	0.1 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	1	0.0 %
10	Other muscle problem	2	0.1 %
11	Other knee problem	13	0.4 %
12	Plantar Fasciitis/foot/ankle problem	11	0.3 %
13	Arthritis	71	2.1 %
14	Other joint problem/gout	4	0.1 %
15	Neck/shoulder problem	15	0.4 %
16	Nerve problem	17	0.5 %
17	Cervical problem	2	0.1 %
Missing Data			
99	INAPP	3208	94.5 %
Total		3,394	100%

Based upon 186 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 308-309 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19C: OE-Diagnosis given by physician or other health care professional about pain #3

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	2	0.1 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	10	0.3 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	1	0.0 %
8	Not diagnosed	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Hip problem/Sciatica	0	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	6	0.2 %
12	Plantar Fasciitis/foot/ankle problem	0	0.0 %
13	Arthritis	18	0.5 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	11	0.3 %
16	Nerve problem	4	0.1 %
17	Cervical problem	2	0.1 %
Missing Data			
99	INAPP	3340	98.4 %
Total		3,394	100%

Based upon 54 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19D: OE-Diagnosis given by physician or other health care professional about pain #4

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	1	0.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	2	0.1 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	4	0.1 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	2	0.1 %
12	Plantar Fasciitis/foot/ankle problem	1	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	1	0.0 %
16	Nerve problem	3	0.1 %

Value	Label	Unweighted Frequency	%
17	Cervical problem	0	0.0 %
	Missing Data		
99	INAPP	3380	99.6 %
	Total	3,394	100%

Based upon 14 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19E: OE-Diagnosis given by physician or other health care professional about pain #5

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	0	0.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	0	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	1	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	0	0.0 %
12	Plantar Fasciitis/foot/ankle problem	1	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	0	0.0 %
16	Nerve problem	0	0.0 %
17	Cervical problem	0	0.0 %
	Missing Data		
99	INAPP	3392	99.9 %
	Total	3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 9.00
- Maximum: 12.00

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA39ACA: OS-Reason for losing 10 pounds or more during the past 12 months #1

Why did you lose 10 pounds or more during the past 12 months - SOME OTHER REASON. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Child birth	23	0.7 %
2	Stress	14	0.4 %
3	Workout	9	0.3 %
4	Depression	3	0.1 %
5	Other	13	0.4 %
6	Stressful life event	5	0.1 %
7	Gastric bypass	2	0.1 %
8	Work/job	9	0.3 %
9	Surgery/disease	16	0.5 %
10	Medication	3	0.1 %
11	Changed eating habit	11	0.3 %
12	Eat special product	2	0.1 %
13	Weight fluctuation	3	0.1 %
14	Improved health condition	2	0.1 %
15	Death	10	0.3 %
Missing Data			
97	DON'T KNOW	4	0.1 %
99	INAPP	3265	96.2 %
Total		3,394	100%

Based upon 125 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA39ACB: OS-Reason for losing 10 pounds or more during the past 12 months #2

Why did you lose 10 pounds or more during the past 12 months - SOME OTHER REASON. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Child birth	0	0.0 %
2	Stress	0	0.0 %
3	Workout	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Depression	0	0.0 %
5	Other	1	0.0 %
6	Stressful life event	2	0.1 %
7	Gastric bypass	0	0.0 %
8	Work/job	0	0.0 %
9	Surgery/disease	1	0.0 %
10	Medication	0	0.0 %
11	Changed eating habit	1	0.0 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %
15	Death	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA44GA: OS-Place when sick or need advice about health #1

Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	14	0.4 %
2	Acupuncturist	2	0.1 %
3	Family doctor/specialty doctor	15	0.4 %
4	Military hospital	7	0.2 %
5	University health center	8	0.2 %
6	Web MD/Internet	24	0.7 %
7	Veteran's hospital	29	0.9 %
8	Drug store/pharmacy	3	0.1 %
9	Family/friend who is a doctor/nurse	13	0.4 %
10	Holistic doctor	3	0.1 %
11	Naturopathic doctor	6	0.2 %
12	Obstetrician/gynecologist	2	0.1 %
13	Urgent care center	2	0.1 %

Value	Label	Unweighted Frequency	%
14	Free clinic/family health center	4	0.1 %
15	Myself	4	0.1 %
16	Wellness center/kinesiologist	2	0.1 %
17	Other	11	0.3 %
18	Clinic/health center	10	0.3 %
19	Nutritionist/healthy food store	1	0.0 %
20	Nurse/other non-doctor practitioner	6	0.2 %
Missing Data			
99	INAPP	3228	95.1 %
Total		3,394	100%

Based upon 166 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA44GB: OS-Place when sick or need advice about health #2

Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	1	0.0 %
2	Acupuncturist	2	0.1 %
3	Family doctor/specialty doctor	5	0.1 %
4	Military hospital	0	0.0 %
5	University health center	0	0.0 %
6	Web MD/Internet	1	0.0 %
7	Veteran's hospital	0	0.0 %
8	Drug store/pharmacy	1	0.0 %
9	Family/friend who is a doctor/nurse	3	0.1 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	2	0.1 %
12	Obstetrician/gynecologist	0	0.0 %
13	Urgent care center	0	0.0 %
14	Free clinic/family health center	0	0.0 %
15	Myself	2	0.1 %
16	Wellness center/kinesiologist	1	0.0 %
17	Other	0	0.0 %
18	Clinic/health center	0	0.0 %

Value	Label	Unweighted Frequency	%
19	Nutritionist/healthy food store	1	0.0 %
20	Nurse/other non-doctor practitioner	0	0.0 %
	Missing Data		
99	INAPP	3375	99.4 %
	Total	3,394	100%

Based upon 19 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA44GC: OS-Place when sick or need advice about health #3

Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Acupuncturist	0	0.0 %
3	Family doctor/specialty doctor	0	0.0 %
4	Military hospital	0	0.0 %
5	University health center	0	0.0 %
6	Web MD/Internet	1	0.0 %
7	Veteran's hospital	0	0.0 %
8	Drug store/pharmacy	0	0.0 %
9	Family/friend who is a doctor/nurse	0	0.0 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	0	0.0 %
12	Obstetrician/gynecologist	0	0.0 %
13	Urgent care center	0	0.0 %
14	Free clinic/family health center	0	0.0 %
15	Myself	0	0.0 %
16	Wellness center/kinesiologist	0	0.0 %
17	Other	0	0.0 %
18	Clinic/health center	0	0.0 %
19	Nutritionist/healthy food store	0	0.0 %
20	Nurse/other non-doctor practitioner	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA45A: OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #1

Of those you selected above ['RA1SA44A' - 'RA1SA44G'], which place do you go most often? Some other kind of place. Please specify:

Value	Label	Unweighted Frequency	%
1	Family doctor/specialty doctor	14	0.4 %
2	Chiropractor	12	0.4 %
3	Acupuncturist	1	0.0 %
4	Web MD/Internet	9	0.3 %
5	University health center	7	0.2 %
6	Military hospital	7	0.2 %
7	Drug store	3	0.1 %
8	Veteran's hospital	25	0.7 %
9	Family who is a doctor/nurse	4	0.1 %
10	Holistic doctor	3	0.1 %
11	Naturopathic doctor	2	0.1 %
12	Free clinic/family health center	3	0.1 %
13	Nurse/other non-doctor practitioner	2	0.1 %
14	Wellness center/kinesiologist	1	0.0 %
15	Urgent care center	2	0.1 %
16	Other	5	0.1 %
17	Clinic/health center	4	0.1 %
18	Myself	3	0.1 %
Missing Data			
99	INAPP	3287	96.8 %
Total		3,394	100%

Based upon 107 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA45B: OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #2

Of those you selected above ['RA1SA44A' - 'RA1SA44G'], which place do you go most often? Some other kind of place. Please specify:

Value	Label	Unweighted Frequency	%
1	Family doctor/specialty doctor	0	0.0 %
2	Chiropractor	0	0.0 %
3	Acupuncturist	2	0.1 %
4	Web MD/Internet	0	0.0 %
5	University health center	0	0.0 %
6	Military hospital	0	0.0 %
7	Drug store	0	0.0 %
8	Veteran's hospital	0	0.0 %
9	Family who is a doctor/nurse	1	0.0 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	1	0.0 %
12	Free clinic/family health center	0	0.0 %
13	Nurse/other non-doctor practitioner	0	0.0 %
14	Wellness center/kinesiologist	1	0.0 %
15	Urgent care center	0	0.0 %
16	Other	0	0.0 %
17	Clinic/health center	0	0.0 %
18	Myself	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 14.00

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46GA: OS-Nontraditional health practitioner for health care #1

Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	1	0.0 %
2	Massage therapist	16	0.5 %

Value	Label	Unweighted Frequency	%
3	Acupuncturist	14	0.4 %
4	Naturopathic doctor	11	0.3 %
5	Homeopathic doctor	6	0.2 %
6	Herbalist	2	0.1 %
7	Osteopathic doctor	2	0.1 %
8	Kinesiologist	2	0.1 %
9	Holistic doctor	8	0.2 %
10	Veteran's hospital	5	0.1 %
11	Nurse/other non-doctor practitioner	8	0.2 %
12	Family doctor/specialty doctor	7	0.2 %
13	Other	10	0.3 %
14	Oncologist	3	0.1 %
15	Cardiologist	3	0.1 %
Missing Data			
99	INAPP	3296	97.1 %
Total		3,394	100%

Based upon 98 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46GB: OS-Nontraditional health practitioner for health care #2

Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	1	0.0 %
2	Massage therapist	2	0.1 %
3	Acupuncturist	3	0.1 %
4	Naturopathic doctor	3	0.1 %
5	Homeopathic doctor	1	0.0 %
6	Herbalist	0	0.0 %
7	Osteopathic doctor	2	0.1 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Other	0	0.0 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
	Missing Data		
99	INAPP	3382	99.6 %
	Total	3,394	100%

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46GC: OS-Nontraditional health practitioner for health care #3

Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	1	0.0 %
3	Acupuncturist	0	0.0 %
4	Naturopathic doctor	1	0.0 %
5	Homeopathic doctor	0	0.0 %
6	Herbalist	0	0.0 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	1	0.0 %
13	Other	0	0.0 %
	Missing Data		
99	INAPP	3391	99.9 %
	Total	3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46HA: OS-Explain about the situation that you have no one in particular for health care #1

Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	No insurance	11	0.3 %
2	Don't/rarely go to doctor	19	0.6 %
3	Don't have doctor	9	0.3 %
4	Didn't need to see doctor	4	0.1 %
5	Emergency room	4	0.1 %
6	Cannot afford	4	0.1 %
7	Treat/search myself	7	0.2 %
8	Whoever available/cheapest	4	0.1 %
9	Military clinic	2	0.1 %
10	Clinic	4	0.1 %
11	Depends on situation	4	0.1 %
12	Urgent care center	5	0.1 %
13	Other	5	0.1 %
14	Other doctor/specialty doctor	20	0.6 %
15	Veteran's hospital	7	0.2 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3284	96.8 %
Total		3,394	100%

Based upon 109 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 336-337 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46HB: OS-Explain about the situation that you have no one in particular for health care #2

Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	No insurance	1	0.0 %
2	Don't/rarely go to doctor	1	0.0 %
3	Don't have doctor	0	0.0 %
4	Didn't need to see doctor	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Emergency room	0	0.0 %
6	Cannot afford	1	0.0 %
7	Treat/search myself	0	0.0 %
8	Whoever available/cheapest	0	0.0 %
9	Military clinic	0	0.0 %
10	Clinic	0	0.0 %
11	Depends on situation	0	0.0 %
12	Urgent care center	0	0.0 %
13	Other	2	0.1 %
14	Other doctor/specialty doctor	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA47A: OS-Nontraditional health practitioner go most often and no one in particular go most often #1

Of those you selected above ['RA1SA46A' - 'RA1SA46G'], which do you see most often? - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Other	12	0.4 %
2	Don't/rarely go to doctor	20	0.6 %
3	Massage	9	0.3 %
4	Naturopathy	6	0.2 %
5	Veteran's hospital	9	0.3 %
6	Alternative	2	0.1 %
7	Cannot afford	3	0.1 %
8	No insurance	6	0.2 %
9	Whoever available	4	0.1 %
10	Acupuncturist	6	0.2 %
11	Don't have doctor	5	0.1 %
12	Clinic/hospital	5	0.1 %
13	Urgent care	2	0.1 %

Value	Label	Unweighted Frequency	%
14	Didn't need to see doctor	6	0.2 %
15	Other doctor/specialty doctor	23	0.7 %
16	Family doctor/generalist	3	0.1 %
17	Nurse/other non-doctor practitioner	4	0.1 %
18	Emergency room	2	0.1 %
19	Search myself/internet	5	0.1 %
20	All the same/don't see one more than other	2	0.1 %
21	Depends on situation	1	0.0 %
Missing Data			
99	INAPP	3259	96.0 %
Total		3,394	100%

Based upon 135 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA47B: OS-Nontraditional health practitioner go most often and no one in particular go most often #2

Of those you selected above [RA1SA46A' - 'RA1SA46G'], which do you see most often? - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Other	1	0.0 %
2	Don't/rarely go to doctor	0	0.0 %
3	Massage	0	0.0 %
4	Naturopathy	0	0.0 %
5	Veteran's hospital	0	0.0 %
6	Alternative	1	0.0 %
7	Cannot afford	0	0.0 %
8	No insurance	0	0.0 %
9	Whoever available	0	0.0 %
10	Acupuncturist	0	0.0 %
11	Don't have doctor	0	0.0 %
12	Clinic/hospital	0	0.0 %
13	Urgent care	0	0.0 %
14	Didn't need to see doctor	0	0.0 %
15	Other doctor/specialty doctor	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Family doctor/generalist	1	0.0 %
17	Nurse/other non-doctor practitioner	0	0.0 %
18	Emergency room	0	0.0 %
19	Search myself/internet	0	0.0 %
20	All the same/don't see one more than other	0	0.0 %
21	Depends on situation	0	0.0 %
Missing Data			
99	INAPP	3391	99.9 %
Total		3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA51KA: OS-Self-help, mutual help, or support group #1

Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months. - ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP. [Please enter the name[s] of the group[s].]

Value	Label	Unweighted Frequency	%
1	Weight watchers	10	0.3 %
2	Bible study/Christian group	19	0.6 %
3	Veteran support group	4	0.1 %
4	Divorce care group	5	0.1 %
5	Marriage enrichment group	2	0.1 %
6	Codependence anonymous	4	0.1 %
7	Celebrate recovery	2	0.1 %
8	Job searching group	3	0.1 %
9	Other	12	0.4 %
10	Emotion/depression related group	7	0.2 %
11	Friendship skill/networking group	5	0.1 %
12	Group for kids	2	0.1 %
13	Personal growth group	6	0.2 %
14	Mother's group	3	0.1 %
15	Women/wife group	6	0.2 %
16	Addiction recovery group	8	0.2 %
17	Disease related group	14	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3282	96.7 %
	Total	3,394	100%

Based upon 112 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA51KB: OS-Self-help, mutual help, or support group #2

Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months. - ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP. [Please enter the name[s] of the group[s].]

Value	Label	Unweighted Frequency	%
1	Weight watchers	0	0.0 %
2	Bible study/Christian group	1	0.0 %
3	Veteran support group	0	0.0 %
4	Divorce care group	0	0.0 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	0	0.0 %
7	Celebrate recovery	0	0.0 %
8	Job searching group	0	0.0 %
9	Other	0	0.0 %
10	Emotion/depression related group	0	0.0 %
11	Friendship skill/networking group	2	0.1 %
12	Group for kids	0	0.0 %
13	Personal growth group	0	0.0 %
14	Mother's group	0	0.0 %
15	Women/wife group	0	0.0 %
16	Addiction recovery group	1	0.0 %
17	Disease related group	0	0.0 %
	Missing Data		
99	INAPP	3390	99.9 %
	Total	3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA52SA: OS-Nontraditional remedy or therapy #1

In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	5	0.1 %
2	Essential oil	3	0.1 %
3	Prayer/church	6	0.2 %
4	Exercise or movement therapy	7	0.2 %
5	Special diet	6	0.2 %
6	Vitamins	1	0.0 %
7	Aromatherapy	3	0.1 %
8	Herbal therapy	1	0.0 %
9	Pet therapy	1	0.0 %
10	Music/television	3	0.1 %
11	Laser treatment for skin	1	0.0 %
12	Muscle related therapy	1	0.0 %
13	Allergy treatment/NAET	2	0.1 %
14	Meditation technique	1	0.0 %
15	Colon therapy	1	0.0 %
16	Craniosacral therapy	1	0.0 %
17	Other	10	0.3 %
18	Artwork	2	0.1 %
19	Bone related therapy	2	0.1 %
20	Marijuana	2	0.1 %
Missing Data			
99	INAPP	3335	98.3 %
Total		3,394	100%

Based upon 59 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA52SB: OS-Nontraditional remedy or therapy #2

In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	0	0.0 %
2	Essential oil	0	0.0 %
3	Prayer/church	0	0.0 %
4	Exercise or movement therapy	0	0.0 %
5	Special diet	0	0.0 %
6	Vitamins	1	0.0 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	2	0.1 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	1	0.0 %
13	Allergy treatment/NAET	0	0.0 %
14	Meditation technique	0	0.0 %
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 12.00

Location: 350-351 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SB8A1A: OE-Name of the birth control and the dosage starting with the most recent #1

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	14	0.4 %
2	Yasmin	10	0.3 %

Value	Label	Unweighted Frequency	%
3	IUD	14	0.4 %
4	Depo-Provera	35	1.0 %
5	Loestrin	16	0.5 %
6	Other	118	3.5 %
7	Ortho-Novum	40	1.2 %
8	Tri-Sprintec	7	0.2 %
9	Ortho Tri-Cyclen	36	1.1 %
10	Lo/Ovral	11	0.3 %
11	NuvaRing	7	0.2 %
Missing Data			
97	DON'T KNOW	437	12.9 %
99	INAPP	2649	78.0 %
Total		3,394	100%

Based upon 308 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1B: OE-Name of the birth control and the dosage starting with the most recent #2

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	5	0.1 %
2	Yasmin	1	0.0 %
3	IUD	14	0.4 %
4	Depo-Provera	2	0.1 %
5	Loestrin	1	0.0 %
6	Other	6	0.2 %
7	Ortho-Novum	7	0.2 %
8	Tri-Sprintec	2	0.1 %
9	Ortho Tri-Cyclen	12	0.4 %
10	Lo/Ovral	1	0.0 %
11	NuvaRing	8	0.2 %
Missing Data			
97	DON'T KNOW	23	0.7 %

Value	Label	Unweighted Frequency	%
99	INAPP	3312	97.6 %
Total		3,394	100%

Based upon 59 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1C: OE-Name of the birth control and the dosage starting with the most recent #3

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	1	0.0 %
2	Yasmin	1	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	2	0.1 %
5	Loestrin	0	0.0 %
6	Other	2	0.1 %
7	Ortho-Novum	1	0.0 %
8	Tri-Sprintec	1	0.0 %
9	Ortho Tri-Cyclen	4	0.1 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	2	0.1 %
Missing Data			
99	INAPP	3380	99.6 %
Total		3,394	100%

Based upon 14 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1D: OE-Name of the birth control and the dosage starting with the most recent #4

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH

CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	1	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	1	0.0 %
5	Loestrin	0	0.0 %
6	Other	0	0.0 %
7	Ortho-Novum	0	0.0 %
8	Tri-Sprintec	1	0.0 %
9	Ortho Tri-Cyclen	1	0.0 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	3	0.1 %
Missing Data			
99	INAPP	3387	99.8 %
Total		3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 11.00

Location: 358-359 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SB8A1E: OE-Name of the birth control and the dosage starting with the most recent #5

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	0	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	0	0.0 %
5	Loestrin	0	0.0 %
6	Other	0	0.0 %
7	Ortho-Novum	1	0.0 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	1	0.0 %
10	Lo/Ovral	0	0.0 %

Value	Label	Unweighted Frequency	%
11	NuvaRing	0	0.0 %
	Missing Data		
99	INAPP	3392	99.9 %
	Total	3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 7.00
- Maximum: 9.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1F: OE-Name of the birth control and the dosage starting with the most recent #6

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	0	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	0	0.0 %
5	Loestrin	0	0.0 %
6	Other	0	0.0 %
7	Ortho-Novum	0	0.0 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	0	0.0 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	1	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8B1A: OE-Name of the fertility drug and the dosage starting with the most recent #1

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	24	0.7 %
2	Lupron	2	0.1 %
3	Gonal-F	3	0.1 %
4	Estradiol	0	0.0 %
5	HCG	4	0.1 %
6	Progesterone	2	0.1 %
7	Follistim	2	0.1 %
8	Other	4	0.1 %
9	Ovidrel	3	0.1 %
10	Fertinex	0	0.0 %
11	Pergonal	2	0.1 %
Missing Data			
97	DON'T KNOW	18	0.5 %
99	INAPP	3330	98.1 %
Total		3,394	100%

Based upon 46 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 364-365 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SB8B1B: OE-Name of the fertility drug and the dosage starting with the most recent #2

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	7	0.2 %
2	Lupron	0	0.0 %
3	Gonal-F	1	0.0 %
4	Estradiol	1	0.0 %
5	HCG	0	0.0 %
6	Progesterone	2	0.1 %
7	Follistim	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Other	4	0.1 %
9	Ovidrel	1	0.0 %
10	Fertinex	1	0.0 %
11	Pergonal	0	0.0 %
Missing Data			
99	INAPP	3377	99.5 %
Total		3,394	100%

Based upon 17 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8B1C: OE-Name of the fertility drug and the dosage starting with the most recent #3

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	2	0.1 %
2	Lupron	1	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	1	0.0 %
5	HCG	0	0.0 %
6	Progesterone	2	0.1 %
7	Follistim	0	0.0 %
8	Other	1	0.0 %
9	Ovidrel	0	0.0 %
10	Fertinex	1	0.0 %
11	Pergonal	0	0.0 %
Missing Data			
99	INAPP	3386	99.8 %
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8B1D: OE-Name of the fertility drug and the dosage starting with the most recent #4

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	0	0.0 %
2	Lupron	1	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	0	0.0 %
5	HCG	0	0.0 %
6	Progesterone	0	0.0 %
7	Follistim	0	0.0 %
8	Other	0	0.0 %
9	Ovidrel	0	0.0 %
10	Fertinex	0	0.0 %
11	Pergonal	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8C1A: OE-Name of the female hormone and the dosage starting with the most recent #1

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	65	1.9 %
2	Lupron	3	0.1 %
3	Testosterone	3	0.1 %
4	Estrogen patch	13	0.4 %
5	Progesterone cream	5	0.1 %
6	Estrace cream	2	0.1 %

Value	Label	Unweighted Frequency	%
7	Provera	2	0.1 %
8	Estradiol	28	0.8 %
9	Other	34	1.0 %
10	Enjuvia	2	0.1 %
11	Progestin	3	0.1 %
12	Progesterone	33	1.0 %
13	Estrogen	30	0.9 %
14	Progesterone oil injection	2	0.1 %
15	Other cream	2	0.1 %
16	Estrace	1	0.0 %
17	Prempro	14	0.4 %
Missing Data			
97	DON'T KNOW	45	1.3 %
99	INAPP	3107	91.5 %
Total		3,394	100%

Based upon 242 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 372-373 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8C1B: OE-Name of the female hormone and the dosage starting with the most recent #2

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	1	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	3	0.1 %
4	Estrogen patch	2	0.1 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	5	0.1 %
8	Estradiol	9	0.3 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Progesterone	4	0.1 %
13	Estrogen	7	0.2 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	1	0.0 %
17	Prempro	1	0.0 %
Missing Data			
99	INAPP	3361	99.0 %
Total		3,394	100%

Based upon 33 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8C1C: OE-Name of the female hormone and the dosage starting with the most recent #3

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	2	0.1 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	2	0.1 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	0	0.0 %
13	Estrogen	3	0.1 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3387	99.8 %
	Total	3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 13.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SB8C1D: OE-Name of the female hormone and the dosage starting with the most recent #4

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	0	0.0 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	1	0.0 %
13	Estrogen	0	0.0 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB10A: OE-Specialty of the doctor that prescribed the female hormones #1

What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	217	6.4 %
2	Other	15	0.4 %
3	Fertility specialist	2	0.1 %
4	Generalist/family doctor/MD	57	1.7 %
5	Reproductive endocrinologist	1	0.0 %
6	Internist	15	0.4 %
Missing Data			
9	INAPP	3087	91.0 %
Total		3,394	100%

Based upon 307 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1SB10B: OE-Specialty of the doctor that prescribed the female hormones #2

What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	11	0.3 %
2	Other	0	0.0 %
3	Fertility specialist	0	0.0 %
4	Generalist/family doctor/MD	0	0.0 %
5	Reproductive endocrinologist	2	0.1 %
6	Internist	0	0.0 %
Missing Data			
9	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1SB12GA: OS-Reason for beginning take hormones #1

Did you begin taking hormones - BECAUSE OF SOME OTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Depression/moodiness	9	0.3 %
2	To get/keep pregnancy	5	0.1 %
3	Hysterectomy	13	0.4 %
4	For birth control	4	0.1 %
5	Infertility	2	0.1 %
6	Headache	3	0.1 %
7	Low/imbalanced hormones	2	0.1 %
8	To avoid menopausal symptoms	7	0.2 %
9	Weight gain	1	0.0 %
10	Low energy	2	0.1 %
11	Heavy menstrual	2	0.1 %
12	Problems with pregnancy	1	0.0 %
13	Preventive purpose	2	0.1 %
14	Due to surgery/disease	13	0.4 %
15	Lack of sexual desire	1	0.0 %
16	Other	3	0.1 %
17	MD recommended	7	0.2 %
18	Insomnia	2	0.1 %
Missing Data			
99	INAPP	3315	97.7 %
Total		3,394	100%

Based upon 79 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB12GB: OS-Reason for beginning take hormones #2

Did you begin taking hormones - BECAUSE OF SOME OTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Depression/moodiness	0	0.0 %
2	To get/keep pregnancy	0	0.0 %
3	Hysterectomy	0	0.0 %
4	For birth control	0	0.0 %
5	Infertility	0	0.0 %
6	Headache	0	0.0 %
7	Low/imbalanced hormones	1	0.0 %
8	To avoid menopausal symptoms	0	0.0 %
9	Weight gain	0	0.0 %
10	Low energy	0	0.0 %
11	Heavy menstrual	0	0.0 %
12	Problems with pregnancy	0	0.0 %
13	Preventive purpose	2	0.1 %
14	Due to surgery/disease	0	0.0 %
15	Lack of sexual desire	0	0.0 %
16	Other	0	0.0 %
17	MD recommended	0	0.0 %
18	Insomnia	0	0.0 %
Missing Data			
99	INAPP	3391	99.9 %
Total		3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 7.00
- Maximum: 13.00

Location: 384-385 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB16DA: OS-Reason for stopping take female hormones #1

Did you stop taking female hormones because you - HAD ANOTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Pregnant	6	0.2 %
2	Didn't work	3	0.1 %
3	Cannot afford it	5	0.1 %
4	Mental/mood problem	6	0.2 %
5	Side effect	12	0.4 %
6	Menopausal	6	0.2 %
7	Doctor's advice	19	0.6 %

Value	Label	Unweighted Frequency	%
8	Weight gain	1	0.0 %
9	Breast related disease	8	0.2 %
10	Other	5	0.1 %
11	Treatment no longer needed	10	0.3 %
12	Received other treatment/surgery	5	0.1 %
Missing Data			
99	INAPP	3308	97.5 %
Total		3,394	100%

Based upon 86 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB16DB: OS-Reason for stopping take female hormones #2

Did you stop taking female hormones because you - HAD ANOTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Pregnant	0	0.0 %
2	Didn't work	0	0.0 %
3	Cannot afford it	1	0.0 %
4	Mental/mood problem	0	0.0 %
5	Side effect	0	0.0 %
6	Menopausal	0	0.0 %
7	Doctor's advice	0	0.0 %
8	Weight gain	0	0.0 %
9	Breast related disease	0	0.0 %
10	Other	0	0.0 %
11	Treatment no longer needed	0	0.0 %
12	Received other treatment/surgery	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

RA1SB20GA: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #1

Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms - OTHER NUTRITIONAL OR HERBAL SUPPLEMENTS? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Estroven	4	0.1 %
2	Fish oil	2	0.1 %
3	Tea	1	0.0 %
4	Juice	1	0.0 %
5	DHEA	1	0.0 %
6	Hormone cream	1	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	3	0.1 %
9	Vitamin E	1	0.0 %
10	Vitamin B	2	0.1 %
11	Vitamin D	2	0.1 %
12	Multi vitamin	1	0.0 %
13	Collagen support	1	0.0 %
14	Med for hot flash	2	0.1 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	1	0.0 %
18	Diphenhydramine	1	0.0 %
19	Other	7	0.2 %
Missing Data			
99	INAPP	3363	99.1 %
Total		3,394	100%

Based upon 31 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 390-391 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB20GB: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #2

Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms - OTHER NUTRITIONAL OR HERBAL SUPPLEMENTS? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	1	0.0 %
7	Biotin	1	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	2	0.1 %
12	Multi vitamin	1	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	1	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	1	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
Missing Data			
99	INAPP	3387	99.8 %
Total		3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 16.00

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB20GC: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #3

Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms - OTHER NUTRITIONAL OR HERBAL SUPPLEMENTS? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %

Value	Label	Unweighted Frequency	%
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	0	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	1	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SC2LA: OS-Main reason without healthcare coverage #1

What is/are the main reason(s) you are without healthcare coverage - Other? Please specify.

Value	Label	Unweighted Frequency	%
1	Don't need it	2	0.1 %
2	Self-employed	3	0.1 %
3	Lost job	2	0.1 %
4	Benefit not started yet/will begin soon	3	0.1 %
5	Cannot afford it	2	0.1 %
6	Discharged from military	4	0.1 %
7	In a share/charity program	5	0.1 %
8	Disabled	1	0.0 %
9	Lost welfare eligibiliy	1	0.0 %
10	Work part-time	1	0.0 %

Value	Label	Unweighted Frequency	%
11	Job does not offer it	1	0.0 %
12	Other	1	0.0 %
	Missing Data		
99	INAPP	3368	99.2 %
	Total	3,394	100%

Based upon 26 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SC2LB: OS-Main reason without healthcare coverage #2

What is/are the main reason(s) you are without healthcare coverage - Other? Please specify.

Value	Label	Unweighted Frequency	%
1	Don't need it	0	0.0 %
2	Self-employed	0	0.0 %
3	Lost job	0	0.0 %
4	Benefit not started yet/will begin soon	0	0.0 %
5	Cannot afford it	1	0.0 %
6	Discharged from military	0	0.0 %
7	In a share/charity program	0	0.0 %
8	Disabled	0	0.0 %
9	Lost welfare eligibiliy	0	0.0 %
10	Work part-time	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35A: OE-What were those borrowed funds used for #1

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	43	1.3 %
2	Home purchase	8	0.2 %
3	Pay debt	25	0.7 %
4	Living expenses	13	0.4 %
5	Car purchase	12	0.4 %
6	Tuition	8	0.2 %
7	Pay loans	11	0.3 %
8	Pay credit card	14	0.4 %
9	Other	9	0.3 %
10	Personal needs	11	0.3 %
11	Vacation	4	0.1 %
12	Help/support family/friend	1	0.0 %
13	Car repair	4	0.1 %
14	Business investment	2	0.1 %
15	Medical expenses	3	0.1 %
16	Home improvement/repairs	8	0.2 %
Missing Data			
99	INAPP	3218	94.8 %
Total		3,394	100%

Based upon 176 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 400-401 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35B: OE-What were those borrowed funds used for #2

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	2	0.1 %
2	Home purchase	2	0.1 %
3	Pay debt	9	0.3 %
4	Living expenses	1	0.0 %
5	Car purchase	2	0.1 %
6	Tuition	5	0.1 %
7	Pay loans	7	0.2 %
8	Pay credit card	2	0.1 %
9	Other	1	0.0 %

Value	Label	Unweighted Frequency	%
10	Personal needs	3	0.1 %
11	Vacation	0	0.0 %
12	Help/support family/friend	2	0.1 %
13	Car repair	1	0.0 %
14	Business investment	1	0.0 %
15	Medical expenses	2	0.1 %
16	Home improvement/repairs	0	0.0 %
Missing Data			
99	INAPP	3354	98.8 %
Total		3,394	100%

Based upon 40 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 402-403 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35C: OE-What were those borrowed funds used for #3

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	0	0.0 %
2	Home purchase	1	0.0 %
3	Pay debt	3	0.1 %
4	Living expenses	1	0.0 %
5	Car purchase	1	0.0 %
6	Tuition	1	0.0 %
7	Pay loans	0	0.0 %
8	Pay credit card	0	0.0 %
9	Other	0	0.0 %
10	Personal needs	0	0.0 %
11	Vacation	0	0.0 %
12	Help/support family/friend	0	0.0 %
13	Car repair	0	0.0 %
14	Business investment	0	0.0 %
15	Medical expenses	1	0.0 %
16	Home improvement/repairs	0	0.0 %
Missing Data			
99	INAPP	3386	99.8 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 15.00

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35D: OE-What were those borrowed funds used for #4

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	0	0.0 %
2	Home purchase	0	0.0 %
3	Pay debt	0	0.0 %
4	Living expenses	0	0.0 %
5	Car purchase	0	0.0 %
6	Tuition	0	0.0 %
7	Pay loans	0	0.0 %
8	Pay credit card	0	0.0 %
9	Other	0	0.0 %
10	Personal needs	0	0.0 %
11	Vacation	1	0.0 %
12	Help/support family/friend	0	0.0 %
13	Car repair	0	0.0 %
14	Business investment	0	0.0 %
15	Medical expenses	0	0.0 %
16	Home improvement/repairs	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH37DA: OS-Spouse/partner's other type of retirement account #1

Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	401K/403B/retirement account	80	2.4 %
2	Real estate	33	1.0 %
3	Mutual fund/money market	74	2.2 %
4	None	8	0.2 %
5	Pension/annuity/insurance	58	1.7 %
6	Savings/checking account	18	0.5 %
7	Other	37	1.1 %
Missing Data			
97	DON'T KNOW	6	0.2 %
99	INAPP	3080	90.7 %
Total		3,394	100%

Based upon 308 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 408-409 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH37DB: OS-Spouse/partner's other type of retirement account #2

Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	401K/403B/retirement account	2	0.1 %
2	Real estate	0	0.0 %
3	Mutual fund/money market	4	0.1 %
4	None	0	0.0 %
5	Pension/annuity/insurance	2	0.1 %
6	Savings/checking account	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3386	99.8 %
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH40A: OS-Primary residence

Which of the following best describes your primary residence? Other, please specify:

Value	Label	Unweighted Frequency	%
1	Farm	9	0.3 %
2	Duplex	16	0.5 %
3	Town house	34	1.0 %
4	Live with family members	6	0.2 %
5	Manufactured	5	0.1 %
6	Housing	5	0.1 %
7	Other	9	0.3 %
Missing Data			
99	INAPP	3310	97.5 %
Total		3,394	100%

Based upon 84 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH48EA: OS-Types of non-retirement assets #1

Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Car	25	0.7 %
2	Mutual fund/money market	28	0.8 %
3	None	8	0.2 %
4	Savings/checking account	25	0.7 %
5	IRA/retirement account	14	0.4 %
6	House	11	0.3 %
7	Business	6	0.2 %
8	Metals/jewel	4	0.1 %
9	Equipment	8	0.2 %
10	Insurance/annuity	21	0.6 %
11	Boat	0	0.0 %
12	Collectables/antiques/liquid	3	0.1 %

Value	Label	Unweighted Frequency	%
13	Household item	2	0.1 %
14	Other	11	0.3 %
15	Personal property	3	0.1 %
	Missing Data		
97	DON'T KNOW	2	0.1 %
99	INAPP	3223	95.0 %
	Total	3,394	100%

Based upon 169 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 414-415 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SH48EB: OS-Types of non-retirement assets #2

Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Car	3	0.1 %
2	Mutual fund/money market	0	0.0 %
3	None	0	0.0 %
4	Savings/checking account	1	0.0 %
5	IRA/retirement account	0	0.0 %
6	House	1	0.0 %
7	Business	0	0.0 %
8	Metals/jewel	2	0.1 %
9	Equipment	0	0.0 %
10	Insurance/annuity	1	0.0 %
11	Boat	4	0.1 %
12	Collectables/antiques/liquid	4	0.1 %
13	Household item	3	0.1 %
14	Other	2	0.1 %
15	Personal property	2	0.1 %
	Missing Data		
99	INAPP	3371	99.3 %
	Total	3,394	100%

Based upon 23 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH48EC: OS-Types of non-retirement assets #3

Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Car	0	0.0 %
2	Mutual fund/money market	0	0.0 %
3	None	0	0.0 %
4	Savings/checking account	1	0.0 %
5	IRA/retirement account	0	0.0 %
6	House	0	0.0 %
7	Business	0	0.0 %
8	Metals/jewel	0	0.0 %
9	Equipment	0	0.0 %
10	Insurance/annuity	0	0.0 %
11	Boat	1	0.0 %
12	Collectables/antiques/liquid	1	0.0 %
13	Household item	1	0.0 %
14	Other	0	0.0 %
15	Personal property	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 13.00

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SJ7A: OE-Which state would you most like to live in for the next 10 years

Thinking back over all the places you've lived during your lifetime, including where you live now, which state would you most like to live in for the next 10 years if you could easily move there now?

Value	Label	Unweighted Frequency	%
1	Germany	1	0.0 %

Value	Label	Unweighted Frequency	%
2	Armenia	1	0.0 %
3	Brazil	1	0.0 %
4	Canada	2	0.1 %
5	Cuba	1	0.0 %
6	Belize	1	0.0 %
10	US	1	0.0 %
Missing Data			
7	DON'T KNOW	1	0.0 %
8	France	1	0.0 %
9	Jamaica	3384	99.7 %
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1SP1A: OS-Religious preference #1

What is your religious preference? - Other, please specify:

Value	Label	Unweighted Frequency	%
1	Atheist	1	0.0 %
2	Christian	13	0.4 %
3	Satanism	1	0.0 %
4	Pagan	4	0.1 %
5	Religious science	3	0.1 %
6	Christian Scientist	4	0.1 %
7	Self-realization fellowship	1	0.0 %
8	Other	31	0.9 %
9	Full gospel	1	0.0 %
10	Jehovah's Witness	2	0.1 %
11	Anglican	1	0.0 %
12	Church of Christ	9	0.3 %
13	No religious preference	4	0.1 %
14	Hebrew Key of David	1	0.0 %
15	Non-denominational	9	0.3 %
16	Deism	0	0.0 %
17	Baptist	6	0.2 %

Value	Label	Unweighted Frequency	%
18	Freethought	0	0.0 %
19	Wicca	0	0.0 %
20	Shinto	0	0.0 %
21	African Methodist Episcopal	1	0.0 %
22	Coptic Orthodox Christian	0	0.0 %
23	Pastafarianism	1	0.0 %
24	Mormon	0	0.0 %
25	Native American Belief	4	0.1 %
26	Monotheism	0	0.0 %
27	Evangelical	1	0.0 %
28	Scientology	1	0.0 %
29	Buddhist	1	0.0 %
30	Heathenism	1	0.0 %
31	Wesleyanism	1	0.0 %
32	Foursquare church	1	0.0 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3290	96.9 %
Total		3,394	100%

Based upon 103 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 32.00

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SP1B: OS-Religious preference #2

What is your religious preference? - Other, please specify:

Value	Label	Unweighted Frequency	%
1	Atheist	0	0.0 %
2	Christian	5	0.1 %
3	Satanism	0	0.0 %
4	Pagan	2	0.1 %
5	Religious science	1	0.0 %
6	Christian Scientist	0	0.0 %
7	Self-realization fellowship	0	0.0 %
8	Other	10	0.3 %
9	Full gospel	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Jehovah's Witness	0	0.0 %
11	Anglican	0	0.0 %
12	Church of Christ	2	0.1 %
13	No religious preference	0	0.0 %
14	Hebrew Key of David	0	0.0 %
15	Non-denominational	3	0.1 %
16	Deism	3	0.1 %
17	Baptist	3	0.1 %
18	Freethought	1	0.0 %
19	Wicca	4	0.1 %
20	Shinto	1	0.0 %
21	African Methodist Episcopal	1	0.0 %
22	Coptic Orthodox Christian	1	0.0 %
23	Pastafarianism	1	0.0 %
24	Mormon	1	0.0 %
25	Native American Belief	1	0.0 %
26	Monotheism	1	0.0 %
27	Evangelical	1	0.0 %
28	Scientology	0	0.0 %
29	Buddhist	1	0.0 %
30	Heathenism	0	0.0 %
31	Wesleyanism	1	0.0 %
32	Foursquare church	0	0.0 %
Missing Data			
99	INAPP	3350	98.7 %
Total		3,394	100%

Based upon 44 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 31.00

Location: 424-425 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SQ4MA: OS-Main reason for discrimination #1

What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Affirmative action	2	0.1 %

Value	Label	Unweighted Frequency	%
2	Appearance	10	0.3 %
3	Didn't like me	2	0.1 %
4	Language	5	0.1 %
5	Financial status	6	0.2 %
6	Race/ethnicity/nationality	6	0.2 %
7	Gender	3	0.1 %
8	Disease/mental illness/depression	8	0.2 %
9	Marital status	9	0.3 %
10	Physical/learning disability	2	0.1 %
11	Occupation	6	0.2 %
12	Social relations	4	0.1 %
13	Residence	2	0.1 %
14	Education	5	0.1 %
15	Have children/pregnancy	9	0.3 %
16	Jealousy/retaliation	2	0.1 %
17	Personality/taste	7	0.2 %
18	Other	19	0.6 %
19	Religion	1	0.0 %
20	Political stance	2	0.1 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3281	96.7 %
Total		3,394	100%

Based upon 110 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 426-427 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SQ4MB: OS-Main reason for discrimination #2

What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Financial status	0	0.0 %
6	Race/ethnicity/nationality	1	0.0 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	2	0.1 %
10	Physical/learning disability	0	0.0 %
11	Occupation	0	0.0 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	0	0.0 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	0	0.0 %
18	Other	1	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 18.00

Location: 428-429 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

ICPSR 36532

Midlife in the United States (MIDUS Refresher), 2011-2014

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Coded Text Data

MRID: MIDUS REFRESHER ID

Based upon 3,394 valid cases out of 3,394 total cases.

- Mean: 34979.55
- Minimum: 30000.00
- Maximum: 39999.00
- Standard Deviation: 2874.85

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

SAMPLMAJ: Major sample identification

Value	Label	Unweighted Frequency	%
1	MAIN RDD	0	0.0 %
2	SIBLING	0	0.0 %
3	TWIN	0	0.0 %
4	CITY OVERSAMPLE	0	0.0 %
13	MILWAUKEE	0	0.0 %
14	BOSTON NEW	0	0.0 %
20	MIDUS REFRESHER	3394	100.0 %
21	MILWAUKEE REFRESHER	0	0.0 %
Total		3,394	100%

Based upon 3,394 valid cases out of 3,394 total cases.

- Minimum: 20.00
- Maximum: 20.00

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

RA1PRAGE: Respondent's calculated age

Value	Label	Unweighted Frequency	%
23	-	2	0.1 %
24	-	4	0.1 %
25	-	28	0.8 %
26	-	39	1.1 %
27	-	31	0.9 %
28	-	51	1.5 %
29	-	55	1.6 %
30	-	62	1.8 %
31	-	72	2.1 %

Value	Label	Unweighted Frequency	%
32	-	99	2.9 %
33	-	106	3.1 %
34	-	89	2.6 %
35	-	58	1.7 %
36	-	44	1.3 %
37	-	58	1.7 %
38	-	52	1.5 %
39	-	49	1.4 %
40	-	61	1.8 %
41	-	75	2.2 %
42	-	88	2.6 %
43	-	107	3.2 %
44	-	84	2.5 %
45	-	44	1.3 %
46	-	47	1.4 %
47	-	52	1.5 %
48	-	61	1.8 %
49	-	72	2.1 %
50	-	73	2.2 %
51	-	81	2.4 %
52	-	73	2.2 %
53	-	86	2.5 %
54	-	100	2.9 %
55	-	14	0.4 %
56	-	49	1.4 %
57	-	66	1.9 %
58	-	63	1.9 %
59	-	62	1.8 %
60	-	45	1.3 %
61	-	97	2.9 %
62	-	81	2.4 %
63	-	63	1.9 %
64	-	87	2.6 %
65	-	72	2.1 %
66	-	71	2.1 %
67	-	81	2.4 %
68	-	62	1.8 %
69	-	77	2.3 %
70	-	78	2.3 %

Value	Label	Unweighted Frequency	%
71	-	64	1.9 %
72	-	78	2.3 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,394 valid cases out of 3,394 total cases.

- Mean: 50.78
- Median: 51.00
- Mode: 43.00
- Minimum: 23.00
- Maximum: 76.00
- Standard Deviation: 14.34

Location: 8-9 (width: 2; decimal: 0)

Variable Type: numeric

RA1PRSEX: Respondent's sex

Value	Label	Unweighted Frequency	%
1	MALE	1612	47.5 %
2	FEMALE	1782	52.5 %
	Total	3,394	100%

Based upon 3,394 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

RA1PAA1A: OE-Specific event that made them aware that the recession had begun #1

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	278	8.2 %
2	Increased gas price	126	3.7 %
3	Lost job/unemployed	417	12.3 %
4	Decreased income/didn't get raise	76	2.2 %
5	Increased cost of living/prices	130	3.8 %
6	Recognized through media coverage/economic indicator	249	7.3 %
7	Lack of job/hard to get a job	106	3.1 %

Value	Label	Unweighted Frequency	%
8	Collapsed housing market/increased foreclosure	345	10.2 %
9	Collapse of financial firm	68	2.0 %
10	Affected pension plan/insurance	107	3.2 %
11	Company/plant/store closed/went bankrupt	32	0.9 %
12	Other	144	4.2 %
13	Personal finance/investment/credit was affected	89	2.6 %
14	Company/business slow down & sales/construction decreased	149	4.4 %
15	Political situations/election	25	0.7 %
Missing Data			
99	INAPP	1053	31.0 %
Total		3,394	100%

Based upon 2,341 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 11-12 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA1B: OE-Specific event that made them aware that the recession had begun #2

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	22	0.6 %
2	Increased gas price	38	1.1 %
3	Lost job/unemployed	14	0.4 %
4	Decreased income/didn't get raise	32	0.9 %
5	Increased cost of living/prices	6	0.2 %
6	Recognized through media coverage/economic indicator	73	2.2 %
7	Lack of job/hard to get a job	23	0.7 %
8	Collapsed housing market/increased foreclosure	36	1.1 %
9	Collapse of financial firm	5	0.1 %
10	Affected pension plan/insurance	34	1.0 %
11	Company/plant/store closed/went bankrupt	7	0.2 %
12	Other	12	0.4 %
13	Personal finance/investment/credit was affected	24	0.7 %
14	Company/business slow down & sales/construction decreased	24	0.7 %
15	Political situations/election	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
99	INAPP	3044	89.7 %
Total		3,394	100%

Based upon 350 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA1C: OE-Specific event that made them aware that the recession had begun #3

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	0	0.0 %
2	Increased gas price	4	0.1 %
3	Lost job/unemployed	0	0.0 %
4	Decreased income/didn't get raise	4	0.1 %
5	Increased cost of living/prices	3	0.1 %
6	Recognized through media coverage/economic indicator	11	0.3 %
7	Lack of job/hard to get a job	3	0.1 %
8	Collapsed housing market/increased foreclosure	3	0.1 %
9	Collapse of financial firm	0	0.0 %
10	Affected pension plan/insurance	7	0.2 %
11	Company/plant/store closed/went bankrupt	2	0.1 %
12	Other	4	0.1 %
13	Personal finance/investment/credit was affected	5	0.1 %
14	Company/business slow down & sales/construction decreased	3	0.1 %
15	Political situations/election	0	0.0 %
Missing Data			
99	INAPP	3345	98.6 %
Total		3,394	100%

Based upon 49 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 14.00

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA1D: OE-Specific event that made them aware that the recession had begun #4

Think back to 2008 when the recession first began. Was there a specific event that made you aware that the recession of 2008 had begun? If yes: What was it? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Crashed stock market	1	0.0 %
2	Increased gas price	0	0.0 %
3	Lost job/unemployed	0	0.0 %
4	Decreased income/didn't get raise	0	0.0 %
5	Increased cost of living/prices	1	0.0 %
6	Recognized through media coverage/economic indicator	0	0.0 %
7	Lack of job/hard to get a job	0	0.0 %
8	Collapsed housing market/increased foreclosure	0	0.0 %
9	Collapse of financial firm	0	0.0 %
10	Affected pension plan/insurance	0	0.0 %
11	Company/plant/store closed/went bankrupt	0	0.0 %
12	Other	0	0.0 %
13	Personal finance/investment/credit was affected	0	0.0 %
14	Company/business slow down & sales/construction decreased	2	0.1 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 17-18 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PAA2LBA: OE-What happened when lost a home due to something other than foreclosure #1

Since the recession began in 2008 have you - Lost a home due to something other than foreclosure? If yes: What happened? (Open-ended response)

Value	Label	Unweighted Frequency	%
1	Evicted	6	0.2 %
2	Couldn't afford	8	0.2 %
3	Swindled	2	0.1 %
4	Divorced	11	0.3 %
5	Fire on house	2	0.1 %

Value	Label	Unweighted Frequency	%
6	Hurricane	3	0.1 %
7	Lost job	4	0.1 %
8	Abandoned house	2	0.1 %
9	Bankruptcy	5	0.1 %
10	Other	15	0.4 %
11	Sold house	7	0.2 %
12	Death	3	0.1 %
Missing Data			
99	INAPP	3326	98.0 %
Total		3,394	100%

Based upon 68 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PAA2LBB: OE-What happened when lost a home due to something other than foreclosure #2

Since the recession began in 2008 have you - Lost a home due to something other than foreclosure? If yes: What happened?
(Open-ended response)

Value	Label	Unweighted Frequency	%
1	Evicted	0	0.0 %
2	Couldn't afford	3	0.1 %
3	Swindled	0	0.0 %
4	Divorced	0	0.0 %
5	Fire on house	0	0.0 %
6	Hurricane	0	0.0 %
7	Lost job	0	0.0 %
8	Abandoned house	0	0.0 %
9	Bankruptcy	0	0.0 %
10	Other	0	0.0 %
11	Sold house	3	0.1 %
12	Death	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 11.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA7BJA: OS-Diagnosis for suspected or confirmed heart trouble #1

What was the diagnosis - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Anxiety	6	0.2 %
2	Stress	3	0.1 %
3	Blocked/closed artery	35	1.0 %
4	Gastroesophageal Reflux Disease (GERD)	5	0.1 %
5	High cholesterol	7	0.2 %
6	High blood pressure	9	0.3 %
7	Irregular/fast heart beat/arrhythmia	20	0.6 %
8	Not diagnosed yet	8	0.2 %
9	Wolff-Parkinson-White Syndrome (WPW)	2	0.1 %
10	Tachycardia	3	0.1 %
11	Palpitation	5	0.1 %
12	Valve disease	15	0.4 %
13	Mitrovalve prolapse	2	0.1 %
14	Supraventricular Tachycardia (SVT)	3	0.1 %
15	Sinus tachycardia	2	0.1 %
16	Ventricle problem	4	0.1 %
17	Not specified	12	0.4 %
18	Atrial fibrillation	26	0.8 %
19	Other	45	1.3 %
20	Diabetes	6	0.2 %
21	Blood platelet	1	0.0 %
22	Weakend heart	1	0.0 %
23	Congenital heart disease	1	0.0 %
24	Heart attack	3	0.1 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	5	0.1 %
27	Cardiomyopathy	4	0.1 %
28	Stroke	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
99	INAPP	3161	93.1 %
Total		3,394	100%

Based upon 233 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 27.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA7BJB: OS-Diagnosis for suspected or confirmed heart trouble #2

What was the diagnosis - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	1	0.0 %
3	Blocked/closed artery	0	0.0 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	1	0.0 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	2	0.1 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	1	0.0 %
12	Valve disease	1	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	2	0.1 %
19	Other	0	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	0	0.0 %
25	Cyst on brain	1	0.0 %

Value	Label	Unweighted Frequency	%
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	0	0.0 %
28	Stroke	1	0.0 %
	Missing Data		
99	INAPP	3384	99.7 %
	Total	3,394	100%

Based upon 10 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 28.00

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA7BJC: OS-Diagnosis for suspected or confirmed heart trouble #3

What was the diagnosis - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	0	0.0 %
4	Gastroesophageal Reflux Disease (GERD)	1	0.0 %
5	High cholesterol	1	0.0 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	0	0.0 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	1	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	0	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	0	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %

Value	Label	Unweighted Frequency	%
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	0	0.0 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	1	0.0 %
28	Stroke	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 27.00

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22A: OS-Location of pain or discomfort #1

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	4	0.1 %
2	Right chest	17	0.5 %
3	Back	5	0.1 %
4	Center chest	10	0.3 %
5	Whole chest	7	0.2 %
6	Left arm	2	0.1 %
7	Right arm	2	0.1 %
8	Jaw	2	0.1 %
9	Lung	3	0.1 %
10	Neck	1	0.0 %
11	Stomach	1	0.0 %
12	Other	6	0.2 %
Missing Data			
99	INAPP	3334	98.2 %
Total		3,394	100%

Based upon 60 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22B: OS-Location of pain or discomfort #2

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	6	0.2 %
2	Right chest	1	0.0 %
3	Back	1	0.0 %
4	Center chest	4	0.1 %
5	Whole chest	1	0.0 %
6	Left arm	3	0.1 %
7	Right arm	2	0.1 %
8	Jaw	1	0.0 %
9	Lung	0	0.0 %
10	Neck	0	0.0 %
11	Stomach	1	0.0 %
12	Other	2	0.1 %
Missing Data			
99	INAPP	3372	99.4 %
Total		3,394	100%

Based upon 22 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22C: OS-Location of pain or discomfort #3

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	2	0.1 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	2	0.1 %
7	Right arm	1	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	1	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22D: OS-Location of pain or discomfort #4

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	1	0.0 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	1	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	1	0.0 %
10	Neck	0	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
Missing Data			
99	INAPP	3391	99.9 %
Total		3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22E: OS-Location of pain or discomfort #5

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	0	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	1	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA22F: OS-Location of pain or discomfort #6

Where do you get this pain or discomfort - in the center of your chest, in the left side of your chest ONLY, in the left side of your chest AND your left arm, or somewhere else? (SPECIFY LOCATION)

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Right chest	0	0.0 %
3	Back	1	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	0	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	0	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA23CJA: OS-What doctor said it was about a severe pain across the front of chest #1

What did the doctor say it was - OTHER (ENTER DIAGNOSIS)?

Value	Label	Unweighted Frequency	%
1	Heart	11	0.3 %
2	Panic attack	4	0.1 %
3	Gall bladder/gallstone	6	0.2 %
4	Gas	3	0.1 %
5	Acid reflux	7	0.2 %
6	Stress/anxiety	19	0.6 %
7	Indigestion	5	0.1 %
8	Hernia	3	0.1 %
9	Ulcer	3	0.1 %
10	Esophageal	6	0.2 %
11	Other	14	0.4 %
12	Heart burn	4	0.1 %
13	Muscle	12	0.4 %

Value	Label	Unweighted Frequency	%
14	Cartilage	2	0.1 %
15	Lung/asthma	7	0.2 %
16	Not diagnosed yet/unknown	7	0.2 %
17	Nothing to be concerned	1	0.0 %
18	Pancreas	1	0.0 %
19	Exercise routine/activity	3	0.1 %
Missing Data			
99	INAPP	3276	96.5 %
Total		3,394	100%

Based upon 118 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA23CJB: OS-What doctor said it was about a severe pain across the front of chest #2

What did the doctor say it was - OTHER (ENTER DIAGNOSIS)?

Value	Label	Unweighted Frequency	%
1	Heart	1	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	0	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	1	0.0 %
6	Stress/anxiety	2	0.1 %
7	Indigestion	0	0.0 %
8	Hernia	0	0.0 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	0	0.0 %
12	Heart burn	0	0.0 %
13	Muscle	2	0.1 %
14	Cartilage	0	0.0 %
15	Lung/asthma	4	0.1 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	1	0.0 %
18	Pancreas	1	0.0 %

Value	Label	Unweighted Frequency	%
19	Exercise routine/activity	0	0.0 %
	Missing Data		
99	INAPP	3382	99.6 %
	Total	3,394	100%

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PA23CJC: OS-What doctor said it was about a severe pain across the front of chest #3

What did the doctor say it was - OTHER (ENTER DIAGNOSIS)?

Value	Label	Unweighted Frequency	%
1	Heart	0	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	0	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	0	0.0 %
6	Stress/anxiety	1	0.0 %
7	Indigestion	0	0.0 %
8	Hernia	0	0.0 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	0	0.0 %
12	Heart burn	0	0.0 %
13	Muscle	0	0.0 %
14	Cartilage	0	0.0 %
15	Lung/asthma	0	0.0 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA24EFA: OS-Treatment/therapy for high blood pressure #1

What is that treatment or therapy - OTHER (ENTER TREATMENT)?

Value	Label	Unweighted Frequency	%
1	Lose weight	12	0.4 %
2	Exercise	6	0.2 %
3	Low sodium/sugar	11	0.3 %
4	Other	2	0.1 %
5	Medication	13	0.4 %
6	Supplement	10	0.3 %
7	Healthy diet	7	0.2 %
8	Regularly monitor	4	0.1 %
9	Rest	1	0.0 %
10	Release stress	4	0.1 %
11	Physical therapy	2	0.1 %
12	Massage/spa	2	0.1 %
13	Portion control	1	0.0 %
14	Lifestyle change	1	0.0 %
Missing Data			
99	INAPP	3318	97.8 %
Total		3,394	100%

Based upon 76 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA24EFB: OS-Treatment/therapy for high blood pressure #2

What is that treatment or therapy - OTHER (ENTER TREATMENT)?

Value	Label	Unweighted Frequency	%
1	Lose weight	2	0.1 %

Value	Label	Unweighted Frequency	%
2	Exercise	0	0.0 %
3	Low sodium/sugar	0	0.0 %
4	Other	0	0.0 %
5	Medication	0	0.0 %
6	Supplement	1	0.0 %
7	Healthy diet	2	0.1 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	0	0.0 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 49-50 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA24EFC: OS-Treatment/therapy for high blood pressure #3

What is that treatment or therapy - OTHER (ENTER TREATMENT)?

Value	Label	Unweighted Frequency	%
1	Lose weight	0	0.0 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	0	0.0 %
4	Other	0	0.0 %
5	Medication	1	0.0 %
6	Supplement	0	0.0 %
7	Healthy diet	0	0.0 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	0	0.0 %
11	Physical therapy	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA28JA: OS-Type of cancer respondent has had #1

What type of cancer have you had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	5	0.1 %
2	Skin	28	0.8 %
3	Bone	4	0.1 %
4	Blood	4	0.1 %
5	Muscles	1	0.0 %
6	Esophagus	1	0.0 %
7	Liver	1	0.0 %
8	Gall bladder	1	0.0 %
9	Kidney	6	0.2 %
10	Mouth	3	0.1 %
11	Thyroid	13	0.4 %
12	Testicular	5	0.1 %
13	Throat	1	0.0 %
14	Colon/rectal	2	0.1 %
15	Other: Cancer	16	0.5 %
16	Other: Non cancer	3	0.1 %
17	Other	1	0.0 %
18	Lung	1	0.0 %
19	Bladder	9	0.3 %
20	Stomach	2	0.1 %
21	Uterus	6	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3281	96.7 %
	Total	3,394	100%

Based upon 113 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA28JB: OS-Type of cancer respondent has had #2

What type of cancer have you had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Blood	0	0.0 %
5	Muscles	0	0.0 %
6	Esophagus	0	0.0 %
7	Liver	0	0.0 %
8	Gall bladder	0	0.0 %
9	Kidney	0	0.0 %
10	Mouth	0	0.0 %
11	Thyroid	1	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Colon/rectal	0	0.0 %
15	Other: Cancer	0	0.0 %
16	Other: Non cancer	0	0.0 %
17	Other	0	0.0 %
18	Lung	1	0.0 %
19	Bladder	1	0.0 %
20	Stomach	0	0.0 %
21	Uterus	0	0.0 %
	Missing Data		
99	INAPP	3391	99.9 %
	Total	3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 19.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PA28JC: OS-Type of cancer respondent has had #3

What type of cancer have you had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Blood	0	0.0 %
5	Muscles	0	0.0 %
6	Esophagus	0	0.0 %
7	Liver	0	0.0 %
8	Gall bladder	0	0.0 %
9	Kidney	0	0.0 %
10	Mouth	0	0.0 %
11	Thyroid	0	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Colon/rectal	1	0.0 %
15	Other: Cancer	0	0.0 %
16	Other: Non cancer	0	0.0 %
17	Other	0	0.0 %
18	Lung	0	0.0 %
19	Bladder	0	0.0 %
20	Stomach	0	0.0 %
21	Uterus	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 14.00
- Maximum: 14.00

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA29AIA: OS-Type of treatment/therapy currently using for cancer #1

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	21	0.6 %
2	Sunscreen	4	0.1 %
3	Supplement	2	0.1 %
4	Nutrition	0	0.0 %
5	Other	1	0.0 %
6	Removal	3	0.1 %
Missing Data			
9	INAPP	3363	99.1 %
Total		3,394	100%

Based upon 31 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 59-59 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PA29AIB: OS-Type of treatment/therapy currently using for cancer #2

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	0	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	1	0.0 %
6	Removal	0	0.0 %
Missing Data			
9	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 7 , 8 , 9

RA1PA29AIC: OS-Type of treatment/therapy currently using for cancer #3

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	0	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	1	0.0 %
5	Other	0	0.0 %
6	Removal	0	0.0 %
Missing Data			
9	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 61-61 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PA29AID: OS-Type of treatment/therapy currently using for cancer #4

What type of treatment or therapy are you currently using - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Medication	1	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	0	0.0 %
6	Removal	0	0.0 %
Missing Data			
9	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 62-62 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PA31JA: OS-Type of cancer mother has had #1

What type of cancer has your mother had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Breast	5	0.1 %
2	Lung	9	0.3 %
3	Lymph nodes	1	0.0 %
4	Bone	18	0.5 %
5	Spine/back	2	0.1 %
6	Blood	3	0.1 %
7	Brain	24	0.7 %
8	Esophagus	9	0.3 %
9	Stomach	9	0.3 %
10	Intestine	5	0.1 %
11	Liver	18	0.5 %
12	Kidney	18	0.5 %
13	Bladder	7	0.2 %
14	Pancreas	31	0.9 %
15	Thyroid	11	0.3 %
16	Throat	9	0.3 %
17	Other: Cancer	19	0.6 %
18	Metastasized	7	0.2 %
19	Other: Non cancer	2	0.1 %
20	Myeloma	5	0.1 %
21	Skin	4	0.1 %
Missing Data			
97	DON'T KNOW	6	0.2 %
99	INAPP	3172	93.5 %
Total		3,394	100%

Based upon 216 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 63-64 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA31JB: OS-Type of cancer mother has had #2

What type of cancer has your mother had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Breast	0	0.0 %
2	Lung	2	0.1 %
3	Lymph nodes	1	0.0 %
4	Bone	1	0.0 %
5	Spine/back	1	0.0 %
6	Blood	0	0.0 %
7	Brain	4	0.1 %
8	Esophagus	0	0.0 %
9	Stomach	0	0.0 %
10	Intestine	1	0.0 %
11	Liver	4	0.1 %
12	Kidney	1	0.0 %
13	Bladder	1	0.0 %
14	Pancreas	4	0.1 %
15	Thyroid	1	0.0 %
16	Throat	0	0.0 %
17	Other: Cancer	0	0.0 %
18	Metastasized	2	0.1 %
19	Other: Non cancer	0	0.0 %
20	Myeloma	0	0.0 %
21	Skin	0	0.0 %
Missing Data			
99	INAPP	3371	99.3 %
Total		3,394	100%

Based upon 23 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 18.00

Location: 65-66 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA31JC: OS-Type of cancer mother has had #3

What type of cancer has your mother had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Breast	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Lung	1	0.0 %
3	Lymph nodes	0	0.0 %
4	Bone	0	0.0 %
5	Spine/back	0	0.0 %
6	Blood	0	0.0 %
7	Brain	1	0.0 %
8	Esophagus	0	0.0 %
9	Stomach	1	0.0 %
10	Intestine	0	0.0 %
11	Liver	1	0.0 %
12	Kidney	0	0.0 %
13	Bladder	0	0.0 %
14	Pancreas	1	0.0 %
15	Thyroid	0	0.0 %
16	Throat	0	0.0 %
17	Other: Cancer	0	0.0 %
18	Metastasized	0	0.0 %
19	Other: Non cancer	0	0.0 %
20	Myeloma	0	0.0 %
21	Skin	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 14.00

Location: 67-68 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA32JA: OS-Type of cancer father has had #1

What type of cancer has your father had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	7	0.2 %
2	Myeloma	10	0.3 %
3	Esophagus	12	0.4 %
4	Larynx	3	0.1 %

Value	Label	Unweighted Frequency	%
5	Metastasized	2	0.1 %
6	Bladder	37	1.1 %
7	Bone	26	0.8 %
8	Brain/head	23	0.7 %
9	Kidney	24	0.7 %
10	Pancreas	33	1.0 %
11	Throat	19	0.6 %
12	Liver	18	0.5 %
13	Stomach	30	0.9 %
14	Testicular	3	0.1 %
15	Lung	8	0.2 %
16	Mouth	5	0.1 %
17	Intestine	5	0.1 %
18	Other: Pre-cancer	1	0.0 %
19	Other: Cancer	10	0.3 %
20	Blood	2	0.1 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3113	91.7 %
Total		3,394	100%

Based upon 278 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 69-70 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA32JB: OS-Type of cancer father has had #2

What type of cancer has your father had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Myeloma	0	0.0 %
3	Esophagus	1	0.0 %
4	Larynx	0	0.0 %
5	Metastasized	1	0.0 %
6	Bladder	1	0.0 %
7	Bone	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Brain/head	3	0.1 %
9	Kidney	0	0.0 %
10	Pancreas	0	0.0 %
11	Throat	0	0.0 %
12	Liver	2	0.1 %
13	Stomach	1	0.0 %
14	Testicular	0	0.0 %
15	Lung	1	0.0 %
16	Mouth	0	0.0 %
17	Intestine	0	0.0 %
18	Other: Pre-cancer	0	0.0 %
19	Other: Cancer	2	0.1 %
20	Blood	1	0.0 %
Missing Data			
99	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 20.00

Location: 71-72 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA32JC: OS-Type of cancer father has had #3

What type of cancer has your father had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Myeloma	0	0.0 %
3	Esophagus	0	0.0 %
4	Larynx	0	0.0 %
5	Metastasized	0	0.0 %
6	Bladder	0	0.0 %
7	Bone	0	0.0 %
8	Brain/head	0	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	1	0.0 %
11	Throat	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Liver	0	0.0 %
13	Stomach	0	0.0 %
14	Testicular	0	0.0 %
15	Lung	1	0.0 %
16	Mouth	0	0.0 %
17	Intestine	0	0.0 %
18	Other: Pre-cancer	0	0.0 %
19	Other: Cancer	0	0.0 %
20	Blood	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 10.00
- Maximum: 15.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA33JA: OS-Type of cancer brother has had #1

What type of cancer has/have your brother(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	8	0.2 %
2	Bone	9	0.3 %
3	Blood	1	0.0 %
4	Myeloma	2	0.1 %
5	Sinuses	1	0.0 %
6	Esophagus	7	0.2 %
7	Intestine	5	0.1 %
8	Liver	8	0.2 %
9	Kidney	9	0.3 %
10	Pancreas	4	0.1 %
11	Thyroid	2	0.1 %
12	Testicular	12	0.4 %
13	Throat	11	0.3 %
14	Tonsils	1	0.0 %
15	Leg	1	0.0 %

Value	Label	Unweighted Frequency	%
16	Brain	11	0.3 %
17	Mouth	1	0.0 %
18	Other: Non cancer	1	0.0 %
19	Metastasized	1	0.0 %
20	Other	1	0.0 %
21	Bladder	3	0.1 %
22	Stomach	4	0.1 %
23	Other: Cancer	13	0.4 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3275	96.5 %
Total		3,394	100%

Based upon 116 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 23.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA33JB: OS-Type of cancer brother has had #2

What type of cancer has/have your brother(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Bone	0	0.0 %
3	Blood	0	0.0 %
4	Myeloma	0	0.0 %
5	Sinuses	0	0.0 %
6	Esophagus	0	0.0 %
7	Intestine	0	0.0 %
8	Liver	0	0.0 %
9	Kidney	1	0.0 %
10	Pancreas	3	0.1 %
11	Thyroid	0	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Tonsils	0	0.0 %
15	Leg	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Brain	2	0.1 %
17	Mouth	0	0.0 %
18	Other: Non cancer	0	0.0 %
19	Metastasized	0	0.0 %
20	Other	0	0.0 %
21	Bladder	0	0.0 %
22	Stomach	1	0.0 %
23	Other: Cancer	1	0.0 %
Missing Data			
99	INAPP	3386	99.8 %
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 9.00
- Maximum: 23.00

Location: 77-78 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA33JC: OS-Type of cancer brother has had #3

What type of cancer has/have your brother(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Skin	0	0.0 %
2	Bone	0	0.0 %
3	Blood	0	0.0 %
4	Myeloma	0	0.0 %
5	Sinuses	0	0.0 %
6	Esophagus	0	0.0 %
7	Intestine	0	0.0 %
8	Liver	0	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	1	0.0 %
11	Thyroid	0	0.0 %
12	Testicular	0	0.0 %
13	Throat	0	0.0 %
14	Tonsils	0	0.0 %
15	Leg	0	0.0 %
16	Brain	0	0.0 %

Value	Label	Unweighted Frequency	%
17	Mouth	0	0.0 %
18	Other: Non cancer	0	0.0 %
19	Metastasized	0	0.0 %
20	Other	0	0.0 %
21	Bladder	0	0.0 %
22	Stomach	0	0.0 %
23	Other: Cancer	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JA: OS-Type of cancer sister has had #1

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	1	0.0 %
2	Skin	3	0.1 %
3	Bone	7	0.2 %
4	Spine/back	5	0.1 %
5	Brain	11	0.3 %
6	Mouth	2	0.1 %
7	Stomach	4	0.1 %
8	Liver	5	0.1 %
9	Kidney	2	0.1 %
10	Pancreas	6	0.2 %
11	Thyroid	10	0.3 %
12	Throat	6	0.2 %
13	Other: Non cancer	1	0.0 %
14	Other: Cancer	10	0.3 %
15	Other	2	0.1 %
16	Lung	2	0.1 %
17	Bladder	2	0.1 %

Value	Label	Unweighted Frequency	%
18	Metastasized	2	0.1 %
19	Breast	1	0.0 %
Missing Data			
97	DON'T KNOW	2	0.1 %
99	INAPP	3310	97.5 %
Total		3,394	100%

Based upon 82 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JB: OS-Type of cancer sister has had #2

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	1	0.0 %
3	Bone	0	0.0 %
4	Spine/back	1	0.0 %
5	Brain	2	0.1 %
6	Mouth	0	0.0 %
7	Stomach	1	0.0 %
8	Liver	1	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	0	0.0 %
11	Thyroid	0	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	1	0.0 %
Missing Data			
99	INAPP	3387	99.8 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 19.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA34JC: OS-Type of cancer sister has had #3

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Spine/back	0	0.0 %
5	Brain	1	0.0 %
6	Mouth	0	0.0 %
7	Stomach	0	0.0 %
8	Liver	0	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	1	0.0 %
11	Thyroid	0	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	1	0.0 %
Missing Data			
99	INAPP	3391	99.9 %
Total		3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 19.00

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

RA1PA34JD: OS-Type of cancer sister has had #4

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Spine/back	0	0.0 %
5	Brain	0	0.0 %
6	Mouth	0	0.0 %
7	Stomach	0	0.0 %
8	Liver	1	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	0	0.0 %
11	Thyroid	1	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 8.00
- Maximum: 11.00

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

RA1PA34JE: OS-Type of cancer sister has had #5

What type of cancer has/have your sister(s) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Lymph nodes	0	0.0 %
2	Skin	0	0.0 %
3	Bone	0	0.0 %
4	Spine/back	0	0.0 %
5	Brain	1	0.0 %
6	Mouth	0	0.0 %
7	Stomach	0	0.0 %
8	Liver	1	0.0 %
9	Kidney	0	0.0 %
10	Pancreas	0	0.0 %
11	Thyroid	0	0.0 %
12	Throat	0	0.0 %
13	Other: Non cancer	0	0.0 %
14	Other: Cancer	0	0.0 %
15	Other	0	0.0 %
16	Lung	0	0.0 %
17	Bladder	0	0.0 %
18	Metastasized	0	0.0 %
19	Breast	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 8.00

Location: 89-90 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PA35JA: OS-Type of cancer child has had

What type of cancer has/have your child(ren) had - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Bone	1	0.0 %
2	Brain	5	0.1 %
3	Stomach	1	0.0 %
4	Other: Cancer	1	0.0 %
5	Skin	1	0.0 %

Value	Label	Unweighted Frequency	%
6	Thyroid	3	0.1 %
	Missing Data		
7	DON'T KNOW	1	0.0 %
9	INAPP	3381	99.6 %
	Total	3,394	100%

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PB2A11A: OS-Respondent's employment situation before the recession #1

Think back to January, 2008, just before the recession began. In January 2008, what was your employment situation - were you working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	47	1.4 %
2	Was working	21	0.6 %
3	Health problem	6	0.2 %
4	Homemaker	3	0.1 %
5	Volunteer	7	0.2 %
6	Military	4	0.1 %
7	Caregiving for family/friend	4	0.1 %
8	Missionary work	2	0.1 %
9	Live on insurance benefit	1	0.0 %
10	Unemployed	2	0.1 %
11	Not working: Other reasons	3	0.1 %
12	Part-time job	4	0.1 %
13	Self-employed	2	0.1 %
	Missing Data		
97	DON'T KNOW	4	0.1 %
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3283	96.7 %
	Total	3,394	100%

Based upon 106 valid cases out of 3,394 total cases.

- Minimum: 1.00

- Maximum: 13.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2A1B: OS-Respondent's employment situation before the recession #2

Think back to January, 2008, just before the recession began. In January 2008, what was your employment situation - were you working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	1	0.0 %
2	Was working	1	0.0 %
3	Health problem	2	0.1 %
4	Homemaker	0	0.0 %
5	Volunteer	0	0.0 %
6	Military	0	0.0 %
7	Caregiving for family/friend	0	0.0 %
8	Missionary work	0	0.0 %
9	Live on insurance benefit	3	0.1 %
10	Unemployed	0	0.0 %
11	Not working: Other reasons	0	0.0 %
12	Part-time job	0	0.0 %
Missing Data			
99	INAPP	3387	99.8 %
Total		3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGA: OS-Reason for respondent's first unemployment since the recession began #1

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	41	1.2 %
2	Disabled	20	0.6 %
3	Resigned/voluntary leave	10	0.3 %

Value	Label	Unweighted Frequency	%
4	Had a baby/child care/married/homemaker	25	0.7 %
5	Temporary or seasonal job/contract or project ended	19	0.6 %
6	Lack of work/no work available	13	0.4 %
7	Lost job/laid off/forced to quit	21	0.6 %
8	Graduated from school	11	0.3 %
9	Moved/relocated	15	0.4 %
10	Other	30	0.9 %
11	Was not working/hadn't been working	10	0.3 %
12	Company or business moved/slow down/closed	29	0.9 %
13	Caregiving for family	12	0.4 %
14	Self-employed	5	0.1 %
15	Job/position was eliminated	11	0.3 %
16	Had problem at job	4	0.1 %
17	Weather condition	0	0.0 %
Missing Data			
97	DON'T KNOW	1	0.0 %
98	REFUSED/MISSING	2	0.1 %
99	INAPP	3115	91.8 %
Total		3,394	100%

Based upon 276 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGB: OS-Reason for respondent's first unemployment since the recession began #2

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	1	0.0 %
2	Disabled	0	0.0 %
3	Resigned/voluntary leave	1	0.0 %
4	Had a baby/child care/married/homemaker	1	0.0 %
5	Temporary or seasonal job/contract or project ended	1	0.0 %
6	Lack of work/no work available	0	0.0 %
7	Lost job/laid off/forced to quit	3	0.1 %
8	Graduated from school	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Moved/relocated	1	0.0 %
10	Other	0	0.0 %
11	Was not working/hadn't been working	1	0.0 %
12	Company or business moved/slow down/closed	2	0.1 %
13	Caregiving for family	0	0.0 %
14	Self-employed	6	0.2 %
15	Job/position was eliminated	0	0.0 %
16	Had problem at job	0	0.0 %
17	Weather condition	1	0.0 %
Missing Data			
99	INAPP	3376	99.5 %
Total		3,394	100%

Based upon 18 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGC: OS-Reason for respondent's first unemployment since the recession began #3

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	0	0.0 %
2	Disabled	0	0.0 %
3	Resigned/voluntary leave	0	0.0 %
4	Had a baby/child care/married/homemaker	0	0.0 %
5	Temporary or seasonal job/contract or project ended	0	0.0 %
6	Lack of work/no work available	0	0.0 %
7	Lost job/laid off/forced to quit	0	0.0 %
8	Graduated from school	0	0.0 %
9	Moved/relocated	0	0.0 %
10	Other	0	0.0 %
11	Was not working/hadn't been working	0	0.0 %
12	Company or business moved/slow down/closed	1	0.0 %
13	Caregiving for family	0	0.0 %
14	Self-employed	0	0.0 %
15	Job/position was eliminated	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Had problem at job	0	0.0 %
17	Weather condition	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB2BBGD: OS-Reason for respondent's first unemployment since the recession began #4

What had happened at that time - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	0	0.0 %
2	Disabled	0	0.0 %
3	Resigned/voluntary leave	0	0.0 %
4	Had a baby/child care/married/homemaker	0	0.0 %
5	Temporary or seasonal job/contract or project ended	0	0.0 %
6	Lack of work/no work available	0	0.0 %
7	Lost job/laid off/forced to quit	0	0.0 %
8	Graduated from school	0	0.0 %
9	Moved/relocated	0	0.0 %
10	Other	0	0.0 %
11	Was not working/hadn't been working	0	0.0 %
12	Company or business moved/slow down/closed	0	0.0 %
13	Caregiving for family	0	0.0 %
14	Self-employed	0	0.0 %
15	Job/position was eliminated	0	0.0 %
16	Had problem at job	1	0.0 %
17	Weather condition	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 16.00
- Maximum: 16.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB3KA: OS-Respondent's current employment situation #1

What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Disabled	41	1.2 %
2	Caregiving for family	6	0.2 %
3	Volunteer	14	0.4 %
4	Homemaker	5	0.1 %
5	Health problem	2	0.1 %
6	Live on insurance benefit	3	0.1 %
7	Laid off	1	0.0 %
8	Working	9	0.3 %
9	Self-employed	4	0.1 %
10	Part-time work	13	0.4 %
11	Apprenticeship	1	0.0 %
12	Not specified	3	0.1 %
13	Unpaid internship	2	0.1 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3289	96.9 %
Total		3,394	100%

Based upon 104 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB3KB: OS-Respondent's current employment situation #2

What about your current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Caregiving for family	0	0.0 %
3	Volunteer	0	0.0 %
4	Homemaker	0	0.0 %
5	Health problem	0	0.0 %
6	Live on insurance benefit	1	0.0 %
7	Laid off	0	0.0 %
8	Working	1	0.0 %
9	Self-employed	1	0.0 %
10	Part-time work	2	0.1 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 10.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5GA: OS-Reason for respondent's unemployment #1

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	51	1.5 %
2	Had a baby/child care/married/homemaker	25	0.7 %
3	Health problem/accident	100	2.9 %
4	Other	21	0.6 %
5	Schooling	4	0.1 %
6	Moved	18	0.5 %
7	Imprisoned	1	0.0 %
8	Temporary job/seasonal job/contract ended	16	0.5 %
9	Laid off	12	0.4 %
10	No work/lack of work	7	0.2 %
11	Caregiving for family	17	0.5 %
12	Graduated from school/semester ended	2	0.1 %

Value	Label	Unweighted Frequency	%
13	Company moved/closed	8	0.2 %
14	Resigned/chose to quit	14	0.4 %
15	Didn't like working condition	1	0.0 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3096	91.2 %
Total		3,394	100%

Based upon 297 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5GB: OS-Reason for respondent's unemployment #2

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	3	0.1 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	2	0.1 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	1	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 10.00

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5GC: OS-Reason for respondent's unemployment #3

What happened - were you fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	0	0.0 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	0	0.0 %
7	Imprisoned	1	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5AB1A: OE-What respondent is doing to find a job #1

What are you doing to find a job? (Open ended)

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	84	2.5 %
2	Networking	60	1.8 %
3	Internet/online/other media: Not specified	32	0.9 %
4	Interviewing	12	0.4 %
5	Schooling	3	0.1 %
6	Other	10	0.3 %
7	Already has a job	6	0.2 %
Missing Data			
99	INAPP	3187	93.9 %
Total		3,394	100%

Based upon 207 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5AB1B: OE-What respondent is doing to find a job #2

What are you doing to find a job? (Open ended)

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	47	1.4 %
2	Networking	0	0.0 %
3	Internet/online/other media: Not specified	32	0.9 %
4	Interviewing	3	0.1 %
5	Schooling	4	0.1 %
6	Other	1	0.0 %
7	Already has a job	0	0.0 %
Missing Data			
99	INAPP	3307	97.4 %
Total		3,394	100%

Based upon 87 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB5AB1C: OE-What respondent is doing to find a job #3

What are you doing to find a job? (Open ended)

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	4	0.1 %
2	Networking	0	0.0 %
3	Internet/online/other media: Not specified	9	0.3 %
4	Interviewing	0	0.0 %
5	Schooling	0	0.0 %
6	Other	0	0.0 %
7	Already has a job	0	0.0 %
Missing Data			
99	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB33AKA: OS-Spouse/partner's employment situation before the recession

Think back to January, 2008, just before the recession began. In January 2008, what was your spouse or partner's employment situation - was he/she working for pay, self-employed, unemployed, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Disabled	17	0.5 %
2	Imprisoned	3	0.1 %
3	Schooling	1	0.0 %
4	Volunteer	2	0.1 %
5	Looking for job	1	0.0 %
6	Health problem	4	0.1 %
7	Staying abroad	1	0.0 %
8	Other	4	0.1 %
9	Military	1	0.0 %
10	Laid off	1	0.0 %
11	Seasonal work	1	0.0 %
12	Working	1	0.0 %
13	Caregiving for family/friend	2	0.1 %

Value	Label	Unweighted Frequency	%
14	Self employed	2	0.1 %
15	Part-time job	1	0.0 %
Missing Data			
97	DON'T KNOW	2	0.1 %
99	INAPP	3350	98.7 %
Total		3,394	100%

Based upon 42 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB33BBGA: OS-Reason for spouse/partner's first unemployment since the recession began #1

What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Company or business moved/slow down/closed	9	0.3 %
2	Disabled	12	0.4 %
3	Health problem/accident	13	0.4 %
4	Temporary or seasonal job/contract or project ended	35	1.0 %
5	Other	17	0.5 %
6	Moved	4	0.1 %
7	Job/position was eliminated	6	0.2 %
8	Schooling	4	0.1 %
9	Self-employed	1	0.0 %
10	Was not working/hadn't been working	7	0.2 %
11	Lack of work/no work available	12	0.4 %
12	Had a job/was working	5	0.1 %
13	Graduating from school	5	0.1 %
14	Looking for a job	8	0.2 %
15	Laid off	7	0.2 %
16	Caregiving for family/friend	1	0.0 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3247	95.7 %
Total		3,394	100%

Based upon 146 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB33BBGB: OS-Reason for spouse/partner's first unemployment since the recession began #2

What had happened at that time - were your spouse or partner fired or laid off, did the company close down, did you quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Company or business moved/slow down/closed	0	0.0 %
2	Disabled	0	0.0 %
3	Health problem/accident	0	0.0 %
4	Temporary or seasonal job/contract or project ended	3	0.1 %
5	Other	1	0.0 %
6	Moved	1	0.0 %
7	Job/position was eliminated	0	0.0 %
8	Schooling	0	0.0 %
9	Self-employed	2	0.1 %
10	Was not working/hadn't been working	2	0.1 %
11	Lack of work/no work available	4	0.1 %
12	Had a job/was working	0	0.0 %
13	Graduating from school	3	0.1 %
14	Looking for a job	0	0.0 %
15	Laid off	1	0.0 %
16	Caregiving for family/friend	0	0.0 %
Missing Data			
99	INAPP	3377	99.5 %
Total		3,394	100%

Based upon 17 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 15.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB34KA: OS-Spouse/partner's current employment situation

What about your spouse or partner's current employment situation - are you working now for pay, self-employed, looking for work, temporarily laid off, retired, a homemaker, a full-time or part-time student, or something else - OTHER (SPECIFY)?

Value	Label	Unweighted Frequency	%
1	Disabled	18	0.5 %
2	Health problem	2	0.1 %
3	Volunteer/unpaid job	5	0.1 %
4	Part-time job	5	0.1 %
5	Maternity leave	1	0.0 %
6	Not working	1	0.0 %
7	Working	6	0.2 %
8	About to start working	1	0.0 %
9	Caregiving for family/friend	4	0.1 %
10	Live on insurance benefit	1	0.0 %
11	Homemaker	1	0.0 %
12	Self-employed	1	0.0 %
Missing Data			
99	INAPP	3348	98.6 %
Total		3,394	100%

Based upon 46 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36GA: OS-Reason for spouse/partner's unemployment #1

What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	54	1.6 %
2	Had a baby/child care/married/homemaker	42	1.2 %
3	Disabled	20	0.6 %
4	Schooling	4	0.1 %
5	Temporary or seasonal job/contract or project ended	13	0.4 %
6	Moved	6	0.2 %
7	Business stopped/slow down	8	0.2 %
8	No work available	3	0.1 %
9	Other	12	0.4 %
10	Resigned/chose to quit	12	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3219	94.8 %
	Total	3,394	100%

Based upon 174 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36GB: OS-Reason for spouse/partner's unemployment #2

What happened - was (he/she) fired or laid off, did the company close down, did (he/she) quit, choose to retire or did something else happen? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Health problem/accident	1	0.0 %
2	Had a baby/child care/married/homemaker	1	0.0 %
3	Disabled	0	0.0 %
4	Schooling	0	0.0 %
5	Temporary or seasonal job/contract or project ended	0	0.0 %
6	Moved	0	0.0 %
7	Business stopped/slow down	0	0.0 %
8	No work available	0	0.0 %
9	Other	0	0.0 %
10	Resigned/chose to quit	0	0.0 %
	Missing Data		
99	INAPP	3392	99.9 %
	Total	3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1A: OE-What spouse/partner is doing to find a job #1

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	39	1.1 %
2	Already has a job	8	0.2 %
3	Networking	26	0.8 %
4	Internet, online, other media: Ambiguous response	15	0.4 %
5	Interviewing	4	0.1 %
6	Schooling	0	0.0 %
7	Other	5	0.1 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3296	97.1 %
Total		3,394	100%

Based upon 97 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1B: OE-What spouse/partner is doing to find a job #2

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	19	0.6 %
2	Already has a job	0	0.0 %
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	18	0.5 %
5	Interviewing	2	0.1 %
6	Schooling	1	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3354	98.8 %
Total		3,394	100%

Based upon 40 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1C: OE-What spouse/partner is doing to find a job #3

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	6	0.2 %
2	Already has a job	1	0.0 %
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	1	0.0 %
5	Interviewing	0	0.0 %
6	Schooling	1	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3385	99.7 %
Total		3,394	100%

Based upon 9 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB36A1D: OE-What spouse/partner is doing to find a job #4

What is (he/she) doing to find a job?

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	0	0.0 %
2	Already has a job	0	0.0 %
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	1	0.0 %
5	Interviewing	0	0.0 %
6	Schooling	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB43GA: OS-The reason participant did not live with their biological parents up until 16 years old #1

Why didn't you live with your biological parents? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Parents never married	15	0.4 %
2	Parents' misbehavior/crime/imprisoned	7	0.2 %
3	Parents divorced/remarried	10	0.3 %
4	Parents left	18	0.5 %
5	Parents couldn't handle me	6	0.2 %
6	Other	9	0.3 %
7	Lived with only one parent	10	0.3 %
8	Parents' work	5	0.1 %
9	Never knew/saw father	9	0.3 %
10	Lived at school	5	0.1 %
11	Parents moved away	3	0.1 %
12	Lived with one biological parent and new spouse	2	0.1 %
13	Respondent left home/didn't live together	7	0.2 %
14	Lived in foster care	3	0.1 %
15	Didn't have a good relationship with parents	1	0.0 %
16	Lived with grandparents	4	0.1 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3277	96.6 %
Total		3,394	100%

Based upon 114 valid cases out of 3,394 total cases.

• Minimum: 1.00

• Maximum: 16.00

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB43GB: OS-The reason participant did not live with their biological parents up until 16 years old #2

Why didn't you live with your biological parents? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Parents never married	3	0.1 %
2	Parents' misbehavior/crime/imprisoned	1	0.0 %
3	Parents divorced/remarried	2	0.1 %
4	Parents left	0	0.0 %
5	Parents couldn't handle me	1	0.0 %
6	Other	0	0.0 %
7	Lived with only one parent	0	0.0 %
8	Parents' work	0	0.0 %
9	Never knew/saw father	0	0.0 %
10	Lived at school	0	0.0 %
11	Parents moved away	0	0.0 %
12	Lived with one biological parent and new spouse	0	0.0 %
13	Respondent left home/didn't live together	0	0.0 %
14	Lived in foster care	0	0.0 %
15	Didn't have a good relationship with parents	0	0.0 %
16	Lived with grandparents	4	0.1 %
Missing Data			
99	INAPP	3383	99.7 %
Total		3,394	100%

Based upon 11 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 142-143 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB43GC: OS-The reason participant did not live with their biological parents up until 16 years old #3

Why didn't you live with your biological parents? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Parents never married	0	0.0 %
2	Parents' misbehavior/crime/imprisoned	1	0.0 %
3	Parents divorced/remarried	0	0.0 %
4	Parents left	0	0.0 %
5	Parents couldn't handle me	0	0.0 %
6	Other	0	0.0 %
7	Lived with only one parent	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Parents' work	0	0.0 %
9	Never knew/saw father	0	0.0 %
10	Lived at school	0	0.0 %
11	Parents moved away	0	0.0 %
12	Lived with one biological parent and new spouse	0	0.0 %
13	Respondent left home/didn't live together	0	0.0 %
14	Lived in foster care	0	0.0 %
15	Didn't have a good relationship with parents	0	0.0 %
16	Lived with grandparents	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB45A: OS-Male head of household for most of childhood #1

Who was the male head of your household for most of your childhood? - OTHER MALE (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandfather	56	1.6 %
2	Brother	32	0.9 %
3	Uncle	10	0.3 %
4	Myself	6	0.2 %
5	Mother's boyfriend/husband	6	0.2 %
6	Father/stepfather/foster father	8	0.2 %
7	Mother/foster mother	2	0.1 %
8	Other	2	0.1 %
Missing Data			
97	DON'T KNOW	2	0.1 %
99	INAPP	3270	96.3 %
Total		3,394	100%

Based upon 122 valid cases out of 3,394 total cases.

- Minimum: 1.00

- Maximum: 8.00

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PB45B: OS-Male head of household for most of childhood #2

Who was the male head of your household for most of your childhood? - OTHER MALE (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandfather	0	0.0 %
2	Brother	0	0.0 %
3	Uncle	3	0.1 %
4	Myself	0	0.0 %
5	Mother's boyfriend/husband	0	0.0 %
6	Father/stepfather/foster father	2	0.1 %
7	Mother/foster mother	1	0.0 %
8	Other	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 148-149 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PB45C: OS-Male head of household for most of childhood #3

Who was the male head of your household for most of your childhood? - OTHER MALE (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandfather	0	0.0 %
2	Brother	0	0.0 %
3	Uncle	1	0.0 %
4	Myself	0	0.0 %
5	Mother's boyfriend/husband	0	0.0 %
6	Father/stepfather/foster father	0	0.0 %
7	Mother/foster mother	0	0.0 %
8	Other	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 8.00

Location: 150-151 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB47AEA: OS-Main reason male household was not working for pay during most of participant's childhood years

What was the main reason he was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Disabled	2	0.1 %
2	Retired	11	0.3 %
3	Didn't need to work	2	0.1 %
4	Health problem	4	0.1 %
5	No work available/unemployed	6	0.2 %
6	Not old enough to work	2	0.1 %
7	Criminal/drug and alcohol abuser	4	0.1 %
8	Social security income	2	0.1 %
9	Schooling	5	0.1 %
10	Other	7	0.2 %
11	Caregiving for family	1	0.0 %
12	Self-employed	2	0.1 %
Missing Data			
97	DON'T KNOW	3	0.1 %
99	INAPP	3343	98.5 %
Total		3,394	100%

Based upon 48 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 152-153 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB49A: OS-Female head of household for most of childhood

Who was the female head of your household for most of your childhood? - OTHER FEMALE YEA(SPECIFY)

Value	Label	Unweighted Frequency	%
1	Grandmother	66	1.9 %
2	Foster Mother/stepmother	7	0.2 %
3	Myself	2	0.1 %
4	Aunt	11	0.3 %
5	Sister	5	0.1 %
6	Other	2	0.1 %
Missing Data			
9	INAPP	3301	97.3 %
Total		3,394	100%

Based upon 93 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PB51AEA: OS-Main reason female household was not working for pay during most of participant's childhood years #1

What was the main reason she was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	90	2.7 %
2	Didn't need to work	78	2.3 %
3	Health problem	11	0.3 %
4	Retired	4	0.1 %
5	She chose not to/didn't want to work	36	1.1 %
6	Father didn't want her to work	14	0.4 %
7	Lack of skill/education	3	0.1 %
8	Cultural reason	17	0.5 %
9	Other	37	1.1 %
10	Had part-time/temporary job	4	0.1 %
11	Ambiguous response	3	0.1 %
12	Self-employed	7	0.2 %
13	No work available/unemployed	4	0.1 %
Missing Data			
97	DON'T KNOW	4	0.1 %
99	INAPP	3082	90.8 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 308 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB51AEB: OS-Main reason female household was not working for pay during most of participant's childhood years #2

What was the main reason she was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	7	0.2 %
2	Didn't need to work	1	0.0 %
3	Health problem	0	0.0 %
4	Retired	0	0.0 %
5	She chose not to/didn't want to work	4	0.1 %
6	Father didn't want her to work	5	0.1 %
7	Lack of skill/education	1	0.0 %
8	Cultural reason	3	0.1 %
9	Other	0	0.0 %
10	Had part-time/temporary job	0	0.0 %
11	Ambiguous response	0	0.0 %
12	Self-employed	1	0.0 %
13	No work available/unemployed	0	0.0 %
Missing Data			
99	INAPP	3372	99.4 %
Total		3,394	100%

Based upon 22 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PB51AEC: OS-Main reason female household was not working for pay during most of participant's childhood years #3

What was the main reason she was not working for pay during most of your childhood years? - OTHER

Value	Label	Unweighted Frequency	%
1	Child care/homemaker	1	0.0 %
2	Didn't need to work	0	0.0 %
3	Health problem	0	0.0 %
4	Retired	0	0.0 %
5	She chose not to/didn't want to work	0	0.0 %
6	Father didn't want her to work	0	0.0 %
7	Lack of skill/education	0	0.0 %
8	Cultural reason	0	0.0 %
9	Other	0	0.0 %
10	Had part-time/temporary job	0	0.0 %
11	Ambiguous response	0	0.0 %
12	Self-employed	0	0.0 %
13	No work available/unemployed	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PC6A: OS-Anyone you have not already mentioned lived in your household in last 12 months #1

In the last 12 months, has anyone you haven't already mentioned lived in your household? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	21	0.6 %
2	Sister	11	0.3 %
3	Brother	7	0.2 %
4	Spouse	15	0.4 %
5	Nephew	12	0.4 %
6	In-laws	21	0.6 %
7	Roommate	3	0.1 %
8	Parents	26	0.8 %
9	Niece	4	0.1 %

Value	Label	Unweighted Frequency	%
10	Other: Non family member	27	0.8 %
11	Other: Family member	6	0.2 %
12	Children	20	0.6 %
13	Boyfriend/girlfriend/domestic partner/fiance	9	0.3 %
14	Grandchildren	18	0.5 %
15	Other	21	0.6 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3172	93.5 %
Total		3,394	100%

Based upon 221 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PC6B: OS-Anyone you have not already mentioned lived in your household in last 12 months #2

In the last 12 months, has anyone you haven't already mentioned lived in your household? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	1	0.0 %
2	Sister	3	0.1 %
3	Brother	3	0.1 %
4	Spouse	1	0.0 %
5	Nephew	0	0.0 %
6	In-laws	0	0.0 %
7	Roommate	1	0.0 %
8	Parents	0	0.0 %
9	Niece	1	0.0 %
10	Other: Non family member	2	0.1 %
11	Other: Family member	1	0.0 %
12	Children	1	0.0 %
13	Boyfriend/girlfriend/domestic partner/fiance	2	0.1 %
14	Grandchildren	4	0.1 %
15	Other	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
99	INAPP	3374	99.4 %
Total		3,394	100%

Based upon 20 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PC6C: OS-Anyone you have not already mentioned lived in your household in last 12 months #3

In the last 12 months, has anyone you haven't already mentioned lived in your household? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	0	0.0 %
2	Sister	0	0.0 %
3	Brother	0	0.0 %
4	Spouse	0	0.0 %
5	Nephew	0	0.0 %
6	In-laws	0	0.0 %
7	Roommate	0	0.0 %
8	Parents	0	0.0 %
9	Niece	0	0.0 %
10	Other: Non family member	0	0.0 %
11	Other: Family member	1	0.0 %
12	Children	3	0.1 %
13	Boyfriend/girlfriend/domestic partner/fiance	0	0.0 %
14	Grandchildren	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 12.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PCDTA1: OS-Condition disability/mental problem 1: Child #1

What type of developmental disability or serious mental health problem does [name] have - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	1	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	7	0.2 %
106	Down syndrome	1	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	2	0.1 %
223	Attention deficit hyperactivity disorder (ADHD)	2	0.1 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	4	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %

Value	Label	Unweighted Frequency	%
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	1	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3338	98.4 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 56 valid cases out of 3,394 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA2: OS-Condition disability/mental problem 1: Child #2

What type of developmental disability or serious mental health problem does [name] have - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	1	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	4	0.1 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	1	0.0 %
224	Handicapped	4	0.1 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	4	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	1	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %

Value	Label	Unweighted Frequency	%
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3342	98.5 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 52 valid cases out of 3,394 total cases.

- Minimum: 102.00
- Maximum: 996.00

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA3: OS-Condition disability/mental problem 1: Child #3

What type of developmental disability or serious mental health problem does [name] have - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3381	99.6 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 105.00

- Maximum: 996.00

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA4: OS-Condition disability/mental problem 1: Child #4

What type of developmental disability or serious mental health problem does [name] have - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %

Value	Label	Unweighted Frequency	%
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3385	99.7 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9 valid cases out of 3,394 total cases.

- Minimum: 105.00
- Maximum: 996.00

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDTA5: OS-Condition disability/mental problem 1: Child #5

What type of developmental disability or serious mental health problem does [name] have - CHILD #5?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %

Value	Label	Unweighted Frequency	%
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %

Value	Label	Unweighted Frequency	%
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3389	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 800.00
- Maximum: 996.00

Location: 179-181 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA6: OS-Condition disability/mental problem 1: Child #6

What type of developmental disability or serious mental health problem does [name] have - CHILD #6?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %

Value	Label	Unweighted Frequency	%
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3389	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 657.00
- Maximum: 996.00

Location: 182-184 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDTA7: OS-Condition disability/mental problem 1: Child #7

What type of developmental disability or serious mental health problem does [name] have - CHILD #7?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %

Value	Label	Unweighted Frequency	%
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 185-187 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA8: OS-Condition disability/mental problem 1: Child #8

What type of developmental disability or serious mental health problem does [name] have - CHILD #8?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %

Value	Label	Unweighted Frequency	%
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
997	DON'T KNOW	1	0.0 %
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 0 valid cases out of 3,394 total cases.

Location: 188-190 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTA9: OS-Condition disability/mental problem 1: Child #9

What type of developmental disability or serious mental health problem does [name] have - CHILD #9?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %

Value	Label	Unweighted Frequency	%
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	1	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 538.00
- Maximum: 538.00

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTB1: OS-Condition disability/mental problem 2: Child #1

What type of developmental disability or serious mental health problem does [name] have - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	1	0.0 %

Value	Label	Unweighted Frequency	%
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 223.00
- Maximum: 996.00

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTB2: OS-Condition disability/mental problem 2: Child #2

What type of developmental disability or serious mental health problem does [name] have - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %

Value	Label	Unweighted Frequency	%
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 110.00
- Maximum: 996.00

Location: 197-199 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDTB9: OS-Condition disability/mental problem 2: Child #9

What type of developmental disability or serious mental health problem does [name] have - CHILD #9?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %

Value	Label	Unweighted Frequency	%
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	1	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %

Value	Label	Unweighted Frequency	%
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3393	100.0 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 543.00
- Maximum: 543.00

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA1: OS-Any other condition 1: Child #1

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	2	0.1 %
102	Autism	1	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	4	0.1 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	1	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %

Value	Label	Unweighted Frequency	%
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	3	0.1 %
224	Handicapped	2	0.1 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	3	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	2	0.1 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	1	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
997	DON'T KNOW	1	0.0 %
998	REFUSED	1	0.0 %
999	INAPP	3356	98.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 36 valid cases out of 3,394 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA2: OS-Any other condition 1: Child #2

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	1	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	2	0.1 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	4	0.1 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	1	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %

Value	Label	Unweighted Frequency	%
331	Epilepsy	1	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	1	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
997	DON'T KNOW	2	0.1 %
999	INAPP	3362	99.1 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 30 valid cases out of 3,394 total cases.

- Minimum: 102.00
- Maximum: 996.00

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA3: OS-Any other condition 1: Child #3

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	1	0.0 %
102	Autism	0	0.0 %

Value	Label	Unweighted Frequency	%
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	1	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	2	0.1 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	2	0.1 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	1	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
998	REFUSED	1	0.0 %
999	INAPP	3374	99.4 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 19 valid cases out of 3,394 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA4: OS-Any other condition 1: Child #4

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %

Value	Label	Unweighted Frequency	%
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	1	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
999	INAPP	3386	99.8 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 103.00
- Maximum: 996.00

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOA5: OS-Any other condition 1: Child #5

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #5?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	1	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %

Value	Label	Unweighted Frequency	%
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3388	99.8 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 215-217 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA6: OS-Any other condition 1: Child #6

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #6?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %

Value	Label	Unweighted Frequency	%
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3392	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 222.00
- Maximum: 996.00

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOA7: OS-Any other condition 1: Child #7

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #7?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	1	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %

Value	Label	Unweighted Frequency	%
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3392	99.9 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 226.00
- Maximum: 332.00

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOA9: OS-Any other condition 1: Child #9

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #9?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	1	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 543.00

- Maximum: 543.00

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB1: OS-Any other condition 2: Child #1

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #1?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	1	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	2	0.1 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	1	0.0 %

Value	Label	Unweighted Frequency	%
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	1	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3382	99.6 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 105.00
- Maximum: 996.00

Location: 227-229 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOB2: OS-Any other condition 2: Child #2

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #2?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	1	0.0 %

Value	Label	Unweighted Frequency	%
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %

Value	Label	Unweighted Frequency	%
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 104.00
- Maximum: 996.00

Location: 230-232 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB3: OS-Any other condition 2: Child #3

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %

Value	Label	Unweighted Frequency	%
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	1	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3390	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 222.00
- Maximum: 875.00

Location: 233-235 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB4: OS-Any other condition 2: Child #4

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	1	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %

Value	Label	Unweighted Frequency	%
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	1	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3391	99.9 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 110.00
- Maximum: 649.00

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB5: OS-Any other condition 2: Child #5

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #5?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %

Value	Label	Unweighted Frequency	%
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 875.00
- Maximum: 875.00

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB6: OS-Any other condition 2: Child #6

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #6?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %

Value	Label	Unweighted Frequency	%
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999	INAPP	3393	100.0 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 226.00
- Maximum: 226.00

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOB7: OS-Any other condition 2: Child #7

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #7?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 230.00
- Maximum: 230.00

Location: 245-247 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

RA1PCDOC3: OS-Any other condition 3: Child #3

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #3?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %

Value	Label	Unweighted Frequency	%
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
Missing Data			
999	INAPP	3393	100.0 %
Total		3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 655.00
- Maximum: 655.00

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PCDOC4: OS-Any other condition 3: Child #4

Now, does [name] have any other developmental disabilities or serious long term mental health conditions - CHILD #4?

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %

Value	Label	Unweighted Frequency	%
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3393	100.0 %
	Total	3,394	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 997 , 998 , 999

RA1PD2A: OS-Recipient of the most personal care #1

To whom did you give the MOST personal care? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	24	0.7 %
2	Aunt	8	0.2 %
3	Children	4	0.1 %
4	Uncle	4	0.1 %
5	Stepfather	3	0.1 %
6	Boyfriend/girlfriend	5	0.1 %
7	Domestic partner	3	0.1 %
8	In-laws	12	0.4 %
9	Other: Family member	5	0.1 %
10	Other: Non family member	5	0.1 %
11	Other	7	0.2 %
12	Grandchildren	4	0.1 %
	Missing Data		
99	INAPP	3310	97.5 %
	Total	3,394	100%

Based upon 84 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

RA1PD2B: OS-Recipient of the most personal care #2

To whom did you give the MOST personal care? - OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Friend	0	0.0 %
2	Aunt	0	0.0 %
3	Children	0	0.0 %
4	Uncle	1	0.0 %
5	Stepfather	0	0.0 %
6	Boyfriend/girlfriend	0	0.0 %
7	Domestic partner	0	0.0 %
8	In-laws	0	0.0 %
9	Other: Family member	0	0.0 %
10	Other: Non family member	0	0.0 %
11	Other	0	0.0 %
12	Grandchildren	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4A: OS-Condition caused recipient to need personal care #1

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	5	0.1 %
2	Arthritis	5	0.1 %
3	Bipolar	6	0.2 %
4	Diabetes	7	0.2 %
5	Other cancer	46	1.4 %
6	Old age	40	1.2 %
7	Mental disease	27	0.8 %

Value	Label	Unweighted Frequency	%
8	Dementia/Alzheimer	43	1.3 %
9	Surgery	18	0.5 %
10	Parkinson's disease	6	0.2 %
11	Depression	14	0.4 %
12	Stroke	22	0.6 %
13	Down syndrome	5	0.1 %
14	Accident/injury/negative life event	15	0.4 %
15	Back/spine	10	0.3 %
16	Epilepsy/seizure	3	0.1 %
17	Chronic Obstructive Pulmonary Disease (COPD)	5	0.1 %
18	Heart	26	0.8 %
19	Other	67	2.0 %
20	Blood/blood clot/blood pressure	7	0.2 %
21	Brain	12	0.4 %
22	Broken bone	13	0.4 %
23	Lung/asthma	2	0.1 %
24	Disabled	6	0.2 %
25	Hip/knee replacement	15	0.4 %
26	Brain cancer	5	0.1 %
27	Kidney	5	0.1 %
Missing Data			
99	INAPP	2959	87.2 %
Total		3,394	100%

Based upon 435 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 27.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4B: OS-Condition caused recipient to need personal care #2

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	1	0.0 %
2	Arthritis	4	0.1 %
3	Bipolar	0	0.0 %
4	Diabetes	8	0.2 %

Value	Label	Unweighted Frequency	%
5	Other cancer	3	0.1 %
6	Old age	7	0.2 %
7	Mental disease	4	0.1 %
8	Dementia/Alzheimer	2	0.1 %
9	Surgery	1	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	1	0.0 %
12	Stroke	2	0.1 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	5	0.1 %
15	Back/spine	7	0.2 %
16	Epilepsy/seizure	2	0.1 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	4	0.1 %
19	Other	8	0.2 %
20	Blood/blood clot/blood pressure	2	0.1 %
21	Brain	3	0.1 %
22	Broken bone	4	0.1 %
23	Lung/asthma	3	0.1 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	1	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
Missing Data			
99	INAPP	3322	97.9 %
Total		3,394	100%

Based upon 72 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 25.00

Location: 260-261 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4C: OS-Condition caused recipient to need personal care #3

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Arthritis	1	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	3	0.1 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	1	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	1	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	9	0.3 %
19	Other	0	0.0 %
20	Blood/blood clot/blood pressure	2	0.1 %
21	Brain	0	0.0 %
22	Broken bone	1	0.0 %
23	Lung/asthma	1	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
Missing Data			
99	INAPP	3375	99.4 %
Total		3,394	100%

Based upon 19 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 23.00

Location: 262-263 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD4D: OS-Condition caused recipient to need personal care #4

What condition, illness, or disability caused her/him to need personal care? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	0	0.0 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	1	0.0 %
19	Other	1	0.0 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	0	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 18.00
- Maximum: 19.00

Location: 264-265 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PD8A: OS-The reason for no longer helping recipient

Why are you no longer helping? Is it because (he/she) no longer needs care, someone else is helping (him/her), (he/she) is deceased, or for some other reason? FIRST RESPONSE.

Value	Label	Unweighted Frequency	%
1	Condition improved	4	0.1 %
2	No longer live together	3	0.1 %
3	Problem in relationship with recipient	2	0.1 %
4	Other	2	0.1 %
5	Someone else is helping	3	0.1 %
Missing Data			
9	INAPP	3380	99.6 %
Total		3,394	100%

Based upon 14 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PE1A7A: OS-Institution setting where participant has lived last 5 years

Over the past 5 years, have you lived in SOME OTHER INSTITUTIONAL SETTING? (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Hospital/rehab center	7	0.2 %
2	Jail/halfway house	3	0.1 %
3	Barrack/armed forces housing	3	0.1 %
4	Educational institution	2	0.1 %
Missing Data			
9	INAPP	3379	99.6 %
Total		3,394	100%

Based upon 15 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1PF1A: OS-Other Spanish origin

The next questions are about your ethnic background or origin. Most people in the United States have ancestors that come from other parts of the world. Are you of Spanish, Hispanic or Latino descent, that is, Mexican, Mexican American, Chicano, Puerto Rican, Cuban or some other Spanish origin? OTHER SPANISH (Please specify):

Value	Label	Unweighted Frequency	%
1	Dominican	5	0.1 %
2	Columbian	4	0.1 %
3	Hispanic	19	0.6 %
4	Spanish	13	0.4 %
5	Portuguese	3	0.1 %
6	El Salvador	2	0.1 %
7	Brazilian	3	0.1 %
8	Ecuadorian	2	0.1 %
9	Latino	4	0.1 %
10	South American	2	0.1 %
11	Central American	4	0.1 %
12	Other	9	0.3 %
13	Mixed racial origins	6	0.2 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3317	97.7 %
Total		3,394	100%

Based upon 76 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 268-269 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2A: OS-Other main ethnic background or origins #1

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	25	0.7 %
2	American/United States	56	1.6 %
3	African American	21	0.6 %
4	Caucasian	18	0.5 %
5	Netherland	44	1.3 %
6	Great Britain	38	1.1 %
7	Native American	27	0.8 %
8	Scandinavian	15	0.4 %

Value	Label	Unweighted Frequency	%
9	European	69	2.0 %
10	Switzerland	24	0.7 %
11	Finland	11	0.3 %
12	Asian	8	0.2 %
13	Other	50	1.5 %
14	Ukraine	9	0.3 %
15	Not specified	1	0.0 %
16	Germany	6	0.2 %
17	Lithuania	10	0.3 %
18	Jewish	6	0.2 %
19	Wales	16	0.5 %
20	Belgium	6	0.2 %
21	Austria	11	0.3 %
22	French Canadian	4	0.1 %
23	Hungary	2	0.1 %
24	Ireland	5	0.1 %
25	Pacific Islander	1	0.0 %
26	Slovakia	3	0.1 %
27	Middle Eastern	1	0.0 %
28	Spain	1	0.0 %
29	Bermuda	1	0.0 %
30	Scotland	1	0.0 %
31	France	1	0.0 %
32	England	0	0.0 %
Missing Data			
99	INAPP	2903	85.5 %
Total		3,394	100%

Based upon 491 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 31.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2B: OS-Other main ethnic background or origins #2

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	4	0.1 %
2	American/United States	1	0.0 %
3	African American	1	0.0 %
4	Caucasian	3	0.1 %
5	Netherland	12	0.4 %
6	Great Britain	2	0.1 %
7	Native American	2	0.1 %
8	Scandinavian	1	0.0 %
9	European	6	0.2 %
10	Switzerland	1	0.0 %
11	Finland	0	0.0 %
12	Asian	3	0.1 %
13	Other	1	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	1	0.0 %
17	Lithuania	1	0.0 %
18	Jewish	1	0.0 %
19	Wales	4	0.1 %
20	Belgium	0	0.0 %
21	Austria	3	0.1 %
22	French Canadian	2	0.1 %
23	Hungary	0	0.0 %
24	Ireland	1	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	1	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	1	0.0 %
31	France	1	0.0 %
32	England	2	0.1 %
Missing Data			
99	INAPP	3339	98.4 %
Total		3,394	100%

Based upon 55 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 32.00

Location: 272-273 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2C: OS-Other main ethnic background or origins #3

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	2	0.1 %
6	Great Britain	0	0.0 %
7	Native American	2	0.1 %
8	Scandinavian	1	0.0 %
9	European	0	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	0	0.0 %
20	Belgium	0	0.0 %
21	Austria	0	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
99	INAPP	3388	99.8 %
	Total	3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 32.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF2D: OS-Other main ethnic background or origins #4

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	0	0.0 %
6	Great Britain	1	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	1	0.0 %
20	Belgium	0	0.0 %
21	Austria	0	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %

Value	Label	Unweighted Frequency	%
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 19.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PF2E: OS-Other main ethnic background or origins #5

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	0	0.0 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	1	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %

Value	Label	Unweighted Frequency	%
18	Jewish	0	0.0 %
19	Wales	0	0.0 %
20	Belgium	0	0.0 %
21	Austria	0	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1PF2F: OS-Other main ethnic background or origins #6

[In addition to being American] What is your main ethnic background or origins? OTHER (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherland	0	0.0 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	0	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	0	0.0 %
20	Belgium	0	0.0 %
21	Austria	1	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 21.00
- Maximum: 21.00

Location: 280-281 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF3A: OS-Other which best describes background or origins

Which group best describes your background or origins?

Value	Label	Unweighted Frequency	%
1	All equally together	49	1.4 %

Value	Label	Unweighted Frequency	%
2	England	2	0.1 %
3	Jewish	3	0.1 %
4	American	11	0.3 %
5	Scandinavian	2	0.1 %
6	White	3	0.1 %
7	Swiss	1	0.0 %
8	Ireland	2	0.1 %
9	French Canadian	2	0.1 %
10	African American	1	0.0 %
11	European	2	0.1 %
12	Other	3	0.1 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3312	97.6 %
Total		3,394	100%

Based upon 81 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 282-283 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF7A: OS-Other main racial origins

What are your main racial origins -- that is, what race or races are your parents, grandparents, and other ancestors? OTHER (PLEASE SPECIFY):

Value	Label	Unweighted Frequency	%
1	White	130	3.8 %
2	Black/African American	2	0.1 %
3	Native American or Alaska Native	4	0.1 %
4	Asian	16	0.5 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	20	0.6 %
7	Hispanic/Latino	79	2.3 %
8	Mixed race	24	0.7 %
Missing Data			
98	REFUSED/MISSING	2	0.1 %
99	INAPP	3117	91.8 %
Total		3,394	100%

Based upon 275 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF8A: OS-Other which best describes racial background

Which do you feel best describes your racial background? White, Black or African American, American Indian or Alaska Native, Asian, or Native Hawaiian or Pacific Islander? OTHER (PLEASE SPECIFY:)

Value	Label	Unweighted Frequency	%
1	White	6	0.2 %
2	Black/African American	2	0.1 %
3	Native American or Alaska Native	2	0.1 %
4	Asian	0	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	2	0.1 %
7	Hispanic/Latino	1	0.0 %
8	Mixed race	7	0.2 %
Missing Data			
99	INAPP	3374	99.4 %
Total		3,394	100%

Based upon 20 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1PF12BA: OS-Country of citizenship

In what country do you have citizenship? - Country (SPECIFY)

Value	Label	Unweighted Frequency	%
1	Canada	4	0.1 %
2	Argentina	2	0.1 %
3	India	10	0.3 %
4	China	5	0.1 %
5	Mexico	5	0.1 %
6	Jamaica	3	0.1 %

Value	Label	Unweighted Frequency	%
7	Japan	2	0.1 %
8	El Salvador	2	0.1 %
9	United Kingdom	5	0.1 %
10	Have no citizenship	2	0.1 %
11	Other	18	0.5 %
Missing Data			
99	INAPP	3336	98.3 %
Total		3,394	100%

Based upon 58 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OA: OS-Vitamin, mineral, or herbal supplements you take regularly #1

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	33	1.0 %
2	Folic Acid	8	0.2 %
3	Vitamin D	228	6.7 %
4	Melatonin	7	0.2 %
5	Potassium	15	0.4 %
6	Pre-natal vitamins	9	0.3 %
7	Vitamin E	16	0.5 %
8	Niacin	11	0.3 %
9	Probiotic	21	0.6 %
10	Vitamin B/B-12/B complex	120	3.5 %
11	CoQ10	41	1.2 %
12	Other	184	5.4 %
13	Zinc	3	0.1 %
14	Cinnamon	9	0.3 %
15	Red yeast rice	4	0.1 %
16	Biotin	12	0.4 %
17	Lutein	3	0.1 %
Missing Data			
99	INAPP	2670	78.7 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 724 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OB: OS-Vitamin, mineral, or herbal supplements you take regularly #2

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly—that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	8	0.2 %
2	Folic Acid	2	0.1 %
3	Vitamin D	55	1.6 %
4	Melatonin	0	0.0 %
5	Potassium	5	0.1 %
6	Pre-natal vitamins	1	0.0 %
7	Vitamin E	19	0.6 %
8	Niacin	10	0.3 %
9	Probiotic	5	0.1 %
10	Vitamin B/B-12/B complex	29	0.9 %
11	CoQ10	6	0.2 %
12	Other	17	0.5 %
13	Zinc	2	0.1 %
14	Cinnamon	2	0.1 %
15	Red yeast rice	5	0.1 %
16	Biotin	5	0.1 %
17	Lutein	3	0.1 %
Missing Data			
99	INAPP	3220	94.9 %
Total		3,394	100%

Based upon 174 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OC: OS-Vitamin, mineral, or herbal supplements you take regularly #3

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	1	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	14	0.4 %
4	Melatonin	1	0.0 %
5	Potassium	2	0.1 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	7	0.2 %
8	Niacin	1	0.0 %
9	Probiotic	1	0.0 %
10	Vitamin B/B-12/B complex	4	0.1 %
11	CoQ10	2	0.1 %
12	Other	5	0.1 %
13	Zinc	3	0.1 %
14	Cinnamon	1	0.0 %
15	Red yeast rice	1	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
Missing Data			
99	INAPP	3351	98.7 %
Total		3,394	100%

Based upon 43 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OD: OS-Vitamin, mineral, or herbal supplements you take regularly #4

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Folic Acid	0	0.0 %
3	Vitamin D	4	0.1 %
4	Melatonin	1	0.0 %
5	Potassium	1	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	2	0.1 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	1	0.0 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	1	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	3	0.1 %
Missing Data			
99	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 17.00

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA14OE: OS-Vitamin, mineral, or herbal supplements you take regularly #5

Please check below any of the following vitamin, mineral, or herbal supplements you take regularly--that is, at least a couple of times a week - ANY OTHERS, PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	1	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	2	0.1 %
8	Niacin	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	1	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 12.00

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA17IA: OS-Location where pain primarily located #1

Where is your pain primarily located? - OTHER

Value	Label	Unweighted Frequency	%
1	Chest	6	0.2 %
2	Abdomen	12	0.4 %
3	Ankle	4	0.1 %
4	Spine	5	0.1 %
5	Other	8	0.2 %
6	Ribs	3	0.1 %
7	Wrist	2	0.1 %
8	Toe	2	0.1 %
9	Leg	2	0.1 %
10	Pelvis	1	0.0 %
11	Jaw	1	0.0 %
12	Rectum	3	0.1 %
13	Lungs	1	0.0 %
14	Joint	4	0.1 %
15	Groin	1	0.0 %

Value	Label	Unweighted Frequency	%
16	Tail bone	1	0.0 %
17	Bone spur	1	0.0 %
18	Shoulder	1	0.0 %
19	Finger	1	0.0 %
20	Teeth	1	0.0 %
21	Hip	1	0.0 %
22	Stomach	2	0.1 %
23	Eye	3	0.1 %
24	Intestine	1	0.0 %
25	Ear	0	0.0 %
26	Kidney	1	0.0 %
27	Face	1	0.0 %
Missing Data			
99	INAPP	3325	98.0 %
Total		3,394	100%

Based upon 69 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 27.00

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA17IB: OS-Location where pain primarily located #2

Where is your pain primarily located? - OTHER

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	1	0.0 %
4	Spine	0	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	1	0.0 %
10	Pelvis	0	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Lungs	0	0.0 %
14	Joint	0	0.0 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	1	0.0 %
22	Stomach	0	0.0 %
23	Eye	0	0.0 %
24	Intestine	2	0.1 %
25	Ear	1	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
Missing Data			
99	INAPP	3388	99.8 %
Total		3,394	100%

Based upon 6 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 25.00

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SA17IC: OS-Location where pain primarily located #3

Where is your pain primarily located? - OTHER

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	0	0.0 %
4	Spine	0	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Pelvis	0	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %
13	Lungs	0	0.0 %
14	Joint	0	0.0 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	0	0.0 %
22	Stomach	2	0.1 %
23	Eye	0	0.0 %
24	Intestine	0	0.0 %
25	Ear	0	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 22.00
- Maximum: 22.00

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19A: OE-Diagnosis given by physician or other health care professional about pain #1

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	10	0.3 %
2	Migraine/headache	10	0.3 %
3	Back/spine/disc/Scoliosis/rib	161	4.7 %
4	Carpal Tunnel Syndrome	6	0.2 %
5	Bone spur	4	0.1 %
6	Injury from accident	7	0.2 %

Value	Label	Unweighted Frequency	%
7	Other	118	3.5 %
8	Not diagnosed	6	0.2 %
9	Hip problem/Sciatica	36	1.1 %
10	Other muscle problem	27	0.8 %
11	Other knee problem	43	1.3 %
12	Plantar Fasciitis/foot/ankle problem	36	1.1 %
13	Arthritis	148	4.4 %
14	Other joint problem/gout	17	0.5 %
15	Neck/shoulder problem	16	0.5 %
16	Nerve problem	36	1.1 %
17	Cervical problem	5	0.1 %
Missing Data			
99	INAPP	2708	79.8 %
Total		3,394	100%

Based upon 686 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19B: OE-Diagnosis given by physician or other health care professional about pain #2

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	1	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	39	1.1 %
4	Carpal Tunnel Syndrome	2	0.1 %
5	Bone spur	4	0.1 %
6	Injury from accident	0	0.0 %
7	Other	4	0.1 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	1	0.0 %
10	Other muscle problem	2	0.1 %
11	Other knee problem	13	0.4 %
12	Plantar Fasciitis/foot/ankle problem	11	0.3 %
13	Arthritis	71	2.1 %

Value	Label	Unweighted Frequency	%
14	Other joint problem/gout	4	0.1 %
15	Neck/shoulder problem	15	0.4 %
16	Nerve problem	17	0.5 %
17	Cervical problem	2	0.1 %
	Missing Data		
99	INAPP	3208	94.5 %
	Total	3,394	100%

Based upon 186 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 308-309 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SA19C: OE-Diagnosis given by physician or other health care professional about pain #3

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	2	0.1 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	10	0.3 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	1	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	0	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	6	0.2 %
12	Plantar Fasciitis/foot/ankle problem	0	0.0 %
13	Arthritis	18	0.5 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	11	0.3 %
16	Nerve problem	4	0.1 %
17	Cervical problem	2	0.1 %
	Missing Data		
99	INAPP	3340	98.4 %
	Total	3,394	100%

Based upon 54 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19D: OE-Diagnosis given by physician or other health care professional about pain #4

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	1	0.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	2	0.1 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	4	0.1 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	2	0.1 %
12	Plantar Fasciitis/foot/ankle problem	1	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	1	0.0 %
16	Nerve problem	3	0.1 %
17	Cervical problem	0	0.0 %
Missing Data			
99	INAPP	3380	99.6 %
Total		3,394	100%

Based upon 14 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA19E: OE-Diagnosis given by physician or other health care professional about pain #5

What was the diagnosis?

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	0	0.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	0	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	1	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	0	0.0 %
12	Plantar Fasciitis/foot/ankle problem	1	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	0	0.0 %
16	Nerve problem	0	0.0 %
17	Cervical problem	0	0.0 %
Missing Data			
99	INAPP	3392	99.9 %
Total		3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 9.00
- Maximum: 12.00

Location: 314-315 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA39ACA: OS-Reason for losing 10 pounds or more during the past 12 months #1

Why did you lose 10 pounds or more during the past 12 months - SOME OTHER REASON. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Child birth	23	0.7 %
2	Stress	14	0.4 %
3	Workout	9	0.3 %
4	Depression	3	0.1 %
5	Other	13	0.4 %
6	Stressful life event	5	0.1 %

Value	Label	Unweighted Frequency	%
7	Gastric bypass	2	0.1 %
8	Work/job	9	0.3 %
9	Surgery/disease	16	0.5 %
10	Medication	3	0.1 %
11	Changed eating habit	11	0.3 %
12	Eat special product	2	0.1 %
13	Weight fluctuation	3	0.1 %
14	Improved health condition	2	0.1 %
15	Death	10	0.3 %
Missing Data			
97	DON'T KNOW	4	0.1 %
99	INAPP	3265	96.2 %
Total		3,394	100%

Based upon 125 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 316-317 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA39ACB: OS-Reason for losing 10 pounds or more during the past 12 months #2

Why did you lose 10 pounds or more during the past 12 months - SOME OTHER REASON. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Child birth	0	0.0 %
2	Stress	0	0.0 %
3	Workout	0	0.0 %
4	Depression	0	0.0 %
5	Other	1	0.0 %
6	Stressful life event	2	0.1 %
7	Gastric bypass	0	0.0 %
8	Work/job	0	0.0 %
9	Surgery/disease	1	0.0 %
10	Medication	0	0.0 %
11	Changed eating habit	1	0.0 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Death	0	0.0 %
	Missing Data		
99	INAPP	3389	99.9 %
	Total	3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SA44GA: OS-Place when sick or need advice about health #1

Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	14	0.4 %
2	Acupuncturist	2	0.1 %
3	Family doctor/specialty doctor	15	0.4 %
4	Military hospital	7	0.2 %
5	University health center	8	0.2 %
6	Web MD/Internet	24	0.7 %
7	Veteran's hospital	29	0.9 %
8	Drug store/pharmacy	3	0.1 %
9	Family/friend who is a doctor/nurse	13	0.4 %
10	Holistic doctor	3	0.1 %
11	Naturopathic doctor	6	0.2 %
12	Obstetrician/gynecologist	2	0.1 %
13	Urgent care center	2	0.1 %
14	Free clinic/family health center	4	0.1 %
15	Myself	4	0.1 %
16	Wellness center/kinesiologist	2	0.1 %
17	Other	11	0.3 %
18	Clinic/health center	10	0.3 %
19	Nutritionist/healthy food store	1	0.0 %
20	Nurse/other non-doctor practitioner	6	0.2 %
	Missing Data		
99	INAPP	3228	95.1 %
	Total	3,394	100%

Based upon 166 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA44GB: OS-Place when sick or need advice about health #2

Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	1	0.0 %
2	Acupuncturist	2	0.1 %
3	Family doctor/specialty doctor	5	0.1 %
4	Military hospital	0	0.0 %
5	University health center	0	0.0 %
6	Web MD/Internet	1	0.0 %
7	Veteran's hospital	0	0.0 %
8	Drug store/pharmacy	1	0.0 %
9	Family/friend who is a doctor/nurse	3	0.1 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	2	0.1 %
12	Obstetrician/gynecologist	0	0.0 %
13	Urgent care center	0	0.0 %
14	Free clinic/family health center	0	0.0 %
15	Myself	2	0.1 %
16	Wellness center/kinesiologist	1	0.0 %
17	Other	0	0.0 %
18	Clinic/health center	0	0.0 %
19	Nutritionist/healthy food store	1	0.0 %
20	Nurse/other non-doctor practitioner	0	0.0 %
Missing Data			
99	INAPP	3375	99.4 %
Total		3,394	100%

Based upon 19 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA44GC: OS-Place when sick or need advice about health #3

Where do you usually go if you are sick or need advice about your health - SOME OTHER KIND OF PLACE. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Acupuncturist	0	0.0 %
3	Family doctor/specialty doctor	0	0.0 %
4	Military hospital	0	0.0 %
5	University health center	0	0.0 %
6	Web MD/Internet	1	0.0 %
7	Veteran's hospital	0	0.0 %
8	Drug store/pharmacy	0	0.0 %
9	Family/friend who is a doctor/nurse	0	0.0 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	0	0.0 %
12	Obstetrician/gynecologist	0	0.0 %
13	Urgent care center	0	0.0 %
14	Free clinic/family health center	0	0.0 %
15	Myself	0	0.0 %
16	Wellness center/kinesiologist	0	0.0 %
17	Other	0	0.0 %
18	Clinic/health center	0	0.0 %
19	Nutritionist/healthy food store	0	0.0 %
20	Nurse/other non-doctor practitioner	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA45A: OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #1

Of those you selected above ['RA1SA44A' - 'RA1SA44G'], which place do you go most often? Some other kind of place. Please specify:

Value	Label	Unweighted Frequency	%
1	Family doctor/specialty doctor	14	0.4 %
2	Chiropractor	12	0.4 %
3	Acupuncturist	1	0.0 %
4	Web MD/Internet	9	0.3 %
5	University health center	7	0.2 %
6	Military hospital	7	0.2 %
7	Drug store	3	0.1 %
8	Veteran's hospital	25	0.7 %
9	Family who is a doctor/nurse	4	0.1 %
10	Holistic doctor	3	0.1 %
11	Naturopathic doctor	2	0.1 %
12	Free clinic/family health center	3	0.1 %
13	Nurse/other non-doctor practitioner	2	0.1 %
14	Wellness center/kinesiologist	1	0.0 %
15	Urgent care center	2	0.1 %
16	Other	5	0.1 %
17	Clinic/health center	4	0.1 %
18	Myself	3	0.1 %
Missing Data			
99	INAPP	3287	96.8 %
Total		3,394	100%

Based upon 107 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA45B: OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #2

Of those you selected above ['RA1SA44A' - 'RA1SA44G'], which place do you go most often? Some other kind of place. Please specify:

Value	Label	Unweighted Frequency	%
1	Family doctor/specialty doctor	0	0.0 %
2	Chiropractor	0	0.0 %
3	Acupuncturist	2	0.1 %
4	Web MD/Internet	0	0.0 %
5	University health center	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Military hospital	0	0.0 %
7	Drug store	0	0.0 %
8	Veteran's hospital	0	0.0 %
9	Family who is a doctor/nurse	1	0.0 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	1	0.0 %
12	Free clinic/family health center	0	0.0 %
13	Nurse/other non-doctor practitioner	0	0.0 %
14	Wellness center/kinesiologist	1	0.0 %
15	Urgent care center	0	0.0 %
16	Other	0	0.0 %
17	Clinic/health center	0	0.0 %
18	Myself	0	0.0 %
Missing Data			
99	INAPP	3389	99.9 %
Total		3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 14.00

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46GA: OS-Nontraditional health practitioner for health care #1

Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	1	0.0 %
2	Massage therapist	16	0.5 %
3	Acupuncturist	14	0.4 %
4	Naturopathic doctor	11	0.3 %
5	Homeopathic doctor	6	0.2 %
6	Herbalist	2	0.1 %
7	Osteopathic doctor	2	0.1 %
8	Kinesiologist	2	0.1 %
9	Holistic doctor	8	0.2 %
10	Veteran's hospital	5	0.1 %
11	Nurse/other non-doctor practitioner	8	0.2 %

Value	Label	Unweighted Frequency	%
12	Family doctor/specialty doctor	7	0.2 %
13	Other	10	0.3 %
14	Oncologist	3	0.1 %
15	Cardiologist	3	0.1 %
Missing Data			
99	INAPP	3296	97.1 %
Total		3,394	100%

Based upon 98 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 330-331 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46GB: OS-Nontraditional health practitioner for health care #2

Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	1	0.0 %
2	Massage therapist	2	0.1 %
3	Acupuncturist	3	0.1 %
4	Naturopathic doctor	3	0.1 %
5	Homeopathic doctor	1	0.0 %
6	Herbalist	0	0.0 %
7	Osteopathic doctor	2	0.1 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %
13	Other	0	0.0 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
Missing Data			
99	INAPP	3382	99.6 %
Total		3,394	100%

Based upon 12 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46GC: OS-Nontraditional health practitioner for health care #3

Who do you see for health care - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	1	0.0 %
3	Acupuncturist	0	0.0 %
4	Naturopathic doctor	1	0.0 %
5	Homeopathic doctor	0	0.0 %
6	Herbalist	0	0.0 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	1	0.0 %
13	Other	0	0.0 %
Missing Data			
99	INAPP	3391	99.9 %
Total		3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46HA: OS-Explain about the situation that you have no one in particular for health care #1

Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	No insurance	11	0.3 %
2	Don't/rarely go to doctor	19	0.6 %

Value	Label	Unweighted Frequency	%
3	Don't have doctor	9	0.3 %
4	Didn't need to see doctor	4	0.1 %
5	Emergency room	4	0.1 %
6	Cannot afford	4	0.1 %
7	Treat/search myself	7	0.2 %
8	Whoever available/cheapest	4	0.1 %
9	Military clinic	2	0.1 %
10	Clinic	4	0.1 %
11	Depends on situation	4	0.1 %
12	Urgent care center	5	0.1 %
13	Other	5	0.1 %
14	Other doctor/specialty doctor	20	0.6 %
15	Veteran's hospital	7	0.2 %
Missing Data			
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3284	96.8 %
Total		3,394	100%

Based upon 109 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA46HB: OS-Explain about the situation that you have no one in particular for health care #2

Who do you see for health care - NO ONE IN PARTICULAR. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	No insurance	1	0.0 %
2	Don't/rarely go to doctor	1	0.0 %
3	Don't have doctor	0	0.0 %
4	Didn't need to see doctor	0	0.0 %
5	Emergency room	0	0.0 %
6	Cannot afford	1	0.0 %
7	Treat/search myself	0	0.0 %
8	Whoever available/cheapest	0	0.0 %
9	Military clinic	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Clinic	0	0.0 %
11	Depends on situation	0	0.0 %
12	Urgent care center	0	0.0 %
13	Other	2	0.1 %
14	Other doctor/specialty doctor	0	0.0 %
	Missing Data		
99	INAPP	3389	99.9 %
	Total	3,394	100%

Based upon 5 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA47A: OS-Nontraditional health practitioner go most often and no one in particular go most often #1

Of those you selected above ['RA1SA46A' - 'RA1SA46G'], which do you see most often? - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Other	12	0.4 %
2	Don't/rarely go to doctor	20	0.6 %
3	Massage	9	0.3 %
4	Naturopathy	6	0.2 %
5	Veteran's hospital	9	0.3 %
6	Alternative	2	0.1 %
7	Cannot afford	3	0.1 %
8	No insurance	6	0.2 %
9	Whoever available	4	0.1 %
10	Acupuncturist	6	0.2 %
11	Don't have doctor	5	0.1 %
12	Clinic/hospital	5	0.1 %
13	Urgent care	2	0.1 %
14	Didn't need to see doctor	6	0.2 %
15	Other doctor/specialty doctor	23	0.7 %
16	Family doctor/generalist	3	0.1 %
17	Nurse/other non-doctor practitioner	4	0.1 %
18	Emergency room	2	0.1 %

Value	Label	Unweighted Frequency	%
19	Search myself/internet	5	0.1 %
20	All the same/don't see one more than other	2	0.1 %
21	Depends on situation	1	0.0 %
	Missing Data		
99	INAPP	3259	96.0 %
	Total	3,394	100%

Based upon 135 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 21.00

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA47B: OS-Nontraditional health practitioner go most often and no one in particular go most often #2

Of those you selected above ['RA1SA46A' - 'RA1SA46G'], which do you see most often? - HOMEOPATHIC, ALTERNATIVE, COMPLEMENTARY. PLEASE SPECIFY?

Value	Label	Unweighted Frequency	%
1	Other	1	0.0 %
2	Don't/rarely go to doctor	0	0.0 %
3	Massage	0	0.0 %
4	Naturopathy	0	0.0 %
5	Veteran's hospital	0	0.0 %
6	Alternative	1	0.0 %
7	Cannot afford	0	0.0 %
8	No insurance	0	0.0 %
9	Whoever available	0	0.0 %
10	Acupuncturist	0	0.0 %
11	Don't have doctor	0	0.0 %
12	Clinic/hospital	0	0.0 %
13	Urgent care	0	0.0 %
14	Didn't need to see doctor	0	0.0 %
15	Other doctor/specialty doctor	0	0.0 %
16	Family doctor/generalist	1	0.0 %
17	Nurse/other non-doctor practitioner	0	0.0 %
18	Emergency room	0	0.0 %
19	Search myself/internet	0	0.0 %
20	All the same/don't see one more than other	0	0.0 %

Value	Label	Unweighted Frequency	%
21	Depends on situation	0	0.0 %
	Missing Data		
99	INAPP	3391	99.9 %
	Total	3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SA51KA: OS-Self-help, mutual help, or support group #1

Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months. - ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP. [Please enter the name[s] of the group[s].]

Value	Label	Unweighted Frequency	%
1	Weight watchers	10	0.3 %
2	Bible study/Christian group	19	0.6 %
3	Veteran support group	4	0.1 %
4	Divorce care group	5	0.1 %
5	Marriage enrichment group	2	0.1 %
6	Codependence anonymous	4	0.1 %
7	Celebrate recovery	2	0.1 %
8	Job searching group	3	0.1 %
9	Other	12	0.4 %
10	Emotion/depression related group	7	0.2 %
11	Friendship skill/networking group	5	0.1 %
12	Group for kids	2	0.1 %
13	Personal growth group	6	0.2 %
14	Mother's group	3	0.1 %
15	Women/wife group	6	0.2 %
16	Addiction recovery group	8	0.2 %
17	Disease related group	14	0.4 %
	Missing Data		
99	INAPP	3282	96.7 %
	Total	3,394	100%

Based upon 112 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA51KB: OS-Self-help, mutual help, or support group #2

Self-help groups are groups organized and run by people who get together on the basis of a common experience or goal to mutually help or support one another. Please check whether you ever attended one of these meetings and if so, indicate the age you first attended and how many times you attended in the past 12 months. - ANY OTHER SELF-HELP GROUP, MUTUAL HELP GROUP, OR SUPPORT GROUP. [Please enter the name[s] of the group[s].]

Value	Label	Unweighted Frequency	%
1	Weight watchers	0	0.0 %
2	Bible study/Christian group	1	0.0 %
3	Veteran support group	0	0.0 %
4	Divorce care group	0	0.0 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	0	0.0 %
7	Celebrate recovery	0	0.0 %
8	Job searching group	0	0.0 %
9	Other	0	0.0 %
10	Emotion/depression related group	0	0.0 %
11	Friendship skill/networking group	2	0.1 %
12	Group for kids	0	0.0 %
13	Personal growth group	0	0.0 %
14	Mother's group	0	0.0 %
15	Women/wife group	0	0.0 %
16	Addiction recovery group	1	0.0 %
17	Disease related group	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA52SA: OS-Nontraditional remedy or therapy #1

In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	5	0.1 %
2	Essential oil	3	0.1 %
3	Prayer/church	6	0.2 %
4	Exercise or movement therapy	7	0.2 %
5	Special diet	6	0.2 %
6	Vitamins	1	0.0 %
7	Aromatherapy	3	0.1 %
8	Herbal therapy	1	0.0 %
9	Pet therapy	1	0.0 %
10	Music/television	3	0.1 %
11	Laser treatment for skin	1	0.0 %
12	Muscle related therapy	1	0.0 %
13	Allergy treatment/NAET	2	0.1 %
14	Meditation technique	1	0.0 %
15	Colon therapy	1	0.0 %
16	Craniosacral therapy	1	0.0 %
17	Other	10	0.3 %
18	Artwork	2	0.1 %
19	Bone related therapy	2	0.1 %
20	Marijuana	2	0.1 %
Missing Data			
99	INAPP	3335	98.3 %
Total		3,394	100%

Based upon 59 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 348-349 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SA52SB: OS-Nontraditional remedy or therapy #2

In the past 12 months, either to treat a physical health problem, to treat an emotional or personal problem, to maintain or enhance your wellness, or to prevent the onset of illness, how often did you use - ANY OTHER NON-TRADITIONAL REMEDY OR THERAPY? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	0	0.0 %
2	Essential oil	0	0.0 %
3	Prayer/church	0	0.0 %
4	Exercise or movement therapy	0	0.0 %
5	Special diet	0	0.0 %
6	Vitamins	1	0.0 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	2	0.1 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	1	0.0 %
13	Allergy treatment/NAET	0	0.0 %
14	Meditation technique	0	0.0 %
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 12.00

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1A: OE-Name of the birth control and the dosage starting with the most recent #1

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	14	0.4 %
2	Yasmin	10	0.3 %
3	IUD	14	0.4 %
4	Depo-Provera	35	1.0 %
5	Loestrin	16	0.5 %
6	Other	118	3.5 %

Value	Label	Unweighted Frequency	%
7	Ortho-Novum	40	1.2 %
8	Tri-Sprintec	7	0.2 %
9	Ortho Tri-Cyclen	36	1.1 %
10	Lo/Ovral	11	0.3 %
11	NuvaRing	7	0.2 %
Missing Data			
97	DON'T KNOW	437	12.9 %
99	INAPP	2649	78.0 %
Total		3,394	100%

Based upon 308 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1B: OE-Name of the birth control and the dosage starting with the most recent #2

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	5	0.1 %
2	Yasmin	1	0.0 %
3	IUD	14	0.4 %
4	Depo-Provera	2	0.1 %
5	Loestrin	1	0.0 %
6	Other	6	0.2 %
7	Ortho-Novum	7	0.2 %
8	Tri-Sprintec	2	0.1 %
9	Ortho Tri-Cyclen	12	0.4 %
10	Lo/Ovral	1	0.0 %
11	NuvaRing	8	0.2 %
Missing Data			
97	DON'T KNOW	23	0.7 %
99	INAPP	3312	97.6 %
Total		3,394	100%

Based upon 59 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1C: OE-Name of the birth control and the dosage starting with the most recent #3

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	1	0.0 %
2	Yasmin	1	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	2	0.1 %
5	Loestrin	0	0.0 %
6	Other	2	0.1 %
7	Ortho-Novum	1	0.0 %
8	Tri-Sprintec	1	0.0 %
9	Ortho Tri-Cyclen	4	0.1 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	2	0.1 %
Missing Data			
99	INAPP	3380	99.6 %
Total		3,394	100%

Based upon 14 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1D: OE-Name of the birth control and the dosage starting with the most recent #4

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	1	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	1	0.0 %
5	Loestrin	0	0.0 %
6	Other	0	0.0 %
7	Ortho-Novum	0	0.0 %
8	Tri-Sprintec	1	0.0 %
9	Ortho Tri-Cyclen	1	0.0 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	3	0.1 %
Missing Data			
99	INAPP	3387	99.8 %
Total		3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 11.00

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1E: OE-Name of the birth control and the dosage starting with the most recent #5

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	0	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	0	0.0 %
5	Loestrin	0	0.0 %
6	Other	0	0.0 %
7	Ortho-Novum	1	0.0 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	1	0.0 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3392	99.9 %
	Total	3,394	100%

Based upon 2 valid cases out of 3,394 total cases.

- Minimum: 7.00
- Maximum: 9.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8A1F: OE-Name of the birth control and the dosage starting with the most recent #6

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - BIRTH CONTROL MEDICATION (E.G., THE PILL, THE PATCH, THE RING, THE SHOT). Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	0	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	0	0.0 %
5	Loestrin	0	0.0 %
6	Other	0	0.0 %
7	Ortho-Novum	0	0.0 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	0	0.0 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	1	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8B1A: OE-Name of the fertility drug and the dosage starting with the most recent #1

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	24	0.7 %
2	Lupron	2	0.1 %
3	Gonal-F	3	0.1 %
4	Estradiol	0	0.0 %
5	HCG	4	0.1 %
6	Progesterone	2	0.1 %
7	Follistim	2	0.1 %
8	Other	4	0.1 %
9	Ovidrel	3	0.1 %
10	Fertinex	0	0.0 %
11	Pergonal	2	0.1 %
Missing Data			
97	DON'T KNOW	18	0.5 %
99	INAPP	3330	98.1 %
Total		3,394	100%

Based upon 46 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8B1B: OE-Name of the fertility drug and the dosage starting with the most recent #2

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	7	0.2 %
2	Lupron	0	0.0 %
3	Gonal-F	1	0.0 %
4	Estradiol	1	0.0 %
5	HCG	0	0.0 %
6	Progesterone	2	0.1 %
7	Follistim	0	0.0 %
8	Other	4	0.1 %

Value	Label	Unweighted Frequency	%
9	Ovidrel	1	0.0 %
10	Fertinex	1	0.0 %
11	Pergonal	0	0.0 %
	Missing Data		
99	INAPP	3377	99.5 %
	Total	3,394	100%

Based upon 17 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8B1C: OE-Name of the fertility drug and the dosage starting with the most recent #3

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	2	0.1 %
2	Lupron	1	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	1	0.0 %
5	HCG	0	0.0 %
6	Progesterone	2	0.1 %
7	Follistim	0	0.0 %
8	Other	1	0.0 %
9	Ovidrel	0	0.0 %
10	Fertinex	1	0.0 %
11	Pergonal	0	0.0 %
	Missing Data		
99	INAPP	3386	99.8 %
	Total	3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8B1D: OE-Name of the fertility drug and the dosage starting with the most recent #4

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FERTILITY DRUGS? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Clomid	0	0.0 %
2	Lupron	1	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	0	0.0 %
5	HCG	0	0.0 %
6	Progesterone	0	0.0 %
7	Follistim	0	0.0 %
8	Other	0	0.0 %
9	Ovidrel	0	0.0 %
10	Fertinex	0	0.0 %
11	Pergonal	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 370-371 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8C1A: OE-Name of the female hormone and the dosage starting with the most recent #1

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	65	1.9 %
2	Lupron	3	0.1 %
3	Testosterone	3	0.1 %
4	Estrogen patch	13	0.4 %
5	Progesterone cream	5	0.1 %
6	Estrace cream	2	0.1 %

Value	Label	Unweighted Frequency	%
7	Provera	2	0.1 %
8	Estradiol	28	0.8 %
9	Other	34	1.0 %
10	Enjuvia	2	0.1 %
11	Progestin	3	0.1 %
12	Progesterone	33	1.0 %
13	Estrogen	30	0.9 %
14	Progesterone oil injection	2	0.1 %
15	Other cream	2	0.1 %
16	Estrace	1	0.0 %
17	Prempro	14	0.4 %
Missing Data			
97	DON'T KNOW	45	1.3 %
99	INAPP	3107	91.5 %
Total		3,394	100%

Based upon 242 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8C1B: OE-Name of the female hormone and the dosage starting with the most recent #2

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	1	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	3	0.1 %
4	Estrogen patch	2	0.1 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	5	0.1 %
8	Estradiol	9	0.3 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Progesterin	0	0.0 %
12	Progesterone	4	0.1 %
13	Estrogen	7	0.2 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	1	0.0 %
17	Prempro	1	0.0 %
Missing Data			
99	INAPP	3361	99.0 %
Total		3,394	100%

Based upon 33 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8C1C: OE-Name of the female hormone and the dosage starting with the most recent #3

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	2	0.1 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	2	0.1 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progesterin	0	0.0 %
12	Progesterone	0	0.0 %
13	Estrogen	3	0.1 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %
	Missing Data		
99	INAPP	3387	99.8 %
	Total	3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 13.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB8C1D: OE-Name of the female hormone and the dosage starting with the most recent #4

Please answer whether or not you are currently taking, or have ever taken the following medications. If you are, or have, please indicate the total number of years you have taken them and list the name(s) of the medication(s) and their dosage(s) - FEMALE HORMONES? Name(s) of the medication(s) and the dosage(s) starting with the most recent:

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	0	0.0 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	1	0.0 %
13	Estrogen	0	0.0 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %
	Missing Data		
99	INAPP	3393	100.0 %
	Total	3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB10A: OE-Specialty of the doctor that prescribed the female hormones #1

What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	217	6.4 %
2	Other	15	0.4 %
3	Fertility specialist	2	0.1 %
4	Generalist/family doctor/MD	57	1.7 %
5	Reproductive endocrinologist	1	0.0 %
6	Internist	15	0.4 %
Missing Data			
9	INAPP	3087	91.0 %
Total		3,394	100%

Based upon 307 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 380-380 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1SB10B: OE-Specialty of the doctor that prescribed the female hormones #2

What was the specialty of the doctor that prescribed the female hormones? (e.g., Generalist, Obstetrician/Gynecologist, Internist)

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	11	0.3 %
2	Other	0	0.0 %
3	Fertility specialist	0	0.0 %
4	Generalist/family doctor/MD	0	0.0 %
5	Reproductive endocrinologist	2	0.1 %
6	Internist	0	0.0 %
Missing Data			
9	INAPP	3381	99.6 %
Total		3,394	100%

Based upon 13 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1SB12GA: OS-Reason for beginning take hormones #1

Did you begin taking hormones - BECAUSE OF SOME OTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Depression/moodiness	9	0.3 %
2	To get/keep pregnancy	5	0.1 %
3	Hysterectomy	13	0.4 %
4	For birth control	4	0.1 %
5	Infertility	2	0.1 %
6	Headache	3	0.1 %
7	Low/imbalanced hormones	2	0.1 %
8	To avoid menopausal symptoms	7	0.2 %
9	Weight gain	1	0.0 %
10	Low energy	2	0.1 %
11	Heavy menstrual	2	0.1 %
12	Problems with pregnancy	1	0.0 %
13	Preventive purpose	2	0.1 %
14	Due to surgery/disease	13	0.4 %
15	Lack of sexual desire	1	0.0 %
16	Other	3	0.1 %
17	MD recommended	7	0.2 %
18	Insomnia	2	0.1 %
Missing Data			
99	INAPP	3315	97.7 %
Total		3,394	100%

Based upon 79 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB12GB: OS-Reason for beginning take hormones #2

Did you begin taking hormones - BECAUSE OF SOME OTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Depression/moodiness	0	0.0 %
2	To get/keep pregnancy	0	0.0 %
3	Hysterectomy	0	0.0 %
4	For birth control	0	0.0 %
5	Infertility	0	0.0 %
6	Headache	0	0.0 %
7	Low/imbalanced hormones	1	0.0 %
8	To avoid menopausal symptoms	0	0.0 %
9	Weight gain	0	0.0 %
10	Low energy	0	0.0 %
11	Heavy menstrual	0	0.0 %
12	Problems with pregnancy	0	0.0 %
13	Preventive purpose	2	0.1 %
14	Due to surgery/disease	0	0.0 %
15	Lack of sexual desire	0	0.0 %
16	Other	0	0.0 %
17	MD recommended	0	0.0 %
18	Insomnia	0	0.0 %
Missing Data			
99	INAPP	3391	99.9 %
Total		3,394	100%

Based upon 3 valid cases out of 3,394 total cases.

- Minimum: 7.00
- Maximum: 13.00

Location: 384-385 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB16DA: OS-Reason for stopping take female hormones #1

Did you stop taking female hormones because you - HAD ANOTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Pregnant	6	0.2 %
2	Didn't work	3	0.1 %
3	Cannot afford it	5	0.1 %
4	Mental/mood problem	6	0.2 %
5	Side effect	12	0.4 %

Value	Label	Unweighted Frequency	%
6	Menopausal	6	0.2 %
7	Doctor's advice	19	0.6 %
8	Weight gain	1	0.0 %
9	Breast related disease	8	0.2 %
10	Other	5	0.1 %
11	Treatment no longer needed	10	0.3 %
12	Received other treatment/surgery	5	0.1 %
Missing Data			
99	INAPP	3308	97.5 %
Total		3,394	100%

Based upon 86 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 386-387 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB16DB: OS-Reason for stopping take female hormones #2

Did you stop taking female hormones because you - HAD ANOTHER REASON? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Pregnant	0	0.0 %
2	Didn't work	0	0.0 %
3	Cannot afford it	1	0.0 %
4	Mental/mood problem	0	0.0 %
5	Side effect	0	0.0 %
6	Menopausal	0	0.0 %
7	Doctor's advice	0	0.0 %
8	Weight gain	0	0.0 %
9	Breast related disease	0	0.0 %
10	Other	0	0.0 %
11	Treatment no longer needed	0	0.0 %
12	Received other treatment/surgery	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB20GA: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #1

Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms - OTHER NUTRITIONAL OR HERBAL SUPPLEMENTS? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Estroven	4	0.1 %
2	Fish oil	2	0.1 %
3	Tea	1	0.0 %
4	Juice	1	0.0 %
5	DHEA	1	0.0 %
6	Hormone cream	1	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	3	0.1 %
9	Vitamin E	1	0.0 %
10	Vitamin B	2	0.1 %
11	Vitamin D	2	0.1 %
12	Multi vitamin	1	0.0 %
13	Collagen support	1	0.0 %
14	Med for hot flash	2	0.1 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	1	0.0 %
18	Diphenhydramine	1	0.0 %
19	Other	7	0.2 %
Missing Data			
99	INAPP	3363	99.1 %
Total		3,394	100%

Based upon 31 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB20GB: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #2

Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms - OTHER NUTRITIONAL OR HERBAL SUPPLEMENTS? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	1	0.0 %
7	Biotin	1	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	2	0.1 %
12	Multi vitamin	1	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	1	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	1	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
Missing Data			
99	INAPP	3387	99.8 %
Total		3,394	100%

Based upon 7 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 16.00

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SB20GC: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #3

Over the past month, have you regularly taken (at least a couple of times a week) any of the following for menopausal symptoms - OTHER NUTRITIONAL OR HERBAL SUPPLEMENTS? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	0	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	1	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SC2LA: OS-Main reason without healthcare coverage #1

What is/are the main reason(s) you are without healthcare coverage - Other? Please specify.

Value	Label	Unweighted Frequency	%
1	Don't need it	2	0.1 %
2	Self-employed	3	0.1 %
3	Lost job	2	0.1 %
4	Benefit not started yet/will begin soon	3	0.1 %
5	Cannot afford it	2	0.1 %

Value	Label	Unweighted Frequency	%
6	Discharged from military	4	0.1 %
7	In a share/charity program	5	0.1 %
8	Disabled	1	0.0 %
9	Lost welfare eligibiliy	1	0.0 %
10	Work part-time	1	0.0 %
11	Job does not offer it	1	0.0 %
12	Other	1	0.0 %
Missing Data			
99	INAPP	3368	99.2 %
Total		3,394	100%

Based upon 26 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SC2LB: OS-Main reason without healthcare coverage #2

What is/are the main reason(s) you are without healthcare coverage - Other? Please specify.

Value	Label	Unweighted Frequency	%
1	Don't need it	0	0.0 %
2	Self-employed	0	0.0 %
3	Lost job	0	0.0 %
4	Benefit not started yet/will begin soon	0	0.0 %
5	Cannot afford it	1	0.0 %
6	Discharged from military	0	0.0 %
7	In a share/charity program	0	0.0 %
8	Disabled	0	0.0 %
9	Lost welfare eligibiliy	0	0.0 %
10	Work part-time	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 398-399 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35A: OE-What were those borrowed funds used for #1

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	43	1.3 %
2	Home purchase	8	0.2 %
3	Pay debt	25	0.7 %
4	Living expenses	13	0.4 %
5	Car purchase	12	0.4 %
6	Tuition	8	0.2 %
7	Pay loans	11	0.3 %
8	Pay credit card	14	0.4 %
9	Other	9	0.3 %
10	Personal needs	11	0.3 %
11	Vacation	4	0.1 %
12	Help/support family/friend	1	0.0 %
13	Car repair	4	0.1 %
14	Business investment	2	0.1 %
15	Medical expenses	3	0.1 %
16	Home improvement/repairs	8	0.2 %
Missing Data			
99	INAPP	3218	94.8 %
Total		3,394	100%

Based upon 176 valid cases out of 3,394 total cases.

• Minimum: 1.00

• Maximum: 16.00

Location: 400-401 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35B: OE-What were those borrowed funds used for #2

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	2	0.1 %
2	Home purchase	2	0.1 %

Value	Label	Unweighted Frequency	%
3	Pay debt	9	0.3 %
4	Living expenses	1	0.0 %
5	Car purchase	2	0.1 %
6	Tuition	5	0.1 %
7	Pay loans	7	0.2 %
8	Pay credit card	2	0.1 %
9	Other	1	0.0 %
10	Personal needs	3	0.1 %
11	Vacation	0	0.0 %
12	Help/support family/friend	2	0.1 %
13	Car repair	1	0.0 %
14	Business investment	1	0.0 %
15	Medical expenses	2	0.1 %
16	Home improvement/repairs	0	0.0 %
Missing Data			
99	INAPP	3354	98.8 %
Total		3,394	100%

Based upon 40 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 402-403 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35C: OE-What were those borrowed funds used for #3

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	0	0.0 %
2	Home purchase	1	0.0 %
3	Pay debt	3	0.1 %
4	Living expenses	1	0.0 %
5	Car purchase	1	0.0 %
6	Tuition	1	0.0 %
7	Pay loans	0	0.0 %
8	Pay credit card	0	0.0 %
9	Other	0	0.0 %
10	Personal needs	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Vacation	0	0.0 %
12	Help/support family/friend	0	0.0 %
13	Car repair	0	0.0 %
14	Business investment	0	0.0 %
15	Medical expenses	1	0.0 %
16	Home improvement/repairs	0	0.0 %
Missing Data			
99	INAPP	3386	99.8 %
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 15.00

Location: 404-405 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH35D: OE-What were those borrowed funds used for #4

What were those borrowed funds used for?

Value	Label	Unweighted Frequency	%
1	Pay bills	0	0.0 %
2	Home purchase	0	0.0 %
3	Pay debt	0	0.0 %
4	Living expenses	0	0.0 %
5	Car purchase	0	0.0 %
6	Tuition	0	0.0 %
7	Pay loans	0	0.0 %
8	Pay credit card	0	0.0 %
9	Other	0	0.0 %
10	Personal needs	0	0.0 %
11	Vacation	1	0.0 %
12	Help/support family/friend	0	0.0 %
13	Car repair	0	0.0 %
14	Business investment	0	0.0 %
15	Medical expenses	0	0.0 %
16	Home improvement/repairs	0	0.0 %
Missing Data			
99	INAPP	3393	100.0 %

Value	Label	Unweighted Frequency	%
Total		3,394	100%

Based upon 1 valid cases out of 3,394 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH37DA: OS-Spouse/partner's other type of retirement account #1

Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	401K/403B/retirement account	80	2.4 %
2	Real estate	33	1.0 %
3	Mutual fund/money market	74	2.2 %
4	None	8	0.2 %
5	Pension/annuity/insurance	58	1.7 %
6	Savings/checking account	18	0.5 %
7	Other	37	1.1 %
Missing Data			
97	DON'T KNOW	6	0.2 %
99	INAPP	3080	90.7 %
Total		3,394	100%

Based upon 308 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH37DB: OS-Spouse/partner's other type of retirement account #2

Think about all of your and your spouse/partner's retirement accounts; approximately what percentage of these investments are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	401K/403B/retirement account	2	0.1 %
2	Real estate	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Mutual fund/money market	4	0.1 %
4	None	0	0.0 %
5	Pension/annuity/insurance	2	0.1 %
6	Savings/checking account	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	INAPP	3386	99.8 %
Total		3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH40A: OS-Primary residence

Which of the following best describes your primary residence? Other, please specify:

Value	Label	Unweighted Frequency	%
1	Farm	9	0.3 %
2	Duplex	16	0.5 %
3	Town house	34	1.0 %
4	Live with family members	6	0.2 %
5	Manufactured	5	0.1 %
6	Housing	5	0.1 %
7	Other	9	0.3 %
Missing Data			
99	INAPP	3310	97.5 %
Total		3,394	100%

Based upon 84 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH48EA: OS-Types of non-retirement assets #1

Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Car	25	0.7 %
2	Mutual fund/money market	28	0.8 %
3	None	8	0.2 %
4	Savings/checking account	25	0.7 %
5	IRA/retirement account	14	0.4 %
6	House	11	0.3 %
7	Business	6	0.2 %
8	Metals/jewel	4	0.1 %
9	Equipment	8	0.2 %
10	Insurance/annuity	21	0.6 %
11	Boat	0	0.0 %
12	Collectables/antiques/liquid	3	0.1 %
13	Household item	2	0.1 %
14	Other	11	0.3 %
15	Personal property	3	0.1 %
Missing Data			
97	DON'T KNOW	2	0.1 %
99	INAPP	3223	95.0 %
Total		3,394	100%

Based upon 169 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 414-415 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH48EB: OS-Types of non-retirement assets #2

Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Car	3	0.1 %
2	Mutual fund/money market	0	0.0 %
3	None	0	0.0 %
4	Savings/checking account	1	0.0 %
5	IRA/retirement account	0	0.0 %
6	House	1	0.0 %

Value	Label	Unweighted Frequency	%
7	Business	0	0.0 %
8	Metals/jewel	2	0.1 %
9	Equipment	0	0.0 %
10	Insurance/annuity	1	0.0 %
11	Boat	4	0.1 %
12	Collectables/antiques/liquid	4	0.1 %
13	Household item	3	0.1 %
14	Other	2	0.1 %
15	Personal property	2	0.1 %
Missing Data			
99	INAPP	3371	99.3 %
Total		3,394	100%

Based upon 23 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SH48EC: OS-Types of non-retirement assets #3

Excluding retirement accounts, think about all other assets owned by you and your spouse/partner. Approximately what percentage of these non-retirement assets are in - OTHER? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Car	0	0.0 %
2	Mutual fund/money market	0	0.0 %
3	None	0	0.0 %
4	Savings/checking account	1	0.0 %
5	IRA/retirement account	0	0.0 %
6	House	0	0.0 %
7	Business	0	0.0 %
8	Metals/jewel	0	0.0 %
9	Equipment	0	0.0 %
10	Insurance/annuity	0	0.0 %
11	Boat	1	0.0 %
12	Collectables/antiques/liquid	1	0.0 %
13	Household item	1	0.0 %
14	Other	0	0.0 %
15	Personal property	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3390	99.9 %
	Total	3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 4.00
- Maximum: 13.00

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SJ7A: OE-Which state would you most like to live in for the next 10 years

Thinking back over all the places you've lived during your lifetime, including where you live now, which state would you most like to live in for the next 10 years if you could easily move there now?

Value	Label	Unweighted Frequency	%
1	Germany	1	0.0 %
2	Armenia	1	0.0 %
3	Brazil	1	0.0 %
4	Canada	2	0.1 %
5	Cuba	1	0.0 %
6	Belize	1	0.0 %
10	US	1	0.0 %
	Missing Data		
7	DON'T KNOW	1	0.0 %
8	France	1	0.0 %
9	Jamaica	3384	99.7 %
	Total	3,394	100%

Based upon 8 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

RA1SP1A: OS-Religious preference #1

What is your religious preference? - Other, please specify:

Value	Label	Unweighted Frequency	%
1	Atheist	1	0.0 %
2	Christian	13	0.4 %
3	Satanism	1	0.0 %
4	Pagan	4	0.1 %
5	Religious science	3	0.1 %
6	Christian Scientist	4	0.1 %
7	Self-realization fellowship	1	0.0 %
8	Other	31	0.9 %
9	Full gospel	1	0.0 %
10	Jehovah's Witness	2	0.1 %
11	Anglican	1	0.0 %
12	Church of Christ	9	0.3 %
13	No religious preference	4	0.1 %
14	Hebrew Key of David	1	0.0 %
15	Non-denominational	9	0.3 %
16	Deism	0	0.0 %
17	Baptist	6	0.2 %
18	Freethought	0	0.0 %
19	Wicca	0	0.0 %
20	Shinto	0	0.0 %
21	African Methodist Episcopal	1	0.0 %
22	Coptic Orthodox Christian	0	0.0 %
23	Pastafarianism	1	0.0 %
24	Mormon	0	0.0 %
25	Native American Belief	4	0.1 %
26	Monotheism	0	0.0 %
27	Evangelical	1	0.0 %
28	Scientology	1	0.0 %
29	Buddhist	1	0.0 %
30	Heathenism	1	0.0 %
31	Wesleyanism	1	0.0 %
32	Foursquare church	1	0.0 %
Missing Data			
97	DON'T KNOW	1	0.0 %
99	INAPP	3290	96.9 %
Total		3,394	100%

Based upon 103 valid cases out of 3,394 total cases.

- Minimum: 1.00

- Maximum: 32.00

Location: 422-423 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SP1B: OS-Religious preference #2

What is your religious preference? - Other, please specify:

Value	Label	Unweighted Frequency	%
1	Atheist	0	0.0 %
2	Christian	5	0.1 %
3	Satanism	0	0.0 %
4	Pagan	2	0.1 %
5	Religious science	1	0.0 %
6	Christian Scientist	0	0.0 %
7	Self-realization fellowship	0	0.0 %
8	Other	10	0.3 %
9	Full gospel	0	0.0 %
10	Jehovah's Witness	0	0.0 %
11	Anglican	0	0.0 %
12	Church of Christ	2	0.1 %
13	No religious preference	0	0.0 %
14	Hebrew Key of David	0	0.0 %
15	Non-denominational	3	0.1 %
16	Deism	3	0.1 %
17	Baptist	3	0.1 %
18	Freethought	1	0.0 %
19	Wicca	4	0.1 %
20	Shinto	1	0.0 %
21	African Methodist Episcopal	1	0.0 %
22	Coptic Orthodox Christian	1	0.0 %
23	Pastafarianism	1	0.0 %
24	Mormon	1	0.0 %
25	Native American Belief	1	0.0 %
26	Monotheism	1	0.0 %
27	Evangelical	1	0.0 %
28	Scientology	0	0.0 %
29	Buddhist	1	0.0 %
30	Heathenism	0	0.0 %
31	Wesleyanism	1	0.0 %
32	Foursquare church	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3350	98.7 %
	Total	3,394	100%

Based upon 44 valid cases out of 3,394 total cases.

- Minimum: 2.00
- Maximum: 31.00

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

RA1SQ4MA: OS-Main reason for discrimination #1

What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Affirmative action	2	0.1 %
2	Appearance	10	0.3 %
3	Didn't like me	2	0.1 %
4	Language	5	0.1 %
5	Financial status	6	0.2 %
6	Race/ethnicity/nationality	6	0.2 %
7	Gender	3	0.1 %
8	Disease/mental illness/depression	8	0.2 %
9	Marital status	9	0.3 %
10	Physical/learning disability	2	0.1 %
11	Occupation	6	0.2 %
12	Social relations	4	0.1 %
13	Residence	2	0.1 %
14	Education	5	0.1 %
15	Have children/pregnancy	9	0.3 %
16	Jealousy/retaliation	2	0.1 %
17	Personality/taste	7	0.2 %
18	Other	19	0.6 %
19	Religion	1	0.0 %
20	Political stance	2	0.1 %
	Missing Data		
97	DON'T KNOW	3	0.1 %
99	INAPP	3281	96.7 %
	Total	3,394	100%

Based upon 110 valid cases out of 3,394 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

RA1SQ4MB: OS-Main reason for discrimination #2

What was the main reason for the discrimination you experienced? - SOME OTHER REASON FOR DISCRIMINATION? PLEASE SPECIFY.

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	0	0.0 %
6	Race/ethnicity/nationality	1	0.0 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	2	0.1 %
10	Physical/learning disability	0	0.0 %
11	Occupation	0	0.0 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	0	0.0 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	0	0.0 %
18	Other	1	0.0 %
Missing Data			
99	INAPP	3390	99.9 %
Total		3,394	100%

Based upon 4 valid cases out of 3,394 total cases.

- Minimum: 6.00
- Maximum: 18.00

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99