

Java Assignment 2

SAMEER KHATWANI

AIML-B1

PRN: 22070126099

Q1 Write a Java program that declares two arrays named 'even' and 'odd'. Accept numbers from the user and move them to respective arrays depending on whether they are even or odd.

Code:

```
// userInput.java package
Assignment_2;
import java.io.BufferedReader;
import java.io.IOException;
import
java.io.InputStreamReader;
public class UserInput
{
    // Method to get an array input from the user    public static
double[] inputArray(int size) throws IOException {
    // Create a BufferedReader to read user input
    BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
    // Prompt the user to enter the array elements
    System.out.println("Enter the array elements separated by spaces: ");
    // Read the array input as a string
    String array = br.readLine();

    // Initialize an array to store the input elements
double[] arrayInput = new double[size];

    // Split the input string and convert each element to double
    String[] input = array.trim().split("\\s+");
    // Populate the array with the converted
elements    for (int i = 0; i < size; i++) {
arrayInput[i] = Double.parseDouble(input[i]);    }

    // Return the array containing user-input elements
return arrayInput;
    }
}
```

```

// OddEven.java
//SAMEER KHATWANI
//AIML-B1
//22070126099
package Assignment_2;
import
java.io.IOException;
import java.util.Arrays;
import java.util.Scanner;
public class OddEven {    public static void main(String[]
args) throws IOException {
    // Create a Scanner object to read user input
    Scanner sc = new Scanner(System.in);
    // Declare arrays for even and odd
numbers    double[] even;    int j = 0;
int k = 0;    double[] odd;

    // Prompt the user to enter the number of elements
    System.out.println("Enter the number of elements to enter:");
    // Read the size from user input
int size = sc.nextInt();

    // Initialize arrays for even and odd numbers based on the user-defined
size    even = new double[size];    odd = new double[size];

    // Get the array input from the user using the UserInput
class    double[] array = UserInput.inputArray(size);
    // Close the Scanner to avoid resource leaks
sc.close();

    // Separate even and odd numbers into their respective
arrays    for (int i = 0; i < size; i++) {        if
(array[i] % 2 == 0) {            even[j] = array[i];
j++;        } else {            odd[k] = array[i];
k++;        }
    }

    // Print even elements
    System.out.println("Even elements:");
    System.out.println(Arrays.toString(even));

    // Print odd elements
    System.out.println("Odd elements:");

```

```

        System.out.print(Arrays.toString(odd));
    }

    // Method to print elements of an array    public static void print(double[]
array, int size) {        for (int i = 0; i < size; i++) {
        System.out.println(array[i]);
    }
}
}
}

```

Output:

```

Enter the number of elements to enter:
6
Enter the array elements separated by spaces:
5 9 3 4 8 8
Even elements:
[4.0, 8.0, 8.0, 0.0, 0.0, 0.0]
Odd elements:
[5.0, 9.0, 3.0, 0.0, 0.0, 0.0]

```

Q2 Implement a Java function that finds two neighbouring numbers in an array with the smallest distance to each. The function should return the index of the 1st number.

Code:

```

// Neighbours.java
//SAMEER KHATWANI
//AIML-B1
//22070126099
package Assignment_2;
import
java.io.IOException;
import java.util.Scanner;
public class Neighbours
{
    public static void main(String[] args) throws IOException {
        // Create a Scanner object to read user input
        Scanner sc = new Scanner(System.in);

        // Prompt the user to enter the size of the array
        System.out.println("Enter the size of the array: ");

        // Read the size of the array from user input
        int size = sc.nextInt();

        // Get the array input from the user using the UserInput
        class double[] array = UserInput.inputArray(size);
        sc.close();

        // Find and print the index of the nearest neighbours in the array
        System.out.println("Index of Nearest Neighbours: " + findNearestNeighbours(array));
    }
}

```

```

    }

    // Method to find the index of nearest neighbours in the
    array    public static int findNearestNeighbours(double[] arr) {
double minDistance = Double.MAX_VALUE;        int index = -1;

        // Iterate through the array and calculate distances between adjacent elements
for (int i = 0; i < arr.length - 1; i++) {
            double distance = Math.abs(arr[i] - arr[i + 1]);
            // Update the index if the current distance is smaller than the
            minimum distance        if (distance < minDistance) {
minDistance = distance;                index = i;
            }
        }

        // Return the index of the nearest neighbours
return index;
    }
}

```

Output:

```

Enter the size of the array:
8
Enter the array elements separated by spaces:
4 8 14 77 90 105 104 55
Index of Nearest Neighbours: 5

```

Q3 Write a Java program to convert an array into ArrayList and vice versa.

Code:

```

// ArrayAndArrayList.java
//SAMEER KHATWANI
//AIML-B1
//22070126099
package Assignment_2;

import java.io.IOException; import
java.util.*;
public class ArrayAndArrayList
{
    public static void main(String[] args) throws IOException {
        // Create a Scanner object to read user input
        Scanner sc = new Scanner(System.in);

        // Prompt the user to enter the size of the array
        System.out.println("Enter the size of array: ");
        // Read the size from user input
    }
}

```

```

        int size = sc.nextInt();

        // Get the primitive double array from user input using UserInput
class        double[] array = UserInput.inputArray(size);
        // Close the Scanner to avoid resource leaks
sc.close();

        // Print the primitive double array using Arrays.toString
System.out.println(Arrays.toString(array));
        // Convert the primitive double array to an ArrayList<Double>
System.out.println("Primitive array to ArrayList: ");
        List<Double> arrlist =
Arrays.asList(Arrays.stream(array).boxed().toArray(Double[]::new));
        // Print the elements of the ArrayList using a for-each loop
for (Double element : arrlist) {
System.out.println(element);
        }

        // Convert ArrayList to array
System.out.println("ArrayList to array: ");
        double[] arr = arrlist.stream().mapToDouble(Double::doubleValue).toArray();
System.out.println(Arrays.toString(arr));
    }
}

```

Output:

```

Enter the size of array:
6
Enter the array elements separated by spaces:
12 56 34 47 11 95
[12.0, 56.0, 34.0, 47.0, 11.0, 95.0]
Primitive array to ArrayList:
12.0
56.0
34.0
47.0
11.0
95.0
ArrayList to array:
[12.0, 56.0, 34.0, 47.0, 11.0, 95.0]

```

Github Repo <https://github.com/samv28/PIJ>