# Quiz 04

Due Oct 4 at 10pm	Points 10	Questions 5	Time Limit None
<b>Dao</b> Got Fat Topin		Quodiono o	Time Time Trong

# Instructions

Answer the following questions in your own words. Do NOT simply cut and paste the information from the slides or any other source. You will receive a score of 0 if you copy the prose from the source.

# **Attempt History**

	Attempt	Time	Score		
LATEST	Attempt 1	39 minutes	4 out of 10 *		

<sup>\*</sup> Some questions not yet graded

Score for this quiz: **4** out of 10 \* Submitted Oct 3 at 10:54pm This attempt took 39 minutes.

	Question 1	2 / 2 pts
	What is the value of list(range(5, 15, 3))?	
	(5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 3)	
	[5, 6, 7, 8, 9, 10, 11, 12, 13, 14]	
Correct!	[5, 8, 11, 14]	
	○ [5, 10, 15]	

Question 2 2 / 2 pts

## What values are printed by the following code?

```
for i in range(6):
    if i == 5:
        break
    elif i == 2:
        continue
    print(i)

print('done')
```

0, 1, 2, 3, 4, done

#### Correct!

- 0, 1, 3, 4, done
- 0, 1, 2, 3, 4, 5, done
- 1, 2, 3, done

## **Question 3**

# Not yet graded / 2 pts

What's wrong with this code segment? Please fix it to print

5

3

1

### done

```
#####
## buggy code ##
n = 5

while n != 0:
    print(n)
    i -= 2

print('done')
```

#### Your Answer:

This code will be leading to an infinite loop because the value of n is not being decreased anywhere and it will keep on printing the value of n which is 5. What we can do in order to rectify the same is we need to change the line (i -=2) with n -=2 and the value of n will be decreased but then still it will be going in an infinite loop because the value of n will be getting decreased from 5 -> 3 -> 1 -> -1 and so. We can stop this by changing the loop condition to while n>0.

### Rectified Code:

```
n = 5
while n > 0:
    print(n)
    n -= 2
print("done")
```

```
n = 5
while n > 0:
    print(n)
    n -= 2
print('done')
```

## **Question 4**

## Not yet graded / 2 pts

What is the output from the following code segment?

```
for i in range(0,4,2):
   for j in range(2):
     print(i, j)
```


### Your Answer:

0 0

0 1

20

2 1



## **Question 5**

## Not yet graded / 2 pts

Describe the characteristics of situations when generators are a good solution?

#### Your Answer:

- Generators are useful when we want to maintain the state of the application and state will be changed only until anything relevant is yielded.
- Generators are useful when we need to use asynchronous functions.
- Any situation where we need to read multiple lines from a file.

Example: let's assume we have a situation where we need to maintain a list of tweets by Joe Biden, but there is this situation where we have no idea when he is gonna tweet next, we use a generator and store all tweets in a list, yield could be anything like clicking the tweet button. Here we will be needing the Async environment as well in order to run the program.

Quiz Score: 4 out of 10