


ERBE SSD INSTRUMENTS®

Title


Machines	2
EMERGENTCOLD PACIFICO FP1 Compresor 2	2
EMERGENTCOLD PACIFICO FP1 Motor 2	33

Machines**EMERGENTCOLD PACIFICO - FP1 - Compresor 2****Date:** 2025-03-01

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.76	0.37	0.76
GE	0.31	0.21	0.43
mm/s	1.35	0.75	0.99

Extra parameters	
Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.58	0.39	0.49
GE	0.31	0.21	0.29
mm/s	1.44	0.80	1.45

Extra parameters


Units	Value
Celsius	33.75

Date: 2025-03-02

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.85	0.36	0.74
GE	0.32	0.20	0.39
mm/s	1.48	0.79	1.02

Extra parameters

Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.68	0.41	0.61
GE	0.35	0.24	0.37
mm/s	1.29	0.87	1.40


Extra parameters	
Units	Value
Celsius	32.50

Date: 2025-03-03

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.55	0.31	0.64
GE	0.24	0.16	0.37
mm/s	1.63	0.78	0.72

Extra parameters	
Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.70	0.45	0.71
GE	0.36	0.24	0.40
mm/s	0.94	0.84	1.65


Extra parameters	
Units	Value
Celsius	32.50

Date: 2025-03-04

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.56	0.31	0.67
GE	0.25	0.17	0.38
mm/s	1.23	0.72	0.87

Extra parameters	
Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.59	0.45	0.92
GE	0.30	0.25	0.44
mm/s	1.18	0.79	1.49


Extra parameters	
Units	Value
Celsius	32.50

Date: 2025-03-05

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.67	0.37	0.70
GE	0.31	0.19	0.40
mm/s	1.34	0.79	0.87

Extra parameters	
Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.70	0.44	0.51
GE	0.40	0.26	0.28
mm/s	1.31	0.81	1.77

Extra parameters


Units	Value
Celsius	32.50

Date: 2025-03-06

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.76	0.36	0.70
GE	0.32	0.20	0.41
mm/s	1.35	0.83	0.90

Extra parameters

Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.67	0.47	0.60
GE	0.37	0.26	0.28
mm/s	1.53	0.92	1.79

Extra parameters


Units	Value
Celsius	32.50

Date: 2025-03-07

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.60	0.30	0.62
GE	0.26	0.16	0.38
mm/s	1.47	0.75	0.73

Extra parameters

Units	Value
Celsius	47.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.77	0.47	0.63
GE	0.40	0.26	0.36
mm/s	1.02	0.77	2.08

Extra parameters


Units	Value
Celsius	27.25

Date: 2025-03-08

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.77	0.37	0.70
GE	0.32	0.20	0.40
mm/s	1.13	0.93	0.90

Extra parameters

Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.62	0.51	1.08
GE	0.33	0.30	0.48
mm/s	1.10	0.86	1.16

Extra parameters


Units	Value
Celsius	29.00

Date: 2025-03-09

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.86	0.34	0.72
GE	0.38	0.18	0.43
mm/s	1.04	0.77	0.82

Extra parameters

Units	Value
Celsius	44.50

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.59	0.48	0.89
GE	0.31	0.29	0.43
mm/s	1.19	0.90	1.10

Extra parameters


Units	Value
Celsius	29.75

Date: 2025-03-10

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.63	0.29	0.61
GE	0.27	0.15	0.36
mm/s	1.24	0.67	0.61

Extra parameters

Units	Value
Celsius	47.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.53	0.42	0.67
GE	0.29	0.23	0.35
mm/s	1.14	0.74	1.52


Extra parameters	
Units	Value
Celsius	33.50

Date: 2025-03-11

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.55	0.33	0.82
GE	0.30	0.17	0.45
mm/s	1.23	0.82	0.88

Extra parameters	
Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.73	0.40	0.64
GE	0.40	0.22	0.33
mm/s	1.41	0.94	1.26

Extra parameters


Units	Value
Celsius	34.25

Date: 2025-03-12

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.59	0.31	0.72
GE	0.27	0.17	0.45
mm/s	1.13	0.74	0.58

Extra parameters

Units	Value
Celsius	48.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.61	0.56	1.39
GE	0.31	0.30	0.53
mm/s	1.05	0.79	1.37


Extra parameters	
Units	Value
Celsius	26.75

Date: 2025-03-13

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.67	0.32	0.69
GE	0.27	0.17	0.42
mm/s	1.19	0.83	0.74

Extra parameters	
Units	Value
Celsius	47.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.61	0.51	1.22
GE	0.32	0.27	0.46
mm/s	0.91	0.78	1.47


Extra parameters	
Units	Value
Celsius	30.75

Date: 2025-03-14

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.47	0.29	0.61
GE	0.24	0.15	0.33
mm/s	1.13	0.74	0.67

Extra parameters	
Units	Value
Celsius	44.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.78	0.50	0.97
GE	0.40	0.28	0.45
mm/s	1.21	0.85	1.22


Extra parameters	
Units	Value
Celsius	29.00

Date: 2025-03-15

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.65	0.31	0.75
GE	0.29	0.17	0.45
mm/s	1.33	0.85	0.77

Extra parameters	
Units	Value
Celsius	46.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.86	0.49	0.95
GE	0.44	0.27	0.43
mm/s	1.06	0.80	1.68

Extra parameters


Units	Value
Celsius	24.25

Date: 2025-03-16

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.51	0.32	0.73
GE	0.27	0.18	0.43
mm/s	1.29	0.76	0.75

Extra parameters

Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Axial




Units	Horizontal	Vertical	Axial
G	0.78	0.44	0.73
GE	0.43	0.24	0.42
mm/s	1.13	0.87	1.92

Extra parameters

Units	Value
Celsius	30.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.78	0.44	0.73
GE	0.43	0.24	0.42
mm/s	1.13	0.87	1.92

Extra parameters


Units	Value
Celsius	30.25

Date: 2025-03-17

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.54	0.32	0.64
GE	0.28	0.17	0.37
mm/s	1.26	0.76	0.86

Extra parameters

Units	Value
Celsius	46.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.56	0.40	0.48
GE	0.31	0.23	0.30
mm/s	1.27	0.86	1.59

Extra parameters


Units	Value
Celsius	30.25

Date: 2025-03-18

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.69	0.36	0.69
GE	0.28	0.19	0.39
mm/s	1.14	0.87	0.93

Extra parameters

Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.72	0.42	0.51
GE	0.38	0.23	0.28
mm/s	1.46	0.96	1.55

Extra parameters


Units	Value
Celsius	30.25

Date: 2025-03-19

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.62	0.32	0.78
GE	0.32	0.18	0.48
mm/s	1.20	0.78	0.87

Extra parameters	
Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.85	0.51	1.28
GE	0.44	0.28	0.57
mm/s	1.09	0.92	1.23


Extra parameters	
Units	Value
Celsius	30.25

Date: 2025-03-20

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.49	0.31	0.67
GE	0.25	0.17	0.39
mm/s	1.12	0.77	0.84

Extra parameters

Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.77	0.48	0.79
GE	0.43	0.26	0.39
mm/s	1.01	0.78	0.92

Extra parameters


Units	Value
Celsius	30.25

Date: 2025-03-21

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.98	0.37	0.72
GE	0.44	0.20	0.42
mm/s	1.11	0.75	0.66

Extra parameters

Units	Value
Celsius	46.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.57	0.38	0.58
GE	0.31	0.20	0.29
mm/s	1.14	0.91	1.34

Extra parameters


Units	Value
Celsius	31.50

Date: 2025-03-22

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.74	0.32	0.73
GE	0.34	0.17	0.42
mm/s	1.23	0.77	0.86

Extra parameters	
Units	Value
Celsius	46.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.90	0.52	0.82
GE	0.45	0.28	0.44
mm/s	1.06	0.84	1.79


Extra parameters	
Units	Value
Celsius	25.00

Date: 2025-03-23

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.63	0.31	0.77
GE	0.31	0.16	0.46
mm/s	1.24	0.79	0.88

Extra parameters

Units	Value
Celsius	46.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.67	0.48	1.35
GE	0.34	0.27	0.52
mm/s	1.02	0.88	1.57

Extra parameters


Units	Value
Celsius	24.00

Date: 2025-03-24

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.76	0.33	0.67
GE	0.34	0.18	0.39
mm/s	0.91	0.75	0.62

Extra parameters	
Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.79	0.51	1.06
GE	0.45	0.29	0.58
mm/s	1.13	0.93	1.43


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-03-25

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.55	0.31	0.69
GE	0.26	0.16	0.39
mm/s	1.17	0.78	0.72

Extra parameters	
Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.60	0.43	0.56
GE	0.36	0.22	0.35
mm/s	1.09	0.84	0.97


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-03-26

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.62	0.34	0.65
GE	0.27	0.18	0.39
mm/s	1.06	0.69	0.56

Extra parameters	
Units	Value
Celsius	47.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.57	0.53	0.96
GE	0.29	0.29	0.45
mm/s	1.02	0.82	1.09


Extra parameters	
Units	Value
Celsius	29.00

Date: 2025-03-27

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.95	0.38	0.68
GE	0.37	0.20	0.41
mm/s	1.05	0.77	0.62

Extra parameters	
Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.81	0.45	0.72
GE	0.43	0.25	0.42
mm/s	1.06	0.93	1.12


Extra parameters	
Units	Value
Celsius	29.00

Date: 2025-03-28

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.65	0.34	0.62
GE	0.29	0.18	0.36
mm/s	1.17	0.73	0.67

Extra parameters

Units	Value
Celsius	45.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.58	0.52	1.12
GE	0.31	0.30	0.44
mm/s	0.98	0.83	1.46

Extra parameters


Units	Value
Celsius	27.75

Date: 2025-03-29

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.57	0.30	0.60
GE	0.25	0.16	0.36
mm/s	1.08	0.69	0.65

Extra parameters

Units	Value
Celsius	44.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.81	0.46	0.82
GE	0.42	0.25	0.41
mm/s	1.02	0.89	1.39

Extra parameters


Units	Value
Celsius	22.75

Date: 2025-03-30

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.63	0.31	0.63
GE	0.28	0.17	0.38
mm/s	1.19	0.77	0.78

Extra parameters	
Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.84	0.47	0.84
GE	0.44	0.27	0.42
mm/s	1.08	0.83	1.01


Extra parameters	
Units	Value
Celsius	22.75

Date: 2025-03-31

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO ACOPLAMIENTO


Horizontal



Units	Horizontal	Vertical	Axial
G	0.69	0.50	1.04
GE	0.34	0.28	0.49
mm/s	1.18	0.88	0.81

Extra parameters	
Units	Value
Celsius	26.00

EMERGENTCOLD PACIFICO - FP1 - Motor 2




Date: 2025-03-01

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.49	0.82	0.29
GE	0.32	0.45	0.16
mm/s	3.15	1.29	1.92


Extra parameters	
Units	Value
Celsius	27.25

Date: 2025-03-02

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.54	0.79	0.35
GE	0.33	0.43	0.19
mm/s	3.00	1.14	2.01


Extra parameters	
Units	Value
Celsius	28.25

Date: 2025-03-03

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.60	0.81	0.29
GE	0.40	0.46	0.16
mm/s	3.34	1.19	2.09


Extra parameters	
Units	Value
Celsius	28.25

Date: 2025-03-04

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.46	0.77	0.32
GE	0.29	0.43	0.17
mm/s	3.09	1.27	1.93


Extra parameters	
Units	Value
Celsius	28.25

Date: 2025-03-05

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.55	0.74	0.29
GE	0.30	0.46	0.16
mm/s	3.13	1.24	1.79


Extra parameters	
Units	Value
Celsius	28.25

Date: 2025-03-06

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.61	0.71	0.29
GE	0.36	0.42	0.15
mm/s	3.09	1.35	1.92


Extra parameters	
Units	Value
Celsius	28.25

Date: 2025-03-07

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.55	0.86	0.34
GE	0.35	0.47	0.19
mm/s	3.34	1.17	2.05


Extra parameters	
Units	Value
Celsius	29.00

Date: 2025-03-08

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.51	0.69	0.42
GE	0.32	0.43	0.22
mm/s	2.81	1.13	2.03


Extra parameters	
Units	Value
Celsius	26.25

Date: 2025-03-09

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.53	0.73	0.35
GE	0.36	0.42	0.20
mm/s	2.92	1.17	1.94


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-03-10

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.63	0.76	0.32
GE	0.28	0.38	0.16
mm/s	2.95	1.17	1.92


Extra parameters	
Units	Value
Celsius	30.75

Date: 2025-03-11

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.62	0.68	0.27
GE	0.26	0.37	0.14
mm/s	2.81	1.12	1.62


Extra parameters	
Units	Value
Celsius	28.00

Date: 2025-03-12

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.50	0.77	0.33
GE	0.26	0.41	0.17
mm/s	2.99	1.26	2.04


Extra parameters	
Units	Value
Celsius	33.50

Date: 2025-03-13

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.48	0.85	0.31
GE	0.28	0.43	0.15
mm/s	2.93	1.04	1.92


Extra parameters	
Units	Value
Celsius	32.75

Date: 2025-03-14

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.59	0.69	0.36
GE	0.31	0.37	0.19
mm/s	2.87	1.09	1.97


Extra parameters	
Units	Value
Celsius	23.00

Date: 2025-03-15

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.39	0.83	0.40
GE	0.21	0.41	0.21
mm/s	2.89	1.05	2.37


Extra parameters	
Units	Value
Celsius	28.50

Date: 2025-03-16

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.46	0.90	0.42
GE	0.29	0.45	0.21
mm/s	2.93	0.99	2.79


Extra parameters	
Units	Value
Celsius	27.25

Date: 2025-03-17

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.00	0.83	0.45
GE	0.67	0.48	0.25
mm/s	3.61	1.35	2.29


Extra parameters	
Units	Value
Celsius	27.25

Date: 2025-03-18

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.37	0.87	0.54
GE	0.82	0.54	0.31
mm/s	4.17	1.28	2.33


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-03-19

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.26	1.04	0.51
GE	0.81	0.62	0.30
mm/s	3.87	1.32	2.17


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-03-20

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.56	1.01	0.48
GE	0.86	0.62	0.29
mm/s	4.55	1.26	2.01


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-03-21

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.50	0.67	0.26
GE	0.30	0.40	0.13
mm/s	2.98	1.09	1.83


Extra parameters	
Units	Value
Celsius	28.75

Date: 2025-03-22

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.48	0.87	0.35
GE	0.26	0.45	0.18
mm/s	3.12	1.10	2.07


Extra parameters	
Units	Value
Celsius	28.25

Date: 2025-03-23

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.23	0.91	0.43
GE	0.74	0.55	0.25
mm/s	4.05	1.39	2.05


Extra parameters	
Units	Value
Celsius	29.75

Date: 2025-03-24

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.45	0.95	0.48
GE	0.91	0.63	0.29
mm/s	4.33	1.29	2.03


Extra parameters	
Units	Value
Celsius	29.75

Date: 2025-03-25

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.10	0.80	0.38
GE	0.71	0.49	0.22
mm/s	3.63	1.18	1.87


Extra parameters	
Units	Value
Celsius	29.75

Date: 2025-03-26

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.40	0.84	0.27
GE	0.20	0.43	0.13
mm/s	2.69	1.02	1.78


Extra parameters	
Units	Value
Celsius	27.75

Date: 2025-03-27

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.41	0.77	0.26
GE	0.21	0.39	0.13
mm/s	2.84	1.00	1.72


Extra parameters	
Units	Value
Celsius	26.00

Date: 2025-03-28

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.36	0.82	0.27
GE	0.20	0.42	0.14
mm/s	3.04	0.94	1.82


Extra parameters	
Units	Value
Celsius	25.25

Date: 2025-03-29

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.37	0.95	0.34
GE	0.21	0.46	0.17
mm/s	2.93	1.16	1.86


Extra parameters	
Units	Value
Celsius	26.00

Date: 2025-03-30

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.29	0.79	0.31
GE	0.16	0.41	0.16
mm/s	2.91	1.05	1.93


Extra parameters	
Units	Value
Celsius	26.00

Date: 2025-03-31

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.32	0.68	0.28
GE	0.17	0.37	0.14
mm/s	2.78	0.88	1.92

Extra parameters

Units	Value
Celsius	26.50