


Title


Machines	2
EMERGENTCOLD PACIFICO FP1 Compresor 2	2
EMERGENTCOLD PACIFICO FP1 Motor 2	31

Machines**EMERGENTCOLD PACIFICO - FP1 - Compresor 2****Date:** 2025-04-01

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.63	0.32	0.69
GE	0.27	0.17	0.41
mm/s	1.14	0.79	0.70

Extra parameters	
Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.74	0.50	1.39
GE	0.37	0.27	0.61
mm/s	0.93	0.79	0.69


Extra parameters	
Units	Value
Celsius	24.75

Date: 2025-04-02

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.61	0.33	0.72
GE	0.30	0.18	0.44
mm/s	1.10	0.79	0.73

Extra parameters	
Units	Value
Celsius	43.25

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.72	0.50	0.90
GE	0.35	0.28	0.49
mm/s	0.93	0.79	0.82


Extra parameters	
Units	Value
Celsius	26.50

Date: 2025-04-03

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.68	0.30	0.64
GE	0.26	0.16	0.39
mm/s	0.95	0.70	0.54

Extra parameters	
Units	Value
Celsius	45.75

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.67	0.43	0.66
GE	0.38	0.24	0.36
mm/s	0.82	0.70	0.97

Extra parameters


Units	Value
Celsius	28.50

Date: 2025-04-04

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.56	0.35	0.79
GE	0.30	0.19	0.43
mm/s	0.93	0.78	0.63

Extra parameters

Units	Value
Celsius	47.00

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.54	0.38	0.36
GE	0.28	0.22	0.21
mm/s	1.17	0.86	0.85

Extra parameters


Units	Value
Celsius	35.50

Date: 2025-04-05

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Axial




Units	Horizontal	Vertical	Axial
G	0.99	1.21	3.50
GE	0.61	0.83	1.11
mm/s	0.92	0.82	1.08

Extra parameters

Units	Value
Celsius	43.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.82	0.42	0.54
GE	0.49	0.24	0.28
mm/s	1.14	0.87	1.42


Extra parameters	
Units	Value
Celsius	30.25

Date: 2025-04-06

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.52	0.39	0.72
GE	0.24	0.22	0.41
mm/s	1.16	0.74	0.68

Extra parameters	
Units	Value
Celsius	47.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.78	0.44	0.66
GE	0.40	0.24	0.37
mm/s	1.01	0.86	1.61


Extra parameters	
Units	Value
Celsius	29.00

Date: 2025-04-07

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.62	0.39	1.18
GE	0.37	0.23	0.70
mm/s	1.59	0.79	0.74

Extra parameters	
Units	Value
Celsius	47.00

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.54	0.45	1.10
GE	0.30	0.25	0.46
mm/s	0.91	0.91	0.79


Extra parameters	
Units	Value
Celsius	25.50

Date: 2025-04-08

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.52	0.31	0.68
GE	0.28	0.17	0.42
mm/s	1.19	0.68	0.50

Extra parameters	
Units	Value
Celsius	46.00

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.60	0.50	0.98
GE	0.33	0.26	0.53
mm/s	0.87	0.86	0.81


Extra parameters	
Units	Value
Celsius	24.75

Date: 2025-04-09

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.84	0.30	0.64
GE	0.27	0.15	0.38
mm/s	1.06	0.70	0.60

Extra parameters	
Units	Value
Celsius	46.25

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.64	0.56	1.26
GE	0.32	0.33	0.62
mm/s	0.97	0.84	0.82

Extra parameters


Units	Value
Celsius	25.75

Date: 2025-04-10

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.67	0.34	0.64
GE	0.29	0.18	0.37
mm/s	1.03	0.75	0.62

Extra parameters

Units	Value
Celsius	44.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.51	0.41	0.57
GE	0.29	0.23	0.35
mm/s	0.96	0.89	0.97

Extra parameters


Units	Value
Celsius	28.25

Date: 2025-04-11

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.64	0.33	0.74
GE	0.29	0.18	0.46
mm/s	1.10	0.78	0.58

Extra parameters

Units	Value
Celsius	37.50

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.56	0.40	0.66
GE	0.31	0.21	0.39
mm/s	0.89	0.95	0.99

Extra parameters


Units	Value
Celsius	23.25

Date: 2025-04-12

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.60	0.31	0.69
GE	0.31	0.18	0.42
mm/s	1.04	0.75	0.62

Extra parameters

Units	Value
Celsius	18.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.68	0.52	1.16
GE	0.36	0.30	0.54
mm/s	0.93	0.92	1.19


Extra parameters	
Units	Value
Celsius	19.50

Date: 2025-04-13

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.73	0.34	0.73
GE	0.33	0.18	0.44
mm/s	1.05	0.69	0.56

Extra parameters	
Units	Value
Celsius	18.25

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.71	0.53	1.00
GE	0.35	0.30	0.54
mm/s	1.04	0.88	0.88


Extra parameters	
Units	Value
Celsius	19.50

Date: 2025-04-14

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.59	0.30	0.65
GE	0.29	0.17	0.41
mm/s	1.25	0.66	0.54

Extra parameters	
Units	Value
Celsius	45.50

LADO ACOPLAMIENTO

Vertical



Units	Horizontal	Vertical	Axial
G	0.61	0.49	0.83
GE	0.33	0.27	0.40
mm/s	0.88	0.91	0.80

Extra parameters


Units	Value
Celsius	24.25

Date: 2025-04-15

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.63	0.30	0.68
GE	0.30	0.17	0.43
mm/s	1.08	0.70	0.62

Extra parameters

Units	Value
Celsius	37.50

LADO ACOPLAMIENTO

Vertical



Units	Horizontal	Vertical	Axial
G	0.63	0.50	1.10
GE	0.33	0.27	0.46
mm/s	0.91	0.91	0.85

Extra parameters


Units	Value
Celsius	23.50

Date: 2025-04-16

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.62	0.32	0.71
GE	0.33	0.18	0.44
mm/s	1.03	0.71	0.66

Extra parameters

Units	Value
Celsius	36.25

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.71	0.50	0.84
GE	0.35	0.28	0.43
mm/s	1.00	0.97	0.83


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-04-17

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.90	0.36	0.68
GE	0.33	0.20	0.38
mm/s	1.17	0.72	0.67

Extra parameters	
Units	Value
Celsius	44.00

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.50	0.40	0.46
GE	0.29	0.24	0.28
mm/s	0.92	0.88	0.91


Extra parameters	
Units	Value
Celsius	24.50

Date: 2025-04-18

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.66	0.32	0.67
GE	0.27	0.17	0.40
mm/s	1.07	0.80	0.58

Extra parameters	
Units	Value
Celsius	18.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.90	0.43	0.52
GE	0.42	0.25	0.29
mm/s	1.17	0.92	1.21

Extra parameters


Units	Value
Celsius	19.75

Date: 2025-04-19

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.57	0.32	0.67
GE	0.32	0.18	0.41
mm/s	1.06	0.74	0.63

Extra parameters

Units	Value
Celsius	18.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.80	0.55	1.05
GE	0.40	0.31	0.56
mm/s	0.94	1.05	1.35


Extra parameters	
Units	Value
Celsius	19.75

Date: 2025-04-20

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.53	0.33	0.72
GE	0.28	0.18	0.42
mm/s	0.98	0.68	0.62

Extra parameters	
Units	Value
Celsius	18.00

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.63	0.53	1.01
GE	0.33	0.30	0.46
mm/s	0.94	0.94	0.89


Extra parameters	
Units	Value
Celsius	19.75

Date: 2025-04-21

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.66	0.32	0.67
GE	0.28	0.17	0.40
mm/s	1.10	0.75	0.64

Extra parameters	
Units	Value
Celsius	24.75

LADO ACOPLAMIENTO

Vertical



Units	Horizontal	Vertical	Axial
G	0.65	0.38	0.56
GE	0.39	0.21	0.33
mm/s	0.88	0.88	0.86


Extra parameters	
Units	Value
Celsius	25.25

Date: 2025-04-22

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Vertical




Units	Horizontal	Vertical	Axial
G	0.03	0.04	0.02
GE	0.01	0.02	0.01
mm/s	0.24	0.35	0.22

Extra parameters	
Units	Value
Celsius	43.25

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.67	0.42	0.46
GE	0.36	0.23	0.24
mm/s	1.17	0.79	1.02


Extra parameters	
Units	Value
Celsius	29.75

Date: 2025-04-23

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.42	0.32	0.77
GE	0.24	0.18	0.42
mm/s	1.36	0.67	0.64

Extra parameters	
Units	Value
Celsius	43.25

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.55	0.47	0.63
GE	0.28	0.27	0.35
mm/s	0.97	0.84	2.00

Extra parameters


Units	Value
Celsius	30.25

Date: 2025-04-24

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Vertical




Units	Horizontal	Vertical	Axial
G	0.03	0.04	0.02
GE	0.01	0.02	0.01
mm/s	0.22	0.29	0.21

Extra parameters

Units	Value
Celsius	20.00

LADO ACOPLAMIENTO

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.04	0.02
GE	0.01	0.02	0.01
mm/s	0.19	0.30	0.23

Extra parameters


Units	Value
Celsius	21.50

Date: 2025-04-25

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.57	0.50	0.78
GE	0.29	0.29	0.41
mm/s	1.06	0.86	1.18

Extra parameters


Units	Value
Celsius	27.00

Date: 2025-04-26

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.54	0.35	0.66
GE	0.29	0.19	0.39
mm/s	1.08	0.70	0.61

Extra parameters

Units	Value
Celsius	44.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.61	0.49	0.97
GE	0.32	0.27	0.49
mm/s	1.03	0.88	1.73

Extra parameters


Units	Value
Celsius	23.25

Date: 2025-04-27

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.63	0.36	0.81
GE	0.36	0.20	0.49
mm/s	1.15	0.86	0.66

Extra parameters

Units	Value
Celsius	44.50

LADO ACOPLAMIENTO

Axial




Units	Horizontal	Vertical	Axial
G	0.87	0.51	0.95
GE	0.44	0.29	0.53
mm/s	1.04	0.84	1.68

Extra parameters

Units	Value
Celsius	22.00

LADO ACOPLAMIENTO

Axial



Units	Horizontal	Vertical	Axial
G	0.87	0.51	0.95
GE	0.44	0.29	0.53
mm/s	1.04	0.84	1.68

Extra parameters


Units	Value
Celsius	22.00

Date: 2025-04-28

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.03	0.03	0.02
GE	0.01	0.02	0.01
mm/s	0.27	0.24	0.17

Extra parameters

Units	Value
Celsius	15.75

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.57	0.55	0.90
GE	0.31	0.31	0.54
mm/s	0.95	0.86	0.89

Extra parameters


Units	Value
Celsius	22.00

Date: 2025-04-29

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.88	1.08	3.01
GE	0.52	0.77	1.29
mm/s	1.12	0.95	1.11

Extra parameters

Units	Value
Celsius	43.75

LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.81	0.46	0.40
GE	0.42	0.25	0.22
mm/s	0.99	0.90	0.79

Extra parameters


Units	Value
Celsius	27.25

Date: 2025-04-30

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal




Units	Horizontal	Vertical	Axial
G	0.56	0.34	0.80
GE	0.31	0.19	0.45
mm/s	1.08	0.76	0.60

Extra parameters	
Units	Value
Celsius	44.25


LADO ACOPLAMIENTO

Horizontal



Units	Horizontal	Vertical	Axial
G	0.66	0.47	0.55
GE	0.39	0.26	0.33
mm/s	1.04	0.95	0.89

Extra parameters	
Units	Value
Celsius	23.75


EMERGENTCOLD PACIFICO - FP1 - Motor 2

Date: 2025-04-01

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.31	0.67	0.30
GE	0.17	0.37	0.16
mm/s	2.88	0.88	1.98


Extra parameters	
Units	Value
Celsius	25.50

Date: 2025-04-02

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.31	0.79	0.28
GE	0.15	0.38	0.14
mm/s	2.91	0.82	1.92


Extra parameters	
Units	Value
Celsius	25.00

Date: 2025-04-03

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.50	0.66	0.35
GE	0.28	0.40	0.18
mm/s	2.84	0.84	1.94


Extra parameters	
Units	Value
Celsius	28.50

Date: 2025-04-04

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.47	0.63	0.32
GE	0.25	0.37	0.18
mm/s	2.95	0.94	1.94


Extra parameters	
Units	Value
Celsius	30.00

Date: 2025-04-05

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.65	0.65	0.35
GE	0.32	0.38	0.21
mm/s	3.32	1.07	2.00


Extra parameters	
Units	Value
Celsius	25.75

Date: 2025-04-06

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.69	0.82	0.50
GE	0.34	0.48	0.28
mm/s	3.27	1.07	2.83


Extra parameters	
Units	Value
Celsius	28.25

Date: 2025-04-07

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.56	0.73	0.33
GE	0.29	0.44	0.18
mm/s	2.95	0.86	1.96


Extra parameters	
Units	Value
Celsius	28.00

Date: 2025-04-08

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.32	0.68	0.28
GE	0.17	0.35	0.14
mm/s	2.85	0.85	1.91


Extra parameters	
Units	Value
Celsius	26.00

Date: 2025-04-09

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.41	0.73	0.36
GE	0.24	0.42	0.20
mm/s	3.10	0.93	2.09


Extra parameters	
Units	Value
Celsius	25.50

Date: 2025-04-10

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.91	0.88	0.57
GE	0.56	0.49	0.33
mm/s	3.48	1.09	2.39


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-04-11

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.59	0.94	0.46
GE	0.87	0.58	0.26
mm/s	4.58	1.10	2.06


Extra parameters	
Units	Value
Celsius	23.00

Date: 2025-04-12

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.72	0.90	0.38
GE	0.45	0.48	0.20
mm/s	3.24	1.07	2.08


Extra parameters	
Units	Value
Celsius	15.25

Date: 2025-04-13

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.68	0.91	0.40
GE	0.44	0.50	0.21
mm/s	3.15	1.02	2.04


Extra parameters	
Units	Value
Celsius	15.25

Date: 2025-04-14

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.62	0.91	0.38
GE	0.39	0.47	0.21
mm/s	3.09	0.95	2.01


Extra parameters	
Units	Value
Celsius	26.25

Date: 2025-04-15

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.37	0.96	0.29
GE	0.20	0.61	0.15
mm/s	2.81	0.82	1.83


Extra parameters	
Units	Value
Celsius	23.75

Date: 2025-04-16

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.32	0.73	0.23
GE	0.17	0.37	0.11
mm/s	2.87	0.83	1.77


Extra parameters	
Units	Value
Celsius	23.50

Date: 2025-04-17

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.42	0.52	0.22
GE	0.24	0.32	0.11
mm/s	2.77	0.82	1.76


Extra parameters	
Units	Value
Celsius	25.25

Date: 2025-04-18

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.76	0.72	0.39
GE	0.50	0.42	0.22
mm/s	3.15	1.09	2.02


Extra parameters	
Units	Value
Celsius	15.75

Date: 2025-04-19

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.83	0.96	0.38
GE	0.59	0.54	0.21
mm/s	3.35	1.11	2.03


Extra parameters	
Units	Value
Celsius	15.75

Date: 2025-04-20

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	1.33	1.07	0.55
GE	0.82	0.70	0.34
mm/s	4.10	1.25	2.26


Extra parameters	
Units	Value
Celsius	15.75

Date: 2025-04-21

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.80	0.69	0.35
GE	0.54	0.42	0.19
mm/s	3.32	1.11	2.00


Extra parameters	
Units	Value
Celsius	24.00

Date: 2025-04-22

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.78	0.83	0.35
GE	0.51	0.48	0.18
mm/s	3.28	1.05	1.94


Extra parameters	
Units	Value
Celsius	25.50

Date: 2025-04-23

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.69	1.03	0.36
GE	0.42	0.56	0.18
mm/s	3.42	1.00	3.14

Extra parameters


Units	Value
Celsius	23.50

Date: 2025-04-24

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.03	0.02
GE	0.01	0.02	0.01
mm/s	0.24	0.27	0.15

Extra parameters


Units	Value
Celsius	16.75

Date: 2025-04-25

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.33	0.80	0.24
GE	0.18	0.35	0.11
mm/s	2.98	0.84	2.02


Extra parameters	
Units	Value
Celsius	22.00

Date: 2025-04-26

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.34	0.73	0.23
GE	0.18	0.40	0.11
mm/s	2.99	0.99	2.02


Extra parameters	
Units	Value
Celsius	23.00

Date: 2025-04-27

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.33	0.75	0.25
GE	0.18	0.44	0.13
mm/s	3.05	1.13	2.30


Extra parameters	
Units	Value
Celsius	25.00

Date: 2025-04-28

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.28	0.65	0.23
GE	0.14	0.35	0.11
mm/s	2.89	0.83	1.87


Extra parameters	
Units	Value
Celsius	25.00

Date: 2025-04-29

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.27	0.48	0.19
GE	0.13	0.30	0.09
mm/s	2.58	0.79	1.78


Extra parameters	
Units	Value
Celsius	21.00

Date: 2025-04-30

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

LADO LIBRE

Horizontal



Units	Horizontal	Vertical	Axial
G	0.28	0.60	0.21
GE	0.12	0.34	0.09
mm/s	2.86	0.83	1.82

Extra parameters	
Units	Value
Celsius	23.25