


**Title**


Machines .....	2
EMERGENTCOLD PACIFICO FP1 Compresor 2 .....	2
EMERGENTCOLD PACIFICO FP1 Motor 2 .....	29

Machines**EMERGENTCOLD PACIFICO - FP1 - Compresor 2****Date:** 2025-05-02

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.66	0.44	0.87
GE	0.39	0.24	0.46
mm/s	1.05	0.62	0.68

Extra parameters	
Units	Value
Celsius	43.75

**LADO ACOPLAMIENTO**

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.04	0.02
GE	0.01	0.03	0.01
mm/s	0.21	0.35	0.18

**Extra parameters**


Units	Value
Celsius	20.25

**Date:** 2025-05-03

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO ACOPLAMIENTO**

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.04	0.02
GE	0.01	0.02	0.01
mm/s	0.16	0.41	0.16

**Extra parameters**


Units	Value
Celsius	24.00

**Date:** 2025-05-04

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Vertical




Units	Horizontal	Vertical	Axial
G	0.03	0.03	0.02
GE	0.01	0.02	0.01
mm/s	0.18	0.33	0.23

**Extra parameters**

Units	Value
Celsius	42.00

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.74	0.52	0.97
GE	0.39	0.30	0.53
mm/s	0.98	0.97	0.86

**Extra parameters**


Units	Value
Celsius	21.75

**Date:** 2025-05-05

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.54	0.38	0.80
GE	0.29	0.20	0.47
mm/s	1.04	0.84	0.70

**Extra parameters**

Units	Value
Celsius	43.25

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.52	0.53	0.97
GE	0.27	0.30	0.60
mm/s	1.05	0.99	0.72

**Extra parameters**


Units	Value
Celsius	22.75

**Date:** 2025-05-06

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.63	0.32	0.66
GE	0.26	0.17	0.40
mm/s	1.05	0.79	0.75

**Extra parameters**

Units	Value
Celsius	43.25

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.61	0.54	0.47
GE	0.34	0.31	0.26
mm/s	1.26	0.93	0.77

**Extra parameters**


Units	Value
Celsius	27.25

**Date:** 2025-05-07

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO ACOPLAMIENTO**

Vertical



Units	Horizontal	Vertical	Axial
G	0.68	0.51	0.75
GE	0.34	0.28	0.47
mm/s	0.92	0.94	0.82

**Extra parameters**


Units	Value
Celsius	26.50

**Date:** 2025-05-08

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.58	0.34	0.62
GE	0.26	0.18	0.36
mm/s	0.94	0.80	0.60

**Extra parameters**

Units	Value
Celsius	44.25

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.51	0.43	0.41
GE	0.28	0.24	0.24
mm/s	1.11	0.84	0.92


Extra parameters	
Units	Value
Celsius	29.75

**Date:** 2025-05-09

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.61	0.35	0.67
GE	0.29	0.19	0.38
mm/s	1.11	0.78	0.81

Extra parameters	
Units	Value
Celsius	43.75

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.64	0.39	0.56
GE	0.35	0.21	0.31
mm/s	1.06	0.95	0.91

**Extra parameters**


Units	Value
Celsius	28.50

**Date:** 2025-05-10

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.46	0.35	0.70
GE	0.26	0.19	0.42
mm/s	1.13	0.77	0.72

**Extra parameters**

Units	Value
Celsius	43.50

**LADO ACOPLAMIENTO**

Axial



Units	Horizontal	Vertical	Axial
G	0.68	0.52	1.16
GE	0.33	0.29	0.50
mm/s	0.97	0.95	1.05

**Extra parameters**


Units	Value
Celsius	23.75

**Date:** 2025-05-11

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.57	0.31	0.72
GE	0.34	0.18	0.44
mm/s	1.16	0.78	0.70

**Extra parameters**

Units	Value
Celsius	42.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.89	0.52	1.02
GE	0.46	0.28	0.45
mm/s	1.09	0.94	1.02


Extra parameters	
Units	Value
Celsius	23.00

**Date:** 2025-05-12

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.03	0.03	0.02
GE	0.01	0.02	0.01
mm/s	0.26	0.26	0.19

Extra parameters	
Units	Value
Celsius	25.75

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.58	0.52	0.99
GE	0.30	0.30	0.60
mm/s	0.99	0.98	0.81


Extra parameters	
Units	Value
Celsius	23.00

**Date:** 2025-05-13

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.38	0.36	0.64
GE	0.22	0.19	0.36
mm/s	1.08	0.80	0.79

Extra parameters	
Units	Value
Celsius	43.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.61	0.39	0.38
GE	0.32	0.21	0.21
mm/s	1.39	0.96	0.80

**Extra parameters**


Units	Value
Celsius	31.50

**Date:** 2025-05-14

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.60	0.30	0.71
GE	0.31	0.16	0.41
mm/s	1.07	0.72	0.59

**Extra parameters**

Units	Value
Celsius	44.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.57	0.39	0.40
GE	0.31	0.23	0.23
mm/s	1.17	0.90	0.89


Extra parameters	
Units	Value
Celsius	28.25

**Date:** 2025-05-15

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.45	0.32	0.68
GE	0.24	0.18	0.41
mm/s	1.06	0.78	0.80

Extra parameters	
Units	Value
Celsius	43.75

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.58	0.47	1.26
GE	0.30	0.25	0.50
mm/s	1.06	0.95	0.73


Extra parameters	
Units	Value
Celsius	22.75

**Date:** 2025-05-16

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.51	0.34	0.72
GE	0.26	0.19	0.43
mm/s	0.97	0.79	0.75

Extra parameters	
Units	Value
Celsius	44.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.79	0.50	0.91
GE	0.42	0.26	0.47
mm/s	1.13	0.91	0.99

**Extra parameters**


Units	Value
Celsius	27.75

**Date:** 2025-05-17

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO ACOPLAMIENTO**

Axial



Units	Horizontal	Vertical	Axial
G	0.59	0.53	0.92
GE	0.31	0.30	0.50
mm/s	1.02	0.96	1.12

**Extra parameters**


Units	Value
Celsius	28.50

**Date:** 2025-05-18

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.55	0.35	0.76
GE	0.31	0.19	0.44
mm/s	1.14	0.77	0.66

**Extra parameters**

Units	Value
Celsius	42.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.60	0.52	1.13
GE	0.32	0.30	0.56
mm/s	0.99	0.95	0.81

**Extra parameters**


Units	Value
Celsius	19.00

**Date:** 2025-05-19

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.46	0.40	0.70
GE	0.26	0.22	0.41
mm/s	1.17	0.77	0.70

**Extra parameters**

Units	Value
Celsius	43.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.56	0.55	1.01
GE	0.29	0.30	0.58
mm/s	1.00	0.91	0.68

**Extra parameters**


Units	Value
Celsius	24.00

**Date:** 2025-05-20

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Axial




Units	Horizontal	Vertical	Axial
G	0.52	0.53	1.40
GE	0.31	0.30	0.78
mm/s	1.01	1.00	1.22

**Extra parameters**

Units	Value
Celsius	44.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.51	0.40	0.51
GE	0.28	0.23	0.33
mm/s	1.17	0.99	0.80

**Extra parameters**


Units	Value
Celsius	26.00

**Date:** 2025-05-21

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.65	0.43	0.87
GE	0.32	0.23	0.50
mm/s	1.07	0.80	0.89

Extra parameters	
Units	Value
Celsius	45.00

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.82	0.40	0.64
GE	0.44	0.22	0.36
mm/s	1.08	0.94	0.92


Extra parameters	
Units	Value
Celsius	24.75

**Date:** 2025-05-22

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.60	0.41	0.76
GE	0.31	0.23	0.46
mm/s	1.01	0.75	0.88

**Extra parameters**

Units	Value
Celsius	43.00

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.52	0.53	0.87
GE	0.25	0.31	0.54
mm/s	1.19	0.90	0.72

**Extra parameters**


Units	Value
Celsius	27.25

**Date:** 2025-05-23

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.57	0.36	0.73
GE	0.33	0.20	0.45
mm/s	1.06	0.78	0.85

Extra parameters	
Units	Value
Celsius	43.25

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.58	0.50	1.04
GE	0.31	0.28	0.49
mm/s	1.25	0.98	0.94


Extra parameters	
Units	Value
Celsius	23.00

**Date:** 2025-05-24

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.46	0.34	0.69
GE	0.26	0.18	0.41
mm/s	1.01	0.81	0.71

Extra parameters	
Units	Value
Celsius	41.75

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.79	0.49	0.92
GE	0.37	0.27	0.55
mm/s	1.13	0.95	0.83


Extra parameters	
Units	Value
Celsius	22.75

**Date:** 2025-05-26

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Vertical




Units	Horizontal	Vertical	Axial
G	0.03	0.04	0.02
GE	0.01	0.02	0.01
mm/s	0.22	0.33	0.20

**Extra parameters**

Units	Value
Celsius	37.25

**LADO ACOPLAMIENTO**

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.04	0.02
GE	0.01	0.02	0.01
mm/s	0.22	0.24	0.19

**Extra parameters**


Units	Value
Celsius	24.25

**Date:** 2025-05-27

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.51	0.32	0.67
GE	0.27	0.17	0.40
mm/s	1.05	0.76	0.74

**Extra parameters**

Units	Value
Celsius	42.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.52	0.47	0.87
GE	0.26	0.26	0.50
mm/s	1.08	0.92	0.75

**Extra parameters**


Units	Value
Celsius	21.00

**Date:** 2025-05-28

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Axial




Units	Horizontal	Vertical	Axial
G	0.51	0.37	0.77
GE	0.27	0.21	0.44
mm/s	1.05	0.93	1.17

**Extra parameters**

Units	Value
Celsius	42.50

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.57	0.52	0.96
GE	0.30	0.30	0.54
mm/s	1.13	1.00	0.78

**Extra parameters**


Units	Value
Celsius	29.75

**Date:** 2025-05-29

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.49	0.37	0.70
GE	0.27	0.20	0.41
mm/s	1.12	0.84	0.89

Extra parameters	
Units	Value
Celsius	44.00

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.51	0.55	1.02
GE	0.26	0.31	0.59
mm/s	1.12	0.95	0.69


Extra parameters	
Units	Value
Celsius	25.25

**Date:** 2025-05-30

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Axial




Units	Horizontal	Vertical	Axial
G	0.39	0.37	0.73
GE	0.21	0.20	0.40
mm/s	1.08	0.82	1.16

Extra parameters	
Units	Value
Celsius	44.00

**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.75	0.37	0.39
GE	0.39	0.20	0.23
mm/s	1.71	0.96	1.01


Extra parameters	
Units	Value
Celsius	26.75

**Date:** 2025-05-31

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.48	0.36	0.77
GE	0.27	0.19	0.46
mm/s	1.06	0.80	0.74

Extra parameters	
Units	Value
Celsius	43.25


**LADO ACOPLAMIENTO**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.62	0.54	0.95
GE	0.35	0.29	0.59
mm/s	1.16	1.05	0.94

Extra parameters	
Units	Value
Celsius	21.25


**EMERGENTCOLD PACIFICO - FP1 - Motor 2**

Date: 2025-05-02

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.03	0.02
GE	0.01	0.02	0.01
mm/s	0.19	0.27	0.15


Extra parameters	
Units	Value
Celsius	20.25

Date: 2025-05-03

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.03	0.02
GE	0.01	0.02	0.01
mm/s	0.19	0.25	0.16


Extra parameters	
Units	Value
Celsius	22.00

Date: 2025-05-04

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.36	0.71	0.25
GE	0.21	0.40	0.12
mm/s	2.87	0.92	1.84


Extra parameters	
Units	Value
Celsius	20.25

**Date:** 2025-05-05

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.36	0.58	0.26
GE	0.20	0.37	0.13
mm/s	2.98	0.77	1.99


Extra parameters	
Units	Value
Celsius	19.00

**Date:** 2025-05-06

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.31	0.46	0.20
GE	0.17	0.27	0.10
mm/s	2.78	0.77	1.82


Extra parameters	
Units	Value
Celsius	20.75

**Date:** 2025-05-07

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.29	0.76	0.23
GE	0.15	0.36	0.11
mm/s	2.81	0.85	1.77


Extra parameters	
Units	Value
Celsius	24.25

**Date:** 2025-05-08

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.25	0.58	0.21
GE	0.12	0.31	0.08
mm/s	2.71	0.82	1.92

**Extra parameters**

Units	Value
Celsius	23.75

**LADO LIBRE**

Horizontal




Units	Horizontal	Vertical	Axial
G	0.25	0.58	0.21
GE	0.12	0.31	0.08
mm/s	2.71	0.82	1.92

**Extra parameters**

Units	Value
Celsius	23.75

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.25	0.58	0.21
GE	0.12	0.31	0.08
mm/s	2.71	0.82	1.92

**Extra parameters**


Units	Value
Celsius	23.75

Date: 2025-05-09

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.29	0.66	0.21
GE	0.14	0.38	0.10
mm/s	2.88	0.90	1.79


Extra parameters	
Units	Value
Celsius	23.25

Date: 2025-05-10

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.29	0.73	0.24
GE	0.15	0.36	0.11
mm/s	2.88	1.01	1.91


Extra parameters	
Units	Value
Celsius	23.25

Date: 2025-05-11

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.30	0.71	0.24
GE	0.15	0.38	0.11
mm/s	3.04	1.01	1.97


Extra parameters	
Units	Value
Celsius	23.25

**Date:** 2025-05-12

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.29	0.67	0.25
GE	0.14	0.40	0.12
mm/s	2.82	0.76	1.88


Extra parameters	
Units	Value
Celsius	23.50

**Date:** 2025-05-13

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.39	0.45	0.21
GE	0.23	0.28	0.10
mm/s	2.87	0.77	1.85


Extra parameters	
Units	Value
Celsius	23.00

**Date:** 2025-05-14

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.28	0.47	0.18
GE	0.14	0.28	0.08
mm/s	2.75	0.86	1.76


Extra parameters	
Units	Value
Celsius	24.00

**Date:** 2025-05-15

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.33	0.60	0.24
GE	0.17	0.34	0.12
mm/s	2.84	0.85	1.77


Extra parameters	
Units	Value
Celsius	22.25

**Date:** 2025-05-16

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.36	0.59	0.21
GE	0.19	0.33	0.10
mm/s	2.77	0.80	1.76


Extra parameters	
Units	Value
Celsius	24.00

**Date:** 2025-05-17

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.32	0.68	0.25
GE	0.18	0.37	0.13
mm/s	2.90	0.87	1.84


Extra parameters	
Units	Value
Celsius	22.50

**Date:** 2025-05-18

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.28	0.67	0.22
GE	0.14	0.37	0.11
mm/s	2.86	0.85	1.90


Extra parameters	
Units	Value
Celsius	19.50

**Date:** 2025-05-19

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.30	0.68	0.24
GE	0.14	0.35	0.11
mm/s	2.98	0.75	1.93


Extra parameters	
Units	Value
Celsius	20.75

**Date:** 2025-05-20

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.69	0.63	0.31
GE	0.42	0.35	0.17
mm/s	3.11	0.92	1.85


Extra parameters	
Units	Value
Celsius	22.75

**Date:** 2025-05-21

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.28	0.72	0.22
GE	0.13	0.42	0.11
mm/s	2.77	0.92	1.75


Extra parameters	
Units	Value
Celsius	24.75

**Date:** 2025-05-22

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.27	0.55	0.25
GE	0.12	0.31	0.12
mm/s	2.80	0.71	1.86


Extra parameters	
Units	Value
Celsius	19.75

**Date:** 2025-05-23

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.45	0.70	0.28
GE	0.25	0.37	0.15
mm/s	2.95	0.76	1.91


Extra parameters	
Units	Value
Celsius	21.50

**Date:** 2025-05-24

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.32	0.59	0.23
GE	0.18	0.36	0.11
mm/s	2.90	0.79	1.83


Extra parameters	
Units	Value
Celsius	17.25

**Date:** 2025-05-26

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Vertical



Units	Horizontal	Vertical	Axial
G	0.02	0.03	0.02
GE	0.01	0.02	0.01
mm/s	0.14	0.24	0.18


Extra parameters	
Units	Value
Celsius	20.75

**Date:** 2025-05-27

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.52	0.66	0.34
GE	0.29	0.40	0.18
mm/s	3.01	0.83	2.02


Extra parameters	
Units	Value
Celsius	20.25

**Date:** 2025-05-28

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.48	0.64	0.29
GE	0.26	0.41	0.15
mm/s	2.98	0.73	1.97


Extra parameters	
Units	Value
Celsius	19.75

**Date:** 2025-05-29

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.40	0.61	0.32
GE	0.22	0.38	0.17
mm/s	3.07	0.83	2.10


Extra parameters	
Units	Value
Celsius	22.75

**Date:** 2025-05-30

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.32	0.43	0.19
GE	0.18	0.27	0.09
mm/s	2.80	0.86	1.85


Extra parameters	
Units	Value
Celsius	22.00

**Date:** 2025-05-31

FFT: Maximum per point - Output mode: mm/s - Freq: CPM - Zoom:50000

**LADO LIBRE**

Horizontal



Units	Horizontal	Vertical	Axial
G	0.63	0.77	0.36
GE	0.41	0.47	0.20
mm/s	3.19	0.94	2.04

Extra parameters	
Units	Value
Celsius	18.50