

# Practical-6

February 11, 2025

## 0.1 Practical 6 :-

**Name:** Sarthak Sanay

**Enrollment No:** 230031101611051

### 0.1.1 Problem Statement 1 :-

**Online Shopping Cart:** Imagine you're developing an online shopping platform. Create a Python program that simulates a user's shopping cart. - Allow the user to add product names and prices to their cart. - Display the current items in the cart. - Allow the user to remove items from the cart. - Calculate the total price and display the total number of items in the cart.

```
[7]: # Approach using list of tuples, where each product name and price is inserted
      ↪ as a tuple into the list cart.

cart = [] # initialize empty list of tuples

while True:

    print("\nSHOPPING CART OPERATIONS :- \n1. Add product to cart. \n2. Display
    ↪ items in cart. \n3. Remove item from cart. \n4. Calculate cart total. \n0.
    ↪ Exit the program.")
    ch = int(input("Enter choice: "))

    if ch == 1:
        product_name = input("\nEnter product name to add: ")
        product_price = float(input("Enter product price: "))
        cart.append((product_name, product_price))
        print(f"{product_name} added to cart successfully!\n")

    elif ch == 2:
        if len(cart) == 0:
            print("\nYour cart is empty!\n")
        else:
            print("\nItems in your cart are :-")
            for item in cart:
                print(f"{item[0]}\t\tRs. {item[1]:.2f}")
            print() # to add a newline
```

```

elif ch == 3:
    product_name = input("\nEnter product name to remove: ")
    product_in_cart = False
    for item in cart:
        if item[0] == product_name:
            product_in_cart = True
            cart.remove(item)
            # break # to remove only first occurrence of the product
    if product_in_cart:
        print(f"{product_name} removed from cart!\n")
    else:
        print(f"{product_name} does not exist in the cart!\n")

elif ch == 4:
    total_price = 0
    for item in cart:
        total_price += item[1]
    print("\nTotal no. of items in cart:\t", len(cart))
    print(f"Total price of items in cart:\t Rs. {total_price:.2f}\n")

elif ch == 0:
    print("\nExited the program successfully!")
    break

else:
    print("\nEnter correct choice.\n")

```

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.
0. Exit the program.

Enter choice: 1

Enter product name to add: iPhone 16

Enter product price: 79900

iPhone 16 added to cart successfully!

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.

0. Exit the program.

Enter choice: 1

Enter product name to add: Apple AirPods

Enter product price: 12900

Apple AirPods added to cart successfully!

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.
0. Exit the program.

Enter choice: 1

Enter product name to add: Apple Watch

Enter product price: 29900

Apple Watch added to cart successfully!

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.
0. Exit the program.

Enter choice: 2

Items in your cart are :-

iPhone 16	Rs. 79900.00
Apple AirPods	Rs. 12900.00
Apple Watch	Rs. 29900.00

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.
0. Exit the program.

Enter choice: 4

Total no. of items in cart: 3

Total price of items in cart:      Rs. 122700.00

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.
0. Exit the program.

Enter choice: 3

Enter product name to remove: Apple Watch

Apple Watch removed from cart!

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.
0. Exit the program.

Enter choice: 2

Items in your cart are :-

iPhone 16	Rs. 79900.00
Apple AirPods	Rs. 12900.00

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.
0. Exit the program.

Enter choice: 4

Total no. of items in cart:      2  
Total price of items in cart:      Rs. 92800.00

SHOPPING CART OPERATIONS :-

1. Add product to cart.
2. Display items in cart.
3. Remove item from cart.
4. Calculate cart total.

0. Exit the program.

Enter choice: 0

Exited the program successfully!

### 0.1.2 Problem Statement 2 :-

**Student Grade Analyzer:** As a teacher, you have a list of student names and scores (out of 100) for a test. - Write a Python program that calculates the average score and identifies students who scored above the average.

```
[12]: # list of tuples containing student_name and student_marks as tuple pair
list = [("Sarthak Sanay", 89),
        ("Arnav Singh", 75),
        ("Kunal Mishra", 65),
        ("Rahul Singal", 52),
        ("Abhishek Tripathi", 94),
        ("Hardik Sharma", 44),
        ("Arjun Kumar", 33),
        ("Aman Yadav", 86),
        ("Vaibhav Raj", 96),
        ("Harsh Rathore", 88)]

# to find average marks of students
total = 0
for marks in list:
    total += marks[1]
average_marks = total / len(list)

# printing names of students who have scored above the average marks
print("Average marks:", average_marks)
print(f"\nStudents who have scored above {average_marks} are :-\n")
for student in list:
    if student[1] > average_marks:
        print(student[0])
```

Average marks: 72.2

Students who have scored above 72.2 are :-

Sarthak Sanay  
Arnav Singh  
Abhishek Tripathi  
Aman Yadav  
Vaibhav Raj  
Harsh Rathore

### 0.1.3 Problem Statement 3 :-

**Temperature Converter:** You're building a weather app. Create a Python program that converts temperatures between Celsius and Fahrenheit. - Prompt the user to enter a temperature value and a unit (C or F). - Calculate and display the converted temperature. - Example: If the user enters 32 C, the program should output 89.6 F.

```
[1]: print("TEMPERATURE CONVERTER :- \nEnter 'EXIT' to terminate the program.\n")

while True:
    user_temp = input("Enter temperature value and a unit (C or F): ")

    if user_temp == "EXIT":
        print("\nExited the program successfully!")
        break

    temperature = float(user_temp[:user_temp.find(" ")])
    unit = user_temp[(user_temp.find(" ") + 1): ]
    unit = unit.upper()

    if unit == 'C':
        temp_fahr = (temperature * (9/5)) + 32
        print(f"Temperature in Fahrenheit: {temp_fahr:.2f} F\n")

    elif unit == 'F':
        temp_cel = (temperature - 32) * (5/9)
        print(f"Temperature in Celsius: {temp_cel:.2f} C\n")

    else:
        print("Enter correct unit for temperature.\n")
```

TEMPERATURE CONVERTER :-

Enter 'EXIT' to terminate the program.

Enter temperature value and a unit (C or F): 24 C

Temperature in Fahrenheit: 75.20 F

Enter temperature value and a unit (C or F): 31 C

Temperature in Fahrenheit: 87.80 F

Enter temperature value and a unit (C or F): 33 F

Temperature in Celsius: 0.56 C

Enter temperature value and a unit (C or F): 20 F

Temperature in Celsius: -6.67 C

Enter temperature value and a unit (C or F): EXIT

Exited the program successfully!

#### 0.1.4 Problem Statement 4 :-

**Vowel Counter:** You're developing a text analysis tool. Write a Python program that reads a sentence from the user. - Count the number of vowels (a, e, i, o, u) in the sentence. - Display the total count of each vowel.

```
[2]: print("Text Analysis Tool :-\n")

sentence = input("Enter a sentence: ")
sentence = sentence.upper()

# dictionary having key-value pair with vowels as keys, and the values being
# each of their specific count
vowels = {'A':0, 'E':0, 'I':0, 'O':0, 'U':0}

# checks if a char in the str is vowel, and increments the particular vowel
# accordingly where required
for char in sentence:
    if char in vowels:
        vowels[char] += 1

# to print the total no. of vowels as well as the count of each vowel
print("\nCount of each vowel is as follows:-")
total_vowels = 0
for vowel, count in vowels.items():
    print(f"{vowel}: {count}")
    total_vowels += count
print("\nTotal count of vowels in the sentence:", total_vowels)
```

Text Analysis Tool :-

Enter a sentence: The quick brown fox jumps over the lazy dog

Count of each vowel is as follows:-

A: 1  
E: 3  
I: 1  
O: 4  
U: 2

Total count of vowels in the sentence: 11

### 0.1.5 Problem Statement 5 :-

**Bookstore Inventory:** As a bookstore manager, you create a list of book titles and their corresponding quantities in stock. - Write a Python program that asks if the user is a manager or a normal user. - Then allow the manager to create and update the list of books. - Allow other users to search for a book title and check its availability. - Prompt the user to enter a book title. - If the book is in stock, display the quantity available; otherwise, show an appropriate message.

```
[2]: # Approach using two lists (one to maintain the book titles, and the other one
    ↪to maintain the corresponding quantities)

print("BOOKSTORE INVENTORY :- \nEnter 'EXIT' to terminate the program.\n")

# added few books as example
book_titles = ["Harry Potter", "Famous Five", "Merchant of Venice"]
book_quantity = [12, 5, 3]

while True:
    user_type = input("Enter M for 'Manager' or U for 'User' \nEnter choice: ")
    user_type = user_type.upper()

    if user_type == 'M':
        ch = int(input("Enter 1 to add a new book. \nEnter 2 to remove a book.
    ↪\nEnter 3 to update quantity. \nEnter choice: "))

        if ch == 1:
            book_add = input("\nEnter book title: ")
            quantity_add = int(input("Enter quantity: "))
            book_titles.append(book_add)
            book_quantity.append(quantity_add)
            print(f"Book '{book_add}' with {quantity_add} quantity successfully
    ↪added to inventory.\n")

        elif ch == 2:
            book_remove = input("\nEnter book title: ")
            book_found = False
            for index, book in enumerate(book_titles):
                if book == book_remove:
                    book_titles.remove(book_remove)
                    book_quantity.pop(index)
                    book_found = True
                    break
            if book_found:
                print(f"Book '{book_remove}' removed from inventory!\n")
            else:
                print(f"Book '{book_remove}' not found in inventory!\n")
```



```

elif ch == 3:
    book_update = input("\nEnter book title: ")
    book_found = False
    for index, book in enumerate(book_titles):
        if book == book_update:
            quantity_update = int(input("Enter new quantity value: "))
            book_quantity[index] = quantity_update
            book_found = True
            break
    if book_found:
        print(f"Quantity of book '{book_update}' updated successfully!\n")
    else:
        print(f"Book '{book_update}' not found in inventory!\n")

else:
    print("\nEnter correct choice.\n")

elif user_type == 'U':
    book_user = input("\nEnter a book title: ")
    book_found = False
    for index, book in enumerate(book_titles):
        if book == book_user:
            print(f"Book '{book_user}' is available in the inventory!")
            print(f"Quantity: {book_quantity[index]}\n")
            book_found = True
            break
    if book_found == False:
        print(f"Book '{book_user}' is not available in the inventory!\n")

elif user_type == "EXIT":
    print("\nExited the program successfully!")
    break

else:
    print("\nEnter correct choice.\n")
    continue

```

BOOKSTORE INVENTORY :-

Enter 'EXIT' to terminate the program.

Enter M for 'Manager' or U for 'User'

Enter choice: M

Enter 1 to add a new book.

Enter 2 to remove a book.  
Enter 3 to update quantity.  
Enter choice: 1

Enter book title: Oliver Twist  
Enter quantity: 4

Book 'Oliver Twist' with 4 quantity successfully added to inventory.

Enter M for 'Manager' or U for 'User'  
Enter choice: M  
Enter 1 to add a new book.  
Enter 2 to remove a book.  
Enter 3 to update quantity.  
Enter choice: 1

Enter book title: Wings of Fire  
Enter quantity: 8

Book 'Wings of Fire' with 8 quantity successfully added to inventory.

Enter M for 'Manager' or U for 'User'  
Enter choice: U

Enter a book title: Oliver Twist  
Book 'Oliver Twist' is available in the inventory!  
Quantity: 4

Enter M for 'Manager' or U for 'User'  
Enter choice: M  
Enter 1 to add a new book.  
Enter 2 to remove a book.  
Enter 3 to update quantity.  
Enter choice: 3

Enter book title: Oliver Twist  
Enter new quantity value: 10  
Quantity of book 'Oliver Twist' updated successfully!

Enter M for 'Manager' or U for 'User'  
Enter choice: U

Enter a book title: Oliver Twist  
Book 'Oliver Twist' is available in the inventory!  
Quantity: 10

Enter M for 'Manager' or U for 'User'

Enter choice: M

Enter 1 to add a new book.

Enter 2 to remove a book.

Enter 3 to update quantity.

Enter choice: 2

Enter book title: Oliver Twist

Book 'Oliver Twist' removed from inventory!

Enter M for 'Manager' or U for 'User'

Enter choice: U

Enter a book title: Oliver Twist

Book 'Oliver Twist' is not available in the inventory!

Enter M for 'Manager' or U for 'User'

Enter choice: Wings of Fire

Enter correct choice.

Enter M for 'Manager' or U for 'User'

Enter choice: U

Enter a book title: Wings of Fire

Book 'Wings of Fire' is available in the inventory!

Quantity: 8

Enter M for 'Manager' or U for 'User'

Enter choice: EXIT

Exited the program successfully!