



Search...

Get 90% Refund

Courses

Tutorials

Practice

Jobs

Problem

Editorial

Submissions

Comments

Output Window

Compilation Results

Custom Input

Y.O.G.I. (AI Bot)

Problem Solved Successfully

Suggest Feedback

Test Cases Passed

1111 / 1111

Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored

2 / 2

Time Taken

0.28

Your Total Score: 52

Solve Next

Java (21)

Start Timer

```
1 class Solution {
2     // Function to partition the array around the range such
3     // that array is divided into three parts.
4     public void threeWayPartition(int arr[], int a, int b) {
5         // code here
6         Arrays.sort(arr);
7     }
8 }
```

Custom Input

Compile & Run

Submit

19°C

Search

ENG

17:38

geeksforgeeks.org/problems/minimum-swaps-required-to-bring-all-elements-less-than-or-equal-to-k-together4847/1

Get 90% Refund

Courses ▼

Tutorials ▼

Practice ▼

Jobs ▼

Search...

zA

S

Problem

Editorial

Submissions

Comments

Output Window

—

×

Compilation Results

Custom Input

Y.O.G.I. (AI Bot)

Problem Solved Successfully ✓

Suggest Feedback

Test Cases Passed

1112 / 1112

Attempts : Correct / Total

1 / 1

Accuracy : 100%

Points Scored ⓘ

4 / 4

Your Total Score: 56 ↑

Time Taken

0.44

Solve Next

Custom Input

Compile & Run

Submit

Java (21)

Start Timer

```
1 class Solution {
2     int minSwap(int[] arr, int k) {
3         int good = 0;
4         for (int x : arr)
5             if (x <= k) good++;
6
7         int bad = 0;
8         for (int i = 0; i < good; i++)
9             if (arr[i] > k) bad++;
10
11        int ans = bad;
12        for (int i = 0, j = good; j < arr.length; i++, j++) {
13            if (arr[i] > k) bad--;
14            if (arr[j] > k) bad++;
15            ans = Math.min(ans, bad);
16        }
17        return ans;
18    }
19 }
20
```