

Game of Thrones - I



Problem	Submissions	Leaderboard	Discussions	Editorial 🔒	Topics

Dothraki are planning an attack to usurp King Robert's throne. King Robert learns of this conspiracy from Raven and plans to lock the single door through which the enemy can enter his kingdom.



But, to lock the door he needs a key that is an anagram of a certain palindrome string.

The king has a string composed of lowercase English letters. Help him figure out whether any anagram of the string can be a palindrome or not.

Input Format

A single line which contains the input string.

Constraints

 $1 \le length \ of \ string \le 10^5$

Each character of the string is a lowercase English letter.

Output Format

A single line which contains YES or NO in uppercase.

Sample Input: 01

Sample Output: 01

YES

Explanation
A palindrome permutation of the given string is bbaaabb.

Sample Input: 02

cdefghmnopqrstuvw

Sample Output: 02

NO

Explanation

You can verify that the given string has no palindrome permutation.

Sample Input: 03

cdcdcdcdeeeef

Sample Output: 03

YES

Explanation

A palindrome permutation of the given string is $\emph{ddcceef} eeccdd.$

Loading [MathJax]/jax/output/HTML-CSS/jax.js

1 of 2 27-04-2016 09:13 PM

Related Topics
Palindrome

```
Dictionary
                                                                                                                                                Anagram
                                                                                                                                                Submissions: 37166
                                                                                                                                                 Max Score: 30
                                                                                                                                                Difficulty: Easy
                                                                                                                                                More
                                                                                                                          Java 7
  Current Buffer (saved locally, editable) & 49
                                                                                                                                                                Ø
 1 vimport java.io.*;
 2 import java.util.*;
 3 import java.text.*;
    import java.math.*;
 5 import java.util.regex.*;
 7 ▼public class Solution {
 8
 9 ₹
          public static void main(String[] args) {
10
               Scanner myScan = new Scanner(System.in);
               String inputString = myScan.nextLine();
11
12
13
               String ans;
14
               // \ {\tt Assign} \ {\tt ans} \ {\tt a} \ {\tt value} \ {\tt of} \ {\tt YES} \ {\tt or} \ {\tt NO}, \ {\tt depending} \ {\tt on} \ {\tt whether} \ {\tt or} \ {\tt not} \ {\tt inputString} \ {\tt satisfies} \ {\tt the} \ {\tt required} \ {\tt condition}
15
               {\tt System.out.println(ans);}
16
               myScan.close();
17
18 }
19
                                                                                                                                                     Line: 1 Col: 1
                            ☐ Test against custom input
                                                                                                                                                       Submit Code
                                                                                                                                       Run Code
1 Upload Code as File
                                                                 Copyright © 2016 HackerRank. All Rights Reserved
```

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature

Loading [MathJax]/jax/output/HTML-CSS/jax.js

2 of 2 27-04-2016 09:13 PM