

IPPR Assignments for Practice

IT Practices

*Note: Students are expected to demonstrate the results of the following.
Supporting theoretical concepts are expected during the execution.*

- 1) Write a code for obtaining negative of the image.
Input: Gray scale 8 bit image
Expected output: Gray scale 8 bit image

- 2) Write a code for obtaining negative of the image.
Input: 24 bit color image
Expected output: 24 bit color image

- 3) Write a code for obtaining CMY equivalent of the image
Input: 24 bit RGB image
Expected output: 24 bit CMY image

- 4) Write a code for obtaining edge detection of the Image using Sobel operator
Input: 24 bit RGB image
Expected Output: Segmented Image

- 5) Write a code for obtaining edge detection of the Image using Prewitt operator
Input: 24 bit RGB image
Expected Output: Segmented Image

- 6) Write a code for obtaining edge detection of the Image using Canny operator
Input: 24 bit RGB image
Expected Output: Segmented Image
- 7) Write a code for obtaining histogram of the image
Input: 24 bit RGB image
Expected Output: Three separate histograms for individual RGB channels
- 8) Write a code for demonstrating histogram equalization in the image
Input: 24 bit RGB image
Expected Output:
i) 24 bit RGB Equalized image
ii) Original image histogram and equalized histogram
- 9) Write a code for demonstrating Image transformation: Scaling
Input: 24 bit RGB image
Expected Output:
i) 24 bit RGB image scaled by factor 2
ii) 24 bit RGB image scaled by factor 0.5
- 10) Write a code for demonstrating Image transformation: Translation
Input: 24 bit RGB image
Expected Output:
i) 24 bit RGB image shifted to right by 20 units
ii) 24 bit RGB image shifted to downwards by 10 units

- 11) Write a code for demonstrating Image transformation: Rotation
Input: 24 bit RGB image
Expected Output:
i) 24 bit RGB image rotated clockwise by 90 degree
ii) 24 bit RGB image rotated anti-clockwise by 90 degree
- 12) Write a code for demonstrating Image Compression. Apply Jpeg compression with suitable factor. Display Original Image and Decompressed Image
Input: 24 bit RGB image
Expected Output: PSNR value comparing Original Image and Decompressed Image
- 13) Write a code for demonstrating Image Transformation from spatial domain into frequency domain. Apply DCT transformation. Display Original Image and Image retrieved after inverse (IDCT) transform
Input: 24 bit RGB image
Expected Output: PSNR value comparing Original Image and IDCT Image
- 14) Write a code for demonstrating Image Transformation from spatial domain into frequency domain. Apply DWT transformation. Display Original Image and Image retrieved after inverse (IDWT) transform
Input: 24 bit RGB image
Expected Output: PSNR value comparing Original Image and IDWT Image
- 15) Write a code for applying threshold in the image.
Input: Gray scale 8 bit image and Threshold Value
Expected output: Binary Image after applying threshold

- 16) Write a code for demonstrating Image Normalization.
Input: 24 bit RGB image
Expected output: Normalized 24 bit RGB image
- 17) Write a code for demonstrating Intensity slicing in the Image.
Apply Gray-level slicing:- Highlighting specific range of intensity values.
Input: Gray scale 8 bit image
Expected output: Gray scale 8 bit image
i) With preserving the background
ii) With Non-preserving the background
- 18) Write a code for demonstrating Image arithmetic
Input: Two Gray scale 8 bit images
Expected output: Gray scale 8 bit image by applying
i) Addition of two Images
ii) Subtraction of two Images
- 19) Write a code for demonstrating Image arithmetic. Enhance any one color channel by multiplying enhancement factor.
Input: 24 bit RGB image
Expected output: 24 bit RGB Enhanced image
- 20) Write a code for demonstrating Image smoothening/Low pass filtering.
Input: 24 bit RGB Noisy image
Expected output: 24 bit RGB smooth image
-