

ARG Report

root

November 23, 2021

This document was generated on 2021-11-23, 15:35:22 with the Automatic Report Generator (ARG) version "develop" on the Linux system `runner-j1aldqxs-project-18732201-concurrent-0`.

Contents

1	Geometry	7
1.1	Geometry Files	7
1.2	CAD metadata	18
2	ExodusII Mesh	21
2.1	Overview	21
2.2	Mesh Blocks	22

List of Figures

1.1	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of box_shell.stl .	8
1.2	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of case.stl .	9
1.3	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of crusher.stl .	10
1.4	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of duct.stl .	11
1.5	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of foam.stl .	12
1.6	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of lid.stl .	13
1.7	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of plug.stl .	14
1.8	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of post.stl .	15
1.9	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of target.stl .	16
1.10	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of weld.stl .	17
2.1	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of crush_assembly.g .	23
2.2	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 1 .	24
2.3	Histogram of scaled Jacobian element quality in block case .	25
2.4	Histogram of shape element quality in block case .	25
2.5	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 2 .	26
2.6	Histogram of scaled Jacobian element quality in block duct .	27
2.7	Histogram of shape element quality in block duct .	27
2.8	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 3 .	28
2.9	Histogram of scaled Jacobian element quality in block plug .	29
2.10	Histogram of shape element quality in block plug .	29
2.11	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 4 .	30
2.12	Histogram of scaled Jacobian element quality in block box_shell .	31

2.13	Histogram of shape element quality in block box_shell	31
2.14	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 5	32
2.15	Histogram of scaled Jacobian element quality in block lid	33
2.16	Histogram of shape element quality in block lid	33
2.17	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 6	34
2.18	Histogram of scaled Jacobian element quality in block weld	35
2.19	Histogram of shape element quality in block weld	35
2.20	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 7	36
2.21	Histogram of scaled Jacobian element quality in block post	37
2.22	Histogram of shape element quality in block post	37
2.23	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 8	38
2.24	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 9	40
2.25	Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 10	42
2.26	Histogram of scaled Jacobian element quality in block foam	43
2.27	Histogram of shape element quality in block foam	43

List of Tables

1.1	CAD metadata for part <code>box_shell</code> .	18
1.2	CAD metadata for part <code>case</code> .	18
1.3	CAD metadata for part <code>post</code> .	18
1.4	CAD metadata for part <code>foam</code> .	18
1.5	CAD metadata for part <code>target</code> .	19
1.6	CAD metadata for part <code>duct</code> .	19
1.7	CAD metadata for part <code>plug</code> .	19
1.8	CAD metadata for part <code>lid</code> .	19
1.9	CAD metadata for part <code>weld</code> .	19
1.10	CAD metadata for part <code>crusher</code> .	20
2.1	Topological properties of <code>crush_assembly.g</code>	21
2.2	Element blocks of <code>crush_assembly.g</code>	21
2.3	Node sets of <code>crush_assembly.g</code>	22
2.4	Side sets of <code>crush_assembly.g</code>	22
2.5	Properties of block <code>case</code> .	24
2.6	Element quality statistics of block <code>case</code> .	25
2.7	Properties of block <code>duct</code> .	26
2.8	Element quality statistics of block <code>duct</code> .	27
2.9	Properties of block <code>plug</code> .	28
2.10	Element quality statistics of block <code>plug</code> .	29
2.11	Properties of block <code>box_shell</code> .	30
2.12	Element quality statistics of block <code>box_shell</code> .	31
2.13	Properties of block <code>lid</code> .	32
2.14	Element quality statistics of block <code>lid</code> .	33
2.15	Properties of block <code>weld</code> .	34
2.16	Element quality statistics of block <code>weld</code> .	35
2.17	Properties of block <code>post</code> .	36
2.18	Element quality statistics of block <code>post</code> .	37
2.19	Properties of block <code>target</code> .	38
2.20	Element quality statistics of block <code>target</code> .	39
2.21	Properties of block <code>crusher</code> .	40
2.22	Element quality statistics of block <code>crusher</code> .	41
2.23	Properties of block <code>foam</code> .	42
2.24	Element quality statistics of block <code>foam</code> .	43

Introduction

The structure of this report was built by the Explorator component of ARG, which explored the following directory:

`/builds/AutomaticReportGenerator/arg/tests/build_tests/crush/data`

and discovered the following relevant data:

- ExodusII mesh in `crush_assembly.g`

Chapter 1

Geometry

This chapter describes the geometry as specified in the parameters file.

The term Electronic Product Definition (EPD) is also often used to denote the CAD geometry of the case.

1.1 Geometry Files

This section provides an overview of the geometry files found in:

`/builds/AutomaticReportGenerator/arg/tests/build_tests/crush/data/Interface`

We note that this is a particular case with a bijection between CAD and FEM items.




Figure 1.1: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `box_shell.stl`.




Figure 1.2: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `case.stl`.




Figure 1.3: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `crusher.stl`.




Figure 1.4: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of duct.stl.




Figure 1.5: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `foam.stl`.




Figure 1.6: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `lid.stl`.




Figure 1.7: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `plug.stl`.




Figure 1.8: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `post.stl`.




Figure 1.9: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `target.stl`.




Figure 1.10: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `weld.stl`.

1.2 CAD metadata

This section describes the CAD metadata found in:

/builds/AutomaticReportGenerator/arg/tests/build_tests/crush/data/Interface

CAD parameter	parameter value
DWG_TITLE1	
UNITS	INCH
MATERIAL	material_1

Table 1.1: CAD metadata for part box_shell.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	INCH
MATERIAL	material_3

Table 1.2: CAD metadata for part case.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	
MATERIAL	

Table 1.3: CAD metadata for part post.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	INCH
MATERIAL	material_5

Table 1.4: CAD metadata for part foam.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	INCH
MATERIAL	material_2

Table 1.5: CAD metadata for part target.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	
MATERIAL	

Table 1.6: CAD metadata for part duct.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	
MATERIAL	

Table 1.7: CAD metadata for part plug.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	
MATERIAL	

Table 1.8: CAD metadata for part lid.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	
MATERIAL	

Table 1.9: CAD metadata for part weld.

CAD parameter	parameter value
DWG_TITLE1	
UNITS	INCH
MATERIAL	material_4

Table 1.10: CAD metadata for part crusher.

Chapter 2

ExodusII Mesh

This chapter describes the ExodusII mesh in:

`/builds/AutomaticReportGenerator/arg/tests/build_tests/crush/data/crush_assembly.g`

2.1 Overview

This section provides an overview of the meta-data and global properties of this ExodusII mesh.

item	number
Exodus II files	1
element blocks	10
elements	994848
node sets	2
nodes	1141300
side sets	8

Table 2.1: Topological properties of `crush_assembly.g`

block ID	block name
1	case
2	duct
3	plug
4	box_shell
5	lid
6	weld
7	post
8	target
9	crusher
10	foam

Table 2.2: Element blocks of `crush_assembly.g`

node set ID	node set name
1	z_symmetry_nodeset
2	target_bottom_nodeset

Table 2.3: Node sets of `crush_assembly.g`

side set ID	side set name
1	crusher_sideset
2	case_outer_sideset
3	case_inner_sideset
4	foam_outer_sideset
5	foam_inner_sideset
6	box_shell_outer_sideset
7	interface_case_sideset
8	interface_plug_sideset

Table 2.4: Side sets of `crush_assembly.g`

2.2 Mesh Blocks

This section provides a description of all blocks contained in the mesh.




Figure 2.1: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of `crush_assembly.g`.

Block 1 (case) summary




Figure 2.2: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 1.

property	value
number of nodes	163818
number of elements	143240
type of first element in block	HEX8

Table 2.5: Properties of block case.

Block 1 (**case**) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.4061	0.9816	1	0.04298	0.04379
shape	0.5047	0.8758	0.9999	0.05902	0.06739

Table 2.6: Element quality statistics of block **case**.




Figure 2.3: Histogram of scaled Jacobian element quality in block **case**.




Figure 2.4: Histogram of shape element quality in block **case**.

Block 2 (duct) summary




Figure 2.5: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 2.

property	value
number of nodes	378701
number of elements	327424
type of first element in block	HEX8

Table 2.7: Properties of block duct.

Block 2 (**duct**) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.8379	0.9732	1	0.0309	0.03175
shape	0.8821	0.9745	0.9998	0.02051	0.02105

Table 2.8: Element quality statistics of block **duct**.




Figure 2.6: Histogram of scaled Jacobian element quality in block **duct**.




Figure 2.7: Histogram of shape element quality in block **duct**.

Block 3 (plug) summary




Figure 2.8: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 3.

property	value
number of nodes	3036
number of elements	2222
type of first element in block	HEX8

Table 2.9: Properties of block `plug`.

Block 3 (plug) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.9818	0.9947	0.9974	0.003746	0.003766
shape	0.8666	0.9496	0.9957	0.03586	0.03776

Table 2.10: Element quality statistics of block `plug`.




Figure 2.9: Histogram of scaled Jacobian element quality in block `plug`.




Figure 2.10: Histogram of shape element quality in block `plug`.

Block 4 (box_shell) summary




Figure 2.11: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 4.

property	value
number of nodes	278453
number of elements	238000
type of first element in block	HEX8

Table 2.11: Properties of block box_shell.

Block 4 (`box_shell`) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.6088	0.9951	1	0.01345	0.01352
shape	0.6524	0.9931	0.9998	0.0164	0.01652

Table 2.12: Element quality statistics of block `box_shell`.




Figure 2.12: Histogram of scaled Jacobian element quality in block `box_shell`.




Figure 2.13: Histogram of shape element quality in block `box_shell`.

Block 5 (lid) summary




Figure 2.14: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 5.

property	value
number of nodes	52563
number of elements	43986
type of first element in block	HEX8

Table 2.13: Properties of block 1id.

Block 5 (1id) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.7408	0.996	1	0.02035	0.02043
shape	0.7275	0.9933	0.9999	0.02438	0.02455

Table 2.14: Element quality statistics of block 1id.




Figure 2.15: Histogram of scaled Jacobian element quality in block 1id.




Figure 2.16: Histogram of shape element quality in block 1id.

Block 6 (weld) summary




Figure 2.17: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 6.

property	value
number of nodes	30699
number of elements	24256
type of first element in block	HEX8

Table 2.15: Properties of block `weld`.

Block 6 (`weld`) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.3748	0.9057	0.9999	0.1082	0.1194
shape	0.4939	0.9138	0.9917	0.08219	0.08994

Table 2.16: Element quality statistics of block `weld`.




Figure 2.18: Histogram of scaled Jacobian element quality in block `weld`.




Figure 2.19: Histogram of shape element quality in block `weld`.

Block 7 (post) summary




Figure 2.20: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 7.

property	value
number of nodes	24928
number of elements	20864
type of first element in block	HEX8

Table 2.17: Properties of block `post`.

Block 7 (**post**) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.7522	0.9528	0.9995	0.05798	0.06086
shape	0.7608	0.951	0.9988	0.05655	0.05947

Table 2.18: Element quality statistics of block **post**.




Figure 2.21: Histogram of scaled Jacobian element quality in block **post**.




Figure 2.22: Histogram of shape element quality in block **post**.

Block 8 (**target**) summary




Figure 2.23: Perspective (top left) and parallel (top right: **XY**; bottom left: **YZ**; bottom right: **XZ**) rendering of block 8.

property	value
number of nodes	4218
number of elements	3240
type of first element in block	HEX8

Table 2.19: Properties of block **target**.

Block 8 (**target**) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	1	1	1	0	0
shape	1	1	1	0	0

Table 2.20: Element quality statistics of block **target**.

Histogram of scaled Jacobian element quality in block **target** is too narrow to be inserted (coefficient of variation: $0.0 < 0.001$).

Histogram of shape element quality in block **target** is too narrow to be inserted (coefficient of variation: $0.0 < 0.001$).

Block 9 (crusher) summary




Figure 2.24: Perspective (top left) and parallel (top right: XY ; bottom left: YZ ; bottom right: XZ) rendering of block 9.

property	value
number of nodes	4218
number of elements	3240
type of first element in block	HEX8

Table 2.21: Properties of block crusher.

Block 9 (**crusher**) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	1	1	1	0	0
shape	1	1	1	0	0

Table 2.22: Element quality statistics of block **crusher**.

Histogram of scaled Jacobian element quality in block **crusher** is too narrow to be inserted (coefficient of variation: $0.0 < 0.001$).

Histogram of shape element quality in block **crusher** is too narrow to be inserted (coefficient of variation: $0.0 < 0.001$).

Block 10 (foam) summary




Figure 2.25: Perspective (top left) and parallel (top right: **XY**; bottom left: **YZ**; bottom right: **XZ**) rendering of block 10.

property	value
number of nodes	200666
number of elements	188376
type of first element in block	HEX8

Table 2.23: Properties of block foam.

Block 10 (foam) element quality

\mathcal{Q}	$\min(\mathcal{Q})$	$\mu(\mathcal{Q})$	$\max(\mathcal{Q})$	$\sigma(\mathcal{Q})$	$\sigma/\mu(\mathcal{Q})$
scaled Jacobian	0.6998	0.9903	1	0.03133	0.03164
shape	0.7526	0.9884	1	0.03306	0.03344

Table 2.24: Element quality statistics of block **foam**.




Figure 2.26: Histogram of scaled Jacobian element quality in block **foam**.




Figure 2.27: Histogram of shape element quality in block **foam**.