

```

In[45]:= (*-----*)
(*----- Sandipan Dey, UMBC CSEE -----*)
(*----- The Source Code for HW 1.5 -----*)
(*----- Functions -----*)
1. ComputeOrthonormalEigenSpaces
2. ComputeProjectors
3. ComputeProbStates
4. ShowOutputTables
5. MeasureQuantumSystem
-----*)

(* ComputeOrthonormalEigenSpaces: Computes the Orthonormal EigenSpaces *)
(* Inputs  $\Rightarrow \Omega$ : The Observable *)
(* Output  $\Rightarrow$  EigenValues, EigenVectros and the Dimensions of the EigenSpaces *)
ComputeOrthonormalEigenSpaces[ $\Omega$ ] := Module[{n, A, V, Ao, Vo, i},
  n = Dimensions[ $\Omega$ ][[1]]; (* $\Omega$  Square Matrix*)
  {A, V} = Eigensystem[ $\Omega$ ]; (*Find EigenValues and Orthogonal EigenVectors*)
  (*Construct Orthonormal EigenKets in the respective EigenSpaces*)
  Clear[Ao]; Do[Ao[A[[i]]] = A[[i]], {i, n}];
  Clear[Vo]; Do[Vo[A[[i]]] = {}, {i, n}]; Do[Vo[A[[i]]] = Append[Vo[A[[i]]], V[[i]], {i, n}];
  Do[If[Dimensions[Vo[A[[i]]]][[1]] == 1, Vo[A[[i]]] = {Normalize[Vo[A[[i]]][[1]]], Vo[A[[i]]] = Orthogonalize[Vo[A[[i]]], {i, n}];
  A = DownValues[Ao][[All, 2]]; V = DownValues[Vo][[All, 2]]; n = Dimensions[A][[1]]; (*Dimension of Eigen Space*)
  {A, V, n}
];

(* ComputeProjectors: Computes the Projectors *)
(* Inputs  $\Rightarrow$  V: EigenSpace buckets containing orthonormal eigenvectors, n: Dimension of the EigenSpace *)
(* Output  $\Rightarrow$  n Projectors *)
ComputeProjectors[V, n] := Module[{P, pVerify, oVerify, i, j},
  pVerify = oVerify = True;
  P = Table[0, {i, n}, {j, 1}];
  Do[{m, p} = Dimensions[V[[i]]]; P[[i]] = Table[0, {r, p}, {c, p}];
  Do[ket = {V[[i]][[j]]}^T; brow = ket; Pr = ket.brow; If[Pr.Pr != Pr, pVerify = False, ]; P[[i]] = P[[i]] + Pr, {j, m}, {i, n}];
  ZeroMatrix = Table[0, {i, p}, {j, p}]; Do[Do[If[P[[i]].P[[j]] != ZeroMatrix and i != j, oVerify = False, ], {i, n}, {j, n}]; (*Verify Kronecker*)
  {P, pVerify}
];

(* ComputeProbStates: Computes the Probabilities and the States *)
(* Inputs  $\Rightarrow$  P: n Projectors,  $\rho$ : Density Operator, n: Dimension of the EigenSpace *)
(* Output  $\Rightarrow$  n Probabilities and the States *)
ComputeProbStates[P,  $\rho$ , n] := Module[{prob, state, i},
  prob = Table[Expand[Tr[P[[i]]. $\rho$ ]], {i, n}]; (*Probabilities*)
  state = Table[Map[Simplify, Expand[P[[i]]. $\rho$ .P[[i]] / Tr[P[[i]]. $\rho$ ]], {i, n}]; (*States*)
  {prob, state}
];

```

```

(* ShowOutputTables: Shows the Output Tables *)
(* Inputs  $\Rightarrow$  Q: The Observable, A: EigenValues, V: EigenSpace buckets containing orthonormal eigenvectors, P: Projectors,  $\rho$ : The Density Operator,
    prob: Probabilities, state: States, n: Dimension of the EigenSpace *)
(* Output  $\Rightarrow$  None *)
ShowOutputTables[Q_,  $\rho$ _, A_, V_, P_, prob_, state_, n_, pVerify_, si_, sv_, so_] := Module[{inputTable, verifyTable, outputTable, i, j, k},
    inputTable = Table[Switch[i, 1, Switch[j, 1, "Observable", 2, "Density Operator", 3, "Trace( $\rho \cdot \rho$ )",
        2, Switch[j, 1, MatrixForm[Q], 2, MatrixForm[ $\rho$ ], 3, Tr[ $\rho \cdot \rho$ ]],
        3, Switch[j, 1, "", 2, "", 3, If[Tr[ $\rho \cdot \rho$ ]  $\neq$  1, "Mixed ensemble", "Pure ensemble"]]],
        {i, 3}, {j, 3}];
    verifyTable = Table[If[k == 1, Switch[j, 1, " $\Sigma P = I$ ", 2, " $\Sigma \lambda P = Q$ ", 3, " $P_i \cdot P_i = P_i$ ", 4, " $\Sigma p = 1$ ", 5, " $P_i \cdot P_j = 0, i \neq j$ "],
        Switch[j, 1, Sum[P[[i]], {i, n}] == IdentityMatrix[p],
            2, Sum[A[[i]] * P[[i]], {i, n}] == Q,
            3, pVerify,
            4, If[Sum[prob[[i]], {i, n}] == 1, True, False],
            5, True]],
        {k, 2}, {j, 5}];
    outputTable = Table[If[i == 0, Switch[j, 1, "EigenValue", 2, "EigenSpace", 3, "Projector", 4, "Probability", 5, "State"],
        Switch[j, 1, A[[i]], 2, MatrixForm[V[[i]]^T], 3, MatrixForm[P[[i]]], 4, prob[[i]], 5, MatrixForm[state[[i]]]],
        {i, 0, n}, {j, 5}];
    (* Show Outputs *)
    Grid[inputTable, Alignment  $\rightarrow$  Center, Spacings  $\rightarrow$  {si, 1}, Frame  $\rightarrow$  All, ItemStyle  $\rightarrow$  "Text", Background  $\rightarrow$  {{None, None}, {Orange, None}}]
    Grid[verifyTable, Alignment  $\rightarrow$  Center, Spacings  $\rightarrow$  {sv, 1}, Frame  $\rightarrow$  All, ItemStyle  $\rightarrow$  "Text", Background  $\rightarrow$  {{None, None}, {None, None}}]
    Grid[outputTable, Alignment  $\rightarrow$  Center, Spacings  $\rightarrow$  {so, 1}, Frame  $\rightarrow$  All, ItemStyle  $\rightarrow$  "Text", Background  $\rightarrow$  {{None, None}, {Green, None}}]
];

(* MeasureQuantumSystem: Measures the Quantum System with the Observable *)
(* Inputs  $\Rightarrow$  Q: The Observable,  $\Psi$ : The Density Operator *)
(* Output  $\Rightarrow$  None *)
MeasureQuantumSystem[Q_,  $\rho$ _, si_:10, sv_:5, so_:4] := Module[{A, V, n, P, prob, state, pVerify, oVerify},
    (* Compute Orthonormal EigenSpaces *)
    {A, V, n} = ComputeOrthonormalEigenSpaces[Q];
    (* Compute Projectors *)
    {P, pVerify} = ComputeProjectors[V, n];
    (* Compute Probabilities and States *)
    {prob, state} = ComputeProbStates[P,  $\rho$ , n];
    (* Get Output Tables *)
    ShowOutputTables[Q,  $\rho$ , A, V, P, prob, state, n, pVerify, si, sv, so]
];

(*----- Inputs -----*)
(*Example 1*)
 $\rho = \{\{1/4, -i/12, 1/12, i/12\}, \{i/12, 1/4, -i/12, 1/12\}, \{1/12, i/12, 1/4, -i/12\}, \{-i/12, 1/12, i/12, 1/4\}\};$  (*Density Operator*)
 $Q = \{\{0, -1, -i, 0\}, \{-1, 0, 0, i\}, \{i, 0, 0, 1\}, \{0, -i, 1, 0\}\};$  (*Observable*)
MeasureQuantumSystem[Q,  $\rho$ ]

(*Ex (a)*)
 $\rho = \{\{1/4, -i/12, 1/12, i/12\}, \{i/12, 1/4, -i/12, 1/12\}, \{1/12, i/12, 1/4, -i/12\}, \{-i/12, 1/12, i/12, 1/4\}\};$  (*Density Operator*)
 $Q = \{\{0, 0, 1, -i\}, \{0, 0, i, -1\}, \{1, -i, 0, 0\}, \{i, -1, 0, 0\}\};$  (*Observable*)
MeasureQuantumSystem[Q,  $\rho$ ]

(*Ex (b)*)
 $\rho = \{\{1/4, -i/12, 1/12, i/12\}, \{i/12, 1/4, -i/12, 1/12\}, \{1/12, i/12, 1/4, -i/12\}, \{-i/12, 1/12, i/12, 1/4\}\};$  (*Density Operator*)
 $Q = \{\{2, 0, 0, i\}, \{0, 2, 0, 0\}, \{0, 0, 2, 0\}, \{-i, 0, 0, 2\}\};$  (*Observable*)
MeasureQuantumSystem[Q,  $\rho$ ]

(*Ex (c)*)
 $\rho = \{\{1/4, -i/12, 1/12, i/12\}, \{i/12, 1/4, -i/12, 1/12\}, \{1/12, i/12, 1/4, -i/12\}, \{-i/12, 1/12, i/12, 1/4\}\};$  (*Density Operator*)
 $Q = \{\{5, 0, 0, 3i\}, \{0, 5, i, 0\}, \{0, -i, 5, 0\}, \{-3i, 0, 0, 5\}\};$  (*Observable*)
MeasureQuantumSystem[Q,  $\rho$ ]

```

(\*-----\*)  
 (\* Output: In the template form \*)  
 (\*-----\*)

Out[50]=

$\Sigma P = I$	$\Sigma \lambda P = \Omega$	$P_i \cdot P_i = P_i$	$\Sigma p = 1$	$P_i \cdot P_j = 0, i \neq j$
True	True	True	True	True

Observable	Density Operator	Trace( $\rho, \rho$ )
$\begin{pmatrix} 0 & -1 & -i & 0 \\ -1 & 0 & 0 & i \\ i & 0 & 0 & 1 \\ 0 & -i & 1 & 0 \end{pmatrix}$	$\begin{pmatrix} \frac{1}{4} & -\frac{1}{12} & \frac{1}{12} & \frac{1}{12} \\ \frac{i}{12} & \frac{1}{4} & -\frac{i}{12} & \frac{1}{12} \\ \frac{1}{12} & \frac{1}{12} & \frac{1}{4} & -\frac{1}{12} \\ -\frac{i}{12} & \frac{1}{12} & \frac{1}{12} & \frac{1}{4} \end{pmatrix}$	$\frac{1}{3}$
		Mixed ensemble

EigenValue	EigenSpace	Projector	Probability	State
-2	$\begin{pmatrix} -\frac{1}{2} \\ -\frac{1}{2} \\ -\frac{1}{2} \\ \frac{1}{2} \end{pmatrix}$	$\begin{pmatrix} \frac{1}{4} & \frac{1}{4} & \frac{1}{4} & -\frac{1}{4} \\ \frac{1}{4} & \frac{1}{4} & \frac{1}{4} & -\frac{1}{4} \\ \frac{1}{4} & \frac{1}{4} & \frac{1}{4} & -\frac{1}{4} \\ -\frac{1}{4} & -\frac{1}{4} & -\frac{1}{4} & \frac{1}{4} \end{pmatrix}$	$\frac{1}{6}$	$\begin{pmatrix} \frac{1}{4} & \frac{1}{4} & \frac{1}{4} & -\frac{1}{4} \\ \frac{1}{4} & \frac{1}{4} & \frac{1}{4} & -\frac{1}{4} \\ \frac{1}{4} & \frac{1}{4} & \frac{1}{4} & -\frac{1}{4} \\ -\frac{1}{4} & -\frac{1}{4} & -\frac{1}{4} & \frac{1}{4} \end{pmatrix}$
0	$\begin{pmatrix} \frac{1}{\sqrt{2}} & 0 \\ 0 & -\frac{1}{\sqrt{2}} \\ 0 & \frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} & 0 \end{pmatrix}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & \frac{1}{2} \\ 0 & \frac{1}{2} & -\frac{1}{2} & 0 \\ 0 & \frac{1}{2} & \frac{1}{2} & 0 \\ -\frac{1}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$	$\frac{2}{3}$	$\begin{pmatrix} \frac{1}{4} & 0 & 0 & \frac{1}{4} \\ 0 & \frac{1}{4} & -\frac{1}{4} & 0 \\ 0 & \frac{1}{4} & \frac{1}{4} & 0 \\ -\frac{1}{4} & 0 & 0 & \frac{1}{4} \end{pmatrix}$
2	$\begin{pmatrix} -\frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \end{pmatrix}$	$\begin{pmatrix} \frac{1}{4} & -\frac{1}{4} & -\frac{1}{4} & -\frac{1}{4} \\ -\frac{1}{4} & \frac{1}{4} & \frac{1}{4} & \frac{1}{4} \\ \frac{1}{4} & -\frac{1}{4} & \frac{1}{4} & \frac{1}{4} \\ \frac{1}{4} & -\frac{1}{4} & \frac{1}{4} & \frac{1}{4} \end{pmatrix}$	$\frac{1}{6}$	$\begin{pmatrix} \frac{1}{4} & -\frac{1}{4} & -\frac{1}{4} & -\frac{1}{4} \\ -\frac{1}{4} & \frac{1}{4} & \frac{1}{4} & \frac{1}{4} \\ \frac{1}{4} & -\frac{1}{4} & \frac{1}{4} & \frac{1}{4} \\ \frac{1}{4} & -\frac{1}{4} & \frac{1}{4} & \frac{1}{4} \end{pmatrix}$

Out[51]=

$\Sigma P = I$	$\Sigma \lambda P = \Omega$	$P_i \cdot P_i = P_i$	$\Sigma p = 1$	$P_i \cdot P_j = 0, i \neq j$
True	True	True	True	True

Observable	Density Operator	Trace( $\rho, \rho$ )
$\begin{pmatrix} 0 & 0 & 1 & -1 \\ 0 & 0 & 1 & -1 \\ 1 & -1 & 0 & 0 \\ i & -1 & 0 & 0 \end{pmatrix}$	$\begin{pmatrix} \frac{1}{4} & -\frac{1}{12} & \frac{1}{12} & \frac{1}{12} \\ \frac{i}{12} & \frac{1}{4} & -\frac{i}{12} & \frac{1}{12} \\ \frac{1}{12} & \frac{1}{12} & \frac{1}{4} & -\frac{1}{12} \\ -\frac{i}{12} & \frac{1}{12} & \frac{1}{12} & \frac{1}{4} \end{pmatrix}$	$\frac{1}{3}$
		Mixed ensemble

EigenValue	EigenSpace	Projector	Probability	State
$-\sqrt{2}$	$\begin{pmatrix} \frac{i}{2} & -\frac{1}{2} \\ \frac{1}{2} & -\frac{i}{2} \\ \frac{1}{2} & \frac{i}{2} \\ 0 & \frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} & 0 \end{pmatrix}$	$\begin{pmatrix} \frac{1}{2} & 0 & -\frac{1}{2\sqrt{2}} & \frac{i}{2\sqrt{2}} \\ \frac{1}{2} & \frac{1}{2} & -\frac{i}{2\sqrt{2}} & \frac{1}{2\sqrt{2}} \\ 0 & \frac{1}{2} & -\frac{1}{2\sqrt{2}} & \frac{1}{2\sqrt{2}} \\ -\frac{1}{2\sqrt{2}} & \frac{i}{2\sqrt{2}} & \frac{1}{2} & 0 \\ -\frac{i}{2\sqrt{2}} & \frac{1}{2\sqrt{2}} & 0 & \frac{1}{2} \end{pmatrix}$	$\frac{1}{2} + \frac{1}{6\sqrt{2}}$	$\begin{pmatrix} -\frac{7}{136}(-6+\sqrt{2}) & \frac{i(-1+\sqrt{2})}{4(5+\sqrt{2})} & \frac{1}{136}(14-25\sqrt{2}) & \frac{i(1+3\sqrt{2})}{4(5+\sqrt{2})} \\ -\frac{i(-1+\sqrt{2})}{4(5+\sqrt{2})} & \frac{1}{136}(26+7\sqrt{2}) & -\frac{i(1+3\sqrt{2})}{4(5+\sqrt{2})} & \frac{1}{136}(14+9\sqrt{2}) \\ \frac{1}{136}(14-25\sqrt{2}) & \frac{i(1+3\sqrt{2})}{4(5+\sqrt{2})} & -\frac{7}{136}(-6+\sqrt{2}) & \frac{i(-1+\sqrt{2})}{4(5+\sqrt{2})} \\ -\frac{i(1+3\sqrt{2})}{4(5+\sqrt{2})} & \frac{1}{136}(14+9\sqrt{2}) & -\frac{i(-1+\sqrt{2})}{4(5+\sqrt{2})} & \frac{1}{136}(26+7\sqrt{2}) \end{pmatrix}$
$\sqrt{2}$	$\begin{pmatrix} -\frac{i}{2} & \frac{1}{2} \\ \frac{1}{2} & \frac{i}{2} \\ -\frac{1}{2} & \frac{i}{2} \\ 0 & \frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} & 0 \end{pmatrix}$	$\begin{pmatrix} \frac{1}{2} & 0 & \frac{1}{2\sqrt{2}} & -\frac{i}{2\sqrt{2}} \\ \frac{1}{2} & \frac{1}{2} & \frac{i}{2\sqrt{2}} & -\frac{1}{2\sqrt{2}} \\ 0 & \frac{1}{2} & \frac{1}{2\sqrt{2}} & -\frac{1}{2\sqrt{2}} \\ \frac{1}{2\sqrt{2}} & -\frac{i}{2\sqrt{2}} & \frac{1}{2} & 0 \\ \frac{i}{2\sqrt{2}} & -\frac{1}{2\sqrt{2}} & 0 & \frac{1}{2} \end{pmatrix}$	$\frac{1}{2} - \frac{1}{6\sqrt{2}}$	$\begin{pmatrix} \frac{7}{136}(6+\sqrt{2}) & \frac{i(1+\sqrt{2})}{4(-5+\sqrt{2})} & \frac{1}{136}(14+25\sqrt{2}) & \frac{i(-1+3\sqrt{2})}{4(-5+\sqrt{2})} \\ -\frac{i(1+\sqrt{2})}{4(-5+\sqrt{2})} & \frac{1}{136}(26-7\sqrt{2}) & -\frac{i(-1+3\sqrt{2})}{4(-5+\sqrt{2})} & \frac{1}{136}(14-9\sqrt{2}) \\ \frac{1}{136}(14+25\sqrt{2}) & \frac{i(-1+3\sqrt{2})}{4(-5+\sqrt{2})} & \frac{7}{136}(6+\sqrt{2}) & \frac{i(1+\sqrt{2})}{4(-5+\sqrt{2})} \\ -\frac{i(-1+3\sqrt{2})}{4(-5+\sqrt{2})} & \frac{1}{136}(14-9\sqrt{2}) & -\frac{i(1+\sqrt{2})}{4(-5+\sqrt{2})} & \frac{1}{136}(26-7\sqrt{2}) \end{pmatrix}$

Out[52]=

$\Sigma P = I$	$\Sigma \lambda P = \Omega$	$P_i \cdot P_i = P_i$	$\Sigma p = 1$	$P_i \cdot P_j = 0, i \neq j$
True	True	True	True	True

Observable	Density Operator	Trace( $\rho \cdot \rho$ )
$\begin{pmatrix} 2 & 0 & 0 & i \\ 0 & 2 & 0 & 0 \\ 0 & 0 & 2 & 0 \\ -i & 0 & 0 & 2 \end{pmatrix}$	$\begin{pmatrix} \frac{1}{4} & -\frac{i}{12} & \frac{1}{12} & \frac{1}{12} \\ \frac{i}{12} & \frac{1}{4} & -\frac{i}{12} & \frac{1}{12} \\ \frac{1}{12} & \frac{i}{12} & \frac{1}{4} & -\frac{i}{12} \\ -\frac{i}{12} & \frac{1}{12} & \frac{i}{12} & \frac{1}{4} \end{pmatrix}$	$\frac{1}{3}$
		Mixed ensemble

EigenValue	EigenSpace	Projector	Probability	State
1	$\begin{pmatrix} -\frac{1}{\sqrt{2}} \\ 0 \\ 0 \\ \frac{1}{\sqrt{2}} \end{pmatrix}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$	$\frac{1}{6}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$
2	$\begin{pmatrix} 0 & 0 \\ 0 & 1 \\ 1 & 0 \\ 0 & 0 \end{pmatrix}$	$\begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$	$\frac{1}{2}$	$\begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & -\frac{i}{6} & 0 \\ 0 & \frac{i}{6} & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$
3	$\begin{pmatrix} \frac{i}{\sqrt{2}} \\ 0 \\ 0 \\ \frac{1}{\sqrt{2}} \end{pmatrix}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & \frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$	$\frac{1}{3}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & \frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$

Out[53]=

$\Sigma P = I$	$\Sigma \lambda P = \Omega$	$P_i \cdot P_i = P_i$	$\Sigma p = 1$	$P_i \cdot P_j = 0, i \neq j$
True	True	True	True	True

Observable	Density Operator	Trace( $\rho.o$ )
$\begin{pmatrix} 5 & 0 & 0 & 3i \\ 0 & 5 & i & 0 \\ 0 & -i & 5 & 0 \\ -3i & 0 & 0 & 5 \end{pmatrix}$	$\begin{pmatrix} \frac{1}{4} & -\frac{i}{12} & \frac{1}{12} & \frac{i}{12} \\ \frac{i}{12} & \frac{1}{4} & -\frac{i}{12} & \frac{1}{12} \\ \frac{1}{12} & \frac{i}{12} & \frac{1}{4} & -\frac{i}{12} \\ -\frac{i}{12} & \frac{1}{12} & \frac{i}{12} & \frac{1}{4} \end{pmatrix}$	$\frac{1}{3}$
		Mixed ensemble

EigenValue	EigenSpace	Projector	Probability	State
2	$\begin{pmatrix} -\frac{i}{\sqrt{2}} \\ 0 \\ 0 \\ \frac{1}{\sqrt{2}} \end{pmatrix}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$	$\frac{1}{6}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & -\frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ \frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$
4	$\begin{pmatrix} 0 \\ -\frac{i}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} \\ 0 \end{pmatrix}$	$\begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & -\frac{i}{2} & 0 \\ 0 & \frac{i}{2} & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$	$\frac{1}{3}$	$\begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & -\frac{i}{2} & 0 \\ 0 & \frac{i}{2} & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$
6	$\begin{pmatrix} 0 \\ \frac{i}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} \\ 0 \end{pmatrix}$	$\begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & \frac{i}{2} & 0 \\ 0 & -\frac{i}{2} & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$	$\frac{1}{6}$	$\begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & \frac{1}{2} & \frac{i}{2} & 0 \\ 0 & -\frac{i}{2} & \frac{1}{2} & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix}$
8	$\begin{pmatrix} \frac{i}{\sqrt{2}} \\ 0 \\ 0 \\ \frac{1}{\sqrt{2}} \end{pmatrix}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & \frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$	$\frac{1}{3}$	$\begin{pmatrix} \frac{1}{2} & 0 & 0 & \frac{i}{2} \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ -\frac{i}{2} & 0 & 0 & \frac{1}{2} \end{pmatrix}$