

EdX and its Members use cookies and other tracking technologies for performance, analytics, and marketing purposes. By using this website, you accept this use. Learn more about these technologies in the [Privacy Policy](#).



[Course](#) > [5.0 Deep Networks](#) > [5.1 Dropout](#) > Quiz: Dropout

Quiz: Dropout

Instructions for Graded Review Questions

How much time do I have to complete these questions?

Unlimited. You can take as long you want to answer these questions.

Can I go back to the videos to check something, then come back to these Review Questions?

Yes, absolutely! These questions are for you to review what you've learned so far. Take your time.

Do these Review Questions count towards my final grade?

Yes, all of the review questions, combined together, are worth 50% of your total mark.

How many chances do I get to answer these questions?

It depends:

- For True/False questions, you only get one (1) chance.
- For any other question (that is not True/False), you get two (2) chances.

How can I check my overall course grade?

You can check your grades by clicking on "Progress" in the top menu.

Multiple Choice

1/1 point (graded)

What is the purpose of using dropout?

☒ Reduce the impact of noise or overfitting

☐ Reduce the computation cost

☐ Get higher accuracy on the training set

☐ A method for validating your model



Submit

You have used 1 of 2 attempts

✓ Correct (1/1 point)

Multiple Choice

1/1 point (graded)

```
class Net(nn.Module):
    def __init__(self, in_size, n_hidden, out_size, p):
        super(Net, self).__init__()
        self.drop=nn.Dropout(p=p)
        self.linear1=nn.Linear(in_size, n_hidden)
        self.linear2=nn.Linear(n_hidden, out_size)
    def forward(self, x):
        x=F.relu(self.linear1(x))
        x=self.drop(x)
        x=self.linear2(x)
        return x
```

Which one is the correct sequential function for the same approach?

☐ torch.nn.Sequential(torch.nn.Dropout(p), torch.nn.Linear(in_size, n_hidden),
torch.nn.ReLU(), torch.nn.Linear(n_hidden, out_size))

☐ torch.nn.Sequential(torch.nn.Dropout(p), torch.nn.Linear(in_size, n_hidden),
torch.nn.ReLU(), torch.nn.Linear(n_hidden, out_size), torch.nn.ReLU())

☒ torch.nn.Sequential(torch.nn.Linear(in_size, n_hidden), torch.nn.Dropout(p),
torch.nn.ReLU(), torch.nn.Linear(n_hidden, out_size))

☐ torch.nn.Sequential(torch.nn.Linear(in_size, n_hidden), torch.nn.Dropout(p),
torch.nn.ReLU(), torch.nn.Linear(n_hidden, out_size), torch.nn.ReLU())



Submit

You have used 1 of 2 attempts

✓ Correct (1/1 point)

[Learn About Verified Certificates](#)

