

Courseware

Updates & News

Calendar

Wiki

Discussion

Progress

Help

For this problem you are going to simulate growth of fox and rabbit population in a forest.

The following facts are true about the fox and rabbit population:

- The maximum population of rabbits is determined by the amount of vegetation in the forest, which is relatively stable.
 - There are never fewer than 10 rabbits; the maximum population of rabbits is 1000.
- ullet For each rabbit during each time step, a new rabbit will be born with a probability of $p_{
 m rabbit\ reproduction}$

$$p_{ ext{rabbit reproduction}} = 1.0 - rac{ ext{current rabbit population}}{ ext{max rabbit population}}$$

In other words, when the current population is near the maximum, the probability of giving birth is very low, and when the current population is small, the probability of giving birth is very high.

• The population of foxes is constrained by number of rabbits.

There are never fewer than 10 foxes.

• At each time step, after the rabbits have finished reproducing, a fox will try to hunt a rabbit with success rate of $p_{
m fox\ eats\ rabbit}$

$$p_{ ext{fox eats rabbit}} = rac{ ext{current rabbit population}}{ ext{max rabbit population}}$$

In other words, the more rabbits, the more likely a fox will eat one.

• If a fox succeeds in hunting, it will decrease the number of rabbits by 1 immediately. Remember that the population of rabbits is never lower than 10.

Additionally, if a fox succeeds in hunting, then it has a 1/3 probability of giving birth in the current time-step.

If a fox fails in hunting then it has a 10 percent chance of dying in the current time-step.

Start with 500 rabbits and 30 foxes.

At the end of each time step, record the number of foxes and rabbits.

Run the simulation for 200 time steps, and then plot the population of rabbits and the population of foxes as a function of time step.

Use the following steps, and the template file exam_problem3.py (click to download .py file), as guides in your implementation of this simulation.

Step 1: Write the procedure, rabbitGrowth, that updates the number of rabbits during the first part of a time step

Step 2: Write the procedure, foxGrowth, that updates the number of rabbits and foxes during the second part of a time step

Step 3: Write the master procedure, runSimulation, that loops for some amount of time steps, doing the first part and then the second part of the simulation. Record the two populations in two different lists, and return those lists.

Paste your code for the three functions rabbitGrowth, foxGrowth, and runSimulation in the following box.

WARNING

DO NOT define the global variables MAXRABBITPOP, CURRENTRABBITPOP, or CURRENTFOXPOP in this box. We alter the values of these variables to test your code. If you define the variables in this box, you may overwrite our values, causing your code to be marked incorrect.

"See Full Output": If you are getting the line "0 10" in your output for "Test 4 foxGrowth" then for this particular test, your code changes the CURRENTFOXPOP (increases it), which is not the right behavior.

PROBLEM 3-1 (15/15 points)

```
1 MINRABBITPOP = 10
 2 MINFOXPOP = 10
4 # Enter the code for the functions rabbitGrowth, foxGrowth, and runSimulation
 5 # in this box.
7 def rabbitGrowth():
8
9
      rabbitGrowth is called once at the beginning of each time step.
10
      It makes use of the global variables: CURRENTRABBITPOP and MAXRABBITPOP.
11
12
13
      The global variable CURRENTRABBITPOP is modified by this procedure.
14
15
      For each rabbit, based on the probabilities in the problem set write-up,
```

Correct

Test results

```
Test: 1 rabbitGrowth

Calling rabbitGrowth with MAXRABBITPOP = 1000, CURRENTRABBITPOP = 500 should increase the population.

Output:

rabbitGrowth()
Population has increased? True
rabbitGrowth()
Population has increased? True
Test completed.

Test: 2 rabbitGrowth

Calling rabbitGrowth with MAXRABBITPOP = 1000, CURRENTRABBITPOP = 1000 should not increase the
population.

Output:
```

rabbitGrowth()
Population has increased? False
rabbitGrowth()
Population has increased? False
Test completed.

Test: 3 foxGrowth

Calling foxGrowth with CURRENTRABBITPOP = 1000, MAXRABBITPOP = 1000, CURRENTFOXPOP = 50 should increase the population.

Output:

foxGrowth()
Population has increased? True
foxGrowth()
Population has increased? True
Test completed.

Test: 4 foxGrowth

Calling foxGrowth with CURRENTRABBITPOP = 1, MAXRABBITPOP = 1000, CURRENTFOXPOP = 1 should not increase the population.

Output:

Calling foxGrowth() 20 times. The fox population should not grow. Population has increased? False Test completed.

Test: 5 runSimulation

Test the simulation

Output:

results = runSimulation(20)
Test completed.

Test: 6 runSimulation

Test the simulation with CURRENTRABBITPOP = 10, CURRENTFOXPOP = 20, MAXRABBITPOP = 100

Output:

results = runSimulation(100)
Testing that the number of rabbits never falls below 10 or goes above 100.
Test completed.

Test: 7 runSimulation

Test the simulation with CURRENTRABBITPOP = 10, CURRENTFOXPOP = 20, MAXRABBITPOP = 100

Output:

```
results = runSimulation(100)
Testing that the number of foxes never falls below 10.
Test completed.
```

Check

Save

You have used 4 of 10 submissions



EdX offers interactive online classes and MOOCs from the world's best universities. Online courses from MITx, HarvardX, BerkeleyX, UTx and many other universities. Topics include biology, business, chemistry, computer science, economics, finance, electronics, engineering, food and nutrition, history, humanities, law, literature, math, medicine, music, philosophy, physics, science, statistics and more. EdX is a non-profit online initiative created by founding partners Harvard and MIT.

© 2014 edX, some rights reserved.

Terms of Service and Honor Code

Privacy Policy (Revised 4/16/2014)

About edX

About

News

Contact

FAQ

edX Blog

Donate to edX

Jobs at edX

Follow Us

¥

Twitter

Facebook



Meetup



LinkedIn



Google+