

Protocol for bevin set-up and monitoring

Contents

1	Choosing Vines	1
2	Choosing Buds	2
2.1	Cordon Buds	2
2.2	Cane Buds	2
3	Monitoring Buds	2
4	Misc	2
5	C	3

1 Choosing Vines

Varieties sampled: Merlot, Pinot noir, Chardonnay, Riesling, Sauvignon blanc, Syrah (Shiraz), Cabernet sauvignon Arterra sites: Whitetail, McIntyre, Dark Horse, NK'MIP Cellars Quail's Gate sites: Quail's Gate Estate vineyard, Mannhardt

Using the maps and rootstock information provided we chose the blocks with the following considerations in mind:

- Sample all of our target varieties.
- Chose blocks of different varieties near each other if possible to reduce walking distance/time.
- If a vineyard had multiple blocks of a variety and the blocks were different parts of the vineyard, we sampled one block in each general area to capture environmental variation within the site. If the blocks are close together, we chose to sample just one block.
- If we sampled multiple blocks of a variety in a vineyard, we would sample 24 vines in each block rather than 36 to reduce time.
- We preferentially chose blocks with common rootstocks - 3309, 101-14, S04 - in order to reduce effect of rootstock.
- We avoided blocks with unknown clones or varieties and were able to avoid all of the self-rooted blocks except one.
- When weather station locations were known, we chose rows or blocks near them.

- Within blocks, we aimed to capture environmental variation in block, keeping in mind time needed to walk between location. Often this meant that we would sample at the bottom and top of block in the same rows if we flagged 24 plants. If we flagged 36, we would add a middle location in a different set of rows.
- We sampled 6 plants per row in each location. We aimed for plants to be next to each other but sometimes had to skip plants if they were too young or if they did not have a cordon with 2 spurs/cane with 2 buds.
- Flagged vines are at least 6 plants in from the end of the row so we avoid edge effects.
- We always chose to sample two rows next to each other so there were 12 plants (6 per row) in each location.
- 36 or 24 vines were flagged per block - if we need to reduce numbers, we will not flag less than 16 per block.

Tip: If you are not flagging all the buds at once, flag the final bud/spur as this one will always be monitored. Doing this saves time because otherwise you may have to move the flag to another spur.

2 Choosing Buds

If plant was either cane pruned or cordon pruned, we flipped a coin to determine which side was flagged (heads = south or east, tails = north or west). If one side of the plant did not have enough buds, we chose the other side. If a plant had a cane and a cordon, we flagged the cordon unless it did not have at least three spurs, then the cane was flagged. Occasionally, a cane would be trained back to the trunk in a loop or had come loose from the wire. In these cases, we flagged the other cane. If the cane started on one side but was trained to cross over and end on the other side, we used the direction of the end of the cane.

2.1 Cordon Buds

We flagged the spur furthest from the trunk, a middle spur, and the first spur on the cordon with a base less than 5cm below the wire. Spurs more 5 or more centimeters below the wire were considered basal. If there was an even number of spurs, a coin flip determined which middle spur was chosen.

If there was more than one section of one year old wood left on the spur then we focused on the higher section of last year's growth. We monitored the lowest bud on the previous year's growth.

2.2 Cane Buds

We flagged the bud furthest from the trunk, the middle bud, and the first bud that was farther than 15 centimeters from the trunk. If there was an even number of middle buds, a coin flip determined which bud was chosen. We did not flag buds on basal spurs of a cordon, that is spurs that had a base lower than 5cm from the wire the cordon was trained to.

If there were two buds in the same place in a position that was flagged, we chose to monitor the bud that was more upright. If both buds were euqally upright facing, we monitored the one in a southerly or easterly direction.

3 Monitoring Buds

4 Misc

tape colors for QG are orange and blue, avoid flagging with these colors Avoid orange and pink for Arterra - they seems to use of have most colors in their vineyards though Ask vineyards at beginning of the season what color they prefer we use Once at EL stage 7 or 9, flag bud itself?

5 C

ontacting vineyards