

Cucumber Report

May 1, 2023, 6:53:47 PM

Start : May 01, 6:52:37.997 PM

End : May 01, 6:53:46.394 PM

Duration : 1 m 8.397 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 9
SKIPPED - 0


PASSED - 16
FAILED - 9
SKIPPED - 27




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>user enter valid and invalid credentials for login</u>	22.530 s	4	4	0	0	12	12	0	0
<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	45.771 s	10	1	9	0	40	4	9	27

#	Feature Name	Scenario Name
1	<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	<u>user try code in queue in python after clicked Try here button for validation</u>
2		<u>user try code in queue in python after clicked Try here button for invalidation</u>
3		<u>user try python code after clicked Try here button in using collections page</u>
4		<u>user try python code after clicked Try here button in using collections page</u>
5		<u>user try python code after clicked Try here button in using array page</u>
6		<u>user try python code after clicked Try here button in using array page</u>
7		<u>user try python code after clicked Try here button in queue operation page</u>
8		<u>user try python code after clicked Try here button in queue operation page</u>
9		<u>user select practice questions in queue</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag6	4	4	0	0	1	1	0	0
@tag15	1	1	0	0	1	0	1	0
@tag16	1	0	1	0	1	0	1	0
@tag17	1	0	1	0	1	0	1	0
@tag18	1	0	1	0	1	0	1	0
@tag19	1	0	1	0	1	0	1	0
@tag20	1	0	1	0	1	0	1	0
@tag21	1	0	1	0	1	0	1	0
@tag22	1	0	1	0	1	0	1	0
@tag23	1	0	1	0	1	0	1	0
@tag24	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>user enter valid and invalid credentials for login</u>	4	4	0	0	22.530 s
2	<u>user navigate to queue module and able to try Python code both valid and invalid datas</u>	10	1	9	0	45.771 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>user enter valid and invalid credentials for login</u>	<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	7.935 s
2		<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	5.062 s
3		<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	4.670 s
4		<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	4.794 s
5	<u>user navigate to queue module and able to try Python code both valid and *</u>	<u>User select Queue module from drop down</u>	3	3	0	0	7.851 s
6		<u>user try code in queue in python after clicked Try here button for validation</u>	4	1	1	2	0.854 s
7		<u>user try code in queue in python after clicked Try here button for invalidation</u>	4	0	1	3	5.193 s



* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>user navigate to queue module and able to try Python code both valid and *</u>	<u>user try python code after clicked Try here button in using collections page</u>	5	0	1	4	5.198 s
9		<u>user try python code after clicked Try here button in using collections page</u>	4	0	1	3	5.242 s
10		<u>user try python code after clicked Try here button in using array page</u>	5	0	1	4	5.309 s
11		<u>user try python code after clicked Try here button in using array page</u>	4	0	1	3	5.233 s
12		<u>user try python code after clicked Try here button in queue operation page</u>	5	0	1	4	5.223 s
13		<u>user try python code after clicked Try here button in queue operation page</u>	4	0	1	3	5.276 s
14		<u>user select practice questions in queue</u>	2	0	1	1	0.209 s

* The feature name and/or scenario name has been cropped to fit in the available space.

user enter valid and invalid credentials for login



PASSED	DURATION - 22.530 s	Scenarios		Steps	
/ 6:52:37.997 PM // 6:53:00.527 PM /		Total - 4		Total - 12	
		Pass - 4		Pass - 12	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

<div>PASSED</div> <div>DURATION - 7.935 s</div>	<div><table><thead><tr><th>Scenario</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>0</td><td>0</td></tr><tr><td>2</td><td>3</td><td>0</td><td>0</td></tr><tr><td>3</td><td>2</td><td>0</td><td>0</td></tr></tbody></table></div>	Scenario	Pass	Fail	Skip	1	1	0	0	2	3	0	0	3	2	0	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>3</div></div>
Scenario		Pass	Fail	Skip															
1		1	0	0															
2		3	0	0															
3	2	0	0																
<div>/ 6:52:38.002 PM // 6:52:45.937 PM /</div>																			
<div>user enter valid and invalid credentials for login</div>																			
<div>@tag6</div>																			



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.451 s
2	When The user enter sheet "Sheet1" and 0	PASSED	2.589 s
3	Then click login button	PASSED	2.186 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

<div>PASSED</div> <div>DURATION - 5.062 s</div>		<div></div>	Steps		<div></div>
/ 6:52:45.969 PM // 6:52:51.031 PM /			Total - 3		
user enter valid and invalid credentials for login			Pass - 3		
@tag6			Fail - 0		
			Skip - 0		



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.442 s
2	When The user enter sheet "Sheet1" and 1	PASSED	2.440 s
3	Then click login button	PASSED	2.171 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

PASSED	DURATION - 4.670 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 6:52:51.051 PM // 6:52:55.721 PM /				
user enter valid and invalid credentials for login				
@tag6				



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.218 s
2	When The user enter sheet "Sheet1" and 2	PASSED	2.171 s
3	Then click login button	PASSED	2.254 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and



PASSED	DURATION - 4.794 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 6:52:55.733 PM // 6:53:00.527 PM /				
user enter valid and invalid credentials for login				
@tag6				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.236 s
2	When The user enter sheet "Sheet1" and 3	PASSED	2.186 s
3	Then click login button	PASSED	2.362 s

user navigate to queue module and able to try Python code both valid and invalid datas



FAILED	DURATION - 45.771 s	Scenarios Total - 10 Pass - 1 Fail - 9 Skip - 0		Steps Total - 40 Pass - 4 Fail - 9 Skip - 27	
/ 6:53:00.623 PM // 6:53:46.394 PM /					

User select Queue module from drop down


<div>PASSED</div>	<div>DURATION - 7.851 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:53:00.626 PM // 6:53:08.477 PM /</div>				
<div>user navigate to queue module and able to try Python code both valid and invalid datas</div>				
<div>@tag15</div>				

#	Step / Hook Details	Status	Duration
1	Given user able to click on dropdown for queue	PASSED	2.200 s
2	When user select queue option	PASSED	2.187 s
3	And user select queue in python	PASSED	3.449 s



user try code in queue in python after clicked Try here button for validation

FAILED	DURATION - 0.854 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 6:53:08.503 PM // 6:53:09.357 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@tag16				


#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button in queue	PASSED	0.555 s
2	<p>When user enter valid code in queue in python from given "Sheet1" and 0</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=112.0.5615.121) Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, sendKeysToElement {id=70922b0e-ce86-4b54-861f-6b72b1d38121, value=[Ljava.lang.CharSequence;@77204651]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (76808c13d3dc66b1b42a56568414e3e4)] -> xpath: //span[@role='presentation']] Session ID: 76808c13d3dc66b1b42a56568414e3e4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at PageObjects.QueuePage.queueReadcode(QueuePage.java:49) at stepdefinitions.QueueSteps.user_enter_valid_code_in_queue_in_python_from_given_and(QueueSteps.java:71) at ?.user enter valid code in queue in python from given "Sheet1" and 0(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:15) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.158 s
3	And user click run button in queue	SKIPPED	0.001 s
4	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.133 s
	user try code in queue in python after clicked Try here button for validation		

#	Step / Hook Details	Status	Duration
			



user try code in queue in python after clicked Try here button for invalidation

<div>FAILED</div> <div>DURATION - 5.193 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:53:09.398 PM // 6:53:14.591 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@tag17				

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76808c13d3dc66b1b42a56568414e3e4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.053 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.QueuePage.queueTrybtnclk(QueuePage.java:45) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:57) at ?.user click on Try Here button in queue(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:25) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter invalid code in queue in python from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.134 s
	user try code in queue in python after clicked Try here button for invalidation		
			

user try python code after clicked Try here button in using collections page



FAILED	DURATION - 5.198 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 6:53:14.615 PM // 6:53:19.813 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@tag18				

#	Step / Hook Details	Status	Duration
1	Given user select using collections	FAILED	5.035 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation using collections.deque"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/		


#	Step / Hook Details	Status	Duration
	<p>exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, findElement {using=link text, value=Implementation using collections.deque}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76808c13d3dc66b1b42a56568414e3e4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.QueuePage.queuemenuselection(QueuePage.java:31) at stepdefinitions.QueueSteps.user_select_using_collections(QueueSteps.java:118) at ?.user select using collections(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:39)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And user click on Try Here button in queue	SKIPPED	0.000 s
3	When user enter valid code for using collections from given "Sheet1" and 0	SKIPPED	0.001 s
4	And user click run button in queue	SKIPPED	0.001 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.150 s
	user try python code after clicked Try here button in using collections page		

#	Step / Hook Details	Status	Duration
			



user try python code after clicked Try here button in usind collections page

<div>FAILED</div> <div>DURATION - 5.242 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:53:19.833 PM // 6:53:25.075 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@tag19				

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76808c13d3dc66b1b42a56568414e3e4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.067 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.QueuePage.queueTrybtnclk(QueuePage.java:45) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:57) at ?.user click on Try Here button in queue(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:52) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter invalid code for using collections from given "Sheet1" and 1	SKIPPED	0.003 s
3	And user click run button in queue	SKIPPED	0.003 s
4	Then user should get alert in queue	SKIPPED	0.003 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.157 s
	user try python code after clicked Try here button in usind collections page		
			

user try python code after clicked Try here button in using array page



FAILED		DURATION - 5.309 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 6:53:25.094 PM // 6:53:30.403 PM /								
user navigate to queue module and able to try Python code both valid and invalid datas								
@tag20								

#	Step / Hook Details	Status	Duration
1	Given user select using array page	FAILED	5.071 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation using collections.deque"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/		


#	Step / Hook Details	Status	Duration
	<p>exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, findElement {using=link text, value=Implementation using collections.deque}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76808c13d3dc66b1b42a56568414e3e4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.QueuePage.queuemenuselection(QueuePage.java:31) at stepdefinitions.QueueSteps.user_select_using_array_page(QueueSteps.java:151) at ?.user select using array page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:65)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And user click on Try Here button in queue	SKIPPED	0.002 s
3	When user enter valid python code for using array from given "Sheet1" and 0	SKIPPED	0.001 s
4	And user click run button in queue	SKIPPED	0.000 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.218 s
	user try python code after clicked Try here button in using array page		

#	Step / Hook Details	Status	Duration
			



user try python code after clicked Try here button in using array page

<div>FAILED</div> <div>DURATION - 5.233 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 6:53:30.414 PM // 6:53:35.647 PM /</div>				
<div>user navigate to queue module and able to try Python code both valid and invalid datas</div>				
<div>@tag21</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76808c13d3dc66b1b42a56568414e3e4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.040 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.QueuePage.queueTrybtnclk(QueuePage.java:45) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:57) at ?.user click on Try Here button in queue(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:78) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter invalid python code for using array from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button in queue	SKIPPED	0.000 s
4	Then user should get alert in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.176 s
	user try python code after clicked Try here button in using array page		
			

user try python code after clicked Try here button in queue operation page



FAILED	DURATION - 5.223 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 6:53:35.654 PM // 6:53:40.877 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@tag22				

#	Step / Hook Details	Status	Duration
1	Given user select queue operation page	FAILED	5.020 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation using collections.deque"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/		


#	Step / Hook Details	Status	Duration
	<p>exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, findElement {using=link text, value=Implementation using collections.deque}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76808c13d3dc66b1b42a56568414e3e4</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.QueuePage.queuemenuselection(QueuePage.java:31) at stepdefinitions.QueueSteps.user_select_queue_operation_page(QueueSteps.java:184) at ?.user select queue operation page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:91)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And user click on Try Here button in queue	SKIPPED	0.000 s
3	When user enter valid python code for queue operation from given "Sheet1" and 0	SKIPPED	0.001 s
4	And user click run button in queue	SKIPPED	0.000 s
5	Then user should see output in queue	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.197 s
	user try python code after clicked Try here button in queue operation page		

#	Step / Hook Details	Status	Duration
			



user try python code after clicked Try here button in queue operation page

<div>FAILED</div> <div>DURATION - 5.276 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:53:40.884 PM // 6:53:46.160 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@tag23				


#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button in queue</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76808c13d3dc66b1b42a56568414e3e4, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:55038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55038/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76808c13d3dc66b1b42a56568414e3e4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre>	FAILED	5.071 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.QueuePage.queueTrybtnclk(QueuePage.java:45) at stepdefinitions.QueueSteps.user_click_on_try_here_button_in_queue(QueueSteps.java:57) at ?.user click on Try Here button in queue(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue. feature:104) * Not displayable characters are replaced by '?'. </pre>		
2	When user enter invalid python code for queue operation from given "Sheet1" and 1	SKIPPED	0.001 s
3	And user click run button in queue	SKIPPED	0.001 s
4	Then user should get alert in queue	SKIPPED	0.002 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.191 s
	user try python code after clicked Try here button in queue operation page		
			

user select practice questions in queue

FAILED	DURATION - 0.209 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 6:53:46.185 PM // 6:53:46.394 PM /				
user navigate to queue module and able to try Python code both valid and invalid datas				
@tag24				

#	Step / Hook Details	Status	Duration
1	Given user select practice questions in queue	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "PageObjects.StackPage.menuselection(int)" because "this.stackpage" is null		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.QueueSteps.user_select_practice_questions_in_queue(QueueSteps.java:219) at ?.user select practice questions in queue(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Queue.feature:117) * Not displayable characters are replaced by '?'. 2 And navigate back to login page from queue		
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user select practice questions in queue	SKIPPED	0.001 s
		PASSED	0.193 s