

## Table of Contents

### Diagnostics Information:

Collecting Data for Troubleshooting.....	2
--	---

### Troubleshooting:

Troubleshooting with Browser Developer Tools .....	4
Accessing MDE column data taking time.....	7
MDE Publish job appearing hang.....	8
Find the SQL that causing problem or failing in the MDE job .....	9

### Monitoring:

End-of-day CPD health check.....	11
----------------------------------	----

### Miscellaneous:

Action .....	13
--------------	----

## Collecting Data for Troubleshooting

### CPD platform related problems:

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI

### Connectivity related issues:

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS)
Application logs from pod	oc cp <wdp-connect-connection pod>/logs ./<wdp-connect-connection pod>-logs oc cp <wdp-connect-connector pod>/logs ./<wdp-connect-connector pod>-logs

### CPD UI related issues:

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI
HAR files	Chrome: More Tools > Developer Tools > Network > Export HAR

### Data Class related issues:

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS, WKC, AE)
Application logs from swagger	<a href="https://&lt;CPD_URL&gt;/v2/data_profiles/api/explorer/#/Hummingbird%20tasks/getHbTaskLogs">https://&lt;CPD_URL&gt;/v2/data_profiles/api/explorer/#/Hummingbird%20tasks/getHbTaskLogs</a>

### Global Search related issues:

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS, WKC)
Pod logs	catalog-api
Application logs from swagger	<a href="https://&lt;CPD_URL&gt;/v2/cams/explorer/#/Assets/retrieveAssets">https://&lt;CPD_URL&gt;/v2/cams/explorer/#/Assets/retrieveAssets</a>

### Metadata Enrichment related issues:

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS, WKC, AE)
Application logs from pod	oc cp <wdp-profiling pod>/logs ./<wdp-profiling pod>-logs oc cp <spark-hb-control-plane pod>/logs ./<spark-hb-control-plane pod>-logs
Job log from UI	Job log for MDE job & Screenshot of the job start time
Application logs from swagger	<a href="https://&lt;CPD_URL&gt;/v2/data_profiles/api/explorer/#/Hummingbird%20tasks/getHbTaskLogs">https://&lt;CPD_URL&gt;/v2/data_profiles/api/explorer/#/Hummingbird%20tasks/getHbTaskLogs</a>

### Metadata Enrichment related issues:

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS, WKC)

**WKC Reporting related issues:**

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS, WKC)
Reporting status from API	<pre>curl -i -k -H "content-type: application/json" -H "Authorization: bearer \$Bearer_TOKEN" -X GET "https://\$HOSTNAME/v3/reporting/heartbeat"</pre> <pre>curl -i -k -H "content-type: application/json" -H "Authorization: bearer \$Bearer_TOKEN" -X GET "https://\$HOSTNAME/v3/reporting/999/register"</pre> <pre>curl -i -k -H "content-type: application/json" -H "Authorization: bearer \$Bearer_TOKEN" -X GET "https://\$HOSTNAME/v3/reporting/bistatus?tenant_id=999&amp;table_name=all"</pre>

**OpenShift related issues:**

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS)
Must-gather from CLI	cc adm must-gather
Collect data for projects from CLI	<pre>oc adm inspect/namespace &lt;CPD namespace&gt;</pre> <pre>oc adm inspect/namespace &lt;IBM CPD operator namespace&gt;</pre>

**OpenShift Data Fusion related issues:**

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS)
ODF must-gather from CLI	<pre>oc adm must-gather --image=registry.redhat.io/odf4/ocs-must-gather-rhel8:v4.12 --dest-dir=/tmp/odf-must-gather</pre> <p>or</p> <pre>oc adm must-gather --image=docker-virtual.oneartifactoryci.verizon.com/odf4/ocs-must-gather-rhel8:v4.12</pre>

**IBM Storage Fusion related issues:**

Data Needs to Capture	
Diagnostic job	Gather diagnostics information from CPD UI (CCS)
Collect logs from Fusion console	Fusion Web Console > “Help icon” > Support logs > Collect logs.

## Troubleshooting with Browser Developer Tools


Debug with Chrome DevTools.

### Chrome DevTools

- A set of web developer tools built directly into the Google Chrome
- Help develop, test, and debug websites on-the-fly

### Accessing DevTools

- Select the **Chrome menu** at the top-right of your browser, select **Tools > Developer Tools**.
- Right-click on any page element and select **Inspect Element**.
- **Ctrl + Shift + I** to bring up dev tools
- **Ctrl + Shift + J** to open dev tools with console in focus




Mainly any CPD UI related problem can be investigate using the browser developer tool.

Each browser has their own way to use their developer tool. In this example we use Chrome as a browser.

A set of web developer tools built directly into the Google Chrome, that you can use for test, and debug issues on-the-fly.


---



There are different dev tools options to investigate different kind of problems.

Mainly the “Network” and “Console” panels are commonly used for investigating network activities, API call failure and error message returned by a URL.

---




Name	Status	Type	Initiator	Size	Time	Waterfall
IBMPlexSans-Light-Latin1.woff2	200	font	datacatalog-d...	(memory cache)	1 ms	
IBMPlexSans-Regular-Latin1.woff2	200	font	datacatalog-d...	(memory cache)	0 ms	
IBMPlexSans-SemiBold-Latin1.woff2	200	font	datacatalog-d...	(memory cache)	0 ms	
csrf_token	200	xhr	datacatalog-d...	989 B	110 ms	
tokenexpiry	200	xhr	datacatalog-d...	975 B	221 ms	
csrf_token	200	xhr	datacatalog-d...	970 B	339 ms	
config	200	xhr	datacatalog-d...	3.3 kB	220 ms	
intl-messageformat.7.8.2.min.eb8d0a623b9b90d792bd.js	200	script	datacatalog-d...	(disk cache)	1 ms	
purify.2.4.0.min.e967798bbcd76925653.js	200	script	datacatalog-d...	(disk cache)	2 ms	
chunk.carbon.612.en.3a49dfa2887d166ff63d.js	200	script	datacatalog-d...	(disk cache)	751 ms	
chunk.format.9668.en.53de19a8580635813b08.js	200	script	datacatalog-d...	(disk cache)	7 ms	
chunk.common.8592.en.4ec5c41bf55ab0042ea.js	200	script	datacatalog-d...	(disk cache)	69 ms	
chunk.manage.5383.en.3dec5bcbf92cbb14f22.js	200	script	datacatalog-d...	(disk cache)	2 ms	
notifications	304	xhr	datacatalog-d...	241 B	172 ms	
images	200	xhr	datacatalog-d...	4.1 kB	159 ms	
?session_id=cross-auth-leaders-sid&cached_origin=false&EIO=4&transpor...	101	websocket	datacatalog-d...	0 B	85 ms	
chunk.8451.8451.en.9cd29b19fe23a4eb57e7.js	200	script	datacatalog-d...	(disk cache)	2 ms	
messages_en-json.9425.en.cf197416a6707e2cce07.js	200	script	datacatalog-d...	(disk cache)	1 ms	
chunk.catalog-details.8272.en.cad4afe5786554c7f996.js	200	script	datacatalog-d...	(disk cache)	1 ms	
chunk.4764.4764.en.e1baafdd7bd50ca41b5e.js	200	script	datacatalog-d...	(disk cache)	8 ms	
chunk.overview.2340.en.bdd5049ab57c15a7faf3.js	200	script	datacatalog-d...	(disk cache)	7 ms	
empty-state-diamond-bar.svg	200	svg+xml	datacatalog-d...	(memory cache)	0 ms	
details?is_governed=false&isAdminOrEditor=true&accountId=999	200	xhr	datacatalog-d...	39.1 kB	221 ms	
accounts?limit=548&restricted=false&isemailid=false&accountId=999	200	xhr	datacatalog-d...	3.1 kB	71 ms	
addons	200	xhr	datacatalog-d...	513 B	38 ms	
800e110-2c03-4450-af4e-bbb6ed1ddd38?skipData=true...kipRules=false...	400	xhr	datacatalog-d...	1.7 kB	264 ms	
favicon.ico	200	x-icon	Other	(disk cache)	1 ms	

Use the Network or Console panels from developer tool

- **Error message**
- **API call executed**
- **HTTP status code**
- **Call execution time**

In this case Network panel recorded and analyze network activity. It shows there is one error. The API returns more details about failure than CPD user interface.



A HAR (HTTP Archive) file is a way to preserve the interactions between a web browser and a web page. Among a lot of performance data and other factors that are generally only of interest to web developers, they also contain things like HTTP status codes for all of the transactions that go on behind the scenes whenever a given web page is loaded.

Using HAR Files to troubleshoot web pages that are failing to fully load.

- Track web browser requests
- Include response headers
- The body content
- Page load time.

## CPD/IKC – Knowledge Sharing

A HAR file can include sensitive details such as passwords, payment information, and private keys. There are open tools available to sanitize HAR file.

## Accessing MDE column data taking time

24122\_DR\_MDE\_V1\_PP2

Columns	Asset	Business terms	Data class	Data quality	Review status
CHANGEDATE	XI_CDRVERSION GFWV_24122_DisasterRecovery_C	-	-	-	-
CHANGEDATE	XI_REPVERSION GFWV_24122_DisasterRecovery_C	-	-	-	-
CHANGEDATE	XI_RUNVERSION GFWV_24122_DisasterRecovery_C	-	-	-	-

View relationships

CHANGEDATE

Column from XI\_RUNVERSION

Go to asset in project

Details Governance

Description

Source  
GFWV\_24122\_DisasterRecovery... / SAPS...

### Troubleshooting:

#### 1) For any CPD UI issue a starting point is the browser developer tool.

Name	Status	Type	Initiator	Size	Time	Waterfall
?size=24&scaleFactor=1x&showFallbackMonogram=&page...ps%3A%2F%2Fchrome.google...	200	png	chrome://res...	994 B	2 ms	
db925b85-ed34-49e3-a5f4-8cc8fa9e6719?project_id=36...225-4190-b60c-a072fed121ab&co...	500	xhr	datacatalog.v...	712 B	853 ms	
db925b85-ed34-49e3-a5f4-8cc8fa9e6719?project_id=36...225-4190-b60c-a072fed121ab&co...	304	xhr	datacatalog.v...	316 B	402 ms	
db925b85-ed34-49e3-a5f4-8cc8fa9e6719?project_id=36...225-4190-b60c-a072fed121ab&co...	500	xhr	datacatalog.v...	620 B	6.03 s	
3d87ea75f01484b48e97.svg	200	svg+xml	datacatalog.v... (disk cache)		2 ms	
tokenexpiry	200	xhr	datacatalog.v...	613 B	132 ms	

- Mainly the “Network” and “Console” panels are commonly used for investigating network activities, API call failure and error message returned by a URL.
- Focused on the HTTP return/status code and elapsed time to find the problematic API. Compare elapsed time with previous successful run.

Name	Headers	Payload	Preview	Response	Initiator	Timing
?size=24&scaleFactor=1x&showFallbackMonogram=&...	<b>General</b> Request URL: https://datacatalog.verizon.com/gov/metadata-enrichments/api/data-class-assignment/db925b85-ed34-49e3-a5f4-8cc8fa9e6719?project_id=36d882a5-f225-4190-b60c-a072fed121ab&column_name=access_amt Request Method: GET Status Code: 500 Internal Server Error					

- The URL in the “Network > Headers” tab can help to identify the CPD service or component having problem.

Request URL: /gov/metadata-enrichments/api/data-class-assignment/

- Service: gov/WKC/IKC
- Component: metadata-enrichments/data-class-assignment

#### 2) Check [pod reference table](#) [A6] to find pods associated to the Service/Component.

- Are all pods healthy? [A1]
- Any recent warning/fail event associated to the pod? [A2]
- Has pod restarted recently? [A3]
- Any error in the pod log during the problem? [A4]
- What is memory, CPU consumption of pod? [A5]

## MDE Publish job appearing hang

1. Check the job log for any error.
2. Monitor the job log for any progress in statistical values.
3. Check [pod reference table](#)<sup>[A6]</sup> to find pods associated to publishing
  - a. Are all pods healthy? <sup>[A1]</sup>
  - b. Any recent warning/fail event associated to the pod? <sup>[A2]</sup>
  - c. Has pod restarted recently? <sup>[A3]</sup>
  - d. Any error in the pod log during the problem? <sup>[A4]</sup>
  - e. What is memory, CPU consumption of pod? <sup>[A5]</sup>



## Find the SQL that causing problem or failing in the MDE job

For example, an MDE job log reported profiling on the table “TLE\_OUTBOUND” taking longer than 300 seconds and it skipped. You like to know the SQL used in this MDE job.

Apr 29, 2024 1:43:09 PM

About this run

**Failed**

Run details

Duration (seconds): 385

Started by: SVC-dcat-cadm-prd SVC-dcat-cadm-prd

Associated job: 23400\_MDE\_ediprod\_V1

Log Total 23 lines

Download

```
Delta metadata enrichment job run (7e0b102-f5fe-4801-b9e8-d09262f208e) is in state 'Failed'.
Error reason: None of the assets could be processed successfully

Enrichment asset summary:
Total assets: 1
- Assets with status 'Created': 0
- Assets with status 'In progress': 0
- Assets with status 'Not found': 0
- Assets with status 'Completed': 1
- Completed successfully: 0
- Completed with errors due to failed profiling operation: 1
- Completed with errors due to failed term assignment operation: 0

Profiling status:
Completed Hummingbird tasks: 1
Failed Hummingbird tasks: 0
5433a37-a42f-4731-870f-e2c6b9ef82f7 - 2024-04-29T17:43:26.962816992
2024-04-29T17:43:27.047116112 [-08] - SUBMITTED
2024-04-29T17:43:16.769721513Z [-23s] - RUNNING
2024-04-29T17:49:15.337879236Z [-348s] - COMPLETED

Asset failures: 1
2024-04-29T17:49:15.338Z - 50b46894-d4a8-40ba-a180-49ed274f1e3a [PJ ("TLE_OUTBOUND") - Records of the data asset could not be read within 300 seconds. Stopping profile request for the asset to continue with others.
```

1. Find out the Hummingbird task ID from the MDE job log where the asset enrichment attempted. In this case it is “5433a37-a42f-4731-870f-e2c6b9ef82f7”. If there are multiple Hummingbird tasks, you need to consider the asset enriched time and the Hummingbird tasks start time to find the correct one.
2. Go to Hummingbird tasks explorer (Swagger) from web browser and capture the HB task log. You need to authenticate yourself on the Swagger. Secondly, make sure you have access to the respective project where MDE executed.

[https://<CPD\\_HOST>/v2/asset\\_files/docs/swagger/#/Asset%20Files/getAssetFile](https://<CPD_HOST>/v2/asset_files/docs/swagger/#/Asset%20Files/getAssetFile)

**Liberty REST APIs** 1.0.0 OAS3

Discover REST APIs available within Liberty

Servers

<https://cpd-zen.apps.vibes.cp.fyre.ibm.com:443>

Authorize

**Hummingbird tasks** Internal APIs to manage the Hummingbird tasks (restricted).

GET	/v1/hb_tasks	List Hummingbird tasks	
POST	/v1/hb_tasks	Create a Hummingbird task	
POST	/v1/hb_tasks/stop	Stop Hummingbird tasks	
POST	/v1/hb_tasks/delete	Delete Hummingbird tasks	
GET	/v1/hb_tasks/{hb_task_id}	Get HB task	
DELETE	/v1/hb_tasks/{hb_task_id}	Delete Hummingbird task	
POST	/v1/hb_tasks/{hb_task_id}/start	Start Hummingbird task	
POST	/v1/hb_tasks/{hb_task_id}/stop	Stop Hummingbird task	
GET	/v1/hb_tasks/{hb_task_id}/logs	Get Hummingbird task logs	

3. Download the HB task log and search the table to find out the SQL. For example:

```
% grep -i TEL_OUTBOUND hb_task_log.txt
```

```
INFO: CDICO0004I: Interaction properties: {query_timeout=300,  
row_limit=10001, schema_name=EDIMON, table_name=TEL_OUTBOUND}.  
  
INFO: CDICO2019I: The specified table name is: TEL_OUTBOUND  
  
INFO: CDICO2020I: The connector will run the statement: SELECT  
"FILE_NAME", "HEADER", "CONTENT" FROM "EDIMON"."TEL_OUTBOUND" FETCH FIRST  
10001 ROWS ONLY
```

## End-of-day CPD health check

Process of identifying potential issue:

- 1) What are you going to run over night?
  - a. MDI/MDE/Publishing jobs
- 2) What are pods associated to these operations?
  - a. Check [pod reference table](#)<sup>[A6]</sup> to find pods associated to the Service/Component.
- 3) Find status of pods using command line or CPD monitor console.
  - a. Are all pods healthy? <sup>[A1]</sup>
  - b. Any pods restarted recently within last 24 hours? If yes, investigate why in restart and take corrective action. <sup>[A3]</sup>


```
# oc get pods | egrep 'spark-m|spark-w|spark-hb-control|spark-hb-nginx|mde-service-manager|wdp-
profiling|term-assignment|asset-files|jobs-api|metadata-discovery|wdp-couchdb|rabbitmq'
```

asset-files-api-7b74f7d4cf-82hzb	1/1	Running	1 (4d4h ago)	4d23h
asset-files-api-7b74f7d4cf-b4xjj	1/1	Running	2 (3d10h ago)	4d23h
asset-files-api-7b74f7d4cf-dgvmz	1/1	Running	0	4d23h
asset-files-api-7b74f7d4cf-hxtpq	1/1	Running	2 (38h ago)	4d23h
asset-files-api-7b74f7d4cf-lr2t8	1/1	Running	1 (4d6h ago)	4d23h
asset-files-api-7b74f7d4cf-z5nqc	1/1	Running	2 (27h ago)	4d23h
jobs-api-6484667d79-5xjv8	1/1	Running	0	5d23h
metadata-discovery-68bfc986dd-gd8zr	1/1	Running	0	5d19h
metadata-discovery-68bfc986dd-rxt7d	1/1	Running	0	5d19h
metadata-discovery-68bfc986dd-w67fn	1/1	Running	0	5d19h
rabbitmq-ha-0	1/1	Running	0	5d3h
rabbitmq-ha-1	1/1	Running	0	5d3h
rabbitmq-ha-2	1/1	Running	0	5d3h
rabbitmq-ha-3	1/1	Running	0	5d3h
spark-hb-control-plane-59759fcd6-89678	2/2	Running	0	8d
spark-hb-nginx-85f7c6995d-6hjbj	1/1	Running	0	5d18h
wdp-couchdb-0	2/2	Running	0	5d21h
wdp-couchdb-1	2/2	Running	0	5d21h
wdp-couchdb-2	2/2	Running	0	5d21h
wdp-profiling-745bd5897b-4vhs4	1/1	Running	0	4d23h
wdp-profiling-745bd5897b-bj262	1/1	Running	0	4d23h

- c. What is memory, CPU consumption of pod over last 24 hours? Measure the pods resource usage from OpenShift console using metrics query. Current resource usage below 40% will be ideal.



## CPD/IKC – Knowledge Sharing



## Action

A1. Are all pods healthy? If not:

- [Investigate pod issues](#)
- Try restart the pod

A2. Any recent warning/fail event associated to the pod? If yes:

- [Get an understanding of the event](#) and take corrective action.

A3. Has pod restarted recently? If yes:

- Need to investigate if pod restarted multiple times.
- Check pod description to find the reason of restart.
- Capture the previous pod log. Look for any error message at the end of log to figure out the cause of restart.
- Search exiting Jira for similar error message.
- If need help open support ticket with IBM along with all necessary diagnostics data.

A4. Any error in the pod log during the problem? If yes:

- Search exiting Jira for similar error message.
- If need help open support ticket with IBM along with all necessary diagnostics data.

A5. What is memory, CPU consumption of pod?

- Check the pod description for current resource configured.
- Check the pod description for restart due to lack of resource.
- Using OpenShift console monitor pod resource usage for a period.
- Check with IBM support if pod restarted due to lack of resource.

A6. Pod reference table

- [https://github.com/sanjitc/Cloud-Pak-for-Data/blob/main/wkc/troubleshooting/Pods\\_Making\\_CPD.md](https://github.com/sanjitc/Cloud-Pak-for-Data/blob/main/wkc/troubleshooting/Pods_Making_CPD.md)