OBJECTS

JS


WHAT TO EXPECT



- 1 Introduction
- 2 Sample Object
- 3 Creating Object
- 4 Accessing Object properties
- 5 Modifying Object
- 6 Nested Object

Understanding Objects

- Objects are collections of key-value pairs.
- Keys are also called properties, and values can be of any data type.
- Objects are versatile and used to represent real-world entities.



Sample Object

```
let person = { name: 'John', age: 25, gender: 'Male' };
```

Creating Objects

- Objects are created using curly braces {}.
- Properties are defined as key-value pairs.

```
let person = { name: 'John', age: 25, gender: 'Male' };
```

Accessing Object Properties

Properties are accessed using dot notation (object.property).

let person = { name: 'John', age: 25, gender: 'Male' };



Modifying Objects

Objects are mutable; properties can be changed after creation.

person.age = 26;

Nested Objects

Objects can contain other objects as properties.

```
let car = {
make: 'Mahindra',
model: 'Scorpio N',
owner: {
       name: 'Stu Sid',
       offroad: True
```



- 1. Creating and accessing properties.
- 2. Modifying objects.
- 3. Working with nested objects.

Summary

- JavaScript objects are collections of key-value pairs.
- Keys, or properties, can be of any data type.
- We can create, access, and modify object properties.





