```
#include<stdio.h>
    int main()
         int T,d,i,j,k;
         scanf("%d",&T);
         for(i=0;i<T;i++){</pre>
 6 ▼
             scanf("%d",&d);
             for(j=0;j<d;j++,puts(""))</pre>
 8
             for(k=0; k<d; k++)
 9
             printf("%c",(j\%2==k\%2)?'W':'B');
10
11
12
```

	Input	Expected	Got	
~	2	WBW	WBW	~
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Daccod all tootal

```
#include<stdio.h>
    int main()
 3 🔻
 4
        int T,d,i,i1,i2,o,z;
 5
        char s,c;
 6
        scanf("%d",&T);
 7 ▼
        for(i=0;i<T;i++){
 8
             scanf("%d %c",&d,&s);
 9
             for(i1=0;i1<d;i1++)
10 ▼
11
                 z=(s=='W')?0:1;
12
                 o=(i1\%2==z)?0:1;
                 for(i2=0;i2<d;i2++){
13 ▼
                 c=(i2\%2==o)?'W':'B';
14
                 printf("%c",c);}
15
```

	Input	Expected	Got	
~	2	WB	WB	~
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! 
Gowurisankar.P
240801089

ECE B

```
#include<stdio.h>
    int main()
 3 ▼
         int num,t;
 4
         scanf("%d",&t);
         int st1=1;
 6
         int st2;
 8
         for(int k=1;k<=t;k++)</pre>
 9 🔻
             printf("Case #%d\n",k);
10
             scanf("%d",&num);
11
             st1=1;
12
             st2=num*(num+1);
13
             for(int i=0;i<num;i++)</pre>
14
15 ▼
             {
```

```
for(int j=0;j<i;j++){</pre>
16 ▼
                       printf("**");
17
18
                  for(int j=0;j<num-i;j++){</pre>
19 •
                       printf("%d",(st1++)*10);
20
21
22
                  st2=st2-(num-i-1);
23 •
                  for(int j=0;j<(num-i-1);j++){</pre>
                       printf("%d",(st2++)*10);
24
                  }printf("%d",st2);
25
                  st2=st2-(num-i);
26
                  printf("\n");
27
28
29
         return 0;
30
```

	Input	Expected	Got	
~	3	Case #1	Case #1	~
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		****809012013	****809012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	

Case #3
102030405026027028029030
\*\*6070809022023024025
\*\*\*\*10011012019020021
\*\*\*\*\*\*13014017018
\*\*\*\*\*\*\*15016

Case #3
102030405026027028029030
\*\*6070809022023024025
\*\*\*\*10011012019020021
\*\*\*\*\*13014017018
\*\*\*\*\*\*\*13014017018

Passed all tests! 🗸

```
#include<stdio.h>
    #include<math.h>
    int main(){
4
        int n;
        scanf("%d",&n);
 5
 6
        int x=0, n2=n;
 7 🔻
        while (n2!=0) {
 8
             X++;
             n2=n2/10;
10
11
        int sum=0;
12
        int n3=n,n4;
13 ▼
        while(n3!=0){
             n4=n3%10;
14
15
             sum=sum+pow(n4,x);
```

```
n3=n3/10;
16
17
18
         if(n==sum)
19 ▼
20
             printf("true");
                                          Gowurisankar.P
21
                                          240801089
                                          ECE B
22
         else
23 ▼
24
             printf("false");
25
         return 0;
26
27
```

	Input	Expected	Got	
~	153	true	true	~
~	123	false	false	~

Passed all tests! 🗸

```
#include<stdio.h>
2 v int main(){
        int n,rn,nt=0,i=0;
        scanf("%d",&n);
4
5 ▼
        do{
6
            rn=0;nt=n;
            while(n!=0){
 7 🔻
8
            rn=(rn*10+n%10);
            n=n/10;
10
            n=nt+rn;
            i++;
11
        }while(rn!=nt||i==1);
12
        printf("%d",rn);
13
        return 0;
14
15
```

	Input	Expected	Got	
~	32	55	55	~
~	789	66066	66066	<b>~</b>

Passed all tests! <



```
#include<stdio.h>
    int main()
 3 ▼
    {
 4
         int n=1,i=0,nt,co=0,e;
 5
         scanf("%d",&e);
         while(i<e)</pre>
 6
 7 🔻
 8
              nt=n;
 9
              while(nt!=0)
10 🔻
11
                  co=0;
                  if(nt%10!=3&&nt%10!=4)
12
13 ▼
14
                       co=1;
                                                Gowurisankar.P
                       break;
15
                                                240801089
                                                ECE B
```

```
16

17

18

19

20 v

21

21

22

3n++;

3printf("%d",--n); return 0;

24
```

	Input	Expected	Got	
~	34	33344	33344	<b>~</b>

Passed all tests! 🗸