```
1 | /*
     * Complete the 'balancedSum' function below.
2
3
     * The function is expected to return an INTEGER.
4
     * The function accepts INTEGER_ARRAY arr as parameter.
 5
     */
 6
 7
    int balancedSum(int arr_count, int* arr)
8
9 •
    int balancedSum(int arr_count, int* arr)
8
9 *
        int totalsum=0;
10
11 ▼
        for(int i=0;i<arr_count;i++){</pre>
12
             totalsum+=arr[i];}
13
             int leftsum=0;
             for(int i=0;i<arr_count;i++){</pre>
14 ▼
                 int rightsum=totalsum-leftsum-arr[i];
15
                 if(leftsum==rightsum){
16 •
17
                     return i;
                 }leftsum+=arr[i];
18
             }return 1;
19
20
```

	Test	Expected	Got	
~	<pre>int arr[] = {1,2,3,3}; printf("%d", balancedSum(4, arr))</pre>	2	2	~

Passed all tests! 🗸

```
* Complete the 'arraySum' function below.
 2
 3
     * The function is expected to return an INTEGER.
 4
     * The function accepts INTEGER_ARRAY numbers as parameter.
 5
     */
 6
 7
    int arraySum(int numbers_count, int *numbers)
8
    {
9 🔻
10
        int sum=0;
11 ▼
        for(int i=0;i<numbers_count;i++){</pre>
            sum=sum+numbers[i];
12
13
        return sum;
14
15
    }
```

	Test	Expected	Got	
~	<pre>int arr[] = {1,2,3,4,5}; printf("%d", arraySum(5, arr))</pre>	15	15	~

Passed all tests! 🗸

```
1 ▼
 2
     * Complete the 'minDiff' function below.
 3
     * The function is expected to return an INTEGER.
 4
     * The function accepts INTEGER_ARRAY arr as parameter.
 5
     */
 6
    #include<stdlib.h>
 7
8 | int compare(const void*a,const void*b){
        return(*(int*)a-*(int*)b);
 9
10
   |}
 6
7
    #include<stdlib.h>
8 v int compare(const void*a,const void*b){
 9
        return(*(int*)a-*(int*)b);
10
11
    int minDiff(int arr_count, int* arr)
12 ▼ {
13
        qsort(arr,arr_count,sizeof(int),compare);
        int totaldiff=0;
14
        for(int i=1;i<arr_count;i++){</pre>
15 🔻
            totaldiff+=abs(arr[i]-arr[i-1]);
16
17
```

	Test	Expected	Got	
~	<pre>int arr[] = {5, 1, 3, 7, 3}; printf("%d", minDiff(5, arr))</pre>	6	6	~

Passed all tests! 🗸