2022-2026-CSE-AIML

Aim:
Write a java program to display the default values of all primitive data types.

Write a class PrimitiveTypes with main(String[] args) method.

Write code to produce the below output:

```
byte default value = 0
short default value = 0
int default value = 0
long default value = 0
boolean default value = false
double default value = 0.0
float default value = 0.0
```

Note: Please don't change the package name.

Source Code:

S.No: 1

types

q10815/PrimitiveTypes.java

```
package q10815;
import java.io.*;
public class PrimitiveTypes{
   static byte v1;
   static short v2;
   static int v3;
   static long v4;
   static boolean v5;
   static double v6;
   static float v7;
   public static void main(String[] args){
      System.out.println("byte default value = "+v1);
      System.out.println("short default value = "+v2);
      System.out.println("int default value = "+v3);
      System.out.println("long default value = "+v4);
      System.out.println("boolean default value = "+v5);
      System.out.println("double default value = "+v6);
      System.out.println("float default value = "+v7);
   }
}
```

Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
byte default value = 0
short default value = 0
```

2
<u></u>
_ e
age
n

int default value = 0
long default value = 0

boolean default value = false double default value = 0.0 float default value = 0.0

÷		
:	₹	-
i	₹	-
:	c	J
ŧ	₹	ı
İ	<	ľ
:	~	
i	U	0
İ	7	4
ŧ	5	J
i	c	J
ŧ		
ŧ	٥	1
i.	=	