

Linear Regression Analysis: Regression Case Study

Neerja Doshi, Sri Santhosh Hari, Ker-Yu Ong, Nicha Ruchirawat

October 04, 2017

Part 0: Exploratory Data Analysis

```
# rawDF <- read.csv("/Users/booranium/usf/601_regression/project/housing.txt", stringsAsFactors = T)
rawDF <- read.csv("/Users/santhoshhari/Documents/Coursework/LinearRegression/IowaHousing/Data/housing.t
```

Structure of Data:

The Iowa housing dataset contains 1460 rows and 81 variables, a glimpse of which is as follows:

```
## 'data.frame':   1460 obs. of  81 variables:
## $ Id           : int  1 2 3 4 5 6 7 8 9 10 ...
## $ MSSubClass   : int  60 20 60 70 60 50 20 60 50 190 ...
## $ MSZoning     : Factor w/ 5 levels "C (all)","FV",...: 4 4 4 4 4 4 4 4 5 4 ...
## $ LotFrontage  : int  65 80 68 60 84 85 75 NA 51 50 ...
## $ LotArea      : int  8450 9600 11250 9550 14260 14115 10084 10382 6120 7420 ...
## $ Street       : Factor w/ 2 levels "Grvl","Pave": 2 2 2 2 2 2 2 2 2 2 ...
## $ Alley        : Factor w/ 2 levels "Grvl","Pave": NA NA NA NA NA NA NA NA NA ...
## $ LotShape     : Factor w/ 4 levels "IR1","IR2","IR3",...: 4 4 1 1 1 1 4 1 4 4 ...
## $ LandContour  : Factor w/ 4 levels "Bnk","HLS","Low",...: 4 4 4 4 4 4 4 4 4 4 ...
## $ Utilities    : Factor w/ 2 levels "AllPub","NoSeWa": 1 1 1 1 1 1 1 1 1 1 ...
## $ LotConfig    : Factor w/ 5 levels "Corner","CulDSac",...: 5 3 5 1 3 5 5 1 5 1 ...
## $ LandSlope    : Factor w/ 3 levels "Gtl","Mod","Sev": 1 1 1 1 1 1 1 1 1 1 ...
## $ Neighborhood : Factor w/ 25 levels "Blmngtn","Blueste",...: 6 25 6 7 14 12 21 17 18 4 ...
## $ Condition1   : Factor w/ 9 levels "Artery","Feedr",...: 3 2 3 3 3 3 3 5 1 1 ...
## $ Condition2   : Factor w/ 8 levels "Artery","Feedr",...: 3 3 3 3 3 3 3 3 1 ...
## $ BldgType     : Factor w/ 5 levels "1fam","2fmCon",...: 1 1 1 1 1 1 1 1 1 2 ...
## $ HouseStyle   : Factor w/ 8 levels "1.5Fin","1.5Unf",...: 6 3 6 6 6 1 3 6 1 2 ...
## $ OverallQual  : int  7 6 7 7 8 5 8 7 7 5 ...
## $ OverallCond  : int  5 8 5 5 5 5 5 6 5 6 ...
## $ YearBuilt    : int  2003 1976 2001 1915 2000 1993 2004 1973 1931 1939 ...
## $ YearRemodAdd : int  2003 1976 2002 1970 2000 1995 2005 1973 1950 1950 ...
## $ RoofStyle    : Factor w/ 6 levels "Flat","Gable",...: 2 2 2 2 2 2 2 2 2 2 ...
## $ RoofMatl     : Factor w/ 8 levels "ClyTile","CompShg",...: 2 2 2 2 2 2 2 2 2 2 ...
## $ Exterior1st  : Factor w/ 15 levels "AsbShng","AsphShn",...: 13 9 13 14 13 13 13 7 4 9 ...
## $ Exterior2nd  : Factor w/ 16 levels "AsbShng","AsphShn",...: 14 9 14 16 14 14 14 7 16 9 ...
## $ MasVnrType   : Factor w/ 4 levels "BrkCmn","BrkFace",...: 2 3 2 3 2 3 4 4 3 3 ...
## $ MasVnrArea   : int  196 0 162 0 350 0 186 240 0 0 ...
## $ ExterQual    : Factor w/ 4 levels "Ex","Fa","Gd",...: 3 4 3 4 3 4 3 4 4 4 ...
## $ ExterCond    : Factor w/ 5 levels "Ex","Fa","Gd",...: 5 5 5 5 5 5 5 5 5 5 ...
## $ Foundation   : Factor w/ 6 levels "BrkTil","CBlock",...: 3 2 3 1 3 6 3 2 1 1 ...
## $ BsmtQual     : Factor w/ 4 levels "Ex","Fa","Gd",...: 3 3 3 4 3 3 1 3 4 4 ...
## $ BsmtCond     : Factor w/ 4 levels "Fa","Gd","Po",...: 4 4 4 2 4 4 4 4 4 4 ...
## $ BsmtExposure : Factor w/ 4 levels "Av","Gd","Mn",...: 4 2 3 4 1 4 1 3 4 4 ...
## $ BsmtFinType1 : Factor w/ 6 levels "ALQ","BLQ","GLQ",...: 3 1 3 1 3 3 3 1 6 3 ...
## $ BsmtFinSF1   : int  706 978 486 216 655 732 1369 859 0 851 ...
```

```

## $ BsmtFinType2 : Factor w/ 6 levels "ALQ","BLQ","GLQ",...: 6 6 6 6 6 6 6 2 6 6 ...
## $ BsmtFinSF2   : int   0 0 0 0 0 0 0 32 0 0 ...
## $ BsmtUnfSF    : int  150 284 434 540 490 64 317 216 952 140 ...
## $ TotalBsmtSF  : int  856 1262 920 756 1145 796 1686 1107 952 991 ...
## $ Heating      : Factor w/ 6 levels "Floor","GasA",...: 2 2 2 2 2 2 2 2 2 ...
## $ HeatingQC    : Factor w/ 5 levels "Ex","Fa","Gd",...: 1 1 1 3 1 1 1 1 3 1 ...
## $ CentralAir   : Factor w/ 2 levels "N","Y": 2 2 2 2 2 2 2 2 2 ...
## $ Electrical   : Factor w/ 5 levels "FuseA","FuseF",...: 5 5 5 5 5 5 5 5 2 5 ...
## $ X1stFlrSF    : int  856 1262 920 961 1145 796 1694 1107 1022 1077 ...
## $ X2ndFlrSF    : int  854 0 866 756 1053 566 0 983 752 0 ...
## $ LowQualFinSF : int   0 0 0 0 0 0 0 0 0 0 ...
## $ GrLivArea    : int  1710 1262 1786 1717 2198 1362 1694 2090 1774 1077 ...
## $ BsmtFullBath : int   1 0 1 1 1 1 1 1 0 1 ...
## $ BsmtHalfBath : int   0 1 0 0 0 0 0 0 0 0 ...
## $ FullBath     : int   2 2 2 1 2 1 2 2 2 1 ...
## $ HalfBath     : int   1 0 1 0 1 1 0 1 0 0 ...
## $ BedroomAbvGr : int   3 3 3 3 4 1 3 3 2 2 ...
## $ KitchenAbvGr : int   1 1 1 1 1 1 1 1 2 2 ...
## $ KitchenQual   : Factor w/ 4 levels "Ex","Fa","Gd",...: 3 4 3 3 3 4 3 4 4 4 ...
## $ TotRmsAbvGrd : int   8 6 6 7 9 5 7 7 8 5 ...
## $ Functional    : Factor w/ 7 levels "Maj1","Maj2",...: 7 7 7 7 7 7 7 3 7 ...
## $ Fireplaces    : int   0 1 1 1 1 0 1 2 2 2 ...
## $ FireplaceQu   : Factor w/ 5 levels "Ex","Fa","Gd",...: NA 5 5 3 5 NA 3 5 5 5 ...
## $ GarageType    : Factor w/ 6 levels "2Types","Attchd",...: 2 2 2 6 2 2 2 2 6 2 ...
## $ GarageYrBlt   : int  2003 1976 2001 1998 2000 1993 2004 1973 1931 1939 ...
## $ GarageFinish  : Factor w/ 3 levels "Fin","Rfn","Unf": 2 2 2 3 2 3 2 2 3 2 ...
## $ GarageCars    : int   2 2 2 3 3 2 2 2 2 1 ...
## $ GarageArea    : int  548 460 608 642 836 480 636 484 468 205 ...
## $ GarageQual    : Factor w/ 5 levels "Ex","Fa","Gd",...: 5 5 5 5 5 5 5 5 2 3 ...
## $ GarageCond    : Factor w/ 5 levels "Ex","Fa","Gd",...: 5 5 5 5 5 5 5 5 5 5 ...
## $ PavedDrive    : Factor w/ 3 levels "N","P","Y": 3 3 3 3 3 3 3 3 3 3 ...
## $ WoodDeckSF    : int   0 298 0 0 192 40 255 235 90 0 ...
## $ OpenPorchSF   : int   61 0 42 35 84 30 57 204 0 4 ...
## $ EnclosedPorch : int   0 0 0 272 0 0 0 228 205 0 ...
## $ X3SsnPorch    : int   0 0 0 0 0 320 0 0 0 0 ...
## $ ScreenPorch   : int   0 0 0 0 0 0 0 0 0 0 ...
## $ PoolArea      : int   0 0 0 0 0 0 0 0 0 0 ...
## $ PoolQC        : Factor w/ 3 levels "Ex","Fa","Gd": NA NA NA NA NA NA NA NA NA NA ...
## $ Fence         : Factor w/ 4 levels "GdPrv","GdWo",...: NA NA NA NA NA 3 NA NA NA NA ...
## $ MiscFeature    : Factor w/ 4 levels "Gar2","Othr",...: NA NA NA NA NA 3 NA 3 NA NA ...
## $ MiscVal       : int   0 0 0 0 0 700 0 350 0 0 ...
## $ MoSold        : int   2 5 9 2 12 10 8 11 4 1 ...
## $ YrSold        : int  2008 2007 2008 2006 2008 2009 2007 2009 2008 2008 ...
## $ SaleType      : Factor w/ 9 levels "COD","Con","ConLD",...: 9 9 9 9 9 9 9 9 9 9 ...
## $ SaleCondition : Factor w/ 6 levels "Abnorml","AdjLand",...: 5 5 5 1 5 5 5 5 1 5 ...
## $ SalePrice     : int  208500 181500 223500 140000 250000 143000 307000 200000 129900 118000 ...

```

At first glance, we see that most of the variables are categorical - both numeric and character types - and only a handful are continuous. The response variable for our analysis is `SalePrice`, and the remaining 79 variables (excluding the record ID column) are considered potential predictor variables. Checking the data dictionary, we found the following distribution for the predictor variables:

- 49 categorical
- 19 are continuous, e.g. area, price
- 11 are discrete, e.g. count, year

There are 0 duplicate rows in the dataset.

Missing Values:

```
NA_columns <- colnames(rawDF)[unique(which(is.na(rawDF), arr.ind = T)[,2])]
NA_count <- rawDF %>%
  select(NA_columns) %>%
  summarise_all(funs(sum(is.na(.)))) %>%
  gather(key = "Variable", value = "num_na", everything()) %>%
  arrange(desc(num_na))

NA_count %<>% mutate(perc_na = paste(round(num_na/nrow(rawDF),4)*100,"%"))
colnames(NA_count) <- c("**Variable**", "**Number of NA**", "**Percentage of NA**")
row.names(NA_count) <- NULL
knitr::kable(NA_count, caption = "\\label{tab:NACount} Variable NA Count and Percentage",
format.args = list(big.mark = ','))
```

Table 1: Variable NA Count and Percentage

| Variable | Number of NA | Percentage of NA |
|--------------|--------------|------------------|
| PoolQC | 1,453 | 99.52 % |
| MiscFeature | 1,406 | 96.3 % |
| Alley | 1,369 | 93.77 % |
| Fence | 1,179 | 80.75 % |
| FireplaceQu | 690 | 47.26 % |
| LotFrontage | 259 | 17.74 % |
| GarageType | 81 | 5.55 % |
| GarageYrBlt | 81 | 5.55 % |
| GarageFinish | 81 | 5.55 % |
| GarageQual | 81 | 5.55 % |
| GarageCond | 81 | 5.55 % |
| BsmtExposure | 38 | 2.6 % |
| BsmtFinType2 | 38 | 2.6 % |
| BsmtQual | 37 | 2.53 % |
| BsmtCond | 37 | 2.53 % |
| BsmtFinType1 | 37 | 2.53 % |
| MasVnrType | 8 | 0.55 % |
| MasVnrArea | 8 | 0.55 % |
| Electrical | 1 | 0.07 % |

The data dictionary tells us that for most of the fields in 1, NA is actually meaningful, indicating non-applicability or a lack of the feature rather than missing data. After checking the data dictionary for the meaning of each field, we updated - for every categorical variable for which NA was meaningful - NAs with 0s.

```
# Create a copy of rawDF to be our working data frame
housingDF <- rawDF

# Update NAs with 0s for applicable fields
levels(housingDF$PoolQC) <- c("0", levels(housingDF$PoolQC))
housingDF$PoolQC[is.na(housingDF$PoolQC)] <- "0"
levels(housingDF$MiscFeature) <- c("0", levels(housingDF$MiscFeature))
housingDF$MiscFeature[is.na(housingDF$MiscFeature)] <- "0"
```

```

levels(housingDF$Alley) <- c("0", levels(housingDF$Alley))
housingDF$Alley[is.na(housingDF$Alley)] <- "0"
levels(housingDF$Fence) <- c("0", levels(housingDF$Fence))
housingDF$Fence[is.na(housingDF$Fence)] <- "0"
levels(housingDF$FireplaceQu) <- c("0", levels(housingDF$FireplaceQu))
housingDF$FireplaceQu[is.na(housingDF$FireplaceQu)] <- "0"
levels(housingDF$GarageType) <- c("0", levels(housingDF$GarageType))
housingDF$GarageType[is.na(housingDF$GarageType)] <- "0"
levels(housingDF$GarageFinish) <- c("0", levels(housingDF$GarageFinish))
housingDF$GarageFinish[is.na(housingDF$GarageFinish)] <- "0"
levels(housingDF$GarageQual) <- c("0", levels(housingDF$GarageQual))
housingDF$GarageQual[is.na(housingDF$GarageQual)] <- "0"
levels(housingDF$GarageCond) <- c("0", levels(housingDF$GarageCond))
housingDF$GarageCond[is.na(housingDF$GarageCond)] <- "0"
levels(housingDF$BsmtExposure) <- c("0", levels(housingDF$BsmtExposure))
housingDF$BsmtExposure[is.na(housingDF$BsmtExposure)] <- "0"
levels(housingDF$BsmtFinType2) <- c("0", levels(housingDF$BsmtFinType2))
housingDF$BsmtFinType2[is.na(housingDF$BsmtFinType2)] <- "0"
levels(housingDF$BsmtQual) <- c("0", levels(housingDF$BsmtQual))
housingDF$BsmtQual[is.na(housingDF$BsmtQual)] <- "0"
levels(housingDF$BsmtCond) <- c("0", levels(housingDF$BsmtCond))
housingDF$BsmtCond[is.na(housingDF$BsmtCond)] <- "0"
levels(housingDF$BsmtFinType1) <- c("0", levels(housingDF$BsmtFinType1))
housingDF$BsmtFinType1[is.na(housingDF$BsmtFinType1)] <- "0"

NA_columns <- colnames(housingDF)[unique(which(is.na(housingDF), arr.ind = T)[,2])]
NA_count <- housingDF %>%
  select(NA_columns) %>%
  summarise_all(funs(sum(is.na(.)))) %>%
  gather(key = "Variable", value = "num_na", everything()) %>%
  arrange(desc(num_na))

NA_count %<>% mutate(perc_na = paste(round(num_na/nrow(housingDF),4)*100,"%"))
colnames(NA_count) <- c("**Variable**", "**Number of NA**", "**Percentage of NA**")
row.names(NA_count) <- NULL
knitr::kable(NA_count, caption = "\\label{tab:NACount1} Variable NA Count and Percentage(after replacing
format.args = list(big.mark = ','))

```

Table 2: Variable NA Count and Percentage(after replacing NAs with 0s, where appropriate)

| Variable | Number of NA | Percentage of NA |
|-------------|--------------|------------------|
| LotFrontage | 259 | 17.74 % |
| GarageYrBlt | 81 | 5.55 % |
| MasVnrType | 8 | 0.55 % |
| MasVnrArea | 8 | 0.55 % |
| Electrical | 1 | 0.07 % |

Data Imputation

Table 2 captures the list of variables with missing data. We impute NAs in these variables with * mean of the data, for continuous variables (LotFrontage) * median of the data, for discrete variables (GarageYrBlt) *

mode of the data, for categorical variables (MasVnrType, Electrical)

```
# Function to get mode of data
getmode <- function(v) {
  univq <- unique(v)
  univq[which.max(tabulate(match(v, univq)))]
}

# Impute NAs
housingDF$LotFrontage[is.na(housingDF$LotFrontage)] <- mean(housingDF$LotFrontage, na.rm = T)
housingDF$GarageYrBlt[is.na(housingDF$GarageYrBlt)] <- median(housingDF$GarageYrBlt, na.rm=T)
housingDF$MasVnrType[is.na(housingDF$MasVnrType)] <- getmode(housingDF$MasVnrType)
housingDF$MasVnrArea[is.na(housingDF$MasVnrArea)] <- 0
housingDF$Electrical[is.na(housingDF$Electrical)] <- getmode(housingDF$Electrical)
```

Since Masonry veneer area (MasVnrArea) is directly related to MasVnrType, we impute for area based on the mode of MasVnrType, which is None. Our cleaned dataset is named housingDF. Now that we have a clean dataset, we can view the distribution, density plots for categorical and continuous variables respectively.

Data Visualization

```
plotHist <- function(data_in, i) {
  data <- data.frame(x=data_in[[i]])
  p <- ggplot(data=data, aes(x=factor(x))) +
    stat_count() +
    xlab(colnames(data_in)[i]) +
    theme_light() +
    theme(axis.text.x = element_text(angle = 90, hjust =1))
  return (p)
}

doPlots <- function(data_in, fun, ii, ncol=3) {
  pp <- list()
  for (i in ii) {
    p <- fun(data_in=data_in, i=i)
    pp <- c(pp, list(p))
  }
  do.call("grid.arrange", c(pp, ncol=ncol))
}

plotDen <- function(data_in, i){
  data <- data.frame(x=data_in[[i]], SalePrice = data_in$SalePrice)
  p <- ggplot(data= data) +
    geom_line(aes(x = x), stat = 'density', size = 1,alpha = 1.0) +
    xlab(paste0((colnames(data_in)[i]), '\n', 'Skewness: ',
      round(skewness(data_in[[i]], na.rm = TRUE), 2))) +
    theme_light()
  return(p)
}

plotCorr <- function(data_in, i){
  data <- data.frame(x = data_in[[i]], SalePrice = data_in$SalePrice)
  p <- ggplot(data, aes(x = x, y = SalePrice)) +
```

```

geom_point(na.rm = TRUE) +
geom_smooth(method = lm) +
xlab(paste0(colnames(data_in)[i], '\n', 'R-Squared: ',
            round(cor(data_in[[i]], data$SalePrice, use = 'complete.obs'), 2))) +
theme_light()
return(suppressWarnings(p))
}

```

```
doPlots(housingDF, fun = plotHist, ii = c(3,6,7,10), ncol = 2)
```




Figure 1: Locality, access, utility features distribution

Figure 1 suggests that most of the houses are located in Medium/Low Density residential areas. We can also observe that most of the houses have paved road access, do not have alleys and have all public utilities (E, G, W, & S). From Figure ??{fig:hist2}, we can notice that most of the properties are regular or slightly irregular in shape, built on level surfaces with gentle slope.

```
doPlots(housingDF, fun = plotHist, ii = c(8,9,11,12), ncol = 2)
```

```

housingDF %>%
  select(LandSlope, Neighborhood) %>%
  arrange(Neighborhood) %>%
  group_by(Neighborhood, LandSlope) %>%
  summarize(Count = n()) %>%
  ggplot(aes(Neighborhood, Count)) +
  geom_bar(aes(fill = LandSlope), position = 'dodge', stat = 'identity') +
  theme(axis.text.x = element_text(angle = 90, hjust = 1))

```




Figure 2: Lot/Land feature distribution




Figure 3: Neighborhood level slope distribution

From Figure ??{fig:hist3}, we can see that houses with severe slope are located only in Clear Creek and Timberland while more than 10 neighborhoods have properties with moderate slope.

```
housingDF %>%
  select(Neighborhood, SalePrice) %>%
  ggplot(aes(factor(Neighborhood), SalePrice)) +
  geom_boxplot() +
  theme(axis.text.x = element_text(angle = 90, hjust = 1)) +
  xlab('Neighborhoods')
```




Figure 4: SalePrice distribution per neighborhood

From Figure 4, we can observe that BrookSide has cheap houses while Northridge and Northridge Heights are rich neighborhoods with several outliers in terms of price.


Testing for Influential Points

Having dealt with the NAs in our dataset, we use the `model.matrix()` function from the `glmnet` package to convert each categorical variable into an appropriate set of binary indicators: for a categorical variable that takes k levels, `model.matrix()` produces $k-1$ binary indicators. We then reappend our response vector `SalePrice` to the resulting wide design matrix `designDF` to create `workingDF`, which includes both the converted predictors and response variables.

```
designDF <- model.matrix(SalePrice ~ ., data = housingDF)[,-1]
designDF <- as.data.frame(designDF)
workingDF <- cbind(designDF, SalePrice = housingDF$SalePrice)
```

In looking for influential points, we leverage the OLSRR package to test observations for influence according to both the DFFITS and studentized residuals criterions. We do this by first fitting a saturated model on `workingDF` and then calling `ols_dffits_plot()` and `ols_srsd_plot()` to plot the DFFITS and studentized residuals plots respectively.

```
model <- lm(SalePrice ~ ., data = workingDF)
ols_dffits_plot(model)
```




```
#ols_srsd_plot(model)
```

The DFFITS plot shows 5 influential observations - 198, 418, 524, 826 and 1183 - with observations 524 and 826 being the most outstanding. This is corroborated by the studentized residuals plot, as shown below:

```
ols_srsd_chart(model)
```

Standardized Residuals Chart



As a remedial measure, we investigate data points 524 and 826 per the original dataset:

```
filter(workingDF, Id == 524 | Id == 826)
```

| ## | Id | MSSubClass | MSZoningFV | MSZoningRH | MSZoningRL | MSZoningRM | LotFrontage |
|------|-----|------------|------------|------------|------------|------------|-------------|
| ## 1 | 524 | 60 | 0 | 0 | 1 | 0 | 130 |
| ## 2 | 826 | 20 | 0 | 0 | 1 | 0 | 114 |

| ## | LotArea | StreetPave | AlleyGrvl | AlleyPave | LotShapeIR2 | LotShapeIR3 |
|------|---------|------------|-----------|-----------|-------------|-------------|
| ## 1 | 40094 | 1 | 0 | 0 | 0 | 0 |
| ## 2 | 14803 | 1 | 0 | 0 | 0 | 0 |

| ## | LotShapeReg | LandContourHLS | LandContourLow | LandContourLvl | UtilitiesNoSeWa |
|------|-------------|----------------|----------------|----------------|-----------------|
| ## 1 | 0 | 0 | 0 | 0 | 0 |
| ## 2 | 1 | 0 | 0 | 1 | 0 |

| ## | LotConfigCulDSac | LotConfigFR2 | LotConfigFR3 | LotConfigInside | LandSlopeMod |
|------|------------------|--------------|--------------|-----------------|--------------|
| ## 1 | 0 | 0 | 0 | 1 | 0 |
| ## 2 | 0 | 0 | 0 | 1 | 0 |

| ## | LandSlopeSev | NeighborhoodBlueste | NeighborhoodBrDale | NeighborhoodBrkSide |
|------|--------------|---------------------|--------------------|---------------------|
| ## 1 | 0 | 0 | 0 | 0 |
| ## 2 | 0 | 0 | 0 | 0 |

| ## | NeighborhoodClearCr | NeighborhoodCollgCr | NeighborhoodCrawfor |
|------|---------------------|---------------------|---------------------|
| ## 1 | 0 | 0 | 0 |
| ## 2 | 0 | 0 | 0 |

| ## | NeighborhoodEdwards | NeighborhoodGilbert | NeighborhoodIDOTRR |
|------|---------------------|---------------------|--------------------|
| ## 1 | 1 | 0 | 0 |
| ## 2 | 0 | 0 | 0 |

| ## | NeighborhoodMeadowV | NeighborhoodMitchel | NeighborhoodNames |
|------|---------------------|---------------------|-------------------|
| ## 1 | 0 | 0 | 0 |
| ## 2 | 0 | 0 | 0 |

| | | | | | |
|------|---------------------|---------------------|---------------------|--------------------|--------------|
| ## | NeighborhoodNoRidge | NeighborhoodNPkVill | NeighborhoodNridgHt | | |
| ## 1 | 0 | 0 | 0 | | |
| ## 2 | 0 | 0 | 1 | | |
| ## | NeighborhoodNWAmes | NeighborhoodOldTown | NeighborhoodSawyer | | |
| ## 1 | 0 | 0 | 0 | | |
| ## 2 | 0 | 0 | 0 | | |
| ## | NeighborhoodSawyerW | NeighborhoodSomerst | NeighborhoodStoneBr | | |
| ## 1 | 0 | 0 | 0 | | |
| ## 2 | 0 | 0 | 0 | | |
| ## | NeighborhoodSWISU | NeighborhoodTimber | NeighborhoodVeenker | Condition1Feedr | |
| ## 1 | 0 | 0 | 0 | 0 | |
| ## 2 | 0 | 0 | 0 | 0 | |
| ## | Condition1Norm | Condition1PosA | Condition1PosN | Condition1RR Ae | |
| ## 1 | 0 | 0 | 1 | 0 | |
| ## 2 | 0 | 0 | 1 | 0 | |
| ## | Condition1RRAn | Condition1RRNe | Condition1RRNn | Condition2Feedr | |
| ## 1 | 0 | 0 | 0 | 0 | |
| ## 2 | 0 | 0 | 0 | 0 | |
| ## | Condition2Norm | Condition2PosA | Condition2PosN | Condition2RR Ae | |
| ## 1 | 0 | 0 | 1 | 0 | |
| ## 2 | 0 | 0 | 1 | 0 | |
| ## | Condition2RRAn | Condition2RRNn | BldgType2fmCon | BldgTypeDuplex | |
| ## 1 | 0 | 0 | 0 | 0 | |
| ## 2 | 0 | 0 | 0 | 0 | |
| ## | BldgTypeTwnhs | BldgTypeTwnhsE | HouseStyle1.5Unf | HouseStyle1Story | |
| ## 1 | 0 | 0 | 0 | 0 | |
| ## 2 | 0 | 0 | 0 | 1 | |
| ## | HouseStyle2.5Fin | HouseStyle2.5Unf | HouseStyle2Story | HouseStyleSFoyer | |
| ## 1 | 0 | 0 | 1 | 0 | |
| ## 2 | 0 | 0 | 0 | 0 | |
| ## | HouseStyleSLvl | OverallQual | OverallCond | YearBuilt | YearRemodAdd |
| ## 1 | 0 | 10 | 5 | 2007 | 2008 |
| ## 2 | 0 | 10 | 5 | 2007 | 2008 |
| ## | RoofStyleGable | RoofStyleGambrel | RoofStyleHip | RoofStyleMansard | |
| ## 1 | 0 | 0 | 1 | 0 | |
| ## 2 | 0 | 0 | 1 | 0 | |
| ## | RoofStyleShed | RoofMatlCompShg | RoofMatlMembran | RoofMatlMetal | RoofMatlRoll |
| ## 1 | 0 | 1 | 0 | 0 | 0 |
| ## 2 | 0 | 1 | 0 | 0 | 0 |
| ## | RoofMatlTar&Grv | RoofMatlWdShake | RoofMatlWdShngl | Exterior1stAsphShn | |
| ## 1 | 0 | 0 | 0 | 0 | |
| ## 2 | 0 | 0 | 0 | 0 | |
| ## | Exterior1stBrkComm | Exterior1stBrkFace | Exterior1stCBlock | | |
| ## 1 | 0 | 0 | 0 | | |
| ## 2 | 0 | 0 | 0 | | |
| ## | Exterior1stCemntBd | Exterior1stHdBoard | Exterior1stImStucc | | |
| ## 1 | 1 | 0 | 0 | | |
| ## 2 | 1 | 0 | 0 | | |
| ## | Exterior1stMetalSd | Exterior1stPlywood | Exterior1stStone | Exterior1stStucco | |
| ## 1 | 0 | 0 | 0 | 0 | |
| ## 2 | 0 | 0 | 0 | 0 | |
| ## | Exterior1stVinylSd | Exterior1stWd Sdng | Exterior1stWdShing | | |
| ## 1 | 0 | 0 | 0 | | |
| ## 2 | 0 | 0 | 0 | | |

| | | | | | | |
|------|--------------------|--------------------|--------------------|--------------------|-------------------|----------------|
| ## | Exterior2ndAsphShn | Exterior2ndBrk | Cmn | Exterior2ndBrkFace | | |
| ## 1 | 0 | | 0 | | 0 | |
| ## 2 | 0 | | 0 | | 0 | |
| ## | Exterior2ndCBlock | Exterior2ndCmentBd | Exterior2ndHdBoard | | | |
| ## 1 | 0 | | 1 | | 0 | |
| ## 2 | 0 | | 1 | | 0 | |
| ## | Exterior2ndImStucc | Exterior2ndMetalSd | Exterior2ndOther | | | |
| ## 1 | 0 | | 0 | | 0 | |
| ## 2 | 0 | | 0 | | 0 | |
| ## | Exterior2ndPlywood | Exterior2ndStone | Exterior2ndStucco | Exterior2ndVinylSd | | |
| ## 1 | 0 | | 0 | | 0 | 0 |
| ## 2 | 0 | | 0 | | 0 | 0 |
| ## | Exterior2ndWd | Sdng | Exterior2ndWd | Shng | MasVnrTypeBrkFace | MasVnrTypeNone |
| ## 1 | 0 | | 0 | | 0 | 0 |
| ## 2 | 0 | | 0 | | 1 | 0 |
| ## | MasVnrTypeStone | MasVnrArea | ExterQualFa | ExterQualGd | ExterQualTA | |
| ## 1 | 1 | 762 | 0 | 0 | 0 | |
| ## 2 | 0 | 816 | 0 | 0 | 0 | |
| ## | ExterCondFa | ExterCondGd | ExterCondPo | ExterCondTA | FoundationCBlock | |
| ## 1 | 0 | 0 | 0 | 1 | 0 | |
| ## 2 | 0 | 0 | 0 | 1 | 0 | |
| ## | FoundationPConc | FoundationSlab | FoundationStone | FoundationWood | BsmtQualEx | |
| ## 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| ## 2 | 1 | 0 | 0 | 0 | 0 | 0 |
| ## | BsmtQualFa | BsmtQualGd | BsmtQualTA | BsmtCondFa | BsmtCondGd | BsmtCondPo |
| ## 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| ## 2 | 0 | 0 | 0 | 0 | 0 | 1 |
| ## | BsmtCondTA | BsmtExposureAv | BsmtExposureGd | BsmtExposureMn | BsmtExposureNo | |
| ## 1 | 0 | 1 | 0 | 0 | 0 | |
| ## 2 | 0 | 0 | 0 | 0 | 0 | |
| ## | BsmtFinType1ALQ | BsmtFinType1BLQ | BsmtFinType1GLQ | BsmtFinType1LwQ | | |
| ## 1 | 0 | 1 | 0 | 0 | | |
| ## 2 | 0 | 1 | 0 | 0 | | |
| ## | BsmtFinType1Rec | BsmtFinType1Unf | BsmtFinSF1 | BsmtFinType2ALQ | | |
| ## 1 | 0 | 0 | 2260 | 0 | | |
| ## 2 | 0 | 0 | 1636 | 0 | | |
| ## | BsmtFinType2BLQ | BsmtFinType2GLQ | BsmtFinType2LwQ | BsmtFinType2Rec | | |
| ## 1 | 0 | 0 | 0 | 1 | | |
| ## 2 | 0 | 0 | 0 | 1 | | |
| ## | BsmtFinType2Unf | BsmtFinSF2 | BsmtUnfSF | TotalBsmtSF | HeatingGasA | HeatingGasW |
| ## 1 | 0 | 0 | 878 | 3138 | 1 | 0 |
| ## 2 | 0 | 0 | 442 | 2078 | 1 | 0 |
| ## | HeatingGrav | HeatingOthW | HeatingWall | HeatingQCFa | HeatingQCGd | HeatingQCPo |
| ## 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ## 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| ## | HeatingQCTA | CentralAirY | ElectricalFuseF | ElectricalFuseP | ElectricalMix | |
| ## 1 | 0 | 1 | 0 | 0 | 0 | |
| ## 2 | 0 | 1 | 0 | 0 | 0 | |
| ## | ElectricalSBrkr | X1stFlrSF | X2ndFlrSF | LowQualFinSF | GrLivArea | BsmtFullBath |
| ## 1 | 1 | 3138 | 1538 | 0 | 4676 | 1 |
| ## 2 | 1 | 2084 | 0 | 0 | 2084 | 1 |
| ## | BsmtHalfBath | FullBath | HalfBath | BedroomAbvGr | KitchenAbvGr | KitchenQualFa |
| ## 1 | 0 | 3 | 1 | 3 | 1 | 0 |
| ## 2 | 0 | 2 | 0 | 2 | 1 | 0 |

```


## KitchenQualGd KitchenQualTA TotRmsAbvGrd FunctionalMaj2 FunctionalMin1
## 1 0 0 11 0 0
## 2 0 0 7 0 0
## FunctionalMin2 FunctionalMod FunctionalSev FunctionalTyp Fireplaces
## 1 0 0 0 1 1
## 2 0 0 0 1 1
## FireplaceQuEx FireplaceQuFa FireplaceQuGd FireplaceQuPo FireplaceQuTA
## 1 0 1 0 0 0
## 2 0 1 0 0 0
## GarageType2Types GarageTypeAttchd GarageTypeBasment GarageTypeBuiltIn
## 1 0 0 1 0
## 2 1 0 0 0
## GarageTypeCarPort GarageTypeDetchd GarageYrBlt GarageFinishFin
## 1 0 0 2007 0
## 2 0 0 2007 0
## GarageFinishRfn GarageFinishUnf GarageCars GarageArea GarageQualEx
## 1 0 0 3 884 0
## 2 0 0 3 1220 0
## GarageQualFa GarageQualGd GarageQualPo GarageQualTA GarageCondEx
## 1 0 0 1 0 0
## 2 0 0 1 0 0
## GarageCondFa GarageCondGd GarageCondPo GarageCondTA PavedDriveP
## 1 0 0 1 0 0
## 2 0 0 1 0 0
## PavedDriveY WoodDeckSF OpenPorchSF EnclosedPorch X3SsnPorch ScreenPorch
## 1 1 208 406 0 0 0
## 2 1 188 45 0 0 0
## PoolArea PoolQCEx PoolQCFa PoolQCGd FenceGdPrv FenceGdWo FenceMnPrv
## 1 0 0 0 0 0 0
## 2 0 0 0 0 0 0
## FenceMnWw MiscFeatureGar2 MiscFeatureOthr MiscFeatureShed
## 1 0 0 0 0
## 2 0 0 0 0
## MiscFeatureTenC MiscVal MoSold YrSold SaleTypeCon SaleTypeConLD
## 1 0 0 10 2007 0 0
## 2 0 0 6 2008 0 0
## SaleTypeConLI SaleTypeConLw SaleTypeCWD SaleTypeNew SaleTypeOth
## 1 0 0 0 1 0
## 2 0 0 0 1 0
## SaleTypeWD SaleConditionAdjLand SaleConditionAlloca SaleConditionFamily
## 1 0 0 0 0
## 2 0 0 0 0
## SaleConditionNormal SaleConditionPartial SalePrice
## 1 0 1 184750
## 2 0 1 385000

```

Specifically, let's look at the values they take on a number of continuous variables as compared to other observations.


SalePrice:

```
plot(workingDF$Id, workingDF$SalePrice, col = ifelse(workingDF$Id == 524 | workingDF$Id == 826, "red",
```




OverallQual: they are in the bucket of 'Excellent' overall material and finish of the house.

```
plot(workingDF$Id, workingDF$OverallQual, col = ifelse(workingDF$Id == 524 | workingDF$Id == 826, "red", "black"))
```



YearBuilt: they appear to be recently built

```
plot(workingDF$Id, workingDF$YearBuilt, col = ifelse(workingDF$Id == 524 | workingDF$Id == 826, "red", "black"))
```




In fact: the difference between the year built and year sold for these two houses is small compared to the same difference for other houses:

Plot of year built vs. year sold - the two observations appear to be both built and sold recently


```
plot(workingDF$Id, workingDF$YrSold-workingDF$YearBuilt, col = ifelse(workingDF$Id == 524 | workingDF$I
```

Plot of Years Between House Built vs. Sold




LotArea: Relatively large


```
plot(workingDF$Id, workingDF$LotArea, col = ifelse(workingDF$Id == 524 | workingDF$Id == 826, "red", "black"))
```




GarageArea: Relatively large

```
plot(workingDF$Id, workingDF$GarageArea, col = ifelse(workingDF$Id == 524 | workingDF$Id == 826, "red", "black"))
```



```
plot(workingDF$Id, workingDF$TotalBsmtSF, col = ifelse(workingDF$Id == 524 | workingDF$Id == 826, "red", "black"))
```



We can now plot the distribution of values for the variables in our `workingDF` and spotcheck for outliers:

```
cols <- colnames(workingDF)

for (c in cols){
  print(c)
  data <- workingDF[[c]]
  plot(data)
}
```

Part I: Explanatory Modelling

Part II: Predictive Modelling