Rajalakshmi Engineering College

Name: santhosh kumar
Email: 240801303@rajalakshmi.edu.in
Roll no: 240801303
Phone: 7904117179
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5
10 20 30 40 50
Output: 10 20 30 40 50

Answer

```
// You are using GCC
#include<stdio.h>
#include<stdlib.h>
struct node{
    int data;
    struct node *prev;
    struct node *next;
};
void insert(struct node **head,struct node **tail,int d){
    struct node *temp=(struct node*)malloc(sizeof(struct node*));
    temp->data=d;
    temp->next=NULL;
    temp->prev=*tail;
    if(*tail!=NULL){
        (*tail)->next=temp;
    }*tail=temp;
    if(*head==NULL){
        *head=temp;
    }
}
void print(struct node *head){
    struct node *ptr=head;
    while(ptr!=NULL){
        printf("%d ",ptr->data);
```

```
        ptr=ptr->next;
    }
}
int main(){
    struct node *head=NULL;
    struct node *tail=NULL;
    int n;
    scanf("%d",&n);
    for(int i=0;i<n;i++){
        int r;
        scanf("%d",&r);
        insert(&head,&tail,r);
    }print(head);
}
```

Status : Correct **Marks : 10/10**