

ICPSR 34969

**Survey of Midlife in Japan (MIDJA):
Biomarker Project, 2009-2010**

ICPSR Codebook for Aggregate Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Survey of Midlife in Japan (MIDJA): Biomarker Project, 2009-2010

Hazel Rose Markus

Stanford University

Christopher L. Coe

University of Wisconsin--Madison

Carol D. Ryff

University of Wisconsin--Madison

Mayumi Karasawa

Tokyo Woman's Christian University

Norito Kawakami

Tokyo Daigaku

Shinobu Kitayama

University of Michigan

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34969/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #34969
Survey of Midlife in Japan (MIDJA): Biomarker Project 2009-2010
DS 1: Aggregate Data

1. **Linking Variable:** The data in this collection can be linked to MIDJA and MIDUS datasets using the linking variable **MIDJA_IDS**. The documents “Guide to Merging the MIDJA 2 Biomarker and MIDUS Data” and “MIDJA 2 Biomarker to MIDJA 1 and MIDUS Roadmap (SAQ-Clinic-Meds)” should be consulted when merging the data files.
2. **Stata Limitations:** Due to Stata limitations, the variables **J2MPMDC1, J2MPMDC10, J2MPMDC11, J2MPMDC12, J2MPMDC13, J2MPMDC2, J2MPMDC3, J2MPMDC4, J2MPMDC5, J2MPMDC6, J2MPMDC7, J2MPMDC8, J2MPMDC9, J2MQMDC1, J2MQMDC10, J2MQMDC2, J2MQMDC3, J2MQMDC4, J2MQMDC5, J2MQMDC6, J2MQMDC7, J2MQMDC8, and J2MQMDC9** do not contain value labels for non-integer values within the Stata files.
3. **Undocumented Codes:** The variables **J2MPC_1753** and **J2MPDD13** contain undocumented values which ICPSR has labeled “Undocumented Code.” No additional information was provided.
4. **Variable Differences:** Some variables that are referenced in the P.I. documentation are not included in the data set released by ICPSR; no further information was provided.
5. **Related Data Collections:** This collection is related to the Midlife in the United States (MIDUS) series. For similar study information and characteristics, please refer to both series. For additional information about the MIDUS series please visit the [MIDUS](#) website.
6. **Additional Information:** For additional information on the Midlife in Japan study, please visit the [MIDJA](#) website.

ICPSR 34969

**Survey of Midlife in Japan (MIDJA): Biomarker Project, 2009-
2010**

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Aggregate Data

MIDJA_IDS: Midlife in Japan (MIDJA) ID

Midlife in Japan (MIDJA) ID

Value	Label	Unweighted Frequency	%
20129	-	1	0.3 %
20134	-	1	0.3 %
20156	-	1	0.3 %
20249	-	1	0.3 %
20267	-	1	0.3 %
20282	-	1	0.3 %
20299	-	1	0.3 %
20324	-	1	0.3 %
20326	-	1	0.3 %
20356	-	1	0.3 %
20358	-	1	0.3 %
20455	-	1	0.3 %
20482	-	1	0.3 %
20531	-	1	0.3 %
20559	-	1	0.3 %
20572	-	1	0.3 %
20584	-	1	0.3 %
20600	-	1	0.3 %
20640	-	1	0.3 %
20649	-	1	0.3 %
20651	-	1	0.3 %
20663	-	1	0.3 %
20763	-	1	0.3 %
20807	-	1	0.3 %
20824	-	1	0.3 %
20834	-	1	0.3 %
20835	-	1	0.3 %
20847	-	1	0.3 %
20885	-	1	0.3 %
20901	-	1	0.3 %
20940	-	1	0.3 %
20975	-	1	0.3 %
21021	-	1	0.3 %

Value	Label	Unweighted Frequency	%
21042	-	1	0.3 %
21079	-	1	0.3 %
21089	-	1	0.3 %
21109	-	1	0.3 %
21111	-	1	0.3 %
21117	-	1	0.3 %
21132	-	1	0.3 %
21175	-	1	0.3 %
21186	-	1	0.3 %
21194	-	1	0.3 %
21218	-	1	0.3 %
21233	-	1	0.3 %
21238	-	1	0.3 %
21279	-	1	0.3 %
21403	-	1	0.3 %
21417	-	1	0.3 %
21435	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 24856.03
- Minimum: 20129.00
- Maximum: 29982.00
- Standard Deviation: 2821.97

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

J2CMONTH: Clinic visit date: month

Clinic visit date: month

Value	Label	Unweighted Frequency	%
1	-	35	9.2 %
2	-	83	21.7 %
3	-	47	12.3 %
4	-	25	6.5 %
5	-	25	6.5 %
6	-	27	7.1 %
7	-	25	6.5 %

Value	Label	Unweighted Frequency	%
8	-	32	8.4 %
9	-	17	4.5 %
10	-	21	5.5 %
11	-	24	6.3 %
12	-	21	5.5 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 5.34
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.47

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

J2CYEAR: Clinic visit date: year

Clinic visit date: year

Value	Label	Unweighted Frequency	%
2009	-	300	78.5 %
2010	-	82	21.5 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 2009.21
- Median: 2009.00
- Mode: 2009.00
- Minimum: 2009.00
- Maximum: 2010.00
- Standard Deviation: 0.41

Location: 8-11 (width: 4; decimal: 0)

Variable Type: numeric

J1SQ1: Gender

Gender

Value	Label	Unweighted Frequency	%
1	Male	168	44.0 %
2	Female	214	56.0 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

J2CAGE: Age at clinic visit

Age at clinic visit

Value	Label	Unweighted Frequency	%
31	-	3	0.8 %
32	-	8	2.1 %
33	-	6	1.6 %
34	-	10	2.6 %
35	-	9	2.4 %
36	-	11	2.9 %
37	-	4	1.0 %
38	-	6	1.6 %
39	-	10	2.6 %
40	-	11	2.9 %
41	-	8	2.1 %
42	-	6	1.6 %
43	-	4	1.0 %
44	-	7	1.8 %
45	-	5	1.3 %
46	-	10	2.6 %
47	-	11	2.9 %
48	-	4	1.0 %
49	-	13	3.4 %
50	-	7	1.8 %
51	-	10	2.6 %
52	-	8	2.1 %
53	-	7	1.8 %
54	-	8	2.1 %
55	-	5	1.3 %
56	-	6	1.6 %
57	-	3	0.8 %

Value	Label	Unweighted Frequency	%
58	-	3	0.8 %
59	-	10	2.6 %
60	-	9	2.4 %
61	-	12	3.1 %
62	-	10	2.6 %
63	-	15	3.9 %
64	-	5	1.3 %
65	-	5	1.3 %
66	-	8	2.1 %
67	-	3	0.8 %
68	-	12	3.1 %
69	-	7	1.8 %
70	-	4	1.0 %
71	-	8	2.1 %
72	-	12	3.1 %
73	-	11	2.9 %
74	-	19	5.0 %
75	-	6	1.6 %
76	-	6	1.6 %
77	-	6	1.6 %
78	-	3	0.8 %
79	-	4	1.0 %
80	-	4	1.0 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 55.47
- Median: 55.50
- Mode: 74.00
- Minimum: 31.00
- Maximum: 80.00
- Standard Deviation: 14.04

Location: 13-14 (*width:* 2; *decimal:* 0)

Variable Type: numeric

J2QSAQ: Is Self-Administered Questionnaire (SAQ) data available?

Is Self-Administered Questionnaire (SAQ) data available?

Value	Label	Unweighted Frequency	%
1	Yes	382	100.0 %

Value	Label	Unweighted Frequency	%
2	No	0	0.0 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 15-15 (width: 1; decimal: 0)

Variable Type: numeric

J2Q1A: Ever had heart disease

Have you ever had any of the following conditions/illnesses? Heart disease

Value	Label	Unweighted Frequency	%
1	Yes	20	5.2 %
2	No	338	88.5 %
3	Borderline	0	0.0 %
Missing Data			
7	Don't know	24	6.3 %
Total		382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1AD: Physician diagnosed heart disease

If yes, was it diagnosed by a physician? Heart disease

Value	Label	Unweighted Frequency	%
1	Yes	21	5.5 %
2	No	1	0.3 %
Missing Data			
9	Inapp	360	94.2 %
Total		382	100%

Based upon 22 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1B: Ever had high blood pressure

Have you ever had any of the following conditions/illnesses? High blood pressure

Value	Label	Unweighted Frequency	%
1	Yes	70	18.3 %
2	No	290	75.9 %
3	Borderline	0	0.0 %
Missing Data			
7	Don't know	22	5.8 %
Total		382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1BD: Physician diagnosed high blood pressure

If yes, was it diagnosed by a physician? High blood pressure

Value	Label	Unweighted Frequency	%
1	Yes	62	16.2 %
2	No	3	0.8 %
Missing Data			
8	Missing	8	2.1 %
9	Inapp	309	80.9 %
Total		382	100%

Based upon 65 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 19-19 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1C: Ever had circulation problems

Have you ever had any of the following conditions/illnesses? Circulation problems

Value	Label	Unweighted Frequency	%
1	Yes	18	4.7 %
2	No	334	87.4 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	30	7.9 %
	Total	382	100%

Based upon 352 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1CD: Physician diagnosed circulation problems

If yes, was it diagnosed by a physician? Circulation problems

Value	Label	Unweighted Frequency	%
1	Yes	15	3.9 %
2	No	4	1.0 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	362	94.8 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1D: Ever had blood clots

Have you ever had any of the following conditions/illnesses? Blood clots

Value	Label	Unweighted Frequency	%
1	Yes	5	1.3 %
2	No	348	91.1 %

Value	Label	Unweighted Frequency	%
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	29	7.6 %
	Total	382	100%

Based upon 353 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1DD: Physician diagnosed blood clots

If yes, was it diagnosed by a physician? Blood clots

Value	Label	Unweighted Frequency	%
1	Yes	5	1.3 %
2	No	2	0.5 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	374	97.9 %
	Total	382	100%

Based upon 7 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1E: Ever had heart murmur

Have you ever had any of the following conditions/illnesses? Heart murmur

Value	Label	Unweighted Frequency	%
1	Yes	9	2.4 %
2	No	343	89.8 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	30	7.9 %
	Total	382	100%

Based upon 352 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1ED: Physician diagnosed heart murmur

If yes, was it diagnosed by a physician? Heart murmur

Value	Label	Unweighted Frequency	%
1	Yes	8	2.1 %
2	No	2	0.5 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	370	96.9 %
	Total	382	100%

Based upon 10 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1F: Ever had mini-stroke or stroke

Have you ever had any of the following conditions/illnesses? Mini-stroke or stroke

Value	Label	Unweighted Frequency	%
1	Yes	4	1.0 %
2	No	356	93.2 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	22	5.8 %
	Total	382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1FD: Physician diagnosed mini-stroke or stroke

If yes, was it diagnosed by a physician? Mini-stroke or stroke

Value	Label	Unweighted Frequency	%
1	Yes	4	1.0 %
2	No	2	0.5 %
	Missing Data		
9	Inapp	376	98.4 %
	Total	382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1G: Ever had anemia or other blood disease

Have you ever had any of the following conditions/illnesses? Anemia or other blood disease

Value	Label	Unweighted Frequency	%
1	Yes	44	11.5 %
2	No	307	80.4 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	31	8.1 %
	Total	382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1GD: Physician diagnosed anemia or other blood disease

If yes, was it diagnosed by a physician? Anemia or other blood disease

Value	Label	Unweighted Frequency	%
1	Yes	36	9.4 %

Value	Label	Unweighted Frequency	%
2	No	5	1.3 %
	Missing Data		
8	Missing	6	1.6 %
9	Inapp	335	87.7 %
	Total	382	100%

Based upon 41 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1H: Ever had cholesterol problems

Have you ever had any of the following conditions/illnesses? Cholesterol problems

Value	Label	Unweighted Frequency	%
1	Yes	92	24.1 %
2	No	260	68.1 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	30	7.9 %
	Total	382	100%

Based upon 352 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1HD: Physician diagnosed cholesterol problems

If yes, was it diagnosed by a physician? Cholesterol problems

Value	Label	Unweighted Frequency	%
1	Yes	85	22.3 %
2	No	4	1.0 %
	Missing Data		
8	Missing	7	1.8 %
9	Inapp	286	74.9 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Based upon 89 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1I: Ever had diabetes

Have you ever had any of the following conditions/illnesses? Diabetes

Value	Label	Unweighted Frequency	%
1	Yes	19	5.0 %
2	No	338	88.5 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	25	6.5 %
	Total	382	100%

Based upon 357 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1ID: Physician diagnosed diabetes

If yes, was it diagnosed by a physician? Diabetes

Value	Label	Unweighted Frequency	%
1	Yes	18	4.7 %
2	No	1	0.3 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	360	94.2 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1J: Ever had asthma

Have you ever had any of the following conditions/illnesses? Asthma

Value	Label	Unweighted Frequency	%
1	Yes	22	5.8 %
2	No	338	88.5 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	22	5.8 %
	Total	382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1JD: Physician diagnosed asthma

If yes, was it diagnosed by a physician? Asthma

Value	Label	Unweighted Frequency	%
1	Yes	20	5.2 %
2	No	2	0.5 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	357	93.5 %
	Total	382	100%

Based upon 22 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1K: Ever had emphysema/chronic obstructive pulmonary disease (COPD)

Have you ever had any of the following conditions/illnesses? Emphysema/chronic obstructive pulmonary disease (COPD)

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	356	93.2 %
3	Borderline	0	0.0 %
Missing Data			
7	Don't know	23	6.0 %
Total		382	100%

Based upon 359 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1KD: Physician diagnosed emphysema/chronic obstructive pulmonary disease (COPD)

If yes, was it diagnosed by a physician? Emphysema/chronic obstructive pulmonary disease (COPD)

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	2	0.5 %
Missing Data			
9	Inapp	377	98.7 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1L: Ever had tuberculosis

Have you ever had any of the following conditions/illnesses? Tuberculosis

Value	Label	Unweighted Frequency	%
1	Yes	12	3.1 %

Value	Label	Unweighted Frequency	%
2	No	346	90.6 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	24	6.3 %
	Total	382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1LD: Physician diagnosed tuberculosis

If Yes, was it diagnosed by a physician? Tuberculosis

Value	Label	Unweighted Frequency	%
1	Yes	10	2.6 %
2	No	2	0.5 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	367	96.1 %
	Total	382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 39-39 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1M: Ever had positive tuberculosis (TB) skin test

Have you ever had any of the following conditions/illnesses? Positive tuberculosis (TB) skin test

Value	Label	Unweighted Frequency	%
1	Yes	52	13.6 %
2	No	289	75.7 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	41	10.7 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Based upon 341 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1MD: Physician diagnosed positive tuberculosis (TB) skin test

If yes, was it diagnosed by a physician? Positive tuberculosis (TB) skin test

Value	Label	Unweighted Frequency	%
1	Yes	41	10.7 %
2	No	4	1.0 %
	Missing Data		
8	Missing	10	2.6 %
9	Inapp	327	85.6 %
	Total	382	100%

Based upon 45 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1N: Ever had thyroid disease

Have you ever had any of the following conditions/illnesses? Thyroid disease

Value	Label	Unweighted Frequency	%
1	Yes	11	2.9 %
2	No	347	90.8 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	24	6.3 %
	Total	382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1ND: Physician diagnosed thyroid disease

If yes, was it diagnosed by a physician? Thyroid disease

Value	Label	Unweighted Frequency	%
1	Yes	11	2.9 %
2	No	2	0.5 %
	Missing Data		
9	Inapp	369	96.6 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1O: Ever had peptic ulcer disease

Have you ever had any of the following conditions/illnesses? Peptic ulcer disease

Value	Label	Unweighted Frequency	%
1	Yes	29	7.6 %
2	No	323	84.6 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	30	7.9 %
	Total	382	100%

Based upon 352 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1OD: Physician diagnosed peptic ulcer disease

If yes, was it diagnosed by a physician? Peptic ulcer disease

Value	Label	Unweighted Frequency	%
1	Yes	27	7.1 %
2	No	2	0.5 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	351	91.9 %
	Total	382	100%

Based upon 29 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1P: Ever had cancer

Have you ever had any of the following conditions/illnesses? Cancer

Value	Label	Unweighted Frequency	%
1	Yes	18	4.7 %
2	No	337	88.2 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	27	7.1 %
	Total	382	100%

Based upon 355 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1PD: Physician diagnosed cancer

If yes, was it diagnosed by a physician? Cancer

Value	Label	Unweighted Frequency	%
1	Yes	13	3.4 %
2	No	2	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Missing	6	1.6 %
9	Inapp	361	94.5 %
	Total	382	100%

Based upon 15 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1Q: Ever had colon polyp

Have you ever had any of the following conditions/illnesses? Colon polyp

Value	Label	Unweighted Frequency	%
1	Yes	28	7.3 %
2	No	328	85.9 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	26	6.8 %
	Total	382	100%

Based upon 356 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-48 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1QD: Physician diagnosed colon polyp

If yes, was it diagnosed by a physician? Colon polyp

Value	Label	Unweighted Frequency	%
1	Yes	26	6.8 %
2	No	2	0.5 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	352	92.1 %
	Total	382	100%

Based upon 28 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1R: Ever had arthritis

Have you ever had any of the following conditions/illnesses? Arthritis

Value	Label	Unweighted Frequency	%
1	Yes	40	10.5 %
2	No	313	81.9 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	29	7.6 %
	Total	382	100%

Based upon 353 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1RD: Physician diagnosed arthritis

If yes, was it diagnosed by a physician? Arthritis

Value	Label	Unweighted Frequency	%
1	Yes	28	7.3 %
2	No	7	1.8 %
	Missing Data		
8	Missing	6	1.6 %
9	Inapp	341	89.3 %
	Total	382	100%

Based upon 35 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1S: Ever had glaucoma

Have you ever had any of the following conditions/illnesses? Glaucoma

Value	Label	Unweighted Frequency	%
1	Yes	7	1.8 %
2	No	354	92.7 %
3	Borderline	0	0.0 %
Missing Data			
7	Don't know	21	5.5 %
Total		382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1SD: Physician diagnosed glaucoma

If yes, was it diagnosed by a physician? Glaucoma

Value	Label	Unweighted Frequency	%
1	Yes	5	1.3 %
2	No	1	0.3 %
Missing Data			
8	Missing	3	0.8 %
9	Inapp	373	97.6 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1T: Ever had cirrhosis/liver disease

Have you ever had any of the following conditions/illnesses? Cirrhosis/liver disease

Value	Label	Unweighted Frequency	%
1	Yes	13	3.4 %
2	No	348	91.1 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	21	5.5 %
	Total	382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1TD: Physician diagnosed cirrhosis/liver disease

If yes, was it diagnosed by a physician? Cirrhosis/liver disease

Value	Label	Unweighted Frequency	%
1	Yes	10	2.6 %
2	No	1	0.3 %
	Missing Data		
8	Missing	5	1.3 %
9	Inapp	366	95.8 %
	Total	382	100%

Based upon 11 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1U: Ever had alcoholism

Have you ever had any of the following conditions/illnesses? Alcoholism

Value	Label	Unweighted Frequency	%
1	Yes	4	1.0 %
2	No	349	91.4 %
3	Borderline	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	Don't know	29	7.6 %
Total		382	100%

Based upon 353 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1UD: Physician diagnosed alcoholism

If yes, was it diagnosed by a physician? Alcoholism

Value	Label	Unweighted Frequency	%
1	Yes	1	0.3 %
2	No	3	0.8 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	375	98.2 %
Total		382	100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 57-57 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1V: Ever had depression

Have you ever had any of the following conditions/illnesses? Depression

Value	Label	Unweighted Frequency	%
1	Yes	16	4.2 %
2	No	339	88.7 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	27	7.1 %
Total		382	100%

Based upon 355 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-58 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1VD: Physician diagnosed depression

If yes, was it diagnosed by a physician? Depression

Value	Label	Unweighted Frequency	%
1	Yes	12	3.1 %
2	No	2	0.5 %
	Missing Data		
8	Missing	4	1.0 %
9	Inapp	364	95.3 %
	Total	382	100%

Based upon 14 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 59-59 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1W: Ever had blood transfusion before 1993

Have you ever had any of the following conditions/illnesses? Blood transfusion before 1993

Value	Label	Unweighted Frequency	%
1	Yes	22	5.8 %
2	No	338	88.5 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	22	5.8 %
	Total	382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 60-60 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1WD: Physician diagnosed blood transfusion before 1993

If yes, was it diagnosed by a physician? Blood transfusion before 1993

Value	Label	Unweighted Frequency	%
1	Yes	17	4.5 %
2	No	3	0.8 %
	Missing Data		
8	Missing	6	1.6 %
9	Inapp	356	93.2 %
	Total	382	100%

Based upon 20 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 61-61 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1X: Ever had chronic back or neck problem

Have you ever had any of the following conditions/illnesses? Chronic back or neck problem

Value	Label	Unweighted Frequency	%
1	Yes	54	14.1 %
2	No	297	77.7 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	31	8.1 %
	Total	382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-62 (*width:* 1; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1XD: Physician diagnosed chronic back or neck problem

If yes, was it diagnosed by a physician? Chronic back or neck problem

Value	Label	Unweighted Frequency	%
1	Yes	28	7.3 %
2	No	21	5.5 %
	Missing Data		
8	Missing	7	1.8 %
9	Inapp	326	85.3 %
	Total	382	100%

Based upon 49 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 63-63 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1Y: Ever had frequent or severe headaches

Have you ever had any of the following conditions/illnesses? Frequent or severe headaches

Value	Label	Unweighted Frequency	%
1	Yes	21	5.5 %
2	No	333	87.2 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	28	7.3 %
	Total	382	100%

Based upon 354 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1YD: Physician diagnosed frequent or severe headaches

If yes, was it diagnosed by a physician? Frequent or severe headaches

Value	Label	Unweighted Frequency	%
1	Yes	7	1.8 %
2	No	12	3.1 %
	Missing Data		
8	Missing	4	1.0 %

Value	Label	Unweighted Frequency	%
9	Inapp	359	94.0 %
Total		382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1Z: Ever had seasonal allergies

Have you ever had any of the following conditions/illnesses? Seasonal allergies

Value	Label	Unweighted Frequency	%
1	Yes	137	35.9 %
2	No	214	56.0 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	31	8.1 %
Total		382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1ZD: Physician diagnosed seasonal allergies

If yes, was it diagnosed by a physician? Seasonal allergies

Value	Label	Unweighted Frequency	%
1	Yes	87	22.8 %
2	No	28	7.3 %
	Missing Data		
8	Missing	24	6.3 %
9	Inapp	243	63.6 %
Total		382	100%

Based upon 115 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 67-67 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1AA: Ever had neurological problem

Have you ever had any of the following conditions/illnesses? Neurological problem

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	359	94.0 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-68 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1AAD: Physician diagnosed neurological problem

If yes, was it diagnosed by a physician? Neurological problem

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	1	0.3 %
	Missing Data		
9	Inapp	378	99.0 %
	Total	382	100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1BB: Ever had HIV infection or AIDS

Have you ever had any of the following conditions/illnesses? HIV infection or AIDS

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	360	94.2 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	22	5.8 %
	Total	382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1BBD: Physician diagnosed HIV infection or AIDS

If yes, was it diagnosed by a physician? HIV infection or AIDS

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	1	0.3 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	379	99.2 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 71-71 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1CC: Ever had epilepsy or seizures

Have you ever had any of the following conditions/illnesses? Epilepsy or seizures

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	358	93.7 %

Value	Label	Unweighted Frequency	%
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	21	5.5 %
	Total	382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1CCD: Physician diagnosed epilepsy or seizures

If yes, was it diagnosed by a physician? Epilepsy or seizures

Value	Label	Unweighted Frequency	%
1	Yes	2	0.5 %
2	No	1	0.3 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	377	98.7 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1EE: Ever had other conditions 1

Do you have any other conditions or illnesses? Please specify

Value	Label	Unweighted Frequency	%
1	Yes	53	13.9 %
2	No	322	84.3 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	6	1.6 %
9	Inapp	1	0.3 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Based upon 375 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1EED: Physician diagnosed other condition 1

If yes, was it diagnosed by a physician?

Value	Label	Unweighted Frequency	%
1	Yes	38	9.9 %
2	No	3	0.8 %
	Missing Data		
8	Missing	13	3.4 %
9	Inapp	328	85.9 %
	Total	382	100%

Based upon 41 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1FF: Ever had other conditions 2

Do you have any other conditions or illnesses? Please specify

Value	Label	Unweighted Frequency	%
1	Yes	20	5.2 %
2	No	360	94.2 %
3	Borderline	0	0.0 %
	Missing Data		
7	Don't know	1	0.3 %
9	Inapp	1	0.3 %
	Total	382	100%

Based upon 380 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-76 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q1FFD: Physician diagnosed other condition 2

If yes, was it diagnosed by a physician?

Value	Label	Unweighted Frequency	%
1	Yes	16	4.2 %
2	No	2	0.5 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	361	94.5 %
	Total	382	100%

Based upon 18 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QSYMN: Total number of symptoms and chronic conditions (Midlife in the United States (MIDUS) items only)

Total number of symptoms and chronic conditions (Midlife in the United States (MIDUS) items only)

Value	Label	Unweighted Frequency	%
0	None	113	29.6 %
1	-	106	27.7 %
2	-	65	17.0 %
3	-	46	12.0 %
4	-	23	6.0 %
5	-	13	3.4 %
6	-	12	3.1 %
7	-	4	1.0 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1.65

- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.67

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

J2QSYMX: Any symptoms and chronic conditions?--yes/no (Midlife in the United States (MIDUS) items only)

Any symptoms and chronic conditions?--yes/no (Midlife in the United States (MIDUS) items only)

Value	Label	Unweighted Frequency	%
1	Yes	269	70.4 %
2	No	113	29.6 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

J2QSYMN2: Total number of symptoms and chronic conditions

Total number of symptoms and chronic conditions

Value	Label	Unweighted Frequency	%
0	None	70	18.3 %
1	-	93	24.3 %
2	-	72	18.8 %
3	-	64	16.8 %
4	-	35	9.2 %
5	-	24	6.3 %
6	-	12	3.1 %
7	-	8	2.1 %
8	-	4	1.0 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.85

Location: 80-80 (width: 1; decimal: 0)

Variable Type: numeric

J2QSYM2: Any symptoms and chronic conditions?--yes/no

Any symptoms and chronic conditions? Yes/no

Value	Label	Unweighted Frequency	%
1	Yes	312	81.7 %
2	No	70	18.3 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

J2Q2: Ever had cancer (filter)

Have you ever had cancer?

Value	Label	Unweighted Frequency	%
1	Yes	19	5.0 %
2	No	327	85.6 %
3	Don't want to answer	0	0.0 %
	Missing Data		
8	Missing	36	9.4 %
	Total	382	100%

Based upon 346 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2Q2A: Current condition of cancer: treatment, remission, cured

Current condition of cancer: treatment, remission, cured

Value	Label	Unweighted Frequency	%
1	Treatment	3	0.8 %
2	Remission	1	0.3 %
3	Cured	13	3.4 %
	Missing Data		
7	Don't know	2	0.5 %
9	Inapp	363	95.0 %
	Total	382	100%

Based upon 17 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2A2: Currently in treatment for cancer

Are you currently in treatment for your cancer, in remission, or has it been cured?

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	14	3.7 %
	Missing Data		
7	Don't know	2	0.5 %
9	Inapp	363	95.0 %
	Total	382	100%

Based upon 17 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B1: Breast cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Breast cancer

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	16	4.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	Don't know	1	0.3 %
9	Inapp	362	94.8 %
Total		382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B2: Colon cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Colon cancer

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	16	4.2 %
Missing Data			
7	Don't know	1	0.3 %
9	Inapp	362	94.8 %
Total		382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B3: Lung cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Lung cancer

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	19	5.0 %
Missing Data			
7	Don't know	1	0.3 %
9	Inapp	362	94.8 %
Total		382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B4: Lymphoma or leukemia

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Lymphoma or leukemia

Value	Label	Unweighted Frequency	%
1	Yes	1	0.3 %
2	No	18	4.7 %
	Missing Data		
7	Don't know	1	0.3 %
9	Inapp	362	94.8 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-88 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B5: Prostate cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Prostate cancer

Value	Label	Unweighted Frequency	%
1	Yes	1	0.3 %
2	No	18	4.7 %
	Missing Data		
7	Don't know	1	0.3 %
9	Inapp	362	94.8 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 89-89 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B6: Skin cancer (melanoma)

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Skin cancer (melanoma)

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	19	5.0 %
	Missing Data		
7	Don't know	1	0.3 %
9	Inapp	362	94.8 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 90-90 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B7: Uterine cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Uterine cancer

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	19	5.0 %
	Missing Data		
9	Inapp	363	95.0 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 91-91 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B8: Ovarian cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Ovarian cancer

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	19	5.0 %
	Missing Data		
9	Inapp	363	95.0 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B9: Cervical cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Cervical cancer

Value	Label	Unweighted Frequency	%
1	Yes	2	0.5 %
2	No	17	4.5 %
	Missing Data		
9	Inapp	363	95.0 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 93-93 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q2B10: Other cancer

Where is/was your cancer? In what part of your body? Please circle yes or no for each location listed below. Other? Please specify

Value	Label	Unweighted Frequency	%
1	Yes	10	2.6 %
2	No	9	2.4 %
	Missing Data		
9	Inapp	363	95.0 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q3: Ever had a head injury

Have you ever had a head injury?

Value	Label	Unweighted Frequency	%
1	Yes	33	8.6 %
2	No	310	81.2 %
	Missing Data		
8	Missing	39	10.2 %
	Total	382	100%

Based upon 343 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q3AH: Hospital overnight for head injury A

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	8	2.1 %
2	No	27	7.1 %
	Missing Data		
9	Inapp	347	90.8 %
	Total	382	100%

Based upon 35 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 96-96 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q3ACEY: Head injury A occurred: Common Era year

Head injury A occurred: Common Era year

Value	Label	Unweighted Frequency	%
1936	-	1	0.3 %
1955	-	1	0.3 %
1958	-	1	0.3 %
1959	-	1	0.3 %
1960	-	2	0.5 %
1965	-	1	0.3 %
1969	-	1	0.3 %
1970	-	2	0.5 %
1971	-	1	0.3 %
1975	-	1	0.3 %
1976	-	1	0.3 %
1977	-	1	0.3 %
1979	-	3	0.8 %
1981	-	2	0.5 %
1983	-	1	0.3 %
1985	-	2	0.5 %
1986	-	1	0.3 %
1990	-	2	0.5 %
1992	-	1	0.3 %
1999	-	2	0.5 %
2000	-	2	0.5 %
2005	-	1	0.3 %
2007	-	1	0.3 %
2008	-	1	0.3 %
Missing Data			
9999	Inapp	349	91.4 %
Total		382	100%

Based upon 33 valid cases out of 382 total cases.

- Mean: 1979.67
- Median: 1979.00
- Mode: 1979.00
- Minimum: 1936.00
- Maximum: 2008.00
- Standard Deviation: 16.83

Location: 97-100 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q3BH: Hospital overnight for head injury B

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	2	0.5 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	379	99.2 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q3BCEY: Head injury B occurred: Common Era year

Head injury B occurred: Common Era year

Value	Label	Unweighted Frequency	%
1944	-	1	0.3 %
1983	-	1	0.3 %
1999	-	1	0.3 %
	Missing Data		
9999	Inapp	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Mean: 1975.33
- Median: 1983.00
- Minimum: 1944.00
- Maximum: 1999.00
- Standard Deviation: 28.29

Location: 102-105 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q4: Ever had a joint injury

Have you ever had a joint injury?

Value	Label	Unweighted Frequency	%
1	Yes	79	20.7 %
2	No	262	68.6 %
	Missing Data		
8	Missing	41	10.7 %
	Total	382	100%

Based upon 341 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q4AH: Hospital overnight for joint injury A

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	11	2.9 %
2	No	68	17.8 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	302	79.1 %
	Total	382	100%

Based upon 79 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q4ACEY: Joint injury A occurred: Common Era year

Joint injury A occurred: Common Era year

Value	Label	Unweighted Frequency	%
1946	-	1	0.3 %
1955	-	2	0.5 %
1957	-	1	0.3 %
1961	-	1	0.3 %
1964	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1965	-	1	0.3 %
1971	-	1	0.3 %
1972	-	1	0.3 %
1975	-	1	0.3 %
1976	-	1	0.3 %
1980	-	1	0.3 %
1981	-	1	0.3 %
1982	-	1	0.3 %
1985	-	2	0.5 %
1987	-	3	0.8 %
1988	-	2	0.5 %
1989	-	2	0.5 %
1990	-	4	1.0 %
1991	-	1	0.3 %
1992	-	1	0.3 %
1993	-	3	0.8 %
1994	-	2	0.5 %
1995	-	3	0.8 %
1996	-	1	0.3 %
1997	-	1	0.3 %
1998	-	2	0.5 %
1999	-	1	0.3 %
2000	-	2	0.5 %
2001	-	1	0.3 %
2002	-	1	0.3 %
2004	-	1	0.3 %
2005	-	1	0.3 %
2006	-	6	1.6 %
2007	-	3	0.8 %
2008	-	8	2.1 %
2009	-	6	1.6 %
Missing Data			
9997	Don't know	1	0.3 %
9998	Missing	8	2.1 %
9999	Inapp	302	79.1 %
Total		382	100%

Based upon 71 valid cases out of 382 total cases.

- Mean: 1992.89

- Median: 1995.00
- Mode: 2008.00
- Minimum: 1946.00
- Maximum: 2009.00
- Standard Deviation: 15.56

Location: 108-111 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q4BH: Hospital overnight for joint injury B

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	4	1.0 %
2	No	8	2.1 %
	Missing Data		
8	Missing	4	1.0 %
9	Inapp	366	95.8 %
	Total	382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q4BCEY: Joint injury B occurred: Common Era year

Joint injury B occurred: Common Era year

Value	Label	Unweighted Frequency	%
1954	-	1	0.3 %
1960	-	1	0.3 %
1971	-	1	0.3 %
1977	-	1	0.3 %
1982	-	1	0.3 %
1988	-	2	0.5 %
1990	-	1	0.3 %
1994	-	1	0.3 %
1996	-	1	0.3 %
1998	-	1	0.3 %
2000	-	1	0.3 %

Value	Label	Unweighted Frequency	%
2005	-	1	0.3 %
2007	-	1	0.3 %
2009	-	1	0.3 %
	Missing Data		
9997	Don't know	1	0.3 %
9999	Inapp	366	95.8 %
	Total	382	100%

Based upon 15 valid cases out of 382 total cases.

- Mean: 1987.93
- Median: 1990.00
- Mode: 1988.00
- Minimum: 1954.00
- Maximum: 2009.00
- Standard Deviation: 16.53

Location: 113-116 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q5: Ever injured in a motor vehicle accident

Have you ever been injured in a motor vehicle accident?

Value	Label	Unweighted Frequency	%
1	Yes	67	17.5 %
2	No	277	72.5 %
	Missing Data		
8	Missing	38	9.9 %
	Total	382	100%

Based upon 344 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5AH: Hospital overnight for motor vehicle accident A

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	26	6.8 %

Value	Label	Unweighted Frequency	%
2	No	41	10.7 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	314	82.2 %
	Total	382	100%

Based upon 67 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5ACEY: Motor vehicle accident A occurred: Common Era year

Motor vehicle accident A occurred: Common Era year

Value	Label	Unweighted Frequency	%
1944	-	1	0.3 %
1951	-	1	0.3 %
1957	-	1	0.3 %
1958	-	1	0.3 %
1959	-	1	0.3 %
1963	-	2	0.5 %
1965	-	2	0.5 %
1968	-	1	0.3 %
1969	-	1	0.3 %
1970	-	2	0.5 %
1973	-	1	0.3 %
1976	-	1	0.3 %
1977	-	1	0.3 %
1978	-	2	0.5 %
1980	-	1	0.3 %
1981	-	1	0.3 %
1982	-	1	0.3 %
1983	-	2	0.5 %
1984	-	1	0.3 %
1985	-	2	0.5 %
1986	-	3	0.8 %
1987	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1988	-	3	0.8 %
1989	-	2	0.5 %
1990	-	2	0.5 %
1991	-	1	0.3 %
1992	-	3	0.8 %
1993	-	1	0.3 %
1996	-	1	0.3 %
1997	-	1	0.3 %
1998	-	2	0.5 %
1999	-	2	0.5 %
2000	-	1	0.3 %
2002	-	2	0.5 %
2003	-	4	1.0 %
2004	-	1	0.3 %
2005	-	3	0.8 %
2006	-	3	0.8 %
2007	-	3	0.8 %
2008	-	1	0.3 %
Missing Data			
9998	Missing	1	0.3 %
9999	Inapp	315	82.5 %
Total		382	100%

Based upon 66 valid cases out of 382 total cases.

- Mean: 1987.02
- Median: 1988.50
- Mode: 2003.00
- Minimum: 1944.00
- Maximum: 2008.00
- Standard Deviation: 15.83

Location: 119-122 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q5BH: Hospital overnight for motor vehicle accident B

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	3	0.8 %
2	No	7	1.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
9	Inapp	372	97.4 %
	Total	382	100%

Based upon 10 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5BCEY: Motor vehicle accident B occurred: Common Era year

Motor vehicle accident B occurred: Common Era year

Value	Label	Unweighted Frequency	%
1960	-	1	0.3 %
1979	-	1	0.3 %
1983	-	1	0.3 %
1986	-	1	0.3 %
1988	-	1	0.3 %
1990	-	1	0.3 %
1997	-	2	0.5 %
1998	-	1	0.3 %
1999	-	1	0.3 %
2008	-	1	0.3 %
	Missing Data		
9999	Inapp	371	97.1 %
	Total	382	100%

Based upon 11 valid cases out of 382 total cases.

- Mean: 1989.55
- Median: 1990.00
- Mode: 1997.00
- Minimum: 1960.00
- Maximum: 2008.00
- Standard Deviation: 12.86

Location: 124-127 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q6: Ever had other major injuries/illnesses

Have you had any other major injuries, illnesses, or other health events that may or may not have required hospitalization?

Value	Label	Unweighted Frequency	%
1	Yes	154	40.3 %
2	No	197	51.6 %
	Missing Data		
8	Missing	31	8.1 %
	Total	382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q6AH: Hospital overnight for other injury/illness A

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	146	38.2 %
2	No	4	1.0 %
	Missing Data		
8	Missing	4	1.0 %
9	Inapp	228	59.7 %
	Total	382	100%

Based upon 150 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q6ACEY: Other injury/illness A occurred: Common Era year

Other injury/illness A occurred: Common Era year

Value	Label	Unweighted Frequency	%
1942	-	1	0.3 %
1953	-	2	0.5 %
1956	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1960	-	2	0.5 %
1961	-	3	0.8 %
1962	-	2	0.5 %
1963	-	1	0.3 %
1965	-	2	0.5 %
1967	-	2	0.5 %
1968	-	1	0.3 %
1971	-	1	0.3 %
1972	-	1	0.3 %
1973	-	1	0.3 %
1974	-	2	0.5 %
1975	-	4	1.0 %
1976	-	2	0.5 %
1978	-	2	0.5 %
1979	-	2	0.5 %
1980	-	3	0.8 %
1981	-	1	0.3 %
1982	-	3	0.8 %
1983	-	4	1.0 %
1984	-	4	1.0 %
1985	-	3	0.8 %
1986	-	4	1.0 %
1987	-	2	0.5 %
1988	-	5	1.3 %
1989	-	1	0.3 %
1990	-	3	0.8 %
1991	-	3	0.8 %
1992	-	3	0.8 %
1993	-	4	1.0 %
1994	-	1	0.3 %
1995	-	3	0.8 %
1996	-	5	1.3 %
1997	-	3	0.8 %
1998	-	3	0.8 %
1999	-	2	0.5 %
2001	-	6	1.6 %
2002	-	1	0.3 %
2003	-	7	1.8 %
2004	-	8	2.1 %

Value	Label	Unweighted Frequency	%
2005	-	7	1.8 %
2006	-	4	1.0 %
2007	-	8	2.1 %
2008	-	4	1.0 %
2009	-	10	2.6 %
Missing Data			
9997	Don't know	1	0.3 %
9998	Missing	5	1.3 %
9999	Inapp	229	59.9 %
Total		382	100%

Based upon 147 valid cases out of 382 total cases.

- Mean: 1990.64
- Median: 1993.00
- Mode: 2009.00
- Minimum: 1942.00
- Maximum: 2009.00
- Standard Deviation: 15.31

Location: 130-133 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q6BH: Hospital overnight for other injury/illness B

Overnight hospital stay required?

Value	Label	Unweighted Frequency	%
1	Yes	43	11.3 %
2	No	1	0.3 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	337	88.2 %
Total		382	100%

Based upon 44 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q6BCEY: Other injury/illness B occurred: Common Era year

Other injury/illness B occurred: Common Era year

Value	Label	Unweighted Frequency	%
1942	-	1	0.3 %
1969	-	1	0.3 %
1979	-	1	0.3 %
1983	-	1	0.3 %
1984	-	2	0.5 %
1985	-	3	0.8 %
1986	-	1	0.3 %
1987	-	1	0.3 %
1991	-	1	0.3 %
1993	-	2	0.5 %
1995	-	1	0.3 %
1996	-	1	0.3 %
1997	-	1	0.3 %
1999	-	1	0.3 %
2001	-	3	0.8 %
2002	-	1	0.3 %
2003	-	6	1.6 %
2005	-	5	1.3 %
2006	-	2	0.5 %
2007	-	3	0.8 %
2008	-	2	0.5 %
2009	-	3	0.8 %
Missing Data			
9997	Don't know	1	0.3 %
9999	Inapp	338	88.5 %
Total		382	100%

Based upon 43 valid cases out of 382 total cases.

- Mean: 1996.67
- Median: 2002.00
- Mode: 2003.00
- Minimum: 1942.00
- Maximum: 2009.00
- Standard Deviation: 13.04

Location: 135-138 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q7: Usual bedtime (past month)

During the past month, when have you usually gone to bed at night?

Value	Label	Unweighted Frequency	%
0	-	41	10.7 %
10	-	2	0.5 %
15	-	1	0.3 %
20	-	2	0.5 %
30	-	24	6.3 %
45	-	1	0.3 %
100	-	37	9.7 %
109	-	1	0.3 %
130	-	16	4.2 %
151	-	1	0.3 %
200	-	9	2.4 %
230	-	8	2.1 %
300	-	2	0.5 %
304	-	1	0.3 %
400	-	1	0.3 %
430	-	1	0.3 %
630	-	1	0.3 %
830	-	1	0.3 %
1200	-	7	1.8 %
1209	-	1	0.3 %
1230	-	2	0.5 %
2000	-	4	1.0 %
2030	-	3	0.8 %
2100	-	7	1.8 %
2130	-	10	2.6 %
2140	-	1	0.3 %
2200	-	34	8.9 %
2209	-	1	0.3 %
2215	-	2	0.5 %
2230	-	23	6.0 %
2250	-	1	0.3 %
2300	-	72	18.8 %
2315	-	2	0.5 %
2320	-	2	0.5 %
2330	-	45	11.8 %
2345	-	3	0.8 %
2350	-	9	2.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
9998	Missing	3	0.8 %
	Total	382	100%

Based upon 379 valid cases out of 382 total cases.

- Mean: 1374.40
- Median: 2200.00
- Mode: 2300.00
- Minimum: 0.00
- Maximum: 2350.00
- Standard Deviation: 1057.31

Location: 139-142 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q8: Minutes to fall asleep

During the past month, how long (in minutes) has it taken you to fall asleep at night?

Value	Label	Unweighted Frequency	%
0	-	2	0.5 %
1	-	12	3.1 %
2	-	7	1.8 %
3	-	18	4.7 %
4	-	1	0.3 %
5	-	63	16.5 %
10	-	86	22.5 %
15	-	40	10.5 %
20	-	28	7.3 %
30	-	83	21.7 %
40	-	5	1.3 %
45	-	5	1.3 %
50	-	2	0.5 %
60	-	19	5.0 %
90	-	2	0.5 %
120	-	3	0.8 %
240	-	1	0.3 %
480	-	1	0.3 %
	Missing Data		
998	Missing	4	1.0 %
	Total	382	100%

Based upon 378 valid cases out of 382 total cases.

- Mean: 20.72
- Median: 12.50
- Mode: 10.00
- Minimum: 0.00
- Maximum: 480.00
- Standard Deviation: 31.83

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2Q9: Usual getting up time (past month)

During the past month, when have you usually gotten up in the morning?

Value	Label	Unweighted Frequency	%
300	-	2	0.5 %
400	-	5	1.3 %
430	-	5	1.3 %
440	-	1	0.3 %
500	-	19	5.0 %
501	-	2	0.5 %
510	-	4	1.0 %
515	-	3	0.8 %
520	-	3	0.8 %
522	-	1	0.3 %
530	-	15	3.9 %
540	-	3	0.8 %
550	-	1	0.3 %
600	-	60	15.7 %
610	-	2	0.5 %
615	-	5	1.3 %
620	-	11	2.9 %
630	-	44	11.5 %
640	-	7	1.8 %
645	-	7	1.8 %
650	-	7	1.8 %
700	-	61	16.0 %
710	-	3	0.8 %
715	-	5	1.3 %
720	-	5	1.3 %
730	-	30	7.9 %
740	-	1	0.3 %
745	-	1	0.3 %

Value	Label	Unweighted Frequency	%
800	-	26	6.8 %
820	-	2	0.5 %
830	-	16	4.2 %
845	-	1	0.3 %
900	-	8	2.1 %
930	-	3	0.8 %
1000	-	4	1.0 %
1100	-	2	0.5 %
1130	-	2	0.5 %
1330	-	1	0.3 %
Missing Data			
9998	Missing	4	1.0 %
Total		382	100%

Based upon 378 valid cases out of 382 total cases.

- Mean: 665.59
- Median: 640.00
- Mode: 700.00
- Minimum: 300.00
- Maximum: 1330.00
- Standard Deviation: 126.62

Location: 146-149 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q10: Hours of sleep a night

During the past month, how many hours of actual sleep did you get at night (this may be different than the number of hours you spend in bed.)

Value	Label	Unweighted Frequency	%
4.00	-	4	1.0 %
4.50	-	3	0.8 %
4.75	-	1	0.3 %
5.00	-	25	6.5 %
5.17	-	1	0.3 %
5.33	-	1	0.3 %
5.50	-	24	6.3 %
6.00	-	83	21.7 %
6.17	-	1	0.3 %
6.25	-	1	0.3 %
6.33	-	1	0.3 %

Value	Label	Unweighted Frequency	%
6.50	-	44	11.5 %
6.67	-	1	0.3 %
6.75	-	2	0.5 %
6.83	-	1	0.3 %
7.00	-	95	24.9 %
7.25	-	2	0.5 %
7.33	-	2	0.5 %
7.50	-	17	4.5 %
7.83	-	1	0.3 %
8.00	-	51	13.4 %
8.50	-	7	1.8 %
9.00	-	8	2.1 %
10.00	-	2	0.5 %
Missing Data			
98.00	Missing	4	1.0 %
Total		382	100%

Based upon 378 valid cases out of 382 total cases.

- Mean: 6.67
- Median: 6.58
- Mode: 7.00
- Minimum: 4.00
- Maximum: 10.00
- Standard Deviation: 1.03

Location: 150-154 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2Q11A: Sleep trouble could not sleep

During the past month, how often have you had trouble sleeping because you... Could not get to sleep within 30 minutes

Value	Label	Unweighted Frequency	%
1	Not during the past month	151	39.5 %
2	Less than once a week	151	39.5 %
3	Once or twice a week	38	9.9 %
4	Three or more times a week	29	7.6 %
Missing Data			
8	Missing	13	3.4 %
Total		382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11B: Sleep trouble woke up

During the past month, how often have you had trouble sleeping because you... Woke up in the middle of the night or early in the morning

Value	Label	Unweighted Frequency	%
1	Not during the past month	115	30.1 %
2	Less than once a week	126	33.0 %
3	Once or twice a week	58	15.2 %
4	Three or more times a week	61	16.0 %
Missing Data			
8	Missing	22	5.8 %
Total		382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11C: Sleep trouble had to use bathroom

During the past month, how often have you had trouble sleeping because you... Had to get up to use the bathroom

Value	Label	Unweighted Frequency	%
1	Not during the past month	117	30.6 %
2	Less than once a week	122	31.9 %
3	Once or twice a week	56	14.7 %
4	Three or more times a week	67	17.5 %
Missing Data			
8	Missing	20	5.2 %
Total		382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 7 , 8 , 9

J2Q11D: Sleep trouble could not breathe

During the past month, how often have you had trouble sleeping because you... Could not breath comfortably

Value	Label	Unweighted Frequency	%
1	Not during the past month	323	84.6 %
2	Less than once a week	23	6.0 %
3	Once or twice a week	3	0.8 %
4	Three or more times a week	2	0.5 %
	Missing Data		
8	Missing	31	8.1 %
	Total	382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11E: Sleep trouble coughed and snored

During the past month, how often have you had trouble sleeping because you... Coughed and snored

Value	Label	Unweighted Frequency	%
1	Not during the past month	302	79.1 %
2	Less than once a week	41	10.7 %
3	Once or twice a week	8	2.1 %
4	Three or more times a week	2	0.5 %
	Missing Data		
8	Missing	29	7.6 %
	Total	382	100%

Based upon 353 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11F: Sleep trouble felt too cold

During the past month, how often have you had trouble sleeping because you... Felt too cold

Value	Label	Unweighted Frequency	%
1	Not during the past month	296	77.5 %
2	Less than once a week	45	11.8 %
3	Once or twice a week	8	2.1 %
4	Three or more times a week	0	0.0 %
	Missing Data		
8	Missing	33	8.6 %
	Total	382	100%

Based upon 349 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11G: Sleep trouble felt too hot

During the past month, how often have you had trouble sleeping because you... Felt too hot

Value	Label	Unweighted Frequency	%
1	Not during the past month	294	77.0 %
2	Less than once a week	42	11.0 %
3	Once or twice a week	11	2.9 %
4	Three or more times a week	4	1.0 %
	Missing Data		
8	Missing	31	8.1 %
	Total	382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11H: Sleep trouble had bad dreams

During the past month, how often have you had trouble sleeping because you... Had bad dreams

Value	Label	Unweighted Frequency	%
1	Not during the past month	293	76.7 %
2	Less than once a week	57	14.9 %
3	Once or twice a week	3	0.8 %
4	Three or more times a week	1	0.3 %
	Missing Data		
8	Missing	28	7.3 %
	Total	382	100%

Based upon 354 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 162-162 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11I: Sleep trouble had pain

During the past month, how often have you had trouble sleeping because you... Had pain

Value	Label	Unweighted Frequency	%
1	Not during the past month	305	79.8 %
2	Less than once a week	31	8.1 %
3	Once or twice a week	8	2.1 %
4	Three or more times a week	7	1.8 %
	Missing Data		
8	Missing	31	8.1 %
	Total	382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q11J: Sleep trouble other reasons

During the past month, how often have you had trouble sleeping because you... Other reason(s) Please describe

Value	Label	Unweighted Frequency	%
1	Not during the past month	312	81.7 %
2	Less than once a week	12	3.1 %

Value	Label	Unweighted Frequency	%
3	Once or twice a week	12	3.1 %
4	Three or more times a week	12	3.1 %
	Missing Data		
8	Missing	34	8.9 %
	Total	382	100%

Based upon 348 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q12: Sleep quality overall

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	Very good	48	12.6 %
2	Fairly good	238	62.3 %
3	Fairly bad	86	22.5 %
4	Very bad	10	2.6 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q13: Keep up enough enthusiasm

During the past month, how much of a problem has it been for you to keep up enough enthusiasm to get things done?

Value	Label	Unweighted Frequency	%
1	No problem at all	121	31.7 %
2	Only a very slight problem	146	38.2 %
3	Somewhat of a problem	102	26.7 %
4	A very big problem	13	3.4 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 166-166 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q14: Taken medicine to sleep

During the past month, how often have you taken medicine (prescribed or "over the counter") to help you sleep?

Value	Label	Unweighted Frequency	%
1	Not during the past month	338	88.5 %
2	Less than once a week	14	3.7 %
3	Once or twice a week	9	2.4 %
4	Three or more times a week	21	5.5 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q15: Trouble staying awake

During the past month, how often have you had trouble staying awake while driving, eating meals, or engaging in social activity?

Value	Label	Unweighted Frequency	%
1	Not during the past month	293	76.7 %
2	Less than once a week	64	16.8 %
3	Once or twice a week	16	4.2 %
4	Three or more times a week	9	2.4 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q16: Feeling sleepy daytime

During the past month, how often have you felt sleepy during the day?

Value	Label	Unweighted Frequency	%
1	Not during the past month	66	17.3 %
2	Less than once a week	143	37.4 %
3	Once or twice a week	100	26.2 %
4	Three or more times a week	73	19.1 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2SQS_S1: Sleep component 1 - subjective sleep quality

Sleep component 1 - subjective sleep quality

Value	Label	Unweighted Frequency	%
0	Very good	48	12.6 %
1	Fairly good	238	62.3 %
2	Fairly bad	86	22.5 %
3	Very bad	10	2.6 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 170-170 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

J2SQS_S2: Sleep component 2 - sleep latency

Sleep component 2 - sleep latency

Value	Label	Unweighted Frequency	%
0	Sum of subscales = 0	131	34.3 %
1	Sum of subscales = 1-2	167	43.7 %
2	Sum of subscales = 3-4	46	12.0 %
3	Sum of subscales = 5-6	22	5.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Not calculated - due to missing data	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

J2SQS_S3: Sleep component 3 - sleep duration

Sleep component 3 - sleep duration

Value	Label	Unweighted Frequency	%
0	> 7 hours	90	23.6 %
1	6-7 hours	229	59.9 %
2	5-6 hours	51	13.4 %
3	< 5 hours	9	2.4 %
	Missing Data		
8	Not calculated - due to missing data	3	0.8 %
	Total	382	100%

Based upon 379 valid cases out of 382 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

J2SQS_S4: Sleep component 4 - habitual sleep efficiency

Sleep component 4 - habitual sleep efficiency

Value	Label	Unweighted Frequency	%
0	> 85%	269	70.4 %
1	75-84%	31	8.1 %
2	65-74%	15	3.9 %
3	< 65%	9	2.4 %
4	> 100%	55	14.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Not calculated - due to missing data	3	0.8 %
Total		382	100%

Based upon 379 valid cases out of 382 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

J2SQS_S5: Sleep component 5 - sleep disturbances range

Sleep component 5 - sleep disturbances range

Value	Label	Unweighted Frequency	%
0	0	58	15.2 %
1	1-9	269	70.4 %
2	10-18	18	4.7 %
3	19-27	0	0.0 %
	Missing Data		
8	Not calculated - due to missing data	37	9.7 %
Total		382	100%

Based upon 345 valid cases out of 382 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 174-174 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

J2SQS_S6: Sleep component 6 - use of sleeping medication

Sleep component 6 - use of sleeping medication

Value	Label	Unweighted Frequency	%
0	Not during the past month	338	88.5 %
1	Less than once a week	14	3.7 %
2	Once or twice a week	9	2.4 %
3	Three or more times a week	21	5.5 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

J2SQS_S7: Sleep component 7 - daytime dysfunction

Sleep component 7 - daytime dysfunction

Value	Label	Unweighted Frequency	%
0	0	112	29.3 %
1	1-2	213	55.8 %
2	3-4	49	12.8 %
3	5-6	8	2.1 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

J2SQS_GS: Sleep: global score

Sleep: global score

Value	Label	Unweighted Frequency	%
0	-	1	0.3 %
1	-	8	2.1 %
2	-	25	6.5 %
3	-	37	9.7 %
4	-	58	15.2 %
5	-	57	14.9 %
6	-	36	9.4 %
7	-	23	6.0 %
8	-	17	4.5 %
9	-	10	2.6 %
10	-	6	1.6 %
11	-	9	2.4 %
12	-	4	1.0 %
13	-	3	0.8 %

Value	Label	Unweighted Frequency	%
16	-	1	0.3 %
	Missing Data		
98	Not calculated - due to missing data	87	22.8 %
	Total	382	100%

Based upon 295 valid cases out of 382 total cases.

- Mean: 5.26
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.60

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

J2Q17: Have chronic pain

Do you have chronic pain, that is do you have pain that persists beyond the time of normal healing and has lasted anywhere from a few months to many years?

Value	Label	Unweighted Frequency	%
1	Yes	129	33.8 %
2	No	238	62.3 %
	Missing Data		
8	Missing	15	3.9 %
	Total	382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q18: Pain interfered with general activity past week

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your general activity.

Value	Label	Unweighted Frequency	%
0	Did not interfere	19	5.0 %
1	-	17	4.5 %

Value	Label	Unweighted Frequency	%
2	-	25	6.5 %
3	-	15	3.9 %
4	-	9	2.4 %
5	-	16	4.2 %
6	-	9	2.4 %
7	-	9	2.4 %
8	-	4	1.0 %
9	-	5	1.3 %
10	Completely interfered	1	0.3 %
Missing Data			
98	Missing	7	1.8 %
99	Inapp	246	64.4 %
Total		382	100%

Based upon 129 valid cases out of 382 total cases.

- Mean: 3.35
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.62

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q19: Pain interfered with mood past week

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your mood.

Value	Label	Unweighted Frequency	%
0	Did not interfere	21	5.5 %
1	-	20	5.2 %
2	-	23	6.0 %
3	-	12	3.1 %
4	-	10	2.6 %
5	-	13	3.4 %
6	-	10	2.6 %
7	-	9	2.4 %
8	-	9	2.4 %
9	-	2	0.5 %
10	Completely interfered	2	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
98	Missing	5	1.3 %
99	Inapp	246	64.4 %
	Total	382	100%

Based upon 131 valid cases out of 382 total cases.

- Mean: 3.36
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.73

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q20: Pain interfered with relationships past week

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your relations with other people.

Value	Label	Unweighted Frequency	%
0	Did not interfere	80	20.9 %
1	-	23	6.0 %
2	-	6	1.6 %
3	-	5	1.3 %
4	-	1	0.3 %
5	-	7	1.8 %
6	-	2	0.5 %
7	-	3	0.8 %
8	-	2	0.5 %
9	-	1	0.3 %
10	Completely interfered	1	0.3 %
	Missing Data		
98	Missing	5	1.3 %
99	Inapp	246	64.4 %
	Total	382	100%

Based upon 131 valid cases out of 382 total cases.

- Mean: 1.20
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.19

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q21: Pain interfered with sleep past week

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your sleep.

Value	Label	Unweighted Frequency	%
0	Did not interfere	54	14.1 %
1	-	21	5.5 %
2	-	15	3.9 %
3	-	15	3.9 %
4	-	1	0.3 %
5	-	9	2.4 %
6	-	4	1.0 %
7	-	6	1.6 %
8	-	4	1.0 %
9	-	1	0.3 %
10	Completely interfered	2	0.5 %
Missing Data			
98	Missing	4	1.0 %
99	Inapp	246	64.4 %
Total		382	100%

Based upon 132 valid cases out of 382 total cases.

- Mean: 2.06
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.58

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q22: Pain interfered with enjoyment of life past week

On a scale of 0 to 10, circle the number below that best describes how much, during the past week, your pain interfered with your enjoyment of life.

Value	Label	Unweighted Frequency	%
0	Did not interfere	59	15.4 %
1	-	17	4.5 %
2	-	17	4.5 %
3	-	9	2.4 %
4	-	2	0.5 %
5	-	11	2.9 %
6	-	5	1.3 %
7	-	3	0.8 %
8	-	6	1.6 %
9	-	2	0.5 %
10	Completely interfered	2	0.5 %
Missing Data			
98	Missing	4	1.0 %
99	Inapp	245	64.1 %
Total		382	100%

Based upon 133 valid cases out of 382 total cases.

- Mean: 2.09
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.70

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q23A: Pain primary location: head

Where is your pain primarily located? (Check all that apply) Head

Value	Label	Unweighted Frequency	%
1	Yes	17	4.5 %
2	No	112	29.3 %
Missing Data			
9	Inapp	253	66.2 %
Total		382	100%

Based upon 129 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-190 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 7 , 8 , 9

J2Q23B: Pain primary location: neck

Where is your pain primarily located? (Check all that apply) Neck

Value	Label	Unweighted Frequency	%
1	Yes	32	8.4 %
2	No	98	25.7 %
	Missing Data		
9	Inapp	252	66.0 %
	Total	382	100%

Based upon 130 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q23C: Pain primary location: back

Where is your pain primarily located? (Check all that apply) Back

Value	Label	Unweighted Frequency	%
1	Yes	19	5.0 %
2	No	110	28.8 %
	Missing Data		
9	Inapp	253	66.2 %
	Total	382	100%

Based upon 129 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q23D: Pain primary location: shoulders

Where is your pain primarily located? (Check all that apply) Shoulders

Value	Label	Unweighted Frequency	%
1	Yes	42	11.0 %
2	No	88	23.0 %
	Missing Data		
9	Inapp	252	66.0 %
	Total	382	100%

Based upon 130 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q23E: Pain primary location: arms/hands

Where is your pain primarily located? (Check all that apply) Arms/hands

Value	Label	Unweighted Frequency	%
1	Yes	27	7.1 %
2	No	103	27.0 %
	Missing Data		
9	Inapp	252	66.0 %
	Total	382	100%

Based upon 130 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q23F: Pain primary location: hips

Where is your pain primarily located? (Check all that apply) Hips

Value	Label	Unweighted Frequency	%
1	Yes	67	17.5 %
2	No	62	16.2 %
	Missing Data		
9	Inapp	253	66.2 %
	Total	382	100%

Based upon 129 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q23G: Pain primary location: legs/feet

Where is your pain primarily located? (Check all that apply) Legs/feet

Value	Label	Unweighted Frequency	%
1	Yes	24	6.3 %
2	No	105	27.5 %
	Missing Data		
9	Inapp	253	66.2 %
	Total	382	100%

Based upon 129 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q23H: Pain primary location: knees

Where is your pain primarily located? (Check all that apply) Knees

Value	Label	Unweighted Frequency	%
1	Yes	31	8.1 %
2	No	99	25.9 %
	Missing Data		
9	Inapp	252	66.0 %
	Total	382	100%

Based upon 130 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q23I: Pain primary location: other

Where is your pain primarily located? (Check all that apply) Other Please specify

Value	Label	Unweighted Frequency	%
1	Yes	19	5.0 %
2	No	110	28.8 %
	Missing Data		
9	Inapp	253	66.2 %
	Total	382	100%

Based upon 129 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q24: Seen physician about pain

Have you seen a physician or other health care professional about this?

Value	Label	Unweighted Frequency	%
1	Yes	85	22.3 %
2	No	41	10.7 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	253	66.2 %
	Total	382	100%

Based upon 126 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q26: Follow a special diet

Do you follow a special diet? If yes please specify

Value	Label	Unweighted Frequency	%
1	Yes	26	6.8 %
2	No	337	88.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Missing	19	5.0 %
	Total	382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q27A: Number of servings of milk

In general, how many servings do you consume of... milk

Value	Label	Unweighted Frequency	%
1	Never	96	25.1 %
2	Less than 1x per week	82	21.5 %
3	1-4x per week	66	17.3 %
4	Almost daily	101	26.4 %
5	1-3x per day	16	4.2 %
6	4-7x per day	0	0.0 %
7	8 or more x per day	2	0.5 %
	Missing Data		
98	Missing	19	5.0 %
	Total	382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q27B: Number of servings of yogurt

In general, how many servings do you consume of... yogurt

Value	Label	Unweighted Frequency	%
1	Never	91	23.8 %
2	Less than 1x per week	88	23.0 %
3	1-4x per week	93	24.3 %
4	Almost daily	80	20.9 %

Value	Label	Unweighted Frequency	%
5	1-3x per day	10	2.6 %
6	4-7x per day	2	0.5 %
7	8 or more x per day	0	0.0 %
	Missing Data		
98	Missing	18	4.7 %
	Total	382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q27C: Number of servings of small fish

In general, how many servings do you consume of... small fish

Value	Label	Unweighted Frequency	%
1	Never	47	12.3 %
2	Less than 1x per week	151	39.5 %
3	1-4x per week	112	29.3 %
4	Almost daily	46	12.0 %
5	1-3x per day	3	0.8 %
6	4-7x per day	0	0.0 %
7	8 or more x per day	2	0.5 %
	Missing Data		
98	Missing	21	5.5 %
	Total	382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q28A: Number of servings of green tea (caffeinated)

In general how many 200mL servings do you drink of... green tea (caffeinated)

Value	Label	Unweighted Frequency	%
1	Never	19	5.0 %
2	Less than 1x per week	42	11.0 %
3	1-4x per week	57	14.9 %
4	Almost daily	126	33.0 %
5	1-3x per day	73	19.1 %
6	4-7x per day	40	10.5 %
7	8 or more x per day	8	2.1 %
Missing Data			
98	Missing	17	4.5 %
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q28B: Number of servings of other tea (decaffeinated)

In general how many 200mL servings do you drink of... other tea (decaffeinated)

Value	Label	Unweighted Frequency	%
1	Never	104	27.2 %
2	Less than 1x per week	65	17.0 %
3	1-4x per week	51	13.4 %
4	Almost daily	75	19.6 %
5	1-3x per day	31	8.1 %
6	4-7x per day	17	4.5 %
7	8 or more x per day	8	2.1 %
Missing Data			
98	Missing	31	8.1 %
Total		382	100%

Based upon 351 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q28C: Number of servings of coffee

In general how many 200mL servings do you drink of... of coffee

Value	Label	Unweighted Frequency	%
1	Never	38	9.9 %
2	Less than 1x per week	45	11.8 %
3	1-4x per week	69	18.1 %
4	Almost daily	108	28.3 %
5	1-3x per day	83	21.7 %
6	4-7x per day	20	5.2 %
7	8 or more x per day	4	1.0 %
Missing Data			
98	Missing	15	3.9 %
Total		382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q28D: Number of servings of other caffeine beverages

In general how many 200mL servings do you drink of... other caffeine beverages

Value	Label	Unweighted Frequency	%
1	Never	222	58.1 %
2	Less than 1x per week	94	24.6 %
3	1-4x per week	35	9.2 %
4	Almost daily	3	0.8 %
5	1-3x per day	2	0.5 %
6	4-7x per day	0	0.0 %
7	8 or more x per day	0	0.0 %
Missing Data			
98	Missing	26	6.8 %
Total		382	100%

Based upon 356 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q29: Average day, number of glasses of water

On an average day, how many glasses of water do you drink (1 glass= 200mL)?

Value	Label	Unweighted Frequency	%
1	None	24	6.3 %
2	Less than 1 glass/day	90	23.6 %
3	1-3 glasses/day	153	40.1 %
4	4-7 glasses/day	81	21.2 %
5	8 or more glasses/day	25	6.5 %
Missing Data			
8	Missing	9	2.4 %
Total		382	100%

Based upon 373 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q30: Average day, number of sugared beverages

On an average day, how many sugared beverages do you drink (e.g. soda, sports drinks, bottled drinks, fruit drinks)?

Value	Label	Unweighted Frequency	%
1	None	108	28.3 %
2	Less than 1 glass/day	207	54.2 %
3	1-3 glasses/day	47	12.3 %
4	4-7 glasses/day	9	2.4 %
5	8 or more glasses/day	0	0.0 %
Missing Data			
8	Missing	11	2.9 %
Total		382	100%

Based upon 371 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 216-216 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q31: Average day, number of servings of vegetables

On an average day how many kinds (servings) of vegetables do you eat (include 100 percent juice)?

Value	Label	Unweighted Frequency	%
1	None	1	0.3 %
2	Less than 1 serving/day	26	6.8 %
3	1-4 servings/day	170	44.5 %
4	5-9 servings/day	153	40.1 %
5	10 or more servings/day	22	5.8 %
Missing Data			
8	Missing	10	2.6 %
Total		382	100%

Based upon 372 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 217-217 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q32: Average day, number of servings of fruit

On an average day how many kinds (servings) of fruit do you eat (include 100 percent juice)?

Value	Label	Unweighted Frequency	%
1	None	19	5.0 %
2	Less than 1 serving/day	189	49.5 %
3	1-4 servings/day	159	41.6 %
4	5-9 servings/day	6	1.6 %
5	10 or more servings/day	0	0.0 %
Missing Data			
8	Missing	9	2.4 %
Total		382	100%

Based upon 373 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 218-218 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q33: Average day, number of servings of whole grain

On an average day how many servings of whole grain do you eat (e.g. rice, brown rice, wholegrain bread, whole wheat cereal, whole wheat soba noodle)?

Value	Label	Unweighted Frequency	%
1	None	0	0.0 %
2	Less than 1 serving/day	22	5.8 %
3	1-4 servings/day	340	89.0 %
4	5-9 servings/day	9	2.4 %
5	10 or more servings/day	2	0.5 %
	Missing Data		
8	Missing	9	2.4 %
	Total	382	100%

Based upon 373 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 219-219 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q34A: Average week, number of times eat ocean fish

In an average week, how often do you eat following food? Fish (e.g. tuna, salmon, mackerel, eel, etc.)

Value	Label	Unweighted Frequency	%
1	Never	3	0.8 %
2	Less than 1x per week	56	14.7 %
3	1-2 x per week	159	41.6 %
4	3-4 x per week	114	29.8 %
5	5 or more x per week	42	11.0 %
	Missing Data		
8	Missing	8	2.1 %
	Total	382	100%

Based upon 374 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 220-220 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q34B: Average week, number of times eat beef/high fat meat

In an average week, how often do you eat following food? Beef or high fat meat (e.g. fried chicken, ribs, sausage, etc.)

Value	Label	Unweighted Frequency	%
1	Never	30	7.9 %
2	Less than 1x per week	152	39.8 %
3	1-2 x per week	122	31.9 %
4	3-4 x per week	55	14.4 %
5	5 or more x per week	14	3.7 %
	Missing Data		
8	Missing	9	2.4 %
	Total	382	100%

Based upon 373 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 221-221 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q34C: Average week, number of times eat lean meat

In an average week, how often do you eat following food? Lean meat (white meat chicken or poultry, lean pork)

Value	Label	Unweighted Frequency	%
1	Never	18	4.7 %
2	Less than 1x per week	105	27.5 %
3	1-2 x per week	167	43.7 %
4	3-4 x per week	74	19.4 %
5	5 or more x per week	9	2.4 %
	Missing Data		
8	Missing	9	2.4 %
	Total	382	100%

Based upon 373 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 222-222 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q34D: Average week, number of times eat non-meat protein foods

In an average week, how often do you eat following food? Non-meat protein foods (e.g. eggs, tofu, soy beans or other beans, nuts, or nut butters, etc.)

Value	Label	Unweighted Frequency	%
1	Never	0	0.0 %
2	Less than 1x per week	16	4.2 %
3	1-2 x per week	91	23.8 %
4	3-4 x per week	152	39.8 %
5	5 or more x per week	113	29.6 %
Missing Data			
8	Missing	10	2.6 %
Total		382	100%

Based upon 372 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 223-223 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q35: Average week, number of times eat fast food

In an average week, how often do you eat at a fast food restaurant or order food for takeout or delivery?

Value	Label	Unweighted Frequency	%
1	Never	166	43.5 %
2	Less than 1x per week	139	36.4 %
3	1-2 x per week	41	10.7 %
4	3-4 x per week	24	6.3 %
5	5 or more x per week	3	0.8 %
Missing Data			
8	Missing	9	2.4 %
Total		382	100%

Based upon 373 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 224-224 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q36: Marital status change since Midlife in Japan (MIDJA) survey

Since completing the MIDJA questionnaire in 2008, has your marital status changed?

Value	Label	Unweighted Frequency	%
1	Yes	11	2.9 %
2	No	325	85.1 %
	Missing Data		
8	Missing	46	12.0 %
	Total	382	100%

Based upon 336 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-225 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q37Y: Marital status change: year

When did your marital status change? Year

Value	Label	Unweighted Frequency	%
2002	-	1	0.3 %
2008	-	4	1.0 %
2009	-	5	1.3 %
	Missing Data		
9998	Missing	1	0.3 %
9999	Inapp	371	97.1 %
	Total	382	100%

Based upon 10 valid cases out of 382 total cases.

- Mean: 2007.90
- Median: 2008.50
- Mode: 2009.00
- Minimum: 2002.00
- Maximum: 2009.00
- Standard Deviation: 2.13

Location: 226-229 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q37M: Marital status change: month

When did your marital status change? Month

Value	Label	Unweighted Frequency	%
2	-	1	0.3 %
4	-	2	0.5 %
6	-	2	0.5 %
7	-	1	0.3 %
10	-	3	0.8 %
11	-	1	0.3 %
Missing Data			
98	Missing	1	0.3 %
99	Inapp	371	97.1 %
Total		382	100%

Based upon 10 valid cases out of 382 total cases.

- Mean: 7.00
- Median: 6.50
- Mode: 10.00
- Minimum: 2.00
- Maximum: 11.00
- Standard Deviation: 3.13

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q38: Current marital status: if changed since last survey

What is your current marital status?

Value	Label	Unweighted Frequency	%
1	Married	3	0.8 %
2	Separated	1	0.3 %
3	Divorced	1	0.3 %
4	Widowed	6	1.6 %
5	Never married	0	0.0 %
6	Marriage-like relationship	0	0.0 %
Missing Data			
9	Inapp	371	97.1 %
Total		382	100%

Based upon 11 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 232-232 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QMARR: Biomarker marital status

Biomarker marital status

Value	Label	Unweighted Frequency	%
1	Married	274	71.7 %
2	Separated	4	1.0 %
3	Divorced	21	5.5 %
4	Widowed	27	7.1 %
5	Never married	55	14.4 %
6	Living w/someone	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
Total		382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 233-233 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q39: Anyone close passed away since Midlife in Japan (MIDJA) survey

Since you completed the MIDJA questionnaire in 2008, has anyone close to you, a close friend or relative, passed away?

Value	Label	Unweighted Frequency	%
1	Yes	95	24.9 %
2	No	246	64.4 %
Missing Data			
8	Missing	41	10.7 %
Total		382	100%

Based upon 341 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 234-234 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q39AG: Gender of person A who passed away

Gender

Value	Label	Unweighted Frequency	%
1	Male	55	14.4 %
2	Female	40	10.5 %
	Missing Data		
9	Inapp	287	75.1 %
	Total	382	100%

Based upon 95 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-235 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q39AM: Month person A died

Date of death month

Value	Label	Unweighted Frequency	%
1	-	10	2.6 %
2	-	9	2.4 %
3	-	3	0.8 %
4	-	11	2.9 %
5	-	9	2.4 %
6	-	7	1.8 %
7	-	4	1.0 %
8	-	9	2.4 %
9	-	5	1.3 %
10	-	6	1.6 %
11	-	8	2.1 %
12	-	12	3.1 %
	Missing Data		
98	Missing	2	0.5 %
99	Inapp	287	75.1 %
	Total	382	100%

Based upon 93 valid cases out of 382 total cases.

- Mean: 6.51
- Median: 6.00
- Mode: 12.00
- Minimum: 1.00

- Maximum: 12.00
- Standard Deviation: 3.71

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q39AY: Year person A died

Date of death year

Value	Label	Unweighted Frequency	%
2007	-	1	0.3 %
2008	-	37	9.7 %
2009	-	51	13.4 %
2010	-	5	1.3 %
	Missing Data		
9998	Missing	1	0.3 %
9999	Inapp	287	75.1 %
	Total	382	100%

Based upon 94 valid cases out of 382 total cases.

- Mean: 2008.64
- Median: 2009.00
- Mode: 2009.00
- Minimum: 2007.00
- Maximum: 2010.00
- Standard Deviation: 0.60

Location: 238-241 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q39BG: Gender of person B who passed away

Gender

Value	Label	Unweighted Frequency	%
1	Male	11	2.9 %
2	Female	7	1.8 %
	Missing Data		
9	Inapp	364	95.3 %
	Total	382	100%

Based upon 18 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 242-242 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q39BM: Month person B died

Date of death month

Value	Label	Unweighted Frequency	%
1	-	3	0.8 %
2	-	1	0.3 %
3	-	1	0.3 %
4	-	5	1.3 %
5	-	1	0.3 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %
9	-	2	0.5 %
10	-	1	0.3 %
11	-	1	0.3 %
12	-	1	0.3 %
Missing Data			
99	Inapp	363	95.0 %
Total		382	100%

Based upon 19 valid cases out of 382 total cases.

- Mean: 5.53
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.47

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q39BY: Year person B died

Date of death year

Value	Label	Unweighted Frequency	%
2007	-	1	0.3 %
2008	-	3	0.8 %

Value	Label	Unweighted Frequency	%
2009	-	15	3.9 %
	Missing Data		
9999	Inapp	363	95.0 %
	Total	382	100%

Based upon 19 valid cases out of 382 total cases.

- Mean: 2008.74
- Median: 2009.00
- Mode: 2009.00
- Minimum: 2007.00
- Maximum: 2009.00
- Standard Deviation: 0.56

Location: 245-248 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q39CG: Gender of person C who passed away

Gender

Value	Label	Unweighted Frequency	%
1	Male	4	1.0 %
2	Female	4	1.0 %
	Missing Data		
9	Inapp	374	97.9 %
	Total	382	100%

Based upon 8 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 249-249 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q39CM: Month person C died

Date of death month

Value	Label	Unweighted Frequency	%
2	-	1	0.3 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %

Value	Label	Unweighted Frequency	%
9	-	2	0.5 %
10	-	2	0.5 %
12	-	1	0.3 %
Missing Data			
99	Inapp	373	97.6 %
Total		382	100%

Based upon 9 valid cases out of 382 total cases.

- Mean: 8.11
- Median: 9.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 2.89

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q39CY: Year person C died

Date of death year

Value	Label	Unweighted Frequency	%
2008	-	2	0.5 %
2009	-	6	1.6 %
Missing Data			
9999	Inapp	374	97.9 %
Total		382	100%

Based upon 8 valid cases out of 382 total cases.

- Mean: 2008.75
- Median: 2009.00
- Mode: 2009.00
- Minimum: 2008.00
- Maximum: 2009.00
- Standard Deviation: 0.46

Location: 252-255 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q40A: Ever repeated school year

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Repeated year of school

Value	Label	Unweighted Frequency	%
1	Checked	13	3.4 %
2	Unchecked	369	96.6 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-256 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q40A1: R's age repeated school year

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
1	Checked	0	0.0 %
2	Unchecked	0	0.0 %
16	-	3	0.8 %
17	-	1	0.3 %
20	-	2	0.5 %
21	-	1	0.3 %
22	-	3	0.8 %
23	-	2	0.5 %
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	369	96.6 %
	Total	382	100%

Based upon 12 valid cases out of 382 total cases.

- Mean: 19.83
- Median: 20.50
- Minimum: 16.00
- Maximum: 23.00
- Standard Deviation: 2.82

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q40A3: Repeated school year effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	4	1.0 %
2	Negatively	4	1.0 %
3	Not at all	2	0.5 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	369	96.6 %
Total		382	100%

Based upon 11 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 259-259 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40A4: Repeated school year effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	3	0.8 %
3	Not at all	4	1.0 %
4	Positively	1	0.3 %
5	Very positively	3	0.8 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	369	96.6 %
Total		382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 260-260 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40B: Ever sent away from home

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Sent away from home because you did something wrong

Value	Label	Unweighted Frequency	%
1	Checked	1	0.3 %
2	Unchecked	381	99.7 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q40B1: R's age sent away from home

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
18	-	1	0.3 %
	Missing Data		
99	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Mean: 18.00
- Median: 18.00
- Mode: 18.00
- Minimum: 18.00
- Maximum: 18.00
- Standard Deviation: 0.00

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q40B3: Sent away from home effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	0	0.0 %
3	Not at all	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
	Missing Data		
9	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40B4: Sent away from home effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	0	0.0 %
2	Negatively	0	0.0 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %
	Missing Data		
9	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40C: Ever had parent out of job

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Father or mother did not have a job when they wanted to be working

Value	Label	Unweighted Frequency	%
1	Checked	5	1.3 %

Value	Label	Unweighted Frequency	%
2	Unchecked	377	98.7 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q40C1: R's age had parent out of job

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
6	-	1	0.3 %
11	-	1	0.3 %
13	-	1	0.3 %
18	-	1	0.3 %
28	-	1	0.3 %
	Missing Data		
99	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Mean: 15.20
- Median: 13.00
- Minimum: 6.00
- Maximum: 28.00
- Standard Deviation: 8.35

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q40C3: Parent out of job effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	0	0.0 %
3	Not at all	3	0.8 %

Value	Label	Unweighted Frequency	%
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	377	98.7 %
	Total	382	100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40C4: Parent out of job effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	2	0.5 %
2	Negatively	0	0.0 %
3	Not at all	3	0.8 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
	Missing Data		
9	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 270-270 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40D: Ever parent drank caused problems

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. One or both parents drank so often it caused problems

Value	Label	Unweighted Frequency	%
1	Checked	15	3.9 %
2	Unchecked	367	96.1 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 271-271 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q40D1: R's age parent drank caused problems

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
6	-	1	0.3 %
7	-	1	0.3 %
8	-	3	0.8 %
9	-	1	0.3 %
10	-	4	1.0 %
18	-	2	0.5 %
20	-	1	0.3 %
	Missing Data		
98	Missing	2	0.5 %
99	Inapp	367	96.1 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

- Mean: 10.92
- Median: 10.00
- Mode: 10.00
- Minimum: 6.00
- Maximum: 20.00
- Standard Deviation: 4.61

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q40D3: Parent drank problems effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	6	1.6 %
2	Negatively	6	1.6 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	3	0.8 %
9	Inapp	367	96.1 %
Total		382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40D4: Parent drank problems effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	6	1.6 %
2	Negatively	4	1.0 %
3	Not at all	3	0.8 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	367	96.1 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 275-275 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40E: Ever parent drugs caused problems

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. One or both parents used drugs so often it regularly caused problems

Value	Label	Unweighted Frequency	%
1	Checked	1	0.3 %
2	Unchecked	381	99.7 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 276-276 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q40E1: R's age parent drugs caused problems

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
20	-	1	0.3 %
	Missing Data		
99	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Mean: 20.00
- Median: 20.00
- Mode: 20.00
- Minimum: 20.00
- Maximum: 20.00
- Standard Deviation: 0.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q40E3: Parent drug problems effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	0	0.0 %
3	Not at all	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
	Missing Data		
9	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 279-279 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40E4: Parent drug problems effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	0	0.0 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
	Missing Data		
9	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 280-280 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40F: Ever dropped out of school

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Dropped out of school

Value	Label	Unweighted Frequency	%
1	Checked	14	3.7 %

Value	Label	Unweighted Frequency	%
2	Unchecked	368	96.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 281-281 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q40F1: R's age dropped out of school

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
15	-	2	0.5 %
16	-	5	1.3 %
17	-	1	0.3 %
19	-	3	0.8 %
21	-	1	0.3 %
24	-	1	0.3 %
29	-	1	0.3 %
Missing Data			
99	Inapp	368	96.3 %
Total		382	100%

Based upon 14 valid cases out of 382 total cases.

- Mean: 18.43
- Median: 16.50
- Mode: 16.00
- Minimum: 15.00
- Maximum: 29.00
- Standard Deviation: 3.98

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q40F3: Dropped out of school effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	4	1.0 %

Value	Label	Unweighted Frequency	%
2	Negatively	4	1.0 %
3	Not at all	2	0.5 %
4	Positively	2	0.5 %
5	Very positively	0	0.0 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	368	96.3 %
	Total	382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 284-284 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40F4: Dropped out of school effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	4	1.0 %
3	Not at all	4	1.0 %
4	Positively	2	0.5 %
5	Very positively	2	0.5 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	368	96.3 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 285-285 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40G: Ever suspended/expelled from school

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Expelled or suspended from school

Value	Label	Unweighted Frequency	%
1	Checked	5	1.3 %
2	Unchecked	377	98.7 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 286-286 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q40G1: R's age suspended/expelled from school

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
15	-	2	0.5 %
16	-	1	0.3 %
17	-	1	0.3 %
18	-	1	0.3 %
	Missing Data		
99	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Mean: 16.20
- Median: 16.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 18.00
- Standard Deviation: 1.30

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q40G3: Suspended/expelled effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	2	0.5 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	377	98.7 %
Total		382	100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q40G4: Suspended/expelled effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	0	0.0 %
2	Negatively	1	0.3 %
3	Not at all	2	0.5 %
4	Positively	1	0.3 %
5	Very positively	1	0.3 %
Missing Data			
9	Inapp	377	98.7 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41H: Ever flunked out of school

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Flunked out of school

Value	Label	Unweighted Frequency	%
1	Checked	0	0.0 %
2	Unchecked	382	100.0 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41I: Ever fired from a job

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Fired from a job

Value	Label	Unweighted Frequency	%
1	Checked	14	3.7 %
2	Unchecked	368	96.3 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41I1: R's age fired from a job

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
20	-	1	0.3 %
22	-	1	0.3 %
29	-	1	0.3 %
30	-	1	0.3 %
31	-	1	0.3 %
38	-	2	0.5 %

Value	Label	Unweighted Frequency	%
39	-	1	0.3 %
43	-	1	0.3 %
44	-	1	0.3 %
50	-	1	0.3 %
51	-	1	0.3 %
52	-	1	0.3 %
59	-	1	0.3 %
Missing Data			
99	Inapp	368	96.3 %
Total		382	100%

Based upon 14 valid cases out of 382 total cases.

- Mean: 39.00
- Median: 38.50
- Mode: 38.00
- Minimum: 20.00
- Maximum: 59.00
- Standard Deviation: 11.68

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q4I3: Fired from a job effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	7	1.8 %
2	Negatively	4	1.0 %
3	Not at all	1	0.3 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	368	96.3 %
Total		382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41I4: Fired from a job effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	3	0.8 %
2	Negatively	6	1.6 %
3	Not at all	2	0.5 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	368	96.3 %
Total		382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41J: Ever no job for long time

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Did not have a job for a long time when you wanted to be working

Value	Label	Unweighted Frequency	%
1	Checked	13	3.4 %
2	Unchecked	369	96.6 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 297-297 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41J1: R's age no job for long time

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
25.00	-	1	0.3 %
30.00	-	1	0.3 %
32.00	-	1	0.3 %
35.36	-	1	0.3 %
38.00	-	1	0.3 %
39.00	-	3	0.8 %
40.00	-	1	0.3 %
47.00	-	1	0.3 %
53.00	-	1	0.3 %
63.00	-	1	0.3 %
64.00	-	1	0.3 %
Missing Data			
98.00	Missing	1	0.3 %
99.00	Inapp	368	96.3 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Mean: 41.87
- Median: 39.00
- Mode: 39.00
- Minimum: 25.00
- Maximum: 64.00
- Standard Deviation: 11.88

Location: 298-302 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2Q41J3: No job for long time effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	4	1.0 %
2	Negatively	6	1.6 %
3	Not at all	1	0.3 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	3	0.8 %
9	Inapp	368	96.3 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Based upon 11 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 303-303 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41J4: No job for long time effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	5	1.3 %
2	Negatively	5	1.3 %
3	Not at all	2	0.5 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	368	96.3 %
	Total	382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 304-304 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41K: Ever parent died

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. A parent died

Value	Label	Unweighted Frequency	%
1	Checked	211	55.2 %
2	Unchecked	171	44.8 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 305-305 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41K1: R's age parent died

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
0	-	1	0.3 %
1	-	2	0.5 %
2	-	1	0.3 %
3	-	2	0.5 %
4	-	1	0.3 %
5	-	1	0.3 %
6	-	5	1.3 %
9	-	1	0.3 %
10	-	1	0.3 %
11	-	5	1.3 %
12	-	1	0.3 %
13	-	4	1.0 %
15	-	1	0.3 %
16	-	1	0.3 %
17	-	3	0.8 %
18	-	2	0.5 %
19	-	3	0.8 %
20	-	4	1.0 %
21	-	3	0.8 %
22	-	4	1.0 %
23	-	5	1.3 %
25	-	3	0.8 %
26	-	2	0.5 %
27	-	1	0.3 %
28	-	3	0.8 %
29	-	4	1.0 %
30	-	6	1.6 %
31	-	3	0.8 %
32	-	3	0.8 %

Value	Label	Unweighted Frequency	%
33	-	2	0.5 %
34	-	3	0.8 %
35	-	9	2.4 %
36	-	4	1.0 %
37	-	4	1.0 %
38	-	8	2.1 %
39	-	1	0.3 %
40	-	12	3.1 %
42	-	1	0.3 %
43	-	4	1.0 %
44	-	6	1.6 %
45	-	6	1.6 %
46	-	3	0.8 %
47	-	6	1.6 %
48	-	4	1.0 %
49	-	1	0.3 %
50	-	11	2.9 %
51	-	5	1.3 %
52	-	4	1.0 %
53	-	3	0.8 %
54	-	3	0.8 %
Missing Data			
97	Don't know	1	0.3 %
98	Missing	1	0.3 %
99	Inapp	171	44.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 209 valid cases out of 382 total cases.

- Mean: 37.03
- Median: 38.00
- Mode: 40.00
- Minimum: 0.00
- Maximum: 72.00
- Standard Deviation: 16.56

Location: 306-307 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41K3: Parent died effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	42	11.0 %
2	Negatively	42	11.0 %
3	Not at all	70	18.3 %
4	Positively	6	1.6 %
5	Very positively	1	0.3 %
Missing Data			
8	Missing	50	13.1 %
9	Inapp	171	44.8 %
Total		382	100%

Based upon 161 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 308-308 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41K4: Parent died effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	28	7.3 %
2	Negatively	29	7.6 %
3	Not at all	103	27.0 %
4	Positively	2	0.5 %
5	Very positively	5	1.3 %
Missing Data			
8	Missing	44	11.5 %
9	Inapp	171	44.8 %
Total		382	100%

Based upon 167 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 309-309 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41L: Ever parents divorced

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Parents divorced

Value	Label	Unweighted Frequency	%
1	Checked	16	4.2 %
2	Unchecked	366	95.8 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 310-310 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41L1: R's age parents divorced

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
3	-	2	0.5 %
6	-	1	0.3 %
7	-	1	0.3 %
8	-	1	0.3 %
10	-	1	0.3 %
12	-	1	0.3 %
15	-	3	0.8 %
20	-	3	0.8 %
31	-	1	0.3 %
32	-	1	0.3 %
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	366	95.8 %
	Total	382	100%

Based upon 15 valid cases out of 382 total cases.

- Mean: 14.47
- Median: 15.00
- Minimum: 3.00
- Maximum: 32.00

- Standard Deviation: 8.99

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41L3: Parents divorced effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	3	0.8 %
2	Negatively	4	1.0 %
3	Not at all	5	1.3 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %
Missing Data			
8	Missing	3	0.8 %
9	Inapp	366	95.8 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 313-313 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41L4: Parents divorced effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	5	1.3 %
2	Negatively	3	0.8 %
3	Not at all	5	1.3 %
4	Positively	1	0.3 %
5	Very positively	1	0.3 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	366	95.8 %
Total		382	100%

Based upon 15 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 314-314 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41M: Ever spouse/partner engaged in infidelity

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Spouse/partner engaged in (marital) infidelity

Value	Label	Unweighted Frequency	%
1	Checked	20	5.2 %
2	Unchecked	362	94.8 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 315-315 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41M1: R's age spouse/partner engaged in infidelity

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
11	-	1	0.3 %
27	-	2	0.5 %
28	-	1	0.3 %
29	-	1	0.3 %
30	-	1	0.3 %
35	-	4	1.0 %
36	-	2	0.5 %
39	-	1	0.3 %
42	-	1	0.3 %
45	-	2	0.5 %
52	-	1	0.3 %
53	-	1	0.3 %
55	-	1	0.3 %
72	-	1	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
99	Inapp	362	94.8 %
Total		382	100%

Based upon 20 valid cases out of 382 total cases.

- Mean: 38.35
- Median: 35.50
- Mode: 35.00
- Minimum: 11.00
- Maximum: 72.00
- Standard Deviation: 13.06

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41M3: Spouse/partner infidelity effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	13	3.4 %
2	Negatively	2	0.5 %
3	Not at all	1	0.3 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	4	1.0 %
9	Inapp	362	94.8 %
Total		382	100%

Based upon 16 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 318-318 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41M4: Spouse/partner infidelity effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	8	2.1 %
2	Negatively	6	1.6 %

Value	Label	Unweighted Frequency	%
3	Not at all	4	1.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	362	94.8 %
	Total	382	100%

Based upon 18 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 319-319 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41N: Ever significant in-law difficulties

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Significant difficulties with in-laws

Value	Label	Unweighted Frequency	%
1	Checked	27	7.1 %
2	Unchecked	355	92.9 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41N1: R's age significant in-law difficulties

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
6	-	1	0.3 %
12	-	1	0.3 %
20	-	1	0.3 %
24	-	1	0.3 %

Value	Label	Unweighted Frequency	%
28	-	1	0.3 %
29	-	2	0.5 %
30	-	2	0.5 %
33	-	1	0.3 %
35	-	2	0.5 %
37	-	1	0.3 %
38	-	1	0.3 %
40	-	1	0.3 %
44	-	1	0.3 %
45	-	2	0.5 %
47	-	1	0.3 %
48	-	3	0.8 %
57	-	2	0.5 %
58	-	1	0.3 %
66	-	1	0.3 %
Missing Data			
98	Missing	1	0.3 %
99	Inapp	355	92.9 %
Total		382	100%

Based upon 26 valid cases out of 382 total cases.

- Mean: 38.04
- Median: 37.50
- Mode: 48.00
- Minimum: 6.00
- Maximum: 66.00
- Standard Deviation: 14.25

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41N3: Significant in-law difficulties effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	17	4.5 %
2	Negatively	4	1.0 %
3	Not at all	4	1.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	355	92.9 %
	Total	382	100%

Based upon 25 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 323-323 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41N4: Significant in-law difficulties effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	11	2.9 %
2	Negatively	9	2.4 %
3	Not at all	4	1.0 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %
	Missing Data		
8	Missing	2	0.5 %
9	Inapp	355	92.9 %
	Total	382	100%

Based upon 25 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 324-324 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41O: Ever sibling died

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Brother or sister died

Value	Label	Unweighted Frequency	%
1	Checked	56	14.7 %

Value	Label	Unweighted Frequency	%
2	Unchecked	326	85.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 325-325 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41O1: R's age sibling died

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
0	-	1	0.3 %
8	-	1	0.3 %
9	-	1	0.3 %
10	-	1	0.3 %
13	-	1	0.3 %
15	-	1	0.3 %
16	-	1	0.3 %
20	-	1	0.3 %
21	-	1	0.3 %
22	-	1	0.3 %
25	-	1	0.3 %
32	-	1	0.3 %
33	-	1	0.3 %
35	-	1	0.3 %
37	-	1	0.3 %
38	-	2	0.5 %
39	-	1	0.3 %
40	-	1	0.3 %
42	-	2	0.5 %
45	-	1	0.3 %
46	-	1	0.3 %
48	-	2	0.5 %
49	-	1	0.3 %
51	-	1	0.3 %
52	-	2	0.5 %

Value	Label	Unweighted Frequency	%
54	-	2	0.5 %
55	-	1	0.3 %
56	-	1	0.3 %
57	-	1	0.3 %
58	-	1	0.3 %
60	-	2	0.5 %
61	-	1	0.3 %
62	-	2	0.5 %
65	-	2	0.5 %
67	-	2	0.5 %
69	-	4	1.0 %
71	-	2	0.5 %
72	-	2	0.5 %
73	-	1	0.3 %
77	-	1	0.3 %
Missing Data			
98	Missing	2	0.5 %
99	Inapp	326	85.3 %
Total		382	100%

Based upon 54 valid cases out of 382 total cases.

- Mean: 47.06
- Median: 51.50
- Mode: 69.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 20.41

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41O3: Sibling died effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	6	1.6 %
2	Negatively	16	4.2 %
3	Not at all	13	3.4 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Missing	20	5.2 %
9	Inapp	326	85.3 %
	Total	382	100%

Based upon 36 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41O4: Sibling died effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	9	2.4 %
2	Negatively	8	2.1 %
3	Not at all	24	6.3 %
4	Positively	0	0.0 %
5	Very positively	1	0.3 %
	Missing Data		
8	Missing	14	3.7 %
9	Inapp	326	85.3 %
	Total	382	100%

Based upon 42 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 329-329 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41P: Ever child died

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Child died

Value	Label	Unweighted Frequency	%
1	Checked	11	2.9 %

Value	Label	Unweighted Frequency	%
2	Unchecked	371	97.1 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 330-330 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41P1: R's age child died

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
21	-	1	0.3 %
28	-	1	0.3 %
29	-	1	0.3 %
33	-	1	0.3 %
39	-	1	0.3 %
42	-	1	0.3 %
43	-	1	0.3 %
50	-	1	0.3 %
54	-	1	0.3 %
62	-	1	0.3 %
64	-	1	0.3 %
Missing Data			
99	Inapp	371	97.1 %
Total		382	100%

Based upon 11 valid cases out of 382 total cases.

- Mean: 42.27
- Median: 42.00
- Minimum: 21.00
- Maximum: 64.00
- Standard Deviation: 14.10

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41P3: Child died effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	7	1.8 %
2	Negatively	2	0.5 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	371	97.1 %
Total		382	100%

Based upon 9 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41P4: Child died effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	5	1.3 %
2	Negatively	0	0.0 %
3	Not at all	3	0.8 %
4	Positively	1	0.3 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	371	97.1 %
Total		382	100%

Based upon 9 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41Q: Ever child experienced life-threatening accident/injury

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Child experienced life-threatening accident or injury

Value	Label	Unweighted Frequency	%
1	Checked	7	1.8 %
2	Unchecked	375	98.2 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 335-335 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41Q1: R's age child experienced life threatening accident/injury

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
46	-	1	0.3 %
54	-	1	0.3 %
55	-	1	0.3 %
56	-	1	0.3 %
58	-	1	0.3 %
62	-	1	0.3 %
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	375	98.2 %
	Total	382	100%

Based upon 6 valid cases out of 382 total cases.

- Mean: 55.17
- Median: 55.50
- Minimum: 46.00
- Maximum: 62.00
- Standard Deviation: 5.31

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41Q3: Child life threatening accident/injury effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	6	1.6 %
2	Negatively	0	0.0 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	375	98.2 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 338-338 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41Q4: Child life threatening accident/injury effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	4	1.0 %
2	Negatively	1	0.3 %
3	Not at all	1	0.3 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	375	98.2 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 339-339 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41R: Ever lost home to fire/flood/etc.

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Lost your home to fire, flood, natural disaster, etc.

Value	Label	Unweighted Frequency	%
1	Checked	8	2.1 %
2	Unchecked	374	97.9 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 340-340 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41R1: R's age lost home to fire/flood/etc.

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
5	-	1	0.3 %
6	-	1	0.3 %
10	-	1	0.3 %
14	-	1	0.3 %
36	-	1	0.3 %
43	-	1	0.3 %
62	-	1	0.3 %
72	-	1	0.3 %
	Missing Data		
99	Inapp	374	97.9 %
	Total	382	100%

Based upon 8 valid cases out of 382 total cases.

- Mean: 31.00
- Median: 25.00
- Minimum: 5.00
- Maximum: 72.00
- Standard Deviation: 26.30

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41R3: Lost home to fire/flood/etc. effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	3	0.8 %
2	Negatively	3	0.8 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	374	97.9 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 343-343 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41R4: Lost home to fire/flood/etc. effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	2	0.5 %
2	Negatively	2	0.5 %
3	Not at all	3	0.8 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	374	97.9 %
Total		382	100%

Based upon 7 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41S: Ever physically assaulted

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Physically assaulted or attacked

Value	Label	Unweighted Frequency	%
1	Checked	17	4.5 %
2	Unchecked	365	95.5 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41S1: R's age physically assaulted

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
5	-	1	0.3 %
6	-	2	0.5 %
8	-	2	0.5 %
10	-	2	0.5 %
13	-	1	0.3 %
14	-	3	0.8 %
16	-	1	0.3 %
24	-	1	0.3 %
39	-	1	0.3 %
48	-	1	0.3 %
70	-	1	0.3 %
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	365	95.5 %
	Total	382	100%

Based upon 16 valid cases out of 382 total cases.

- Mean: 19.06
- Median: 13.50
- Mode: 14.00

- Minimum: 5.00
- Maximum: 70.00
- Standard Deviation: 18.12

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41S3: Physically assaulted effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	11	2.9 %
2	Negatively	2	0.5 %
3	Not at all	2	0.5 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	365	95.5 %
Total		382	100%

Based upon 15 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 348-348 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41S4: Physically assaulted effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	10	2.6 %
2	Negatively	3	0.8 %
3	Not at all	2	0.5 %
4	Positively	1	0.3 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	365	95.5 %
Total		382	100%

Based upon 16 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41T: Ever sexually assaulted

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Sexually assaulted (e.g. forced sexual intercourse or other unwanted sexual contact)

Value	Label	Unweighted Frequency	%
1	Checked	3	0.8 %
2	Unchecked	379	99.2 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41T1: R's age sexually assaulted

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
5	-	1	0.3 %
10	-	1	0.3 %
25	-	1	0.3 %
Missing Data			
99	Inapp	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Mean: 13.33
- Median: 10.00
- Minimum: 5.00
- Maximum: 25.00
- Standard Deviation: 10.41

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41T3: Sexually assaulted effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	2	0.5 %
2	Negatively	0	0.0 %
3	Not at all	1	0.3 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
9	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 353-353 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41T4: Sexually assaulted effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	1	0.3 %
2	Negatively	2	0.5 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
9	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 354-354 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41U: Ever serious legal difficulties/prison

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Serious legal difficulties/prison

Value	Label	Unweighted Frequency	%
1	Checked	13	3.4 %
2	Unchecked	369	96.6 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41U1: R's age serious legal difficulties/prison

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
7	-	1	0.3 %
14	-	1	0.3 %
17	-	1	0.3 %
18	-	1	0.3 %
20	-	1	0.3 %
25	-	3	0.8 %
34	-	1	0.3 %
35	-	1	0.3 %
36	-	1	0.3 %
44	-	1	0.3 %
50	-	1	0.3 %
	Missing Data		
99	Inapp	369	96.6 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

- Mean: 26.92
- Median: 25.00
- Mode: 25.00
- Minimum: 7.00

- Maximum: 50.00
- Standard Deviation: 12.33

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41U3: Legal difficulties/prison effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	5	1.3 %
2	Negatively	6	1.6 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	369	96.6 %
Total		382	100%

Based upon 11 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41U4: Legal difficulties/prison effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	4	1.0 %
2	Negatively	3	0.8 %
3	Not at all	4	1.0 %
4	Positively	1	0.3 %
5	Very positively	1	0.3 %
Missing Data			
9	Inapp	369	96.6 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41V: Ever jail detention

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Detention in jail or comparable institution

Value	Label	Unweighted Frequency	%
1	Checked	0	0.0 %
2	Unchecked	382	100.0 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41W: Ever bankruptcy declared

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Declared bankruptcy

Value	Label	Unweighted Frequency	%
1	Checked	7	1.8 %
2	Unchecked	375	98.2 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41W1: R's age bankruptcy declared

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
14	-	1	0.3 %
24	-	1	0.3 %
33	-	1	0.3 %
40	-	1	0.3 %
52	-	2	0.5 %
65	-	1	0.3 %
Missing Data			
99	Inapp	375	98.2 %
Total		382	100%

Based upon 7 valid cases out of 382 total cases.

- Mean: 40.00
- Median: 40.00
- Mode: 52.00
- Minimum: 14.00
- Maximum: 65.00
- Standard Deviation: 17.77

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41W3: Bankruptcy declared effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	4	1.0 %
2	Negatively	3	0.8 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
9	Inapp	375	98.2 %
Total		382	100%

Based upon 7 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 364-364 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41W4: Bankruptcy declared effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	3	0.8 %
2	Negatively	1	0.3 %
3	Not at all	1	0.3 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	375	98.2 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 365-365 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41X: Ever financial loss unrelated to work

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Suffered a financial or property loss unrelated to work

Value	Label	Unweighted Frequency	%
1	Checked	15	3.9 %
2	Unchecked	367	96.1 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 366-366 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41X1: R's age financial loss unrelated to work

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
22	-	1	0.3 %
27	-	1	0.3 %
28	-	1	0.3 %
30	-	2	0.5 %
35	-	1	0.3 %
39	-	1	0.3 %
40	-	1	0.3 %
42	-	1	0.3 %
52	-	1	0.3 %
53	-	1	0.3 %
55	-	1	0.3 %
65	-	1	0.3 %
66	-	1	0.3 %
Missing Data			
98	Missing	1	0.3 %
99	Inapp	367	96.1 %
Total		382	100%

Based upon 14 valid cases out of 382 total cases.

- Mean: 41.71
- Median: 39.50
- Mode: 30.00
- Minimum: 22.00
- Maximum: 66.00
- Standard Deviation: 14.32

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41X3: Financial loss unrelated work effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	10	2.6 %
2	Negatively	4	1.0 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	1	0.3 %

Value	Label	Unweighted Frequency	%
9	Inapp	367	96.1 %
Total		382	100%

Based upon 14 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41X4: Financial loss unrelated work effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	5	1.3 %
2	Negatively	4	1.0 %
3	Not at all	3	0.8 %
4	Positively	1	0.3 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	367	96.1 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 370-370 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41Y: Ever went on welfare

The following questions are about experiences you may have had as child or teenager. Check the appropriate boxes next to any of the following experiences you have had. For those you checked, indicate how old you were, and if it affected you, positively or negatively, both initially, and in the long run. Went on welfare

Value	Label	Unweighted Frequency	%
1	Checked	4	1.0 %
2	Unchecked	378	99.0 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 371-371 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

J2Q41Y1: R's age went on welfare

At what age(s) did this happen?

Value	Label	Unweighted Frequency	%
3	-	1	0.3 %
7	-	1	0.3 %
40	-	2	0.5 %
Missing Data			
99	Inapp	378	99.0 %
Total			382 100%

Based upon 4 valid cases out of 382 total cases.

- Mean: 22.50
- Median: 23.50
- Mode: 40.00
- Minimum: 3.00
- Maximum: 40.00
- Standard Deviation: 20.27

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q41Y3: Went on welfare effect (initial)

How did this affect you? Initially?

Value	Label	Unweighted Frequency	%
1	Very negatively	2	0.5 %
2	Negatively	2	0.5 %
3	Not at all	0	0.0 %
4	Positively	0	0.0 %
5	Very positively	0	0.0 %
Missing Data			
9	Inapp	378	99.0 %
Total			382 100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 374-374 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q41Y4: Went on welfare effect (long-run)

How did this affect you? In the long run?

Value	Label	Unweighted Frequency	%
1	Very negatively	0	0.0 %
2	Negatively	2	0.5 %
3	Not at all	0	0.0 %
4	Positively	1	0.3 %
5	Very positively	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	378	99.0 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 375-375 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q42: Other events happened since Midlife in Japan (MIDJA) survey

Are there any other things, either positive or negative, that had happened to you or your family or close friends since you completed the questionnaire in 2008 that stand out in your memory? What has happened and when? Was anyone else involved? If so, who?

Value	Label	Unweighted Frequency	%
1	Yes	63	16.5 %
2	No	259	67.8 %
Missing Data			
8	Missing	60	15.7 %
Total		382	100%

Based upon 322 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 376-376 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q42AM: Month of event A

Month

Value	Label	Unweighted Frequency	%
1	-	8	2.1 %
2	-	8	2.1 %
3	-	5	1.3 %
4	-	6	1.6 %
5	-	2	0.5 %
6	-	2	0.5 %
7	-	5	1.3 %
8	-	3	0.8 %
9	-	5	1.3 %
10	-	4	1.0 %
11	-	5	1.3 %
12	-	7	1.8 %
Missing Data			
97	Don't know	1	0.3 %
98	Missing	2	0.5 %
99	Inapp	319	83.5 %
Total		382	100%

Based upon 60 valid cases out of 382 total cases.

- Mean: 6.13
- Median: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.91

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q42AY: Year of event A

Year

Value	Label	Unweighted Frequency	%
1984	-	1	0.3 %
1985	-	1	0.3 %
2004	-	1	0.3 %
2005	-	1	0.3 %
2007	-	1	0.3 %
2008	-	18	4.7 %
2009	-	37	9.7 %
2010	-	2	0.5 %
Missing Data			
9998	Missing	1	0.3 %
9999	Inapp	319	83.5 %
Total		382	100%

Based upon 62 valid cases out of 382 total cases.

- Mean: 2007.77
- Median: 2009.00
- Mode: 2009.00
- Minimum: 1984.00
- Maximum: 2010.00
- Standard Deviation: 4.38

Location: 379-382 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q42BM: Month of event B

Month

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
2	-	1	0.3 %
3	-	3	0.8 %
5	-	3	0.8 %
7	-	1	0.3 %
8	-	1	0.3 %
9	-	2	0.5 %
10	-	2	0.5 %
11	-	1	0.3 %
Missing Data			
98	Missing	1	0.3 %
99	Inapp	366	95.8 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Based upon 15 valid cases out of 382 total cases.

- Mean: 6.07
- Median: 5.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 3.28

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q42BY: Year of event B

Year

Value	Label	Unweighted Frequency	%
2008	-	5	1.3 %
2009	-	10	2.6 %
2010	-	1	0.3 %
Missing Data			
9999	Inapp	366	95.8 %
	Total	382	100%

Based upon 16 valid cases out of 382 total cases.

- Mean: 2008.75
- Median: 2009.00
- Mode: 2009.00
- Minimum: 2008.00
- Maximum: 2010.00
- Standard Deviation: 0.58

Location: 385-388 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q42CM: Month of event C

Month

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
5	-	1	0.3 %
8	-	1	0.3 %
9	-	1	0.3 %

Value	Label	Unweighted Frequency	%
10	-	1	0.3 %
	Missing Data		
99	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Mean: 6.60
- Median: 8.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.65

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q42CY: Year of event C

Year

Value	Label	Unweighted Frequency	%
2008	-	1	0.3 %
2009	-	3	0.8 %
2010	-	1	0.3 %
	Missing Data		
9999	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Mean: 2009.00
- Median: 2009.00
- Mode: 2009.00
- Minimum: 2008.00
- Maximum: 2010.00
- Standard Deviation: 0.71

Location: 391-394 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2Q43A: CES-D Unusually bothered by things

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	234	61.3 %
2	Some or a little of the time	96	25.1 %
3	Occasionally or a moderate amount of the time	19	5.0 %
4	Most or all of the time	13	3.4 %
	Missing Data		
8	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 395-395 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43B: CES-D Appetite was poor

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I did not feel like eating; my appetite was poor.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	328	85.9 %
2	Some or a little of the time	23	6.0 %
3	Occasionally or a moderate amount of the time	9	2.4 %
4	Most or all of the time	0	0.0 %
	Missing Data		
8	Missing	22	5.8 %
	Total	382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 396-396 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43C: CES-D Could not shake off blues

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt that I could not shake off the blues even with the help of my family and friends.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	292	76.4 %
2	Some or a little of the time	49	12.8 %
3	Occasionally or a moderate amount of the time	9	2.4 %
4	Most or all of the time	7	1.8 %
	Missing Data		
8	Missing	25	6.5 %
	Total	382	100%

Based upon 357 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 397-397 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43D: CES-D Felt I was as good as others

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt that I was just as good as other people.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	242	63.4 %
2	Some or a little of the time	54	14.1 %
3	Occasionally or a moderate amount of the time	24	6.3 %
4	Most or all of the time	29	7.6 %
	Missing Data		
8	Missing	33	8.6 %
	Total	382	100%

Based upon 349 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 398-398 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43E: CES-D Trouble keeping mind on tasks

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I had trouble keeping my mind on what I was doing.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	232	60.7 %
2	Some or a little of the time	81	21.2 %
3	Occasionally or a moderate amount of the time	36	9.4 %
4	Most or all of the time	9	2.4 %
	Missing Data		
8	Missing	24	6.3 %
	Total	382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 399-399 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43F: CES-D Felt depressed

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt depressed.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	240	62.8 %
2	Some or a little of the time	91	23.8 %
3	Occasionally or a moderate amount of the time	18	4.7 %
4	Most or all of the time	10	2.6 %
	Missing Data		
8	Missing	23	6.0 %
	Total	382	100%

Based upon 359 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 400-400 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43G: CES-D Everything I did was an effort

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt that everything I did was an effort.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	189	49.5 %
2	Some or a little of the time	123	32.2 %
3	Occasionally or a moderate amount of the time	40	10.5 %
4	Most or all of the time	12	3.1 %
	Missing Data		
8	Missing	18	4.7 %
	Total	382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 401-401 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43H: CES-D Hopeful about the future

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt hopeful about the future.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	127	33.2 %
2	Some or a little of the time	118	30.9 %
3	Occasionally or a moderate amount of the time	73	19.1 %
4	Most or all of the time	42	11.0 %
	Missing Data		
8	Missing	22	5.8 %
	Total	382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 402-402 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43I: CES-D Thought my life had been a failure

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I thought my life had been a failure.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	261	68.3 %
2	Some or a little of the time	76	19.9 %
3	Occasionally or a moderate amount of the time	20	5.2 %
4	Most or all of the time	5	1.3 %
	Missing Data		
8	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 403-403 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43J: CES-D Felt fearful

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt fearful.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	321	84.0 %
2	Some or a little of the time	32	8.4 %
3	Occasionally or a moderate amount of the time	8	2.1 %
4	Most or all of the time	1	0.3 %
	Missing Data		
8	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 404-404 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43K: CES-D Sleep was restless

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. My sleep was restless.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	234	61.3 %
2	Some or a little of the time	89	23.3 %
3	Occasionally or a moderate amount of the time	27	7.1 %
4	Most or all of the time	11	2.9 %
	Missing Data		
8	Missing	21	5.5 %
	Total	382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 405-405 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43L: CES-D I was happy

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I was happy.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	70	18.3 %
2	Some or a little of the time	108	28.3 %
3	Occasionally or a moderate amount of the time	102	26.7 %
4	Most or all of the time	86	22.5 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 406-406 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43M: CES-D I talked less than usual

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I talked less than usual.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	260	68.1 %
2	Some or a little of the time	69	18.1 %
3	Occasionally or a moderate amount of the time	22	5.8 %
4	Most or all of the time	11	2.9 %
	Missing Data		
8	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 407-407 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43N: CES-D I felt lonely

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt lonely.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	269	70.4 %
2	Some or a little of the time	67	17.5 %
3	Occasionally or a moderate amount of the time	21	5.5 %
4	Most or all of the time	7	1.8 %
	Missing Data		
8	Missing	18	4.7 %
	Total	382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 408-408 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43O: CES-D People were unfriendly

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. People were unfriendly.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	295	77.2 %
2	Some or a little of the time	40	10.5 %
3	Occasionally or a moderate amount of the time	15	3.9 %
4	Most or all of the time	7	1.8 %
	Missing Data		
8	Missing	25	6.5 %
	Total	382	100%

Based upon 357 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 409-409 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43P: CES-D I enjoyed life

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I enjoyed life.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	87	22.8 %
2	Some or a little of the time	116	30.4 %
3	Occasionally or a moderate amount of the time	99	25.9 %
4	Most or all of the time	60	15.7 %
	Missing Data		
8	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 410-410 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43Q: CES-D I had crying spells

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I had crying spells.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	315	82.5 %
2	Some or a little of the time	38	9.9 %
3	Occasionally or a moderate amount of the time	4	1.0 %
4	Most or all of the time	2	0.5 %
	Missing Data		
8	Missing	23	6.0 %
	Total	382	100%

Based upon 359 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 411-411 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43R: CES-D I felt sad

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt sad.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	274	71.7 %
2	Some or a little of the time	71	18.6 %
3	Occasionally or a moderate amount of the time	11	2.9 %
4	Most or all of the time	5	1.3 %
	Missing Data		
8	Missing	21	5.5 %
	Total	382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 412-412 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43S: CES-D I felt that people dislike me

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I felt that people dislike me.

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	314	82.2 %
2	Some or a little of the time	35	9.2 %
3	Occasionally or a moderate amount of the time	7	1.8 %
4	Most or all of the time	5	1.3 %
	Missing Data		
8	Missing	21	5.5 %
	Total	382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 413-413 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q43T: CES-D I could not get going

Center for Epidemiologic Studies Depression Scale (CES-D): Circle the number that best describes how often you felt or behaved in the following ways during the past week. I could not get "going."

Value	Label	Unweighted Frequency	%
1	Rarely or none of the time	288	75.4 %
2	Some or a little of the time	52	13.6 %
3	Occasionally or a moderate amount of the time	9	2.4 %
4	Most or all of the time	9	2.4 %
	Missing Data		
8	Missing	24	6.3 %
	Total	382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QCESDDA: CES-D Depressive Affect subscale (C,F,I,J,N,Q,R)

Center for Epidemiologic Studies-Depression Scale (CES-D) Depressive Affect subscale (C,F,I,J,N,Q,R)

Value	Label	Unweighted Frequency	%
0.00	-	157	41.1 %

Value	Label	Unweighted Frequency	%
1.00	-	60	15.7 %
1.17	-	2	0.5 %
2.00	-	38	9.9 %
2.33	-	1	0.3 %
3.00	-	28	7.3 %
4.00	-	17	4.5 %
5.00	-	18	4.7 %
5.83	-	2	0.5 %
6.00	-	8	2.1 %
7.00	-	6	1.6 %
8.00	-	9	2.4 %
9.00	-	1	0.3 %
10.00	-	2	0.5 %
11.00	-	2	0.5 %
12.00	-	1	0.3 %
13.00	-	1	0.3 %
15.00	-	1	0.3 %
17.00	-	2	0.5 %
20.00	-	1	0.3 %
Missing Data			
98.00	Not calculated (due to missing data)	25	6.5 %
Total		382	100%

Based upon 357 valid cases out of 382 total cases.

- Mean: 1.96
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.94

Location: 415-419 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2QCESDPA: CES-D Positive Affect subscale (D,H,L,P)

Center for Epidemiologic Studies-Depression Scale (CES-D) Positive Affect subscale (D,H,L,P)

Value	Label	Unweighted Frequency	%
0.00	-	35	9.2 %
1.00	-	19	5.0 %

Value	Label	Unweighted Frequency	%
1.33	-	1	0.3 %
2.00	-	41	10.7 %
2.67	-	5	1.3 %
3.00	-	38	9.9 %
4.00	-	41	10.7 %
5.00	-	42	11.0 %
5.33	-	1	0.3 %
6.00	-	47	12.3 %
6.67	-	1	0.3 %
7.00	-	27	7.1 %
8.00	-	28	7.3 %
9.00	-	20	5.2 %
9.33	-	1	0.3 %
10.00	-	6	1.6 %
11.00	-	2	0.5 %
12.00	-	5	1.3 %
Missing Data			
98.00	Not calculated (due to missing data)	22	5.8 %
Total		382	100%

Based upon 360 valid cases out of 382 total cases.

- Mean: 4.56
- Median: 4.50
- Mode: 6.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.86

Location: 420-424 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2QCESDSC: CES-D Somatic Complaints subscale (A,B,E,G,K,M,T)

Center for Epidemiologic Studies-Depression Scale (CES-D) Somatic Complaints subscale (A,B,E,G,K,M,T)

Value	Label	Unweighted Frequency	%
0.00	-	91	23.8 %
1.00	-	67	17.5 %
1.17	-	1	0.3 %
2.00	-	51	13.4 %
3.00	-	41	10.7 %

Value	Label	Unweighted Frequency	%
3.50	-	1	0.3 %
4.00	-	23	6.0 %
5.00	-	20	5.2 %
6.00	-	16	4.2 %
7.00	-	12	3.1 %
8.00	-	9	2.4 %
9.00	-	10	2.6 %
10.00	-	3	0.8 %
11.00	-	4	1.0 %
13.00	-	2	0.5 %
16.00	-	4	1.0 %
17.00	-	1	0.3 %
19.83	-	1	0.3 %
Missing Data			
98.00	Not calculated (due to missing data)	25	6.5 %
Total		382	100%

Based upon 357 valid cases out of 382 total cases.

- Mean: 2.89
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19.83
- Standard Deviation: 3.32

Location: 425-429 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2QCESDI: CES-D Interpersonal subscale (O,S)

Center for Epidemiologic Studies-Depression Scale (CES-D) Interpersonal subscale (O,S)

Value	Label	Unweighted Frequency	%
0	-	277	72.5 %
1	-	43	11.3 %
2	-	20	5.2 %
3	-	16	4.2 %
4	-	2	0.5 %
5	-	1	0.3 %
6	-	2	0.5 %
Missing Data			

Value	Label	Unweighted Frequency	%
98	Not calculated (due to missing data)	21	5.5 %
Total		382	100%

Based upon 361 valid cases out of 382 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.96

Location: 430-431 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 98

J2QCESD: CES-D: Center for Epidemiologic Studies Depression Scale

CES-D: Center for Epidemiologic Studies Depression Scale

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
3.00	-	2	0.5 %
3.16	-	1	0.3 %
4.00	-	7	1.8 %
4.21	-	1	0.3 %
5.00	-	14	3.7 %
6.00	-	15	3.9 %
6.32	-	3	0.8 %
7.00	-	27	7.1 %
7.37	-	1	0.3 %
8.00	-	20	5.2 %
8.42	-	1	0.3 %
9.00	-	26	6.8 %
9.47	-	1	0.3 %
10.00	-	28	7.3 %
10.53	-	1	0.3 %
11.00	-	28	7.3 %
12.00	-	40	10.5 %
12.63	-	1	0.3 %
13.00	-	20	5.2 %
14.00	-	19	5.0 %
14.74	-	1	0.3 %

Value	Label	Unweighted Frequency	%
15.00	-	14	3.7 %
15.79	-	2	0.5 %
16.00	-	10	2.6 %
16.84	-	1	0.3 %
17.00	-	8	2.1 %
18.00	-	7	1.8 %
19.00	-	7	1.8 %
20.00	-	5	1.3 %
21.00	-	6	1.6 %
22.00	-	5	1.3 %
22.11	-	1	0.3 %
23.00	-	9	2.4 %
23.16	-	2	0.5 %
24.00	-	1	0.3 %
25.00	-	2	0.5 %
27.00	-	3	0.8 %
28.00	-	1	0.3 %
29.00	-	1	0.3 %
30.00	-	1	0.3 %
32.00	-	1	0.3 %
33.00	-	1	0.3 %
34.00	-	2	0.5 %
36.00	-	1	0.3 %
39.00	-	1	0.3 %
42.00	-	1	0.3 %
47.00	-	1	0.3 %
55.00	-	1	0.3 %
Missing Data			
98.00	Not calculated (due to missing data)	29	7.6 %
Total		382	100%

Based upon 353 valid cases out of 382 total cases.

- Mean: 12.69
- Median: 11.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 55.00
- Standard Deviation: 6.85

Location: 432-436 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2Q44A: Trait Anxiety (T-Anx) feel pleasant

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I feel pleasant.

Value	Label	Unweighted Frequency	%
1	Not at all	32	8.4 %
2	A little	125	32.7 %
3	Mostly	169	44.2 %
4	Very well	43	11.3 %
	Missing Data		
8	Missing	13	3.4 %
	Total	382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 437-437 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44B: Trait Anxiety (T-Anx) tire quickly

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I tire quickly.

Value	Label	Unweighted Frequency	%
1	Not at all	79	20.7 %
2	A little	184	48.2 %
3	Mostly	62	16.2 %
4	Very well	44	11.5 %
	Missing Data		
8	Missing	13	3.4 %
	Total	382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 438-438 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44C: Trait Anxiety (T-Anx) feel like crying

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I feel like crying.

Value	Label	Unweighted Frequency	%
1	Not at all	234	61.3 %
2	A little	104	27.2 %
3	Mostly	24	6.3 %
4	Very well	5	1.3 %
	Missing Data		
8	Missing	15	3.9 %
	Total	382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 439-439 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44D: Trait Anxiety (T-Anx) wish could be happy as others

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I wish I could be as happy as others seem to be.

Value	Label	Unweighted Frequency	%
1	Not at all	221	57.9 %
2	A little	113	29.6 %
3	Mostly	17	4.5 %
4	Very well	15	3.9 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 440-440 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44E: Trait Anxiety (T-Anx) lose out because slow to decide

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I am losing out on things because I can't make up my mind soon enough.

Value	Label	Unweighted Frequency	%
1	Not at all	223	58.4 %
2	A little	116	30.4 %
3	Mostly	21	5.5 %
4	Very well	6	1.6 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 441-441 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44F: Trait Anxiety (T-Anx) feel rested

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I feel rested.

Value	Label	Unweighted Frequency	%
1	Not at all	91	23.8 %
2	A little	144	37.7 %
3	Mostly	113	29.6 %
4	Very well	15	3.9 %
	Missing Data		
8	Missing	19	5.0 %
	Total	382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 442-442 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44G: Trait Anxiety (T-Anx) calm, cool and collected

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I am "calm, cool and collected."

Value	Label	Unweighted Frequency	%
1	Not at all	51	13.4 %
2	A little	149	39.0 %
3	Mostly	141	36.9 %
4	Very well	25	6.5 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 443-443 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44H: Trait Anxiety (T-Anx) difficulties piling up; can't overcome

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I feel that difficulties are piling up so that I cannot overcome them.

Value	Label	Unweighted Frequency	%
1	Not at all	178	46.6 %
2	A little	146	38.2 %
3	Mostly	27	7.1 %
4	Very well	11	2.9 %
	Missing Data		
8	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 444-444 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44I: Trait Anxiety (T-Anx) worry too much over small things

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I worry too much over something that really doesn't matter.

Value	Label	Unweighted Frequency	%
1	Not at all	168	44.0 %
2	A little	144	37.7 %
3	Mostly	46	12.0 %
4	Very well	10	2.6 %
Missing Data			
8	Missing	14	3.7 %
Total		382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 445-445 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44J: Trait Anxiety (T-Anx) I am happy

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I am happy.

Value	Label	Unweighted Frequency	%
1	Not at all	36	9.4 %
2	A little	110	28.8 %
3	Mostly	161	42.1 %
4	Very well	60	15.7 %
Missing Data			
8	Missing	15	3.9 %
Total		382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 446-446 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44K: Trait Anxiety (T-Anx) inclined to take things hard

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I am inclined to take things hard.

Value	Label	Unweighted Frequency	%
1	Not at all	148	38.7 %
2	A little	149	39.0 %
3	Mostly	51	13.4 %
4	Very well	20	5.2 %
	Missing Data		
8	Missing	14	3.7 %
	Total	382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 447-447 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44L: Trait Anxiety (T-Anx) lack self-confidence

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I lack self-confidence.

Value	Label	Unweighted Frequency	%
1	Not at all	138	36.1 %
2	A little	178	46.6 %
3	Mostly	34	8.9 %
4	Very well	16	4.2 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 448-448 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44M: Trait Anxiety (T-Anx) feel secure

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I feel secure.

Value	Label	Unweighted Frequency	%
1	Not at all	44	11.5 %
2	A little	137	35.9 %
3	Mostly	144	37.7 %
4	Very well	38	9.9 %
	Missing Data		
8	Missing	19	5.0 %
	Total	382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 449-449 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44N: Trait Anxiety (T-Anx) avoid facing crisis or difficulty

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I try to avoid facing a crisis or difficulty.

Value	Label	Unweighted Frequency	%
1	Not at all	118	30.9 %
2	A little	177	46.3 %
3	Mostly	54	14.1 %
4	Very well	16	4.2 %
	Missing Data		
8	Missing	17	4.5 %
	Total	382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 450-450 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44O: Trait Anxiety (T-Anx) feel blue

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I feel blue.

Value	Label	Unweighted Frequency	%
1	Not at all	227	59.4 %
2	A little	107	28.0 %
3	Mostly	23	6.0 %
4	Very well	7	1.8 %
	Missing Data		
8	Missing	18	4.7 %
	Total	382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 451-451 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44P: Trait Anxiety (T-Anx) I am content

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I am content.

Value	Label	Unweighted Frequency	%
1	Not at all	51	13.4 %
2	A little	129	33.8 %
3	Mostly	144	37.7 %
4	Very well	44	11.5 %
	Missing Data		
8	Missing	14	3.7 %
	Total	382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 452-452 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44Q: Trait Anxiety (T-Anx) unimportant thoughts; bother me

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. Some unimportant thought runs through my mind and bothers me.

Value	Label	Unweighted Frequency	%
1	Not at all	180	47.1 %
2	A little	138	36.1 %
3	Mostly	37	9.7 %
4	Very well	10	2.6 %
	Missing Data		
8	Missing	17	4.5 %
	Total	382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 453-453 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44R: Trait Anxiety (T-Anx) can't put disappointment out of mind

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I take disappointments so keenly that I can't put them out of my mind.

Value	Label	Unweighted Frequency	%
1	Not at all	307	80.4 %
2	A little	49	12.8 %
3	Mostly	5	1.3 %
4	Very well	5	1.3 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 454-454 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44S: Trait Anxiety (T-Anx) I am a steady person

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I am a steady person.

Value	Label	Unweighted Frequency	%
1	Not at all	76	19.9 %
2	A little	174	45.5 %
3	Mostly	100	26.2 %
4	Very well	16	4.2 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 455-455 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q44T: Trait Anxiety (T-Anx) tension; think over recent concern

Circle the number that best describes how you generally feel. There are no right or wrong answers. Do not spend too much time on any one statement but give the answer, which seems to describe how you generally feel. I get in a state of tension or turmoil as I think over my recent concerns and interests.

Value	Label	Unweighted Frequency	%
1	Not at all	193	50.5 %
2	A little	147	38.5 %
3	Mostly	18	4.7 %
4	Very well	7	1.8 %
	Missing Data		
8	Missing	17	4.5 %
	Total	382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 456-456 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QTA_AX: Spielberger Trait Anxiety Inventory

Spielberger trait anxiety inventory

Value	Label	Unweighted Frequency	%
20.00	-	1	0.3 %
21.00	-	1	0.3 %
22.00	-	1	0.3 %
23.00	-	5	1.3 %
24.00	-	1	0.3 %
25.00	-	4	1.0 %
26.00	-	2	0.5 %
27.00	-	9	2.4 %
27.37	-	1	0.3 %
28.00	-	10	2.6 %
28.42	-	2	0.5 %
29.00	-	10	2.6 %
29.47	-	1	0.3 %
30.00	-	8	2.1 %
31.00	-	7	1.8 %
32.00	-	14	3.7 %
33.00	-	16	4.2 %
34.00	-	14	3.7 %
35.00	-	22	5.8 %
35.79	-	1	0.3 %
36.00	-	21	5.5 %
37.00	-	18	4.7 %
38.00	-	17	4.5 %
39.00	-	10	2.6 %
40.00	-	16	4.2 %
41.00	-	15	3.9 %
41.05	-	1	0.3 %
42.00	-	15	3.9 %
42.11	-	1	0.3 %
43.00	-	9	2.4 %
43.16	-	1	0.3 %
44.00	-	11	2.9 %
45.00	-	12	3.1 %
45.26	-	1	0.3 %
46.00	-	10	2.6 %
46.32	-	1	0.3 %
47.00	-	12	3.1 %
48.00	-	6	1.6 %
49.00	-	4	1.0 %

Value	Label	Unweighted Frequency	%
50.00	-	6	1.6 %
51.00	-	6	1.6 %
52.00	-	8	2.1 %
53.00	-	7	1.8 %
54.00	-	5	1.3 %
54.74	-	1	0.3 %
55.00	-	3	0.8 %
56.00	-	2	0.5 %
57.00	-	2	0.5 %
58.00	-	1	0.3 %
59.00	-	1	0.3 %
Missing Data			
98.00	Not calculated - due to missing data	20	5.2 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 362 valid cases out of 382 total cases.

- Mean: 39.51
- Median: 38.00
- Mode: 35.00
- Minimum: 20.00
- Maximum: 72.00
- Standard Deviation: 9.08

Location: 457-461 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2Q45A: Trait Anger (T-Ang) fiery temper

Circle the number that best describes how you generally feel. In general... I have a fiery temper.

Value	Label	Unweighted Frequency	%
1	Not at all	153	40.1 %
2	A little	172	45.0 %
3	Mostly	32	8.4 %
4	Very well	9	2.4 %
Missing Data			
8	Missing	16	4.2 %
Total		382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 462-462 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45B: Trait Anger (T-Ang) quick tempered

Circle the number that best describes how you generally feel. In general... I am quick tempered.

Value	Label	Unweighted Frequency	%
1	Not at all	133	34.8 %
2	A little	184	48.2 %
3	Mostly	41	10.7 %
4	Very well	9	2.4 %
	Missing Data		
8	Missing	15	3.9 %
	Total	382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 463-463 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45C: Trait Anger (T-Ang) hotheaded person

Circle the number that best describes how you generally feel. In general... I am a hotheaded person.

Value	Label	Unweighted Frequency	%
1	Not at all	95	24.9 %
2	A little	187	49.0 %
3	Mostly	69	18.1 %
4	Very well	15	3.9 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 464-464 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45D: Trait Anger (T-Ang) annoyed if singled out for correction

Circle the number that best describes how you generally feel. In general... I get annoyed when I am singled out for correction.

Value	Label	Unweighted Frequency	%
1	Not at all	56	14.7 %
2	A little	219	57.3 %
3	Mostly	75	19.6 %
4	Very well	18	4.7 %
	Missing Data		
8	Missing	14	3.7 %
	Total	382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 465-465 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45E: Trait Anger (T-Ang) furious when criticized publicly

Circle the number that best describes how you generally feel. In general... It makes me furious when I am criticized in front of others.

Value	Label	Unweighted Frequency	%
1	Not at all	50	13.1 %
2	A little	196	51.3 %
3	Mostly	93	24.3 %
4	Very well	30	7.9 %
	Missing Data		
8	Missing	13	3.4 %
	Total	382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 466-466 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45F: Trait Anger (T-Ang) angry if slowed by others mistakes

Circle the number that best describes how you generally feel. In general... I get angry when I'm slowed down by others' mistakes.

Value	Label	Unweighted Frequency	%
1	Not at all	105	27.5 %
2	A little	180	47.1 %
3	Mostly	67	17.5 %
4	Very well	16	4.2 %
Missing Data			
8	Missing	14	3.7 %
Total		382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 467-467 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45G: Trait Anger (T-Ang) infuriated; good job; bad review

Circle the number that best describes how you generally feel. In general... I feel infuriated when I do a good job and get a poor evaluation.

Value	Label	Unweighted Frequency	%
1	Not at all	186	48.7 %
2	A little	144	37.7 %
3	Mostly	31	8.1 %
4	Very well	4	1.0 %
Missing Data			
8	Missing	17	4.5 %
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 468-468 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45H: Trait Anger (T-Ang) fly off the handle

Circle the number that best describes how you generally feel. In general... I fly off the handle.

Value	Label	Unweighted Frequency	%
1	Not at all	254	66.5 %
2	A little	103	27.0 %
3	Mostly	6	1.6 %
4	Very well	3	0.8 %
	Missing Data		
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 469-469 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45I: Trait Anger (T-Ang) annoyed no recognition; good work

Circle the number that best describes how you generally feel. In general... I feel annoyed when I am not given recognition for doing good work.

Value	Label	Unweighted Frequency	%
1	Not at all	107	28.0 %
2	A little	197	51.6 %
3	Mostly	48	12.6 %
4	Very well	16	4.2 %
	Missing Data		
8	Missing	14	3.7 %
	Total	382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 470-470 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45J: Trait Anger (T-Ang) people think always right irritate me

Circle the number that best describes how you generally feel. In general... People who think they are always right irritate me.

Value	Label	Unweighted Frequency	%
1	Not at all	135	35.3 %

Value	Label	Unweighted Frequency	%
2	A little	160	41.9 %
3	Mostly	46	12.0 %
4	Very well	21	5.5 %
Missing Data			
8	Missing	20	5.2 %
Total		382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 471-471 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45K: Trait Anger (T-Ang) get mad, say nasty things

Circle the number that best describes how you generally feel. In general... When I get mad, I say nasty things.

Value	Label	Unweighted Frequency	%
1	Not at all	191	50.0 %
2	A little	141	36.9 %
3	Mostly	24	6.3 %
4	Very well	9	2.4 %
Missing Data			
8	Missing	17	4.5 %
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 472-472 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45L: Trait Anger (T-Ang) feel irritated

Circle the number that best describes how you generally feel. In general... I feel irritated.

Value	Label	Unweighted Frequency	%
1	Not at all	142	37.2 %
2	A little	181	47.4 %
3	Mostly	33	8.6 %

Value	Label	Unweighted Frequency	%
4	Very well	12	3.1 %
	Missing Data		
8	Missing	14	3.7 %
	Total	382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 473-473 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45M: Trait Anger (T-Ang) feel angry

Circle the number that best describes how you generally feel. In general... I feel angry.

Value	Label	Unweighted Frequency	%
1	Not at all	133	34.8 %
2	A little	199	52.1 %
3	Mostly	26	6.8 %
4	Very well	9	2.4 %
	Missing Data		
8	Missing	15	3.9 %
	Total	382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 474-474 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45N: Trait Anger (T-Ang) get frustrated, feel like hitting

Circle the number that best describes how you generally feel. In general... When I get frustrated, I feel like hitting someone.

Value	Label	Unweighted Frequency	%
1	Not at all	330	86.4 %
2	A little	32	8.4 %
3	Mostly	3	0.8 %
4	Very well	1	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Missing	16	4.2 %
	Total	382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 475-475 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q45O: Trait Anger (T-Ang) blood boils under pressure

Circle the number that best describes how you generally feel. In general... It makes my blood boil when I am under pressure.

Value	Label	Unweighted Frequency	%
1	Not at all	258	67.5 %
2	A little	88	23.0 %
3	Mostly	11	2.9 %
4	Very well	5	1.3 %
	Missing Data		
8	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 476-476 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QTA_AG: Spielberger Trait Anger Inventory

Spielberger trait anger inventory

Value	Label	Unweighted Frequency	%
15.00	-	10	2.6 %
16.00	-	8	2.1 %
17.00	-	9	2.4 %
17.14	-	1	0.3 %
18.00	-	11	2.9 %
18.21	-	1	0.3 %
19.00	-	26	6.8 %

Value	Label	Unweighted Frequency	%
20.00	-	16	4.2 %
21.00	-	18	4.7 %
22.00	-	14	3.7 %
23.00	-	22	5.8 %
24.00	-	26	6.8 %
25.00	-	24	6.3 %
26.00	-	21	5.5 %
26.79	-	1	0.3 %
27.00	-	13	3.4 %
28.00	-	23	6.0 %
29.00	-	15	3.9 %
30.00	-	20	5.2 %
31.00	-	9	2.4 %
31.07	-	1	0.3 %
32.00	-	11	2.9 %
33.00	-	4	1.0 %
34.00	-	6	1.6 %
34.29	-	1	0.3 %
35.00	-	12	3.1 %
36.00	-	9	2.4 %
36.43	-	1	0.3 %
37.00	-	10	2.6 %
38.00	-	3	0.8 %
39.00	-	1	0.3 %
40.00	-	2	0.5 %
41.00	-	4	1.0 %
43.00	-	1	0.3 %
43.93	-	1	0.3 %
44.00	-	1	0.3 %
46.00	-	1	0.3 %
47.00	-	1	0.3 %
48.00	-	1	0.3 %
49.00	-	1	0.3 %
51.00	-	1	0.3 %
53.00	-	1	0.3 %
Missing Data			
98.00	Not calculated - due to missing data	20	5.2 %
Total		382	100%

Based upon 362 valid cases out of 382 total cases.

- Mean: 26.25
- Median: 25.00
- Minimum: 15.00
- Maximum: 53.00
- Standard Deviation: 6.96

Location: 477-481 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2QTA_AT: Spielberger Trait Anger: angry temperament

Spielberger trait anger: angry temperament

Value	Label	Unweighted Frequency	%
4.00	-	56	14.7 %
5.00	-	54	14.1 %
6.00	-	53	13.9 %
7.00	-	71	18.6 %
8.00	-	67	17.5 %
9.00	-	25	6.5 %
9.33	-	2	0.5 %
10.00	-	19	5.0 %
11.00	-	11	2.9 %
12.00	-	2	0.5 %
13.00	-	3	0.8 %
14.00	-	3	0.8 %
15.00	-	1	0.3 %
Missing Data			
98.00	Not calculated - due to missing data	15	3.9 %
Total		382	100%

Based upon 367 valid cases out of 382 total cases.

- Mean: 6.87
- Median: 7.00
- Mode: 7.00
- Minimum: 4.00
- Maximum: 15.00
- Standard Deviation: 2.13

Location: 482-486 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2QTA_AR: Spielberger Anger: angry reaction

Spielberger anger: angry reaction

Value	Label	Unweighted Frequency	%
4.00	-	31	8.1 %
5.00	-	39	10.2 %
6.00	-	49	12.8 %
7.00	-	57	14.9 %
8.00	-	73	19.1 %
9.00	-	35	9.2 %
9.33	-	1	0.3 %
10.00	-	28	7.3 %
11.00	-	19	5.0 %
12.00	-	16	4.2 %
13.00	-	11	2.9 %
14.00	-	3	0.8 %
15.00	-	1	0.3 %
16.00	-	3	0.8 %
Missing Data			
98.00	Not calculated - due to missing data	16	4.2 %
Total		382	100%

Based upon 366 valid cases out of 382 total cases.

- Mean: 7.79
- Median: 8.00
- Mode: 8.00
- Minimum: 4.00
- Maximum: 16.00
- Standard Deviation: 2.50

Location: 487-491 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2Q46A1: Positive Events Scale (PES)- frequency: appreciate nature

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Appreciating nature.

Value	Label	Unweighted Frequency	%
1	Never	103	27.0 %
2	1-6 times	233	61.0 %
3	7+ times	29	7.6 %
Missing Data			
8	Missing	17	4.5 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46A2: Positive Events Scale (PES)- feeling: appreciate nature

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Appreciating nature.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	5	1.3 %
2	Somewhat pleasant	94	24.6 %
3	Very pleasant	161	42.1 %
	Missing Data		
8	Missing	19	5.0 %
9	Inapp	103	27.0 %
Total		382	100%

Based upon 260 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46B1: Positive Events Scale (PES)- frequency: meet someone new

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Meeting someone new.

Value	Label	Unweighted Frequency	%
1	Never	154	40.3 %
2	1-6 times	194	50.8 %
3	7+ times	17	4.5 %
	Missing Data		
8	Missing	17	4.5 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46B2: Positive Events Scale (PES)- feeling: meet someone new

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Meeting someone new.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	45	11.8 %
2	Somewhat pleasant	92	24.1 %
3	Very pleasant	70	18.3 %
	Missing Data		
8	Missing	21	5.5 %
9	Inapp	154	40.3 %
Total		382	100%

Based upon 207 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46C1: Positive Events Scale (PES)- frequency: plan trips or vacations

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Planning trips or vacations.

Value	Label	Unweighted Frequency	%
1	Never	124	32.5 %
2	1-6 times	235	61.5 %
3	7+ times	5	1.3 %
	Missing Data		
8	Missing	18	4.7 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 496-496 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46C2: Positive Events Scale (PES)- feeling: plan trips or vacations

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Planning trips or vacations.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	19	5.0 %
2	Somewhat pleasant	93	24.3 %
3	Very pleasant	124	32.5 %
	Missing Data		
8	Missing	22	5.8 %
9	Inapp	124	32.5 %
Total		382	100%

Based upon 236 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 497-497 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46D1: Positive Events Scale (PES)- frequency: reading

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Reading stories, novels, poems, or plays.

Value	Label	Unweighted Frequency	%
1	Never	176	46.1 %
2	1-6 times	133	34.8 %
3	7+ times	54	14.1 %
	Missing Data		
8	Missing	19	5.0 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 498-498 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46D2: Positive Events Scale (PES)- feeling: reading

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Reading stories, novels, poems, or plays.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	9	2.4 %
2	Somewhat pleasant	90	23.6 %
3	Very pleasant	85	22.3 %
Missing Data			
8	Missing	22	5.8 %
9	Inapp	176	46.1 %
Total		382	100%

Based upon 184 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 499-499 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46E1: Positive Events Scale (PES)- frequency: helping someone

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Helping someone.

Value	Label	Unweighted Frequency	%
1	Never	173	45.3 %
2	1-6 times	175	45.8 %
3	7+ times	15	3.9 %
Missing Data			
8	Missing	19	5.0 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 500-500 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46E2: Positive Events Scale (PES)- feeling: helping someone

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Helping someone.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	24	6.3 %
2	Somewhat pleasant	95	24.9 %
3	Very pleasant	68	17.8 %
Missing Data			
8	Missing	22	5.8 %
9	Inapp	173	45.3 %
Total		382	100%

Based upon 187 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 501-501 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46F1: Positive Events Scale (PES)- frequency: breathing clean air

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Breathing clean air.

Value	Label	Unweighted Frequency	%
1	Never	127	33.2 %
2	1-6 times	197	51.6 %
3	7+ times	36	9.4 %
Missing Data			
8	Missing	22	5.8 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 502-502 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46F2: Positive Events Scale (PES)- feeling: breathing clean air

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Breathing clean air.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	9	2.4 %
2	Somewhat pleasant	75	19.6 %
3	Very pleasant	145	38.0 %
	Missing Data		
8	Missing	26	6.8 %
9	Inapp	127	33.2 %
Total		382	100%

Based upon 229 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 503-503 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46G1: Positive Events Scale (PES)- frequency: saying something clearly

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Saying something clearly.

Value	Label	Unweighted Frequency	%
1	Never	113	29.6 %
2	1-6 times	222	58.1 %
3	7+ times	30	7.9 %
	Missing Data		
9	Inapp	17	4.5 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46G2: Positive Events Scale (PES)- feeling: saying something clearly

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Saying something clearly.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	67	17.5 %
2	Somewhat pleasant	133	34.8 %
3	Very pleasant	44	11.5 %
Missing Data			
9	Inapp	138	36.1 %
Total		382	100%

Based upon 244 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 505-505 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46H1: Positive Events Scale (PES)- frequency: thinking about good in future

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Thinking about something good in the future.

Value	Label	Unweighted Frequency	%
1	Never	100	26.2 %
2	1-6 times	223	58.4 %
3	7+ times	39	10.2 %
Missing Data			
8	Missing	20	5.2 %
Total		382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 506-506 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

J2Q46H2: Positive Events Scale (PES)- feeling: thinking about good in future

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Thinking about something good in the future.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	46	12.0 %
2	Somewhat pleasant	139	36.4 %
3	Very pleasant	71	18.6 %
	Missing Data		
8	Missing	26	6.8 %
9	Inapp	100	26.2 %
	Total	382	100%

Based upon 256 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 507-507 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

J2Q46I1: Positive Events Scale (PES)- frequency: laughing

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Laughing.

Value	Label	Unweighted Frequency	%
1	Never	11	2.9 %
2	1-6 times	146	38.2 %
3	7+ times	212	55.5 %
	Missing Data		
8	Missing	13	3.4 %
	Total	382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 508-508 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46I2: Positive Events Scale (PES)- feeling: laughing

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Laughing.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	29	7.6 %
2	Somewhat pleasant	121	31.7 %
3	Very pleasant	196	51.3 %
	Missing Data		
8	Missing	25	6.5 %
9	Inapp	11	2.9 %
	Total	382	100%

Based upon 346 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 509-509 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46J1: Positive Events Scale (PES)- frequency: being with animals

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being with animals.

Value	Label	Unweighted Frequency	%
1	Never	244	63.9 %
2	1-6 times	47	12.3 %
3	7+ times	74	19.4 %
	Missing Data		
8	Missing	17	4.5 %
	Total	382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 510-510 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46J2: Positive Events Scale (PES)- feeling: being with animals

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being with animals.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	14	3.7 %
2	Somewhat pleasant	26	6.8 %
3	Very pleasant	80	20.9 %
Missing Data			
8	Missing	18	4.7 %
9	Inapp	244	63.9 %
Total		382	100%

Based upon 120 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 511-511 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46K1: Positive Events Scale (PES)- frequency: having an open conversation

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Having a frank and open conversation.

Value	Label	Unweighted Frequency	%
1	Never	90	23.6 %
2	1-6 times	211	55.2 %
3	7+ times	63	16.5 %
Missing Data			
8	Missing	18	4.7 %
Total		382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46K2: Positive Events Scale (PES)- feeling: having an open conversation

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Having a frank and open conversation.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	19	5.0 %
2	Somewhat pleasant	143	37.4 %
3	Very pleasant	108	28.3 %
Missing Data			
8	Missing	22	5.8 %
9	Inapp	90	23.6 %
Total		382	100%

Based upon 270 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 513-513 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46L1: Positive Events Scale (PES)- frequency: going to a party

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Going to a party.

Value	Label	Unweighted Frequency	%
1	Never	274	71.7 %
2	1-6 times	85	22.3 %
3	7+ times	5	1.3 %
Missing Data			
8	Missing	18	4.7 %
Total		382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46L2: Positive Events Scale (PES)- feeling: going to a party

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Going to a party.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	7	1.8 %
2	Somewhat pleasant	44	11.5 %
3	Very pleasant	38	9.9 %
	Missing Data		
8	Missing	19	5.0 %
9	Inapp	274	71.7 %
	Total	382	100%

Based upon 89 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46M1: Positive Events Scale (PES)- frequency: giving thanks for daily life

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Giving thanks for daily life.

Value	Label	Unweighted Frequency	%
1	Never	69	18.1 %
2	1-6 times	184	48.2 %
3	7+ times	115	30.1 %
	Missing Data		
8	Missing	14	3.7 %
	Total	382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46M2: Positive Events Scale (PES)- feeling: giving thanks for daily life

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Giving thanks for daily life.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	22	5.8 %
2	Somewhat pleasant	123	32.2 %
3	Very pleasant	145	38.0 %
	Missing Data		
8	Missing	23	6.0 %
9	Inapp	69	18.1 %
	Total	382	100%

Based upon 290 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46N1: Positive Events Scale (PES)- frequency: being with friends

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being with friends.

Value	Label	Unweighted Frequency	%
1	Never	73	19.1 %
2	1-6 times	225	58.9 %
3	7+ times	67	17.5 %
	Missing Data		
8	Missing	17	4.5 %
	Total	382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46N2: Positive Events Scale (PES)- feeling: being with friends

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being with friends.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	13	3.4 %
2	Somewhat pleasant	117	30.6 %
3	Very pleasant	156	40.8 %
	Missing Data		
8	Missing	23	6.0 %
9	Inapp	73	19.1 %
	Total	382	100%

Based upon 286 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46O1: Positive Events Scale (PES)- frequency: being popular at a gathering

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being popular at a gathering.

Value	Label	Unweighted Frequency	%
1	Never	208	54.5 %
2	1-6 times	141	36.9 %
3	7+ times	10	2.6 %
	Missing Data		
8	Missing	23	6.0 %
	Total	382	100%

Based upon 359 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46O2: Positive Events Scale (PES)- feeling: being popular at a gathering

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being popular at a gathering.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	11	2.9 %
2	Somewhat pleasant	90	23.6 %
3	Very pleasant	47	12.3 %
Missing Data			
8	Missing	26	6.8 %
9	Inapp	208	54.5 %
Total		382	100%

Based upon 148 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46P1: Positive Events Scale (PES)- frequency: enjoying TV or movies

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Enjoying TV or movies.

Value	Label	Unweighted Frequency	%
1	Never	15	3.9 %
2	1-6 times	138	36.1 %
3	7+ times	215	56.3 %
Missing Data			
8	Missing	14	3.7 %
Total		382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46P2: Positive Events Scale (PES)- feeling: enjoying TV or movies

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Enjoying TV or movies.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	44	11.5 %
2	Somewhat pleasant	155	40.6 %
3	Very pleasant	142	37.2 %
Missing Data			
8	Missing	26	6.8 %
9	Inapp	15	3.9 %
Total		382	100%

Based upon 341 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46Q1: Positive Events Scale (PES)- frequency: sitting in the sun

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Sitting in the sun.

Value	Label	Unweighted Frequency	%
1	Never	200	52.4 %
2	1-6 times	142	37.2 %
3	7+ times	26	6.8 %
Missing Data			
8	Missing	14	3.7 %
Total		382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46Q2: Positive Events Scale (PES)- feeling: sitting in the sun

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Sitting in the sun.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	1	0.3 %
2	Somewhat pleasant	74	19.4 %
3	Very pleasant	91	23.8 %
	Missing Data		
8	Missing	16	4.2 %
9	Inapp	200	52.4 %
	Total	382	100%

Based upon 166 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46R1: Positive Events Scale (PES)- frequency: seeing good things happen to family and friends

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Seeing good things happen to family and friends.

Value	Label	Unweighted Frequency	%
1	Never	121	31.7 %
2	1-6 times	206	53.9 %
3	7+ times	31	8.1 %
	Missing Data		
8	Missing	24	6.3 %
	Total	382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 526-526 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46R2: Positive Events Scale (PES)- feeling: seeing good things happen to family and friends

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Seeing good things happen to family and friends.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	12	3.1 %
2	Somewhat pleasant	122	31.9 %
3	Very pleasant	99	25.9 %
	Missing Data		
8	Missing	28	7.3 %
9	Inapp	121	31.7 %
	Total	382	100%

Based upon 233 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 527-527 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46S1: Positive Events Scale (PES)- frequency: planning something

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Planning or organizing something.

Value	Label	Unweighted Frequency	%
1	Never	126	33.0 %
2	1-6 times	204	53.4 %
3	7+ times	31	8.1 %
	Missing Data		
8	Missing	21	5.5 %
	Total	382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46S2: Positive Events Scale (PES)- feeling: planning something

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Planning or organizing something.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	27	7.1 %
2	Somewhat pleasant	123	32.2 %
3	Very pleasant	83	21.7 %
Missing Data			
8	Missing	23	6.0 %
9	Inapp	126	33.0 %
Total		382	100%

Based upon 233 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 529-529 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46T1: Positive Events Scale (PES)- frequency: having a lively talk

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Having a lively talk.

Value	Label	Unweighted Frequency	%
1	Never	76	19.9 %
2	1-6 times	216	56.5 %
3	7+ times	71	18.6 %
Missing Data			
8	Missing	19	5.0 %
Total		382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 530-530 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46T2: Positive Events Scale (PES)- feeling: having a lively talk

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Having a lively talk.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	15	3.9 %
2	Somewhat pleasant	141	36.9 %
3	Very pleasant	126	33.0 %
Missing Data			
8	Missing	24	6.3 %
9	Inapp	76	19.9 %
Total		382	100%

Based upon 282 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 531-531 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46U1: Positive Events Scale (PES)- frequency: being with family

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being with my family.

Value	Label	Unweighted Frequency	%
1	Never	33	8.6 %
2	1-6 times	116	30.4 %
3	7+ times	217	56.8 %
Missing Data			
8	Missing	16	4.2 %
Total		382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 532-532 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46U2: Positive Events Scale (PES)- feeling: being with family

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being with my family.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	35	9.2 %
2	Somewhat pleasant	88	23.0 %
3	Very pleasant	200	52.4 %
Missing Data			
8	Missing	26	6.8 %
9	Inapp	33	8.6 %
Total		382	100%

Based upon 323 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 533-533 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46V1: Positive Events Scale (PES)- frequency: taking a relaxing bath

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Taking a relaxing bath.

Value	Label	Unweighted Frequency	%
1	Never	53	13.9 %
2	1-6 times	153	40.1 %
3	7+ times	160	41.9 %
Missing Data			
8	Missing	16	4.2 %
Total		382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 534-534 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46V2: Positive Events Scale (PES)- feeling: taking a relaxing bath

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Taking a relaxing bath.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	16	4.2 %
2	Somewhat pleasant	72	18.8 %
3	Very pleasant	217	56.8 %
Missing Data			
8	Missing	24	6.3 %
9	Inapp	53	13.9 %
Total		382	100%

Based upon 305 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 535-535 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46W1: Positive Events Scale (PES)- frequency: seeing beautiful scenery

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Seeing beautiful scenery.

Value	Label	Unweighted Frequency	%
1	Never	104	27.2 %
2	1-6 times	219	57.3 %
3	7+ times	43	11.3 %
Missing Data			
8	Missing	16	4.2 %
Total		382	100%

Based upon 366 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46W2: Positive Events Scale (PES)- feeling: seeing beautiful scenery

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Seeing beautiful scenery.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	3	0.8 %
2	Somewhat pleasant	96	25.1 %
3	Very pleasant	159	41.6 %
Missing Data			
8	Missing	20	5.2 %
9	Inapp	104	27.2 %
Total		382	100%

Based upon 258 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46X1: Positive Events Scale (PES)- frequency: eating good meals

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Eating good meals.

Value	Label	Unweighted Frequency	%
1	Never	21	5.5 %
2	1-6 times	234	61.3 %
3	7+ times	110	28.8 %
Missing Data			
8	Missing	17	4.5 %
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46X2: Positive Events Scale (PES)- feeling: eating good meals

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Eating good meals.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	9	2.4 %
2	Somewhat pleasant	117	30.6 %
3	Very pleasant	212	55.5 %
Missing Data			
8	Missing	23	6.0 %
9	Inapp	21	5.5 %
Total		382	100%

Based upon 338 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46Y1: Positive Events Scale (PES)- frequency: having spare time

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Having spare time.

Value	Label	Unweighted Frequency	%
1	Never	268	70.2 %
2	1-6 times	71	18.6 %
3	7+ times	7	1.8 %
Missing Data			
8	Missing	36	9.4 %
Total		382	100%

Based upon 346 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46Y2: Positive Events Scale (PES)- feeling: having spare time

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Having spare time.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	7	1.8 %
2	Somewhat pleasant	39	10.2 %
3	Very pleasant	32	8.4 %
Missing Data			
8	Missing	36	9.4 %
9	Inapp	268	70.2 %
Total		382	100%

Based upon 78 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46Z1: Positive Events Scale (PES)- frequency: noticed as sexually attractive

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being noticed as sexually attractive.

Value	Label	Unweighted Frequency	%
1	Never	231	60.5 %
2	1-6 times	110	28.8 %
3	7+ times	12	3.1 %
Missing Data			
9	Inapp	29	7.6 %
Total		382	100%

Based upon 353 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 542-542 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46Z2: Positive Events Scale (PES)- feeling: noticed as sexually attractive

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being noticed as sexually attractive.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	13	3.4 %
2	Somewhat pleasant	64	16.8 %
3	Very pleasant	45	11.8 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	258	67.5 %
Total		382	100%

Based upon 122 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 543-543 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46AA1: Positive Events Scale (PES)- frequency: learning to do something new

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Learning to do something new.

Value	Label	Unweighted Frequency	%
1	Never	168	44.0 %
2	1-6 times	170	44.5 %
3	7+ times	24	6.3 %
Missing Data			
8	Missing	20	5.2 %
Total		382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 544-544 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46AA2: Positive Events Scale (PES)- feeling: learning to do something new

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Learning to do something new.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	9	2.4 %
2	Somewhat pleasant	94	24.6 %
3	Very pleasant	90	23.6 %
Missing Data			
8	Missing	21	5.5 %
9	Inapp	168	44.0 %
Total		382	100%

Based upon 193 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 545-545 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46BB1: Positive Events Scale (PES)- frequency: complimenting someone

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Complimenting or praising someone.

Value	Label	Unweighted Frequency	%
1	Never	93	24.3 %
2	1-6 times	207	54.2 %
3	7+ times	63	16.5 %
Missing Data			
8	Missing	19	5.0 %
Total		382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 546-546 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46BB2: Positive Events Scale (PES)- feeling: complimenting someone

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Complimenting or praising someone.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	37	9.7 %
2	Somewhat pleasant	152	39.8 %
3	Very pleasant	80	20.9 %
Missing Data			
8	Missing	20	5.2 %
9	Inapp	93	24.3 %
Total		382	100%

Based upon 269 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 547-547 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46CC1: Positive Events Scale (PES)- frequency: thinking about people I like

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Thinking about people I like.

Value	Label	Unweighted Frequency	%
1	Never	119	31.2 %
2	1-6 times	152	39.8 %
3	7+ times	90	23.6 %
Missing Data			
8	Missing	21	5.5 %
Total		382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 548-548 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46CC2: Positive Events Scale (PES)- feeling: thinking about people I like

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Thinking about people I like.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	15	3.9 %
2	Somewhat pleasant	117	30.6 %
3	Very pleasant	108	28.3 %
Missing Data			
8	Missing	23	6.0 %
9	Inapp	119	31.2 %
Total		382	100%

Based upon 240 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 549-549 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46DD1: Positive Events Scale (PES)- frequency: kissing

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Kissing.

Value	Label	Unweighted Frequency	%
1	Never	242	63.4 %
2	1-6 times	74	19.4 %
3	7+ times	39	10.2 %
Missing Data			
8	Missing	27	7.1 %
Total		382	100%

Based upon 355 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 550-550 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46DD2: Positive Events Scale (PES)- feeling: kissing

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Kissing.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	9	2.4 %
2	Somewhat pleasant	45	11.8 %
3	Very pleasant	60	15.7 %
Missing Data			
8	Missing	26	6.8 %
9	Inapp	242	63.4 %
Total		382	100%

Based upon 114 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 551-551 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46EE1: Positive Events Scale (PES)- frequency: praying or meditating

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Praying or meditating.

Value	Label	Unweighted Frequency	%
1	Never	220	57.6 %
2	1-6 times	78	20.4 %
3	7+ times	61	16.0 %
Missing Data			
8	Missing	23	6.0 %
Total		382	100%

Based upon 359 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 552-552 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46EE2: Positive Events Scale (PES)- feeling: praying or meditating

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Praying or meditating.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	14	3.7 %
2	Somewhat pleasant	52	13.6 %
3	Very pleasant	68	17.8 %
Missing Data			
8	Missing	28	7.3 %
9	Inapp	220	57.6 %
Total		382	100%

Based upon 134 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 553-553 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46FF1: Positive Events Scale (PES)- frequency: doing a project my own way

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Doing a project my own way.

Value	Label	Unweighted Frequency	%
1	Never	238	62.3 %
2	1-6 times	89	23.3 %
3	7+ times	30	7.9 %
Missing Data			
8	Missing	25	6.5 %
Total		382	100%

Based upon 357 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 554-554 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46FF2: Positive Events Scale (PES)- feeling: doing a project my own way

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Doing a project my own way.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	14	3.7 %
2	Somewhat pleasant	65	17.0 %
3	Very pleasant	39	10.2 %
Missing Data			
8	Missing	26	6.8 %
9	Inapp	238	62.3 %
Total		382	100%

Based upon 118 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 555-555 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46HH1: Positive Events Scale (PES)- frequency: being relaxed

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being relaxed.

Value	Label	Unweighted Frequency	%
1	Never	53	13.9 %
2	1-6 times	207	54.2 %
3	7+ times	103	27.0 %
Missing Data			
8	Missing	19	5.0 %
Total		382	100%

Based upon 363 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 556-556 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46HH2: Positive Events Scale (PES)- feeling: being relaxed

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being relaxed.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	15	3.9 %
2	Somewhat pleasant	129	33.8 %
3	Very pleasant	162	42.4 %
Missing Data			
8	Missing	23	6.0 %
9	Inapp	53	13.9 %
Total		382	100%

Based upon 306 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 557-557 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46II1: Positive Events Scale (PES)- frequency: sleeping soundly at night

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time...
Sleeping soundly at night.

Value	Label	Unweighted Frequency	%
1	Never	40	10.5 %
2	1-6 times	158	41.4 %
3	7+ times	169	44.2 %
Missing Data			
8	Missing	15	3.9 %
Total		382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 558-558 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46II2: Positive Events Scale (PES)- feeling: sleeping soundly at night

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Sleeping soundly at night.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	16	4.2 %
2	Somewhat pleasant	122	31.9 %
3	Very pleasant	181	47.4 %
Missing Data			
8	Missing	23	6.0 %
9	Inapp	40	10.5 %
Total		382	100%

Based upon 319 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 559-559 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46JJ1: Positive Events Scale (PES)- frequency: having a good fitness workout

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Having a good fitness workout.

Value	Label	Unweighted Frequency	%
1	Never	109	28.5 %
2	1-6 times	181	47.4 %
3	7+ times	75	19.6 %
Missing Data			
8	Missing	17	4.5 %
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 560-560 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46JJ2: Positive Events Scale (PES)- feeling: having a good fitness workout

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Having a good fitness workout.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	11	2.9 %
2	Somewhat pleasant	104	27.2 %
3	Very pleasant	136	35.6 %
Missing Data			
8	Missing	22	5.8 %
9	Inapp	109	28.5 %
Total		382	100%

Based upon 251 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 561-561 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46KK1: Positive Events Scale (PES)- frequency: amusing people

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Amusing people.

Value	Label	Unweighted Frequency	%
1	Never	110	28.8 %
2	1-6 times	214	56.0 %
3	7+ times	37	9.7 %
Missing Data			
8	Missing	21	5.5 %
Total		382	100%

Based upon 361 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 562-562 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46KK2: Positive Events Scale (PES)- feeling: amusing people

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Amusing people.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	12	3.1 %
2	Somewhat pleasant	149	39.0 %
3	Very pleasant	90	23.6 %
Missing Data			
8	Missing	21	5.5 %
9	Inapp	110	28.8 %
Total		382	100%

Based upon 251 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 563-563 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46LL1: Positive Events Scale (PES)- frequency: being with someone I love

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being with someone I love.

Value	Label	Unweighted Frequency	%
1	Never	101	26.4 %
2	1-6 times	119	31.2 %
3	7+ times	129	33.8 %
Missing Data			
8	Missing	33	8.6 %
Total		382	100%

Based upon 349 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 564-564 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46LL2: Positive Events Scale (PES)- feeling: being with someone I love

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being with someone I love.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	13	3.4 %
2	Somewhat pleasant	89	23.3 %
3	Very pleasant	141	36.9 %
	Missing Data		
8	Missing	38	9.9 %
9	Inapp	101	26.4 %
	Total	382	100%

Based upon 243 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 565-565 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46MM1: Positive Events Scale (PES)- frequency: sexual relation with partner

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Having satisfying sexual relations with a partner of the opposite sex.

Value	Label	Unweighted Frequency	%
1	Never	156	40.8 %
2	1-6 times	100	26.2 %
3	7+ times	9	2.4 %
	Missing Data		
8	Missing	117	30.6 %
	Total	382	100%

Based upon 265 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 566-566 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46MM2: Positive Events Scale (PES)- feeling: sexual relation with partner

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Having satisfying sexual relations with a partner of the opposite sex.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	12	3.1 %
2	Somewhat pleasant	49	12.8 %
3	Very pleasant	54	14.1 %
Missing Data			
8	Missing	111	29.1 %
9	Inapp	156	40.8 %
Total		382	100%

Based upon 115 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 567-567 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46NN1: Positive Events Scale (PES)- frequency: watching sports

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Watching sports.

Value	Label	Unweighted Frequency	%
1	Never	114	29.8 %
2	1-6 times	184	48.2 %
3	7+ times	60	15.7 %
Missing Data			
8	Missing	24	6.3 %
Total		382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 568-568 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46NN2: Positive Events Scale (PES)- feeling: watching sports

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Watching sports.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	24	6.3 %
2	Somewhat pleasant	143	37.4 %
3	Very pleasant	72	18.8 %
Missing Data			
8	Missing	29	7.6 %
9	Inapp	114	29.8 %
Total		382	100%

Based upon 239 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 569-569 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46OO1: Positive Events Scale (PES)- frequency: being with happy people

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being with happy people.

Value	Label	Unweighted Frequency	%
1	Never	107	28.0 %
2	1-6 times	133	34.8 %
3	7+ times	108	28.3 %
Missing Data			
8	Missing	34	8.9 %
Total		382	100%

Based upon 348 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 570-570 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46OO2: Positive Events Scale (PES)- feeling: being with happy people

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being with happy people.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	12	3.1 %
2	Somewhat pleasant	99	25.9 %
3	Very pleasant	128	33.5 %
Missing Data			
8	Missing	36	9.4 %
9	Inapp	107	28.0 %
Total		382	100%

Based upon 239 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 571-571 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46PP1: Positive Events Scale (PES)- frequency: smiling at people

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Smiling at people.

Value	Label	Unweighted Frequency	%
1	Never	47	12.3 %
2	1-6 times	166	43.5 %
3	7+ times	141	36.9 %
Missing Data			
8	Missing	28	7.3 %
Total		382	100%

Based upon 354 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46PP2: Positive Events Scale (PES)- feeling: smiling at people

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Smiling at people.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	21	5.5 %
2	Somewhat pleasant	156	40.8 %
3	Very pleasant	123	32.2 %
Missing Data			
8	Missing	35	9.2 %
9	Inapp	47	12.3 %
Total		382	100%

Based upon 300 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 573-573 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46QQ1: Positive Events Scale (PES)- frequency: being with spouse/partner

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being with my spouse/partner.

Value	Label	Unweighted Frequency	%
1	Never	88	23.0 %
2	1-6 times	87	22.8 %
3	7+ times	174	45.5 %
Missing Data			
8	Missing	33	8.6 %
Total		382	100%

Based upon 349 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 574-574 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46QQ2: Positive Events Scale (PES)- feeling: being with spouse/partner

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being with my spouse/partner.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	29	7.6 %
2	Somewhat pleasant	88	23.0 %
3	Very pleasant	140	36.6 %
Missing Data			
8	Missing	37	9.7 %
9	Inapp	88	23.0 %
Total		382	100%

Based upon 257 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 575-575 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46RR1: Positive Events Scale (PES)- frequency: teaching or advising someone

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Teaching or advising someone.

Value	Label	Unweighted Frequency	%
1	Never	72	18.8 %
2	1-6 times	210	55.0 %
3	7+ times	76	19.9 %
Missing Data			
8	Missing	24	6.3 %
Total		382	100%

Based upon 358 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 576-576 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46RR2: Positive Events Scale (PES)- feeling: teaching or advising someone

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Teaching or advising someone.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	44	11.5 %
2	Somewhat pleasant	162	42.4 %
3	Very pleasant	73	19.1 %
Missing Data			
8	Missing	31	8.1 %
9	Inapp	72	18.8 %
Total		382	100%

Based upon 279 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 577-577 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46SS1: Positive Events Scale (PES)- frequency: being complimented

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being complimented or told I have done well.

Value	Label	Unweighted Frequency	%
1	Never	148	38.7 %
2	1-6 times	182	47.6 %
3	7+ times	27	7.1 %
Missing Data			
8	Missing	25	6.5 %
Total		382	100%

Based upon 357 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 578-578 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46SS2: Positive Events Scale (PES)- feeling: being complimented

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being complimented or told I have done well.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	14	3.7 %
2	Somewhat pleasant	110	28.8 %
3	Very pleasant	82	21.5 %
Missing Data			
8	Missing	28	7.3 %
9	Inapp	148	38.7 %
Total		382	100%

Based upon 206 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 579-579 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46TT1: Positive Events Scale (PES)- frequency: being told I am loved

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Being told I am loved.

Value	Label	Unweighted Frequency	%
1	Never	240	62.8 %
2	1-6 times	88	23.0 %
3	7+ times	26	6.8 %
Missing Data			
8	Missing	28	7.3 %
Total		382	100%

Based upon 354 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 580-580 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46TT2: Positive Events Scale (PES)- feeling: being told I am loved

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Being told I am loved.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	4	1.0 %
2	Somewhat pleasant	46	12.0 %
3	Very pleasant	63	16.5 %
Missing Data			
8	Missing	29	7.6 %
9	Inapp	240	62.8 %
Total		382	100%

Based upon 113 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 581-581 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46UU1: Positive Events Scale (PES)- frequency: seeing old friends

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Seeing old friends.

Value	Label	Unweighted Frequency	%
1	Never	201	52.6 %
2	1-6 times	146	38.2 %
3	7+ times	12	3.1 %
Missing Data			
8	Missing	23	6.0 %
Total		382	100%

Based upon 359 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 582-582 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46UU2: Positive Events Scale (PES)- feeling: seeing old friends

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Seeing old friends.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	1	0.3 %
2	Somewhat pleasant	57	14.9 %
3	Very pleasant	97	25.4 %
Missing Data			
8	Missing	26	6.8 %
9	Inapp	201	52.6 %
Total		382	100%

Based upon 155 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46VV1: Positive Events Scale (PES)- frequency: shopping

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Shopping.

Value	Label	Unweighted Frequency	%
1	Never	46	12.0 %
2	1-6 times	215	56.3 %
3	7+ times	103	27.0 %
Missing Data			
8	Missing	18	4.7 %
Total		382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 584-584 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46VV2: Positive Events Scale (PES)- feeling: shopping

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Shopping.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	51	13.4 %
2	Somewhat pleasant	156	40.8 %
3	Very pleasant	102	26.7 %
Missing Data			
8	Missing	27	7.1 %
9	Inapp	46	12.0 %
Total		382	100%

Based upon 309 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 585-585 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46WW1: Positive Events Scale (PES)- frequency: feeling no pain

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. Over the past month how often did you spend time... Feeling no pain.

Value	Label	Unweighted Frequency	%
1	Never	170	44.5 %
2	1-6 times	130	34.0 %
3	7+ times	56	14.7 %
Missing Data			
8	Missing	26	6.8 %
Total		382	100%

Based upon 356 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 586-586 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q46WW2: Positive Events Scale (PES)- feeling: feeling no pain

The following questions are about positive experiences you may have had over the past month. Please indicate how often you had each experience and whether it was pleasant, enjoyable or rewarding. If at least once, how pleasant, enjoyable or rewarding was this? Feeling no pain.

Value	Label	Unweighted Frequency	%
1	Neutral or unpleasant	14	3.7 %
2	Somewhat pleasant	95	24.9 %
3	Very pleasant	72	18.8 %
Missing Data			
8	Missing	31	8.1 %
9	Inapp	170	44.5 %
Total		382	100%

Based upon 181 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 587-587 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q47A: RELAT: obligated to be informed with news

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I feel obligated to keep fully informed about national news and public issues.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	5	1.3 %
2	Disagree	4	1.0 %
3	Slightly disagree	2	0.5 %
4	Neutral	26	6.8 %
5	Slightly agree	86	22.5 %
6	Agree	141	36.9 %
7	Strongly agree	107	28.0 %
Missing Data			
98	Missing	11	2.9 %
Total		382	100%

Based upon 371 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47B: RELAT: obligated to vote in elections

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I feel obligated to vote in local and national elections.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	4	1.0 %
2	Disagree	1	0.3 %
3	Slightly disagree	3	0.8 %
4	Neutral	24	6.3 %
5	Slightly agree	62	16.2 %
6	Agree	104	27.2 %
7	Strongly agree	171	44.8 %
Missing Data			
98	Missing	13	3.4 %
Total		382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 590-591 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47C: RELAT: obligated to volunteer time/money to social causes

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I feel obligated to volunteer time or money to social causes I support.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	7	1.8 %
2	Disagree	6	1.6 %
3	Slightly disagree	10	2.6 %
4	Neutral	95	24.9 %
5	Slightly agree	134	35.1 %
6	Agree	80	20.9 %
7	Strongly agree	37	9.7 %
Missing Data			
98	Missing	13	3.4 %
Total		382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47D: RELAT: drop plans if family very troubled

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I feel obligated to drop plans when members of my family seem very troubled.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	6	1.6 %
2	Disagree	3	0.8 %
3	Slightly disagree	9	2.4 %
4	Neutral	58	15.2 %
5	Slightly agree	85	22.3 %
6	Agree	115	30.1 %
7	Strongly agree	92	24.1 %
Missing Data			
98	Missing	14	3.7 %
Total		382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47E: RELAT: obligated to contact family regularly

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I feel obligated to contact family members on a regular basis.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	3	0.8 %
2	Disagree	1	0.3 %
3	Slightly disagree	6	1.6 %
4	Neutral	23	6.0 %
5	Slightly agree	55	14.4 %

Value	Label	Unweighted Frequency	%
6	Agree	128	33.5 %
7	Strongly agree	153	40.1 %
	Missing Data		
98	Missing	13	3.4 %
	Total	382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47F: RELAT: obligated give needy friend money

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I feel obligated to give money to a friend in need, even if this makes it hard to meet my own needs.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	61	16.0 %
2	Disagree	48	12.6 %
3	Slightly disagree	46	12.0 %
4	Neutral	107	28.0 %
5	Slightly agree	67	17.5 %
6	Agree	29	7.6 %
7	Strongly agree	6	1.6 %
	Missing Data		
98	Missing	18	4.7 %
	Total	382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47G: RELAT: obligated to take adult child in

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I feel obligated to take my divorced or unemployed adult child back into my home.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	37	9.7 %
2	Disagree	27	7.1 %
3	Slightly disagree	59	15.4 %
4	Neutral	99	25.9 %
5	Slightly agree	94	24.6 %
6	Agree	33	8.6 %
7	Strongly agree	18	4.7 %
Missing Data			
98	Missing	15	3.9 %
Total		382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47H: RELAT: my work makes world better place

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... My work makes world better place.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	34	8.9 %
2	Disagree	21	5.5 %
3	Slightly disagree	32	8.4 %
4	Neutral	151	39.5 %
5	Slightly agree	74	19.4 %
6	Agree	37	9.7 %
7	Strongly agree	11	2.9 %
Missing Data			
98	Missing	22	5.8 %
Total		382	100%

Based upon 360 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47I: RELAT: think of harm my work may cause

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I think about the harm my work might do to other people.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	41	10.7 %
2	Disagree	24	6.3 %
3	Slightly disagree	56	14.7 %
4	Neutral	121	31.7 %
5	Slightly agree	73	19.1 %
6	Agree	34	8.9 %
7	Strongly agree	7	1.8 %
Missing Data			
98	Missing	26	6.8 %
Total		382	100%

Based upon 356 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47J: RELAT: help out colleagues at work

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I help out my colleagues/coworkers at work.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	12	3.1 %
2	Disagree	11	2.9 %
3	Slightly disagree	16	4.2 %
4	Neutral	102	26.7 %
5	Slightly agree	149	39.0 %
6	Agree	59	15.4 %
7	Strongly agree	15	3.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
98	Missing	18	4.7 %
	Total	382	100%

Based upon 364 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 606-607 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47K: RELAT: volunteer to do unwanted tasks at work

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I am the one to volunteer to do unwanted tasks at work.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	7	1.8 %
2	Disagree	6	1.6 %
3	Slightly disagree	21	5.5 %
4	Neutral	95	24.9 %
5	Slightly agree	152	39.8 %
6	Agree	67	17.5 %
7	Strongly agree	14	3.7 %
	Missing Data		
98	Missing	20	5.2 %
	Total	382	100%

Based upon 362 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 608-609 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q47L: RELAT: known for honesty/integrity at work

The following questions are about the ways you generally interact with others, including your sense of obligation towards others. Please circle the number that corresponds to how much you agree or disagree with the following statements. In general... I am known for my honesty and integrity at work.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	9	2.4 %
2	Disagree	5	1.3 %
3	Slightly disagree	15	3.9 %
4	Neutral	111	29.1 %
5	Slightly agree	133	34.8 %
6	Agree	83	21.7 %
7	Strongly agree	13	3.4 %
Missing Data			
98	Missing	13	3.4 %
Total		382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 610-611 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2QSO_PC: Public community

Public community

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
1.67	-	1	0.3 %
2.67	-	1	0.3 %
3.00	-	2	0.5 %
3.33	-	5	1.3 %
3.67	-	5	1.3 %
4.00	-	7	1.8 %
4.33	-	13	3.4 %
4.50	-	1	0.3 %
4.67	-	21	5.5 %
5.00	-	45	11.8 %
5.33	-	44	11.5 %
5.67	-	58	15.2 %
6.00	-	61	16.0 %
6.33	-	46	12.0 %
6.67	-	39	10.2 %
7.00	-	20	5.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8.00	Not calculated - due to missing data	12	3.1 %
	Total	382	100%

Based upon 370 valid cases out of 382 total cases.

- Mean: 5.62
- Median: 5.67
- Mode: 6.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.90

Location: 612-615 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QSO_PF: Private family/friends 3 items

Private family/friends 3 items

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
1.33	-	1	0.3 %
2.33	-	2	0.5 %
2.67	-	1	0.3 %
3.00	-	5	1.3 %
3.33	-	9	2.4 %
3.50	-	1	0.3 %
3.67	-	15	3.9 %
4.00	-	29	7.6 %
4.33	-	38	9.9 %
4.67	-	39	10.2 %
5.00	-	60	15.7 %
5.33	-	54	14.1 %
5.50	-	2	0.5 %
5.67	-	35	9.2 %
6.00	-	42	11.0 %
6.33	-	22	5.8 %
6.50	-	1	0.3 %
6.67	-	8	2.1 %
7.00	-	5	1.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8.00	Not calculated - due to missing data	12	3.1 %
Total		382	100%

Based upon 370 valid cases out of 382 total cases.

- Mean: 5.02
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.93

Location: 616-619 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QSO_PX: Private family/friends 4 items

Private family/friends 4 items

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
1.25	-	1	0.3 %
2.25	-	1	0.3 %
2.33	-	1	0.3 %
2.50	-	1	0.3 %
2.67	-	1	0.3 %
2.75	-	8	2.1 %
3.00	-	7	1.8 %
3.25	-	7	1.8 %
3.50	-	10	2.6 %
3.75	-	20	5.2 %
4.00	-	26	6.8 %
4.25	-	22	5.8 %
4.50	-	44	11.5 %
4.75	-	37	9.7 %
5.00	-	45	11.8 %
5.25	-	40	10.5 %
5.33	-	4	1.0 %
5.50	-	35	9.2 %
5.67	-	1	0.3 %
5.75	-	28	7.3 %
6.00	-	13	3.4 %

Value	Label	Unweighted Frequency	%
6.25	-	8	2.1 %
6.50	-	4	1.0 %
6.75	-	2	0.5 %
7.00	-	2	0.5 %
	Missing Data		
8.00	Not calculated - due to missing data	13	3.4 %
	Total	382	100%

Based upon 369 valid cases out of 382 total cases.

- Mean: 4.76
- Median: 4.75
- Mode: 5.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.91

Location: 620-623 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QSO_IW: Private/in-group work

Private/in-group work

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
1.33	-	1	0.3 %
1.67	-	2	0.5 %
2.00	-	2	0.5 %
2.33	-	2	0.5 %
2.50	-	1	0.3 %
2.67	-	4	1.0 %
3.00	-	10	2.6 %
3.33	-	8	2.1 %
3.67	-	11	2.9 %
4.00	-	41	10.7 %
4.33	-	40	10.5 %
4.50	-	1	0.3 %
4.67	-	60	15.7 %
5.00	-	72	18.8 %
5.33	-	46	12.0 %
5.50	-	1	0.3 %

Value	Label	Unweighted Frequency	%
5.67	-	35	9.2 %
6.00	-	15	3.9 %
6.33	-	4	1.0 %
6.67	-	6	1.6 %
7.00	-	2	0.5 %
Missing Data			
8.00	Not calculated - due to missing data	17	4.5 %
Total		382	100%

Based upon 365 valid cases out of 382 total cases.

- Mean: 4.73
- Median: 4.67
- Mode: 5.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.91

Location: 624-627 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QSO_GW: Good work scale

Good work scale

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
1.20	-	1	0.3 %
1.40	-	2	0.5 %
1.80	-	2	0.5 %
2.20	-	2	0.5 %
2.40	-	6	1.6 %
2.50	-	1	0.3 %
2.60	-	1	0.3 %
2.80	-	5	1.3 %
3.00	-	4	1.0 %
3.20	-	9	2.4 %
3.40	-	16	4.2 %
3.60	-	18	4.7 %
3.80	-	17	4.5 %
4.00	-	28	7.3 %
4.20	-	35	9.2 %

Value	Label	Unweighted Frequency	%
4.40	-	30	7.9 %
4.60	-	42	11.0 %
4.75	-	3	0.8 %
4.80	-	37	9.7 %
5.00	-	33	8.6 %
5.20	-	18	4.7 %
5.40	-	20	5.2 %
5.50	-	1	0.3 %
5.60	-	7	1.8 %
5.80	-	7	1.8 %
6.00	-	8	2.1 %
6.20	-	3	0.8 %
6.80	-	2	0.5 %
Missing Data			
8.00	Not calculated - due to missing data	23	6.0 %
Total		382	100%

Based upon 359 valid cases out of 382 total cases.

- Mean: 4.40
- Median: 4.60
- Mode: 4.60
- Minimum: 1.00
- Maximum: 6.80
- Standard Deviation: 0.89

Location: 628-631 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2Q48A: RELAT: close relations important reflection of me

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... My close relationships are an important reflection of who I am.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	4	1.0 %
2	Disagree	3	0.8 %
3	Slightly disagree	13	3.4 %
4	Neutral	70	18.3 %
5	Slightly agree	128	33.5 %
6	Agree	118	30.9 %
7	Strongly agree	34	8.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
98	Missing	12	3.1 %
	Total	382	100%

Based upon 370 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48B: RELAT: very close to others important part of me

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... When I feel very close to someone, it often feels to me like that person is an important part of who I am.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	7	1.8 %
2	Disagree	6	1.6 %
3	Slightly disagree	13	3.4 %
4	Neutral	79	20.7 %
5	Slightly agree	119	31.2 %
6	Agree	116	30.4 %
7	Strongly agree	31	8.1 %
	Missing Data		
98	Missing	11	2.9 %
	Total	382	100%

Based upon 371 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48C: RELAT: pride in close others' accomplishments

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... I usually feel a strong sense of pride when someone close to me has an important accomplishment.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	3	0.8 %
2	Disagree	2	0.5 %
3	Slightly disagree	1	0.3 %
4	Neutral	35	9.2 %
5	Slightly agree	118	30.9 %
6	Agree	144	37.7 %
7	Strongly agree	69	18.1 %
Missing Data			
98	Missing	10	2.6 %
Total		382	100%

Based upon 372 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48D: RELAT: who I am is who friends are

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... I think one of the most important parts of who I am can be captured by looking at my close friends and understanding who they are.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	5	1.3 %
2	Disagree	11	2.9 %
3	Slightly disagree	13	3.4 %
4	Neutral	90	23.6 %
5	Slightly agree	145	38.0 %
6	Agree	80	20.9 %
7	Strongly agree	26	6.8 %
Missing Data			
98	Missing	12	3.1 %
Total		382	100%

Based upon 370 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48E: RELAT: when think of self, think of family/friends also

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... When I think of myself, I often think of my close friends or family also.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	4	1.0 %
2	Disagree	6	1.6 %
3	Slightly disagree	17	4.5 %
4	Neutral	71	18.6 %
5	Slightly agree	111	29.1 %
6	Agree	114	29.8 %
7	Strongly agree	47	12.3 %
Missing Data			
98	Missing	12	3.1 %
Total		382	100%

Based upon 370 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48F: RELAT: someone close is hurt, I feel hurt

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... If a person hurts someone close to me, I feel personally hurt as well.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	5	1.3 %
2	Disagree	5	1.3 %
3	Slightly disagree	9	2.4 %
4	Neutral	55	14.4 %
5	Slightly agree	144	37.7 %
6	Agree	122	31.9 %
7	Strongly agree	32	8.4 %
Missing Data			
98	Missing	10	2.6 %
Total		382	100%

Based upon 372 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48G: RELAT: close relations have no effect self feeling

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... Overall, my close relationships have very little to do with how I feel about myself.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	13	3.4 %
2	Disagree	21	5.5 %
3	Slightly disagree	54	14.1 %
4	Neutral	180	47.1 %
5	Slightly agree	72	18.8 %
6	Agree	20	5.2 %
7	Strongly agree	7	1.8 %
Missing Data			
98	Missing	15	3.9 %
Total		382	100%

Based upon 367 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48H: RELAT: close relations not important who I am

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... My close relationships are unimportant to my sense of what kind of person I am.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	34	8.9 %
2	Disagree	45	11.8 %
3	Slightly disagree	93	24.3 %
4	Neutral	132	34.6 %
5	Slightly agree	40	10.5 %

Value	Label	Unweighted Frequency	%
6	Agree	16	4.2 %
7	Strongly agree	10	2.6 %
	Missing Data		
98	Missing	12	3.1 %
	Total	382	100%

Based upon 370 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48I: RELAT: pride comes from close friends

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... My sense of pride comes from knowing whom I have as close friends.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	9	2.4 %
2	Disagree	9	2.4 %
3	Slightly disagree	21	5.5 %
4	Neutral	131	34.3 %
5	Slightly agree	108	28.3 %
6	Agree	74	19.4 %
7	Strongly agree	18	4.7 %
	Missing Data		
98	Missing	12	3.1 %
	Total	382	100%

Based upon 370 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48J: RELAT: identify closely with close friends

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly

agree). In general... When I establish a close friendship with someone, I usually develop a strong sense of identification with that person.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	5	1.3 %
2	Disagree	6	1.6 %
3	Slightly disagree	41	10.7 %
4	Neutral	119	31.2 %
5	Slightly agree	115	30.1 %
6	Agree	69	18.1 %
7	Strongly agree	14	3.7 %
Missing Data			
98	Missing	13	3.4 %
Total		382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 650-651 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48K: RELAT: walk in a room can figure out mood

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... I can walk in a room and immediately figure out the group's mood.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	5	1.3 %
2	Disagree	6	1.6 %
3	Slightly disagree	26	6.8 %
4	Neutral	94	24.6 %
5	Slightly agree	150	39.3 %
6	Agree	71	18.6 %
7	Strongly agree	16	4.2 %
Missing Data			
98	Missing	14	3.7 %
Total		382	100%

Based upon 368 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48L: RELAT: not affected by moods of others

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... I am not affected by the moods of the people who are around me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	6	1.6 %
2	Disagree	19	5.0 %
3	Slightly disagree	44	11.5 %
4	Neutral	146	38.2 %
5	Slightly agree	92	24.1 %
6	Agree	49	12.8 %
7	Strongly agree	13	3.4 %
Missing Data			
98	Missing	13	3.4 %
Total		382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48M: RELAT: can't be happy if friend in trouble

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... Even when things are going well for me, I can't be happy if I have a friend who is in trouble.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1	0.3 %
2	Disagree	6	1.6 %
3	Slightly disagree	16	4.2 %
4	Neutral	78	20.4 %
5	Slightly agree	164	42.9 %
6	Agree	78	20.4 %
7	Strongly agree	26	6.8 %
Missing Data			
98	Missing	13	3.4 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 369 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 656-657 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48N: RELAT: moved when hear hardships

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... I am moved when I hear of another person's hardship.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	4	1.0 %
2	Disagree	6	1.6 %
3	Slightly disagree	13	3.4 %
4	Neutral	48	12.6 %
5	Slightly agree	175	45.8 %
6	Agree	101	26.4 %
7	Strongly agree	24	6.3 %
Missing Data			
98	Missing	11	2.9 %
Total		382	100%

Based upon 371 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 658-659 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48O: RELAT: nothing more vital than sympathy

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... I think nothing is more important than to be sympathetic to others.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	5	1.3 %
2	Disagree	3	0.8 %

Value	Label	Unweighted Frequency	%
3	Slightly disagree	12	3.1 %
4	Neutral	47	12.3 %
5	Slightly agree	139	36.4 %
6	Agree	119	31.2 %
7	Strongly agree	46	12.0 %
Missing Data			
98	Missing	11	2.9 %
Total		382	100%

Based upon 371 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 660-661 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48P: RELAT: my sympathy has its limits

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... My sympathy has its limits.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	8	2.1 %
2	Disagree	9	2.4 %
3	Slightly disagree	16	4.2 %
4	Neutral	68	17.8 %
5	Slightly agree	158	41.4 %
6	Agree	80	20.9 %
7	Strongly agree	32	8.4 %
Missing Data			
98	Missing	11	2.9 %
Total		382	100%

Based upon 371 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 662-663 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48Q: RELAT: follow opinion of people I respect

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... I usually follow the opinions of people I can respect.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	2	0.5 %
2	Disagree	10	2.6 %
3	Slightly disagree	18	4.7 %
4	Neutral	114	29.8 %
5	Slightly agree	123	32.2 %
6	Agree	78	20.4 %
7	Strongly agree	26	6.8 %
Missing Data			
98	Missing	11	2.9 %
Total		382	100%

Based upon 371 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 664-665 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48R: RELAT: adjust opinion to fit group

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... When many people have an opinion different from mine, I can adjust mine to theirs.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	15	3.9 %
2	Disagree	38	9.9 %
3	Slightly disagree	46	12.0 %
4	Neutral	174	45.5 %
5	Slightly agree	73	19.1 %
6	Agree	26	6.8 %
7	Strongly agree	4	1.0 %
Missing Data			
98	Missing	6	1.6 %
Total		382	100%

Based upon 376 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 666-667 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48S: RELAT: adjust values to fit others

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... When values held by others sound more reasonable, I can adjust my values to theirs.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	4	1.0 %
2	Disagree	9	2.4 %
3	Slightly disagree	15	3.9 %
4	Neutral	77	20.2 %
5	Slightly agree	175	45.8 %
6	Agree	80	20.9 %
7	Strongly agree	18	4.7 %
Missing Data			
98	Missing	4	1.0 %
Total		382	100%

Based upon 378 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 668-669 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48T: RELAT: adjust to things hard to change

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... Once something has happened, I try to adjust myself to it because it is difficult to change it myself.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	11	2.9 %
2	Disagree	25	6.5 %
3	Slightly disagree	62	16.2 %
4	Neutral	133	34.8 %
5	Slightly agree	108	28.3 %
6	Agree	33	8.6 %

Value	Label	Unweighted Frequency	%
7	Strongly agree	1	0.3 %
	Missing Data		
98	Missing	9	2.4 %
	Total	382	100%

Based upon 373 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 670-671 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2Q48U: RELAT: life uncertain: try change no use

The following questions are about how your views of yourself are linked to your relations with others. Please circle the number that corresponds to how much you agree or disagree with the following statements (where 1 = strongly disagree and 7 = strongly agree). In general... It is useless to try to change what is going to happen in life because it is impossible to predict it.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	13	3.4 %
2	Disagree	49	12.8 %
3	Slightly disagree	67	17.5 %
4	Neutral	135	35.3 %
5	Slightly agree	72	18.8 %
6	Agree	31	8.1 %
7	Strongly agree	7	1.8 %
	Missing Data		
98	Missing	8	2.1 %
	Total	382	100%

Based upon 374 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 672-673 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2QRISC: Relational Interdependent Self-Construal scale

Relational Interdependent Self-Construal scale

Value	Label	Unweighted Frequency	%
2.20	-	1	0.3 %
2.40	-	1	0.3 %
3.00	-	3	0.8 %
3.20	-	1	0.3 %
3.30	-	1	0.3 %
3.60	-	1	0.3 %
3.67	-	1	0.3 %
3.70	-	3	0.8 %
3.80	-	2	0.5 %
3.90	-	7	1.8 %
4.00	-	13	3.4 %
4.10	-	7	1.8 %
4.11	-	1	0.3 %
4.20	-	9	2.4 %
4.30	-	11	2.9 %
4.40	-	24	6.3 %
4.50	-	17	4.5 %
4.56	-	1	0.3 %
4.60	-	18	4.7 %
4.70	-	31	8.1 %
4.80	-	29	7.6 %
4.90	-	20	5.2 %
5.00	-	23	6.0 %
5.10	-	19	5.0 %
5.11	-	1	0.3 %
5.20	-	10	2.6 %
5.30	-	23	6.0 %
5.40	-	25	6.5 %
5.50	-	14	3.7 %
5.60	-	11	2.9 %
5.70	-	4	1.0 %
5.80	-	10	2.6 %
5.90	-	6	1.6 %
6.00	-	5	1.3 %
6.10	-	6	1.6 %
6.20	-	3	0.8 %
6.30	-	1	0.3 %
6.40	-	3	0.8 %
6.60	-	1	0.3 %

Value	Label	Unweighted Frequency	%
7.00	-	1	0.3 %
	Missing Data		
8.00	Not calculated - due to missing data	14	3.7 %
	Total	382	100%

Based upon 368 valid cases out of 382 total cases.

- Mean: 4.89
- Median: 4.90
- Mode: 4.70
- Minimum: 2.20
- Maximum: 7.00
- Standard Deviation: 0.66

Location: 674-677 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QSYMP: Sympathy scale

Sympathy scale

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
2.00	-	2	0.5 %
2.50	-	2	0.5 %
3.00	-	5	1.3 %
3.25	-	5	1.3 %
3.50	-	8	2.1 %
3.75	-	14	3.7 %
4.00	-	37	9.7 %
4.25	-	50	13.1 %
4.33	-	2	0.5 %
4.50	-	65	17.0 %
4.67	-	1	0.3 %
4.75	-	54	14.1 %
5.00	-	48	12.6 %
5.25	-	39	10.2 %
5.50	-	19	5.0 %
5.75	-	6	1.6 %
6.00	-	5	1.3 %
6.25	-	3	0.8 %
6.50	-	3	0.8 %

Value	Label	Unweighted Frequency	%
6.75	-	2	0.5 %
	Missing Data		
8.00	Not calculated - due to missing data	11	2.9 %
	Total	382	100%

Based upon 371 valid cases out of 382 total cases.

- Mean: 4.61
- Median: 4.50
- Mode: 4.50
- Minimum: 1.00
- Maximum: 6.75
- Standard Deviation: 0.71

Location: 678-681 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QADJ: Adjustment scale

Adjustment scale

Value	Label	Unweighted Frequency	%
1.80	-	1	0.3 %
2.00	-	3	0.8 %
2.20	-	1	0.3 %
2.25	-	1	0.3 %
2.40	-	3	0.8 %
2.60	-	1	0.3 %
2.80	-	3	0.8 %
3.00	-	6	1.6 %
3.20	-	8	2.1 %
3.40	-	12	3.1 %
3.60	-	19	5.0 %
3.75	-	1	0.3 %
3.80	-	23	6.0 %
4.00	-	52	13.6 %
4.20	-	41	10.7 %
4.40	-	53	13.9 %
4.60	-	43	11.3 %
4.75	-	3	0.8 %
4.80	-	33	8.6 %
5.00	-	21	5.5 %

Value	Label	Unweighted Frequency	%
5.20	-	15	3.9 %
5.25	-	1	0.3 %
5.40	-	7	1.8 %
5.60	-	10	2.6 %
5.80	-	7	1.8 %
6.00	-	5	1.3 %
6.20	-	1	0.3 %
Missing Data			
8.00	Not calculated - due to missing data	8	2.1 %
Total		382	100%

Based upon 374 valid cases out of 382 total cases.

- Mean: 4.32
- Median: 4.40
- Mode: 4.40
- Minimum: 1.80
- Maximum: 6.20
- Standard Deviation: 0.73

Location: 682-685 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2Q49A: When goal decided, keep in mind benefits

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. When I have decided on a goal, I always keep in mind its benefits.

Value	Label	Unweighted Frequency	%
1	Not at all	14	3.7 %
2	A little	128	33.5 %
3	Some	110	28.8 %
4	A lot	125	32.7 %
Missing Data			
8	Missing	5	1.3 %
Total		382	100%

Based upon 377 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 686-686 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q49B: Decided on something, avoid distract

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. When I have decided on something, I avoid anything that could distract me.

Value	Label	Unweighted Frequency	%
1	Not at all	67	17.5 %
2	A little	192	50.3 %
3	Some	84	22.0 %
4	A lot	33	8.6 %
	Missing Data		
8	Missing	6	1.6 %
	Total	382	100%

Based upon 376 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 687-687 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q49C: Difficult goals, mind how good will feel

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. For goals that are difficult to achieve, I keep in mind how good I will feel when I have reached them.

Value	Label	Unweighted Frequency	%
1	Not at all	39	10.2 %
2	A little	129	33.8 %
3	Some	124	32.5 %
4	A lot	85	22.3 %
	Missing Data		
8	Missing	5	1.3 %
	Total	382	100%

Based upon 377 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 688-688 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q49D: Can't attain goal in any way, let go

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. When it turns out that I cannot attain a goal in any way, I let go of it.

Value	Label	Unweighted Frequency	%
1	Not at all	34	8.9 %
2	A little	217	56.8 %
3	Some	65	17.0 %
4	A lot	60	15.7 %
	Missing Data		
8	Missing	6	1.6 %
	Total	382	100%

Based upon 376 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 689-689 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q49E: Stop thinking/let go unattainable goal

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. I stop thinking about a goal that has become unattainable and let it go.

Value	Label	Unweighted Frequency	%
1	Not at all	56	14.7 %
2	A little	196	51.3 %
3	Some	73	19.1 %
4	A lot	52	13.6 %
	Missing Data		
8	Missing	5	1.3 %
	Total	382	100%

Based upon 377 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 690-690 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q49F: Something didn't work, try not to think about

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. When something I wanted did not work out, I try not to think about it too much.

Value	Label	Unweighted Frequency	%
1	Not at all	47	12.3 %
2	A little	186	48.7 %
3	Some	101	26.4 %
4	A lot	42	11.0 %
	Missing Data		
8	Missing	6	1.6 %
	Total	382	100%

Based upon 376 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 691-691 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q49G: Can't attain goal, think about other new goals

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. If I cannot attain a goal in my life, I think about other new goals to pursue.

Value	Label	Unweighted Frequency	%
1	Not at all	43	11.3 %
2	A little	150	39.3 %
3	Some	122	31.9 %
4	A lot	60	15.7 %
	Missing Data		
8	Missing	7	1.8 %
	Total	382	100%

Based upon 375 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 692-692 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q49H: Impossible attain goal, no blame myself

The following statements are designed to help us understand how you approach managing your life. Please indicate how well the following statements describe you. When I find it impossible to attain a goal, I try not to blame myself.

Value	Label	Unweighted Frequency	%
1	Not at all	50	13.1 %
2	A little	198	51.8 %
3	Some	80	20.9 %
4	A lot	48	12.6 %
	Missing Data		
8	Missing	6	1.6 %
	Total	382	100%

Based upon 376 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 693-693 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QSSCTR: Selective secondary control

Selective secondary control

Value	Label	Unweighted Frequency	%
1.00	-	3	0.8 %
1.33	-	15	3.9 %
1.67	-	34	8.9 %
2.00	-	63	16.5 %
2.33	-	64	16.8 %
2.50	-	2	0.5 %
2.67	-	58	15.2 %
3.00	-	54	14.1 %
3.33	-	29	7.6 %
3.67	-	33	8.6 %
4.00	-	22	5.8 %
	Missing Data		
8.00	Not calculated (due to missing data)	5	1.3 %
	Total	382	100%

Based upon 377 valid cases out of 382 total cases.

- Mean: 2.61
- Median: 2.67
- Mode: 2.33
- Minimum: 1.00
- Maximum: 4.00

- Standard Deviation: 0.72

Location: 694-697 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QCSCD4: Compensatory secondary control - disengagement - 4 items version

Compensatory secondary control - disengagement - 4 items version

Value	Label	Unweighted Frequency	%
1.00	-	5	1.3 %
1.25	-	12	3.1 %
1.50	-	17	4.5 %
1.75	-	20	5.2 %
2.00	-	73	19.1 %
2.25	-	84	22.0 %
2.50	-	49	12.8 %
2.75	-	30	7.9 %
3.00	-	32	8.4 %
3.25	-	24	6.3 %
3.50	-	15	3.9 %
3.75	-	7	1.8 %
4.00	-	7	1.8 %
Missing Data			
8.00	Not calculated - due to missing data	7	1.8 %
Total		382	100%

Based upon 375 valid cases out of 382 total cases.

- Mean: 2.40
- Median: 2.25
- Mode: 2.25
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.62

Location: 698-701 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QCSCD6: Compensatory secondary control - disengagement - 6 items version

Compensatory secondary control - disengagement - 6 items version

Value	Label	Unweighted Frequency	%
1.00	-	3	0.8 %

Value	Label	Unweighted Frequency	%
1.17	-	2	0.5 %
1.33	-	5	1.3 %
1.50	-	12	3.1 %
1.67	-	16	4.2 %
1.83	-	23	6.0 %
2.00	-	42	11.0 %
2.17	-	55	14.4 %
2.25	-	1	0.3 %
2.33	-	65	17.0 %
2.50	-	40	10.5 %
2.67	-	31	8.1 %
2.83	-	22	5.8 %
3.00	-	23	6.0 %
3.17	-	11	2.9 %
3.25	-	1	0.3 %
3.33	-	12	3.1 %
3.50	-	6	1.6 %
3.67	-	4	1.0 %
3.83	-	3	0.8 %
Missing Data			
8.00	Not calculated - due to missing data	5	1.3 %
Total		382	100%

Based upon 377 valid cases out of 382 total cases.

- Mean: 2.37
- Median: 2.33
- Mode: 2.33
- Minimum: 1.00
- Maximum: 3.83
- Standard Deviation: 0.52

Location: 702-705 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QCSCP4: Compensatory secondary control - self-protection - 4 items version

Compensatory secondary control - self-protection - 4 items version

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
1.25	-	8	2.1 %

Value	Label	Unweighted Frequency	%
1.50	-	13	3.4 %
1.75	-	14	3.7 %
2.00	-	42	11.0 %
2.25	-	44	11.5 %
2.50	-	55	14.4 %
2.67	-	1	0.3 %
2.75	-	56	14.7 %
3.00	-	59	15.4 %
3.25	-	30	7.9 %
3.50	-	23	6.0 %
3.75	-	14	3.7 %
4.00	-	19	5.0 %
Missing Data			
8.00	Not calculated - due to missing data	3	0.8 %
Total		382	100%

Based upon 379 valid cases out of 382 total cases.

- Mean: 2.68
- Median: 2.75
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.65

Location: 706-709 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2QCSCP5: Compensatory secondary control - self-protection - 5 items version

Compensatory secondary control - self-protection - 5 items version

Value	Label	Unweighted Frequency	%
1.20	-	2	0.5 %
1.40	-	8	2.1 %
1.50	-	1	0.3 %
1.60	-	11	2.9 %
1.80	-	17	4.5 %
2.00	-	37	9.7 %
2.20	-	36	9.4 %
2.40	-	47	12.3 %
2.50	-	2	0.5 %

Value	Label	Unweighted Frequency	%
2.60	-	57	14.9 %
2.75	-	4	1.0 %
2.80	-	52	13.6 %
3.00	-	34	8.9 %
3.20	-	20	5.2 %
3.40	-	14	3.7 %
3.60	-	21	5.5 %
3.75	-	1	0.3 %
3.80	-	13	3.4 %
4.00	-	2	0.5 %
Missing Data			
8.00	Not calculated - due to missing data	3	0.8 %
Total		382	100%

Based upon 379 valid cases out of 382 total cases.

- Mean: 2.61
- Median: 2.60
- Mode: 2.60
- Minimum: 1.20
- Maximum: 4.00
- Standard Deviation: 0.58

Location: 710-713 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2Q50A: Good life: be critical/reflect on actions

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... Be critical and reflect upon your actions.

Value	Label	Unweighted Frequency	%
1	Not at all important	10	2.6 %
2	Somewhat important	101	26.4 %
3	Very important	202	52.9 %
4	Extremely important	67	17.5 %
Missing Data			
8	Missing	2	0.5 %
Total		382	100%

Based upon 380 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 714-714 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q50B: Good life: needed by others

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... Be needed by others.

Value	Label	Unweighted Frequency	%
1	Not at all important	7	1.8 %
2	Somewhat important	83	21.7 %
3	Very important	202	52.9 %
4	Extremely important	87	22.8 %
Missing Data			
8	Missing	3	0.8 %
Total		382	100%

Based upon 379 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 715-715 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q50C: Good life: harmony with others/events

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... Be in harmony with others and surrounding events.

Value	Label	Unweighted Frequency	%
1	Not at all important	5	1.3 %
2	Somewhat important	93	24.3 %
3	Very important	215	56.3 %
4	Extremely important	67	17.5 %
Missing Data			
8	Missing	2	0.5 %
Total		382	100%

Based upon 380 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 716-716 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q50D: Good life: make good effort/stick to it

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... Have the ability to make a good effort at something and stick to it.

Value	Label	Unweighted Frequency	%
1	Not at all important	7	1.8 %
2	Somewhat important	41	10.7 %
3	Very important	198	51.8 %
4	Extremely important	134	35.1 %
	Missing Data		
8	Missing	2	0.5 %
	Total	382	100%

Based upon 380 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 717-717 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q50E: Good life: peace and satisfaction

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... Have a sense of peace and satisfaction.

Value	Label	Unweighted Frequency	%
1	Not at all important	2	0.5 %
2	Somewhat important	52	13.6 %
3	Very important	189	49.5 %
4	Extremely important	135	35.3 %
	Missing Data		
8	Missing	4	1.0 %
	Total	382	100%

Based upon 378 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 718-718 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q50F: Good life: sympathy from others

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... To receive sympathy from others.

Value	Label	Unweighted Frequency	%
1	Not at all important	16	4.2 %
2	Somewhat important	136	35.6 %
3	Very important	173	45.3 %
4	Extremely important	53	13.9 %
	Missing Data		
8	Missing	4	1.0 %
	Total	382	100%

Based upon 378 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 719-719 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q50G: Good life: respect from others

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... To receive respect from others.

Value	Label	Unweighted Frequency	%
1	Not at all important	24	6.3 %
2	Somewhat important	176	46.1 %
3	Very important	131	34.3 %
4	Extremely important	48	12.6 %
	Missing Data		
8	Missing	3	0.8 %
	Total	382	100%

Based upon 379 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 720-720 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q50H: Good life: give back to society

How important do you think the following things are for having a good life? Please circle the appropriate number for each item. It is important to.... To give something back to society.

Value	Label	Unweighted Frequency	%
1	Not at all important	6	1.6 %
2	Somewhat important	126	33.0 %
3	Very important	180	47.1 %
4	Extremely important	68	17.8 %
	Missing Data		
8	Missing	2	0.5 %
	Total	382	100%

Based upon 380 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 721-721 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QSW_JP: Subjective well-being Japanese comparison

Subjective well-being Japanese comparison

Value	Label	Unweighted Frequency	%
1.00	-	1	0.3 %
1.25	-	2	0.5 %
1.63	-	1	0.3 %
1.75	-	5	1.3 %
1.88	-	2	0.5 %
2.00	-	12	3.1 %
2.13	-	12	3.1 %
2.25	-	8	2.1 %
2.38	-	14	3.7 %
2.50	-	22	5.8 %
2.57	-	1	0.3 %
2.63	-	39	10.2 %
2.71	-	1	0.3 %
2.75	-	29	7.6 %
2.86	-	2	0.5 %
2.88	-	45	11.8 %
3.00	-	66	17.3 %
3.13	-	27	7.1 %
3.25	-	21	5.5 %
3.38	-	15	3.9 %

Value	Label	Unweighted Frequency	%
3.43	-	1	0.3 %
3.50	-	15	3.9 %
3.63	-	13	3.4 %
3.75	-	6	1.6 %
3.88	-	5	1.3 %
4.00	-	15	3.9 %
Missing Data			
8.00	Not calculated - due to missing data	2	0.5 %
Total		382	100%

Based upon 380 valid cases out of 382 total cases.

- Mean: 2.90
- Median: 2.88
- Mode: 3.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.51

Location: 722-725 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 8.00

J2Q51A: Autonomy important for good life

Please check only five of the following items that you feel are the most important for living a good life: Autonomy, being self reliant

Value	Label	Unweighted Frequency	%
1	Yes	111	29.1 %
2	No	270	70.7 %
Missing Data			
8	Missing	1	0.3 %
Total		382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 726-726 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51B: Good job important for good life

Please check only five of the following items that you feel are the most important for living a good life: Having a good job

Value	Label	Unweighted Frequency	%
1	Yes	88	23.0 %
2	No	293	76.7 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 727-727 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51C: Learning/growth important for good life

Please check only five of the following items that you feel are the most important for living a good life: Continual learning and growth

Value	Label	Unweighted Frequency	%
1	Yes	119	31.2 %
2	No	262	68.6 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 728-728 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51D: Life's pleasures important for good life

Please check only five of the following items that you feel are the most important for living a good life: Enjoyment of life's pleasures

Value	Label	Unweighted Frequency	%
1	Yes	88	23.0 %
2	No	293	76.7 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 729-729 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51E: Enough money important for good life

Please check only five of the following items that you feel are the most important for living a good life: Enough money to meet basic needs

Value	Label	Unweighted Frequency	%
1	Yes	191	50.0 %
2	No	190	49.7 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 730-730 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51F: Extra money important for good life

Please check only five of the following items that you feel are the most important for living a good life: Extra money/disposable income

Value	Label	Unweighted Frequency	%
1	Yes	56	14.7 %
2	No	325	85.1 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 731-731 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51G: Faith important for good life

Please check only five of the following items that you feel are the most important for living a good life: Faith

Value	Label	Unweighted Frequency	%
1	Yes	26	6.8 %
2	No	355	92.9 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 732-732 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51H: Giving to community important for good life

Please check only five of the following items that you feel are the most important for living a good life: Giving back to my community

Value	Label	Unweighted Frequency	%
1	Yes	45	11.8 %
2	No	336	88.0 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 733-733 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51I: Love/care for self important for good life

Please check only five of the following items that you feel are the most important for living a good life: Loving and caring for myself

Value	Label	Unweighted Frequency	%
1	Yes	82	21.5 %
2	No	299	78.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 734-734 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51J: Physical fitness important for good life

Please check only five of the following items that you feel are the most important for living a good life: Physical fitness and strength

Value	Label	Unweighted Frequency	%
1	Yes	304	79.6 %
2	No	77	20.2 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 735-735 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51K: Positive attitude important for good life

Please check only five of the following items that you feel are the most important for living a good life: Positive attitude

Value	Label	Unweighted Frequency	%
1	Yes	129	33.8 %
2	No	252	66.0 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 736-736 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51L: Family relations important for good life

Please check only five of the following items that you feel are the most important for living a good life: Positive relationships with family

Value	Label	Unweighted Frequency	%
1	Yes	292	76.4 %
2	No	89	23.3 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 737-737 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51M: Friend relations important for good life

Please check only five of the following items that you feel are the most important for living a good life: Positive relationships with friends

Value	Label	Unweighted Frequency	%
1	Yes	108	28.3 %
2	No	273	71.5 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 738-738 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51N: Relax/peace important for good life

Please check only five of the following items that you feel are the most important for living a good life: Relaxation, peacefulness, contentment

Value	Label	Unweighted Frequency	%
1	Yes	109	28.5 %
2	No	272	71.2 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 739-739 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51O: Absence of illness important for good life

Please check only five of the following items that you feel are the most important for living a good life: The absence of illness

Value	Label	Unweighted Frequency	%
1	Yes	157	41.1 %
2	No	224	58.6 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 740-740 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51P: Sense of accomplishment important for good life

Please check only five of the following items that you feel are the most important for living a good life: Sense of accomplishment

Value	Label	Unweighted Frequency	%
1	Yes	20	5.2 %
2	No	361	94.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 741-741 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q51Q: Sense of purpose important for good life

Please check only five of the following items that you feel are the most important for living a good life: Sense of purpose

Value	Label	Unweighted Frequency	%
1	Yes	66	17.3 %
2	No	315	82.5 %
	Missing Data		
8	Missing	1	0.3 %
	Total	382	100%

Based upon 381 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 742-742 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q52: Have an ikigai in life

Do you have an ikigai in your life? Yes- what is it? And please describe it. No [Go to 53]

Value	Label	Unweighted Frequency	%
1	Yes	260	68.1 %
2	No	87	22.8 %
	Missing Data		
8	Missing	35	9.2 %
	Total	382	100%

Based upon 347 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 743-743 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q541: Job requires learn new things

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My job requires that I learn new things.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	47	12.3 %
2	Disagree	70	18.3 %
3	Agree	144	37.7 %
4	Strongly agree	58	15.2 %
Missing Data			
8	Missing	63	16.5 %
Total		382	100%

Based upon 319 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 744-744 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q542: Job requires a lot of repetitive work

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My job requires a lot of repetitive work.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	46	12.0 %
2	Disagree	68	17.8 %
3	Agree	137	35.9 %
4	Strongly agree	67	17.5 %
Missing Data			
8	Missing	64	16.8 %
Total		382	100%

Based upon 318 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 745-745 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q543: Job requires to be creative

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My job requires me to be creative.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	59	15.4 %
2	Disagree	69	18.1 %
3	Agree	123	32.2 %
4	Strongly agree	65	17.0 %
	Missing Data		
8	Missing	66	17.3 %
	Total	382	100%

Based upon 316 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 746-746 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q544: Job allows to make a lot of decisions on own

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My job allows me to make a lot of decisions on my own.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	43	11.3 %
2	Disagree	42	11.0 %
3	Agree	151	39.5 %
4	Strongly agree	80	20.9 %
	Missing Data		
8	Missing	66	17.3 %
	Total	382	100%

Based upon 316 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 747-747 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q545: Job requires a high level of skill

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My job requires a high level of skill.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	52	13.6 %
2	Disagree	72	18.8 %
3	Agree	131	34.3 %
4	Strongly agree	62	16.2 %
	Missing Data		
8	Missing	65	17.0 %
	Total	382	100%

Based upon 317 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 748-748 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q546: Very little freedom to decide how to do my work

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... On my job I have very little freedom to decide how I do my work.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	129	33.8 %
2	Disagree	131	34.3 %
3	Agree	42	11.0 %
4	Strongly agree	14	3.7 %
	Missing Data		
8	Missing	66	17.3 %
	Total	382	100%

Based upon 316 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 749-749 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q547: Do a variety of different things on job

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... I get to do a variety of different things on my job.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	58	15.2 %
2	Disagree	62	16.2 %
3	Agree	145	38.0 %
4	Strongly agree	51	13.4 %
	Missing Data		
8	Missing	66	17.3 %
	Total	382	100%

Based upon 316 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 750-750 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q548: Have a lot of say about what happens on job

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... I have a lot of say about what happens on my job.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	52	13.6 %
2	Disagree	49	12.8 %
3	Agree	159	41.6 %
4	Strongly agree	57	14.9 %
	Missing Data		
8	Missing	65	17.0 %
	Total	382	100%

Based upon 317 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 751-751 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q549: Have opportunity to develop own special abilities

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... I have an opportunity to develop my own special abilities.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	67	17.5 %
2	Disagree	86	22.5 %
3	Agree	130	34.0 %
4	Strongly agree	34	8.9 %
	Missing Data		
8	Missing	65	17.0 %
	Total	382	100%

Based upon 317 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 752-752 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5410: Job requires working very fast

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My job requires working very fast.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	69	18.1 %
2	Disagree	103	27.0 %
3	Agree	114	29.8 %
4	Strongly agree	31	8.1 %
	Missing Data		
8	Missing	65	17.0 %
	Total	382	100%

Based upon 317 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 753-753 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5411: Job requires working very hard

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My job requires working very hard.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	38	9.9 %
2	Disagree	56	14.7 %
3	Agree	163	42.7 %
4	Strongly agree	60	15.7 %
	Missing Data		
8	Missing	65	17.0 %
	Total	382	100%

Based upon 317 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 754-754 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5412: Not asked to do excessive amount of work

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... I am not asked to do an excessive amount of work.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	62	16.2 %
2	Disagree	110	28.8 %
3	Agree	121	31.7 %
4	Strongly agree	22	5.8 %
	Missing Data		
8	Missing	67	17.5 %
	Total	382	100%

Based upon 315 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 755-755 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5413: Have enough time to get job done

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... I have enough time to get the job done.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	44	11.5 %
2	Disagree	108	28.3 %
3	Agree	141	36.9 %
4	Strongly agree	21	5.5 %
	Missing Data		
8	Missing	68	17.8 %
	Total	382	100%

Based upon 314 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 756-756 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5414: Free from conflicting demands others make

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... I am free from conflicting demands others make.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	58	15.2 %
2	Disagree	109	28.5 %
3	Agree	113	29.6 %
4	Strongly agree	33	8.6 %
	Missing Data		
8	Missing	69	18.1 %
	Total	382	100%

Based upon 313 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 757-757 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5415: Supervisor concerned welfare of those under him

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My supervisor is concerned about the welfare of those under him.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	66	17.3 %
2	Disagree	69	18.1 %
3	Agree	142	37.2 %
4	Strongly agree	21	5.5 %
	Missing Data		
8	Missing	84	22.0 %
	Total	382	100%

Based upon 298 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 758-758 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5416: Supervisor pays attention to what I am saying

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My supervisor pays attention to what I am saying.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	57	14.9 %
2	Disagree	42	11.0 %
3	Agree	171	44.8 %
4	Strongly agree	29	7.6 %
	Missing Data		
8	Missing	83	21.7 %
	Total	382	100%

Based upon 299 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 759-759 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5417: Supervisor helpful in getting job done

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My supervisor is helpful in getting the job done.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	61	16.0 %
2	Disagree	61	16.0 %
3	Agree	154	40.3 %
4	Strongly agree	23	6.0 %
	Missing Data		
8	Missing	83	21.7 %
	Total	382	100%

Based upon 299 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 760-760 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5418: Supervisor successful in getting people work together

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... My supervisor is successful in getting people to work together.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	68	17.8 %
2	Disagree	69	18.1 %
3	Agree	146	38.2 %
4	Strongly agree	17	4.5 %
	Missing Data		
8	Missing	82	21.5 %
	Total	382	100%

Based upon 300 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 761-761 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5419: People work with are competent

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... People I work with are competent in their jobs.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	47	12.3 %
2	Disagree	52	13.6 %
3	Agree	182	47.6 %
4	Strongly agree	26	6.8 %
	Missing Data		
8	Missing	75	19.6 %
	Total	382	100%

Based upon 307 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 762-762 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5420: People work with take personal interest in me

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... People I work with take a personal interest in me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	51	13.4 %
2	Disagree	72	18.8 %
3	Agree	172	45.0 %
4	Strongly agree	12	3.1 %
	Missing Data		
8	Missing	75	19.6 %
	Total	382	100%

Based upon 307 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 763-763 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5421: People work with are friendly

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... People I work with are friendly.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	36	9.4 %
2	Disagree	34	8.9 %
3	Agree	199	52.1 %
4	Strongly agree	38	9.9 %
	Missing Data		
8	Missing	75	19.6 %
	Total	382	100%

Based upon 307 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 764-764 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2Q5422: People work with are helpful in getting job done

Please answer each question by checking off the one answer that best fits your job situation. Sometimes none of the answers fits exactly. Please choose the answer that comes closest. In general... People I work with are helpful in getting the job done.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	39	10.2 %
2	Disagree	33	8.6 %
3	Agree	193	50.5 %
4	Strongly agree	42	11.0 %
	Missing Data		
8	Missing	75	19.6 %
	Total	382	100%

Based upon 307 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 765-765 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2QJC_SD: Job content scales: skill discretion

Job content scales: skill discretion

Value	Label	Unweighted Frequency	%
12.0	-	2	0.5 %

Value	Label	Unweighted Frequency	%
14.0	-	4	1.0 %
16.0	-	1	0.3 %
18.0	-	32	8.4 %
20.0	-	8	2.1 %
22.0	-	11	2.9 %
24.0	-	17	4.5 %
26.0	-	22	5.8 %
28.0	-	31	8.1 %
30.0	-	26	6.8 %
32.0	-	32	8.4 %
33.0	-	1	0.3 %
33.6	-	2	0.5 %
34.0	-	37	9.7 %
36.0	-	29	7.6 %
38.0	-	24	6.3 %
40.0	-	15	3.9 %
40.8	-	2	0.5 %
42.0	-	10	2.6 %
44.0	-	6	1.6 %
46.0	-	4	1.0 %
48.0	-	2	0.5 %
Missing Data			
98.0	Not calculated - due to missing data	64	16.8 %
Total		382	100%

Based upon 318 valid cases out of 382 total cases.

- Mean: 30.46
- Median: 32.00
- Mode: 34.00
- Minimum: 12.00
- Maximum: 48.00
- Standard Deviation: 7.61

Location: 766-769 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 98.0

J2QJC_DA: Job content scales: decision authority

Job content scales: decision authority

Value	Label	Unweighted Frequency	%
12	-	2	0.5 %
16	-	7	1.8 %
18	-	1	0.3 %
20	-	9	2.4 %
24	-	45	11.8 %
28	-	19	5.0 %
32	-	37	9.7 %
36	-	87	22.8 %
40	-	47	12.3 %
44	-	28	7.3 %
48	-	36	9.4 %
Missing Data			
98	Not calculated - due to missing data	64	16.8 %
Total		382	100%

Based upon 318 valid cases out of 382 total cases.

- Mean: 34.91
- Median: 36.00
- Mode: 36.00
- Minimum: 12.00
- Maximum: 48.00
- Standard Deviation: 8.37

Location: 770-771 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

J2QJC_DL: Job content scales: decision latitude

Job content scales: decision latitude

Value	Label	Unweighted Frequency	%
28.0	-	1	0.3 %
34.0	-	3	0.8 %
36.0	-	1	0.3 %
38.0	-	1	0.3 %
40.0	-	1	0.3 %
42.0	-	30	7.9 %
44.0	-	3	0.8 %
46.0	-	2	0.5 %
48.0	-	9	2.4 %
50.0	-	9	2.4 %

Value	Label	Unweighted Frequency	%
51.0	-	1	0.3 %
52.0	-	4	1.0 %
54.0	-	7	1.8 %
56.0	-	8	2.1 %
58.0	-	15	3.9 %
60.0	-	12	3.1 %
62.0	-	16	4.2 %
64.0	-	20	5.2 %
66.0	-	22	5.8 %
68.0	-	17	4.5 %
70.0	-	16	4.2 %
72.0	-	20	5.2 %
74.0	-	21	5.5 %
76.0	-	16	4.2 %
76.8	-	1	0.3 %
78.0	-	10	2.6 %
80.0	-	15	3.9 %
81.6	-	1	0.3 %
82.0	-	4	1.0 %
84.0	-	3	0.8 %
86.0	-	6	1.6 %
88.0	-	9	2.4 %
88.8	-	1	0.3 %
90.0	-	5	1.3 %
92.0	-	2	0.5 %
94.0	-	3	0.8 %
96.0	-	2	0.5 %
Missing Data			
98.0	Not calculated - due to missing data	65	17.0 %
Total		382	100%

Based upon 317 valid cases out of 382 total cases.

- Mean: 65.36
- Median: 66.00
- Mode: 42.00
- Minimum: 28.00
- Maximum: 96.00
- Standard Deviation: 14.06

Location: 772-775 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 98.0

J2QJC_PD: Job content scales: psychological demand

Job content scales: psychological demand

Value	Label	Unweighted Frequency	%
12	-	2	0.5 %
14	-	1	0.3 %
15	-	1	0.3 %
18	-	4	1.0 %
19	-	3	0.8 %
20	-	3	0.8 %
21	-	6	1.6 %
22	-	4	1.0 %
23	-	4	1.0 %
24	-	18	4.7 %
25	-	6	1.6 %
26	-	10	2.6 %
27	-	18	4.7 %
28	-	11	2.9 %
29	-	13	3.4 %
30	-	52	13.6 %
31	-	25	6.5 %
32	-	16	4.2 %
33	-	13	3.4 %
34	-	24	6.3 %
35	-	8	2.1 %
36	-	24	6.3 %
37	-	11	2.9 %
38	-	10	2.6 %
39	-	4	1.0 %
40	-	5	1.3 %
41	-	6	1.6 %
42	-	8	2.1 %
43	-	1	0.3 %
44	-	2	0.5 %
46	-	2	0.5 %
48	-	1	0.3 %
Missing Data			
98	Not calculated - due to missing data	66	17.3 %
Total		382	100%

Based upon 316 valid cases out of 382 total cases.

- Mean: 30.99
- Median: 31.00
- Mode: 30.00
- Minimum: 12.00
- Maximum: 48.00
- Standard Deviation: 5.94

Location: 776-777 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

J2QJC_SS: Job content scales: supervisor support

Job content scales: supervisor support

Value	Label	Unweighted Frequency	%
4.00	-	53	13.9 %
5.00	-	2	0.5 %
6.00	-	5	1.3 %
7.00	-	10	2.6 %
8.00	-	22	5.8 %
9.00	-	23	6.0 %
10.00	-	21	5.5 %
10.67	-	1	0.3 %
11.00	-	26	6.8 %
12.00	-	105	27.5 %
13.00	-	6	1.6 %
14.00	-	7	1.8 %
15.00	-	6	1.6 %
16.00	-	12	3.1 %
Missing Data			
98.00	Not calculated - due to missing data	83	21.7 %
Total		382	100%

Based upon 299 valid cases out of 382 total cases.

- Mean: 9.80
- Median: 11.00
- Mode: 12.00
- Minimum: 4.00
- Maximum: 16.00
- Standard Deviation: 3.39

Location: 778-782 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00

J2QJC_CS: Job content scales: coworker support

Job content scales: coworker support

Value	Label	Unweighted Frequency	%
4	-	35	9.2 %
5	-	1	0.3 %
6	-	3	0.8 %
7	-	5	1.3 %
8	-	10	2.6 %
9	-	18	4.7 %
10	-	26	6.8 %
11	-	48	12.6 %
12	-	111	29.1 %
13	-	19	5.0 %
14	-	15	3.9 %
15	-	8	2.1 %
16	-	8	2.1 %
Missing Data			
98	Not calculated - due to missing data	75	19.6 %
Total		382	100%

Based upon 307 valid cases out of 382 total cases.

- Mean: 10.64
- Median: 12.00
- Mode: 12.00
- Minimum: 4.00
- Maximum: 16.00
- Standard Deviation: 2.97

Location: 783-784 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

J2CLMDAY: On what day did respondent eat last?

When did you have a meal last time? Day

Value	Label	Unweighted Frequency	%
1	Day of clinic visit	322	84.3 %
2	Day before clinic visit	60	15.7 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 785-785 (width: 1; decimal: 0)

Variable Type: numeric

J2CLMT: Time of last meal

When did you have a meal last time? Time

Value	Label	Unweighted Frequency	%
200	-	1	0.3 %
300	-	1	0.3 %
430	-	1	0.3 %
530	-	4	1.0 %
600	-	7	1.8 %
630	-	14	3.7 %
640	-	1	0.3 %
645	-	2	0.5 %
700	-	65	17.0 %
709	-	2	0.5 %
715	-	1	0.3 %
719	-	2	0.5 %
730	-	48	12.6 %
740	-	2	0.5 %
745	-	6	1.6 %
750	-	2	0.5 %
800	-	75	19.6 %
809	-	1	0.3 %
815	-	1	0.3 %
830	-	28	7.3 %
840	-	1	0.3 %
845	-	1	0.3 %
850	-	2	0.5 %
900	-	26	6.8 %
915	-	1	0.3 %
930	-	9	2.4 %
940	-	1	0.3 %
950	-	1	0.3 %
1000	-	4	1.0 %
1020	-	1	0.3 %
1030	-	1	0.3 %
1100	-	2	0.5 %

Value	Label	Unweighted Frequency	%
1130	-	1	0.3 %
1145	-	1	0.3 %
1200	-	3	0.8 %
1230	-	1	0.3 %
1300	-	1	0.3 %
1400	-	1	0.3 %
1430	-	1	0.3 %
1600	-	1	0.3 %
1700	-	1	0.3 %
1800	-	3	0.8 %
1850	-	1	0.3 %
1900	-	9	2.4 %
1930	-	3	0.8 %
2000	-	15	3.9 %
2030	-	3	0.8 %
2100	-	12	3.1 %
2130	-	1	0.3 %
2200	-	8	2.1 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 970.84
- Median: 800.00
- Mode: 800.00
- Minimum: 200.00
- Maximum: 2300.00
- Standard Deviation: 466.40

Location: 786-789 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2CHT: Height (cm)

Record of body measurement - height (cm)

Value	Label	Unweighted Frequency	%
136.4	-	1	0.3 %
140.8	-	1	0.3 %
141.9	-	1	0.3 %

Value	Label	Unweighted Frequency	%
142.3	-	1	0.3 %
143.2	-	1	0.3 %
143.3	-	1	0.3 %
143.6	-	1	0.3 %
145.2	-	1	0.3 %
145.8	-	1	0.3 %
145.9	-	1	0.3 %
146.2	-	1	0.3 %
146.7	-	1	0.3 %
146.8	-	1	0.3 %
147.2	-	1	0.3 %
147.5	-	2	0.5 %
147.8	-	2	0.5 %
147.9	-	1	0.3 %
148.0	-	1	0.3 %
148.1	-	1	0.3 %
148.2	-	2	0.5 %
148.4	-	1	0.3 %
148.5	-	3	0.8 %
148.8	-	1	0.3 %
149.0	-	2	0.5 %
149.1	-	2	0.5 %
149.2	-	2	0.5 %
149.6	-	1	0.3 %
149.7	-	1	0.3 %
149.8	-	1	0.3 %
150.0	-	3	0.8 %
150.1	-	2	0.5 %
150.2	-	2	0.5 %
150.4	-	1	0.3 %
150.5	-	1	0.3 %
150.8	-	1	0.3 %
151.1	-	1	0.3 %
151.2	-	2	0.5 %
151.3	-	2	0.5 %
151.4	-	1	0.3 %
151.5	-	1	0.3 %
151.6	-	3	0.8 %
151.7	-	1	0.3 %

Value	Label	Unweighted Frequency	%
151.8	-	1	0.3 %
152.1	-	2	0.5 %
152.2	-	1	0.3 %
152.4	-	1	0.3 %
152.5	-	1	0.3 %
152.6	-	1	0.3 %
152.7	-	1	0.3 %
152.8	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 161.70
- Median: 160.70
- Minimum: 136.40
- Maximum: 189.70
- Standard Deviation: 9.28

Location: 790-794 (width: 5; decimal: 1)

Variable Type: numeric

J2CWT: Weight (kg)

Record of body measurement - weight (kg)

Value	Label	Unweighted Frequency	%
34.0	-	1	0.3 %
39.2	-	1	0.3 %
41.0	-	1	0.3 %
41.4	-	1	0.3 %
41.6	-	1	0.3 %
41.7	-	1	0.3 %
41.8	-	1	0.3 %
42.0	-	1	0.3 %
42.1	-	2	0.5 %
42.2	-	1	0.3 %
42.5	-	1	0.3 %
42.6	-	1	0.3 %
42.9	-	3	0.8 %
43.2	-	1	0.3 %
43.5	-	1	0.3 %

Value	Label	Unweighted Frequency	%
43.6	-	1	0.3 %
43.9	-	1	0.3 %
44.0	-	1	0.3 %
44.1	-	1	0.3 %
45.0	-	2	0.5 %
45.2	-	1	0.3 %
45.3	-	1	0.3 %
45.5	-	1	0.3 %
45.6	-	1	0.3 %
45.7	-	4	1.0 %
45.9	-	1	0.3 %
46.0	-	1	0.3 %
46.3	-	1	0.3 %
46.4	-	1	0.3 %
46.5	-	2	0.5 %
46.6	-	1	0.3 %
46.7	-	1	0.3 %
46.8	-	3	0.8 %
47.1	-	1	0.3 %
47.3	-	3	0.8 %
47.4	-	1	0.3 %
47.5	-	2	0.5 %
47.6	-	2	0.5 %
47.7	-	2	0.5 %
47.8	-	2	0.5 %
47.9	-	2	0.5 %
48.0	-	1	0.3 %
48.1	-	1	0.3 %
48.2	-	1	0.3 %
48.3	-	3	0.8 %
48.9	-	1	0.3 %
49.1	-	3	0.8 %
49.2	-	3	0.8 %
49.4	-	3	0.8 %
49.5	-	3	0.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 59.38
- Median: 57.70
- Mode: 51.20
- Minimum: 34.00
- Maximum: 107.90
- Standard Deviation: 11.34

Location: 795-799 (width: 5; decimal: 1)

Variable Type: numeric

J2CBMI: BMI (Body Mass Index)

BMI (Body Mass Index)

Value	Label	Unweighted Frequency	%
15.85	-	1	0.3 %
16.25	-	1	0.3 %
16.38	-	1	0.3 %
16.55	-	1	0.3 %
16.76	-	1	0.3 %
17.16	-	1	0.3 %
17.37	-	1	0.3 %
17.60	-	1	0.3 %
17.63	-	1	0.3 %
17.84	-	1	0.3 %
17.88	-	1	0.3 %
18.09	-	1	0.3 %
18.17	-	1	0.3 %
18.19	-	1	0.3 %
18.20	-	1	0.3 %
18.22	-	1	0.3 %
18.25	-	1	0.3 %
18.27	-	1	0.3 %
18.30	-	1	0.3 %
18.34	-	1	0.3 %
18.37	-	1	0.3 %
18.40	-	1	0.3 %
18.47	-	1	0.3 %
18.52	-	1	0.3 %
18.53	-	3	0.8 %
18.64	-	1	0.3 %
18.65	-	1	0.3 %

Value	Label	Unweighted Frequency	%
18.70	-	1	0.3 %
18.73	-	2	0.5 %
18.74	-	1	0.3 %
18.80	-	2	0.5 %
18.84	-	1	0.3 %
18.86	-	2	0.5 %
18.89	-	1	0.3 %
18.90	-	1	0.3 %
18.93	-	1	0.3 %
19.00	-	1	0.3 %
19.03	-	1	0.3 %
19.08	-	1	0.3 %
19.12	-	1	0.3 %
19.13	-	1	0.3 %
19.14	-	1	0.3 %
19.15	-	1	0.3 %
19.16	-	1	0.3 %
19.19	-	1	0.3 %
19.20	-	1	0.3 %
19.22	-	1	0.3 %
19.27	-	1	0.3 %
19.30	-	1	0.3 %
19.32	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 22.58
- Minimum: 15.85
- Maximum: 33.35
- Standard Deviation: 2.96

Location: 800-804 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2CWST: Waist (cm)

Record of body measurement - waist (cm)

Value	Label	Unweighted Frequency	%
55.0	-	1	0.3 %
56.8	-	1	0.3 %
57.8	-	1	0.3 %
58.4	-	1	0.3 %
58.5	-	1	0.3 %
59.0	-	1	0.3 %
59.4	-	2	0.5 %
59.6	-	1	0.3 %
59.8	-	2	0.5 %
60.1	-	1	0.3 %
60.2	-	1	0.3 %
60.4	-	1	0.3 %
60.5	-	1	0.3 %
60.8	-	3	0.8 %
61.0	-	1	0.3 %
61.3	-	1	0.3 %
61.6	-	1	0.3 %
61.8	-	1	0.3 %
62.1	-	1	0.3 %
62.3	-	2	0.5 %
62.5	-	1	0.3 %
62.7	-	1	0.3 %
62.9	-	1	0.3 %
63.0	-	2	0.5 %
63.1	-	1	0.3 %
63.3	-	1	0.3 %
63.5	-	1	0.3 %
63.7	-	1	0.3 %
63.8	-	1	0.3 %
63.9	-	1	0.3 %
64.0	-	2	0.5 %
64.2	-	1	0.3 %
64.3	-	3	0.8 %
64.4	-	2	0.5 %
64.5	-	2	0.5 %
64.8	-	1	0.3 %
65.1	-	1	0.3 %
65.3	-	2	0.5 %
65.4	-	1	0.3 %

Value	Label	Unweighted Frequency	%
65.5	-	3	0.8 %
65.8	-	5	1.3 %
65.9	-	1	0.3 %
66.0	-	3	0.8 %
66.2	-	2	0.5 %
66.5	-	3	0.8 %
66.6	-	3	0.8 %
66.7	-	1	0.3 %
66.8	-	3	0.8 %
67.0	-	1	0.3 %
67.2	-	3	0.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 76.16
- Median: 75.70
- Mode: 78.00
- Minimum: 55.00
- Maximum: 108.50
- Standard Deviation: 9.82

Location: 805-809 (width: 5; decimal: 1)

Variable Type: numeric

J2CHIP1: Hip 1: abdominal girth (iliac crest, cm)

Record of body measurement - abdominal girth (cm)

Value	Label	Unweighted Frequency	%
63.0	-	1	0.3 %
66.4	-	1	0.3 %
68.0	-	1	0.3 %
68.7	-	1	0.3 %
70.0	-	2	0.5 %
70.7	-	1	0.3 %
71.8	-	1	0.3 %
72.0	-	1	0.3 %
72.3	-	1	0.3 %
72.8	-	1	0.3 %
73.0	-	1	0.3 %

Value	Label	Unweighted Frequency	%
73.3	-	1	0.3 %
73.5	-	1	0.3 %
73.8	-	1	0.3 %
74.2	-	2	0.5 %
74.3	-	1	0.3 %
74.4	-	2	0.5 %
74.8	-	1	0.3 %
75.0	-	1	0.3 %
75.4	-	1	0.3 %
75.6	-	1	0.3 %
75.8	-	1	0.3 %
76.0	-	1	0.3 %
76.1	-	2	0.5 %
76.2	-	1	0.3 %
76.6	-	1	0.3 %
76.8	-	1	0.3 %
77.3	-	1	0.3 %
77.5	-	1	0.3 %
77.6	-	3	0.8 %
78.0	-	3	0.8 %
78.2	-	1	0.3 %
78.4	-	1	0.3 %
78.5	-	1	0.3 %
78.6	-	2	0.5 %
78.7	-	1	0.3 %
78.8	-	3	0.8 %
78.9	-	1	0.3 %
79.0	-	3	0.8 %
79.2	-	1	0.3 %
79.3	-	2	0.5 %
79.5	-	1	0.3 %
79.7	-	1	0.3 %
79.8	-	3	0.8 %
79.9	-	1	0.3 %
80.0	-	2	0.5 %
80.1	-	1	0.3 %
80.2	-	1	0.3 %
80.3	-	1	0.3 %
80.4	-	2	0.5 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 87.43
- Median: 87.60
- Minimum: 63.00
- Maximum: 114.90
- Standard Deviation: 7.53

Location: 810-814 (width: 5; decimal: 1)

Variable Type: numeric

J2CHIP2: Hip 2: maximum extension (cm)

Record of body measurement - hip (cm)

Value	Label	Unweighted Frequency	%
77.3	-	1	0.3 %
78.3	-	1	0.3 %
79.3	-	1	0.3 %
79.5	-	1	0.3 %
79.8	-	2	0.5 %
80.0	-	1	0.3 %
80.2	-	1	0.3 %
80.8	-	1	0.3 %
81.3	-	1	0.3 %
81.4	-	1	0.3 %
81.6	-	1	0.3 %
81.7	-	2	0.5 %
82.0	-	1	0.3 %
82.3	-	2	0.5 %
83.2	-	2	0.5 %
83.3	-	1	0.3 %
83.5	-	1	0.3 %
83.6	-	1	0.3 %
84.0	-	3	0.8 %
84.2	-	1	0.3 %
84.3	-	1	0.3 %
84.4	-	1	0.3 %
84.7	-	2	0.5 %

Value	Label	Unweighted Frequency	%
84.8	-	6	1.6 %
85.0	-	4	1.0 %
85.2	-	1	0.3 %
85.3	-	3	0.8 %
85.4	-	4	1.0 %
85.5	-	4	1.0 %
85.7	-	2	0.5 %
85.8	-	3	0.8 %
86.0	-	1	0.3 %
86.1	-	3	0.8 %
86.2	-	2	0.5 %
86.3	-	4	1.0 %
86.4	-	5	1.3 %
86.5	-	2	0.5 %
86.6	-	1	0.3 %
86.7	-	3	0.8 %
86.8	-	3	0.8 %
87.0	-	3	0.8 %
87.1	-	3	0.8 %
87.2	-	4	1.0 %
87.3	-	5	1.3 %
87.4	-	3	0.8 %
87.5	-	5	1.3 %
87.6	-	1	0.3 %
87.7	-	3	0.8 %
87.8	-	6	1.6 %
88.0	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 91.56
- Median: 91.30
- Mode: 93.30
- Minimum: 77.30
- Maximum: 112.60
- Standard Deviation: 5.71

Location: 815-819 (*width:* 5; *decimal:* 1)

Variable Type: numeric

J2CHIPCM: Flag: coded notes from hip measurement

Flag: coded notes from hip measurement

Value	Label	Unweighted Frequency	%
1	None	367	96.1 %
2	With clothes on	14	3.7 %
3	Pregnant	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 820-820 (width: 1; decimal: 0)

Variable Type: numeric

J2CWHR: Waist-hip ratio

Waist-hip ratio

Value	Label	Unweighted Frequency	%
0.6405	-	1	0.3 %
0.6582	-	1	0.3 %
0.6829	-	1	0.3 %
0.6875	-	1	0.3 %
0.6882	-	1	0.3 %
0.6892	-	1	0.3 %
0.6920	-	1	0.3 %
0.6938	-	1	0.3 %
0.6971	-	1	0.3 %
0.6993	-	1	0.3 %
0.6999	-	1	0.3 %
0.7005	-	2	0.5 %
0.7010	-	1	0.3 %
0.7054	-	1	0.3 %
0.7099	-	1	0.3 %
0.7144	-	1	0.3 %
0.7188	-	1	0.3 %
0.7212	-	1	0.3 %
0.7242	-	1	0.3 %
0.7244	-	1	0.3 %
0.7256	-	1	0.3 %

Value	Label	Unweighted Frequency	%
0.7264	-	1	0.3 %
0.7281	-	1	0.3 %
0.7283	-	1	0.3 %
0.7287	-	1	0.3 %
0.7291	-	1	0.3 %
0.7295	-	1	0.3 %
0.7299	-	1	0.3 %
0.7300	-	1	0.3 %
0.7306	-	1	0.3 %
0.7317	-	1	0.3 %
0.7320	-	1	0.3 %
0.7333	-	1	0.3 %
0.7343	-	1	0.3 %
0.7363	-	1	0.3 %
0.7376	-	2	0.5 %
0.7382	-	1	0.3 %
0.7390	-	1	0.3 %
0.7391	-	1	0.3 %
0.7396	-	1	0.3 %
0.7401	-	1	0.3 %
0.7410	-	1	0.3 %
0.7412	-	1	0.3 %
0.7422	-	1	0.3 %
0.7427	-	1	0.3 %
0.7455	-	1	0.3 %
0.7462	-	1	0.3 %
0.7473	-	1	0.3 %
0.7490	-	1	0.3 %
0.7494	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 0.8300
- Minimum: 0.6405
- Maximum: 1.0219
- Standard Deviation: 0.0760

Location: 821-826 (*width:* 6; *decimal:* 4)

Variable Type: numeric

(Range of) Missing Values: 7.0000 , 8.0000 , 9.0000

J2CBPS1: Blood pressure 1: systolic (high)

Blood pressure 1 (high)

Value	Label	Unweighted Frequency	%
80	-	1	0.3 %
86	-	3	0.8 %
88	-	2	0.5 %
90	-	5	1.3 %
92	-	5	1.3 %
94	-	1	0.3 %
96	-	3	0.8 %
98	-	15	3.9 %
100	-	9	2.4 %
102	-	15	3.9 %
104	-	4	1.0 %
106	-	21	5.5 %
108	-	14	3.7 %
110	-	23	6.0 %
112	-	8	2.1 %
114	-	9	2.4 %
116	-	8	2.1 %
117	-	1	0.3 %
118	-	15	3.9 %
120	-	20	5.2 %
122	-	14	3.7 %
124	-	17	4.5 %
126	-	15	3.9 %
128	-	7	1.8 %
130	-	9	2.4 %
132	-	8	2.1 %
134	-	12	3.1 %
136	-	6	1.6 %
138	-	20	5.2 %
140	-	11	2.9 %
142	-	14	3.7 %
144	-	7	1.8 %
146	-	7	1.8 %
148	-	6	1.6 %

Value	Label	Unweighted Frequency	%
150	-	7	1.8 %
152	-	8	2.1 %
154	-	2	0.5 %
156	-	3	0.8 %
158	-	11	2.9 %
160	-	4	1.0 %
162	-	1	0.3 %
164	-	1	0.3 %
166	-	2	0.5 %
168	-	1	0.3 %
170	-	4	1.0 %
178	-	1	0.3 %
198	-	1	0.3 %
220	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 124.36
- Median: 122.00
- Mode: 110.00
- Minimum: 80.00
- Maximum: 220.00
- Standard Deviation: 20.36

Location: 827-829 (width: 3; decimal: 0)

Variable Type: numeric

J2CBPD1: Blood pressure 1: diastolic (low)

Blood pressure 1 (low)

Value	Label	Unweighted Frequency	%
38	-	1	0.3 %
42	-	1	0.3 %
46	-	2	0.5 %
48	-	3	0.8 %
50	-	6	1.6 %
52	-	4	1.0 %
54	-	4	1.0 %
56	-	8	2.1 %
58	-	21	5.5 %
60	-	18	4.7 %

Value	Label	Unweighted Frequency	%
62	-	25	6.5 %
64	-	16	4.2 %
66	-	20	5.2 %
68	-	32	8.4 %
70	-	28	7.3 %
72	-	27	7.1 %
74	-	17	4.5 %
76	-	10	2.6 %
78	-	38	9.9 %
80	-	43	11.3 %
82	-	16	4.2 %
84	-	6	1.6 %
86	-	7	1.8 %
88	-	4	1.0 %
90	-	8	2.1 %
92	-	4	1.0 %
94	-	2	0.5 %
98	-	3	0.8 %
100	-	3	0.8 %
102	-	1	0.3 %
108	-	1	0.3 %
112	-	1	0.3 %
114	-	1	0.3 %
116	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 71.66
- Median: 72.00
- Mode: 80.00
- Minimum: 38.00
- Maximum: 116.00
- Standard Deviation: 11.54

Location: 830-832 (*width:* 3; *decimal:* 0)

Variable Type: numeric

J2CBPS2: Blood pressure 2: systolic (high)

Blood pressure 2 (high)

Value	Label	Unweighted Frequency	%
80	-	1	0.3 %
84	-	2	0.5 %
86	-	1	0.3 %
88	-	4	1.0 %
90	-	5	1.3 %
92	-	6	1.6 %
94	-	8	2.1 %
96	-	5	1.3 %
98	-	10	2.6 %
100	-	10	2.6 %
102	-	21	5.5 %
104	-	13	3.4 %
106	-	13	3.4 %
108	-	14	3.7 %
110	-	14	3.7 %
112	-	6	1.6 %
114	-	11	2.9 %
116	-	17	4.5 %
118	-	22	5.8 %
120	-	19	5.0 %
122	-	11	2.9 %
124	-	13	3.4 %
126	-	11	2.9 %
128	-	12	3.1 %
130	-	17	4.5 %
132	-	9	2.4 %
134	-	13	3.4 %
136	-	5	1.3 %
138	-	11	2.9 %
140	-	10	2.6 %
142	-	13	3.4 %
144	-	6	1.6 %
146	-	6	1.6 %
148	-	9	2.4 %
150	-	7	1.8 %
152	-	3	0.8 %
154	-	1	0.3 %
156	-	2	0.5 %
158	-	4	1.0 %

Value	Label	Unweighted Frequency	%
160	-	6	1.6 %
162	-	2	0.5 %
164	-	1	0.3 %
166	-	1	0.3 %
168	-	1	0.3 %
170	-	2	0.5 %
172	-	2	0.5 %
190	-	1	0.3 %
232	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 122.05
- Median: 120.00
- Mode: 118.00
- Minimum: 80.00
- Maximum: 232.00
- Standard Deviation: 20.12

Location: 833-835 (width: 3; decimal: 0)

Variable Type: numeric

J2CBPD2: Blood pressure 2: diastolic (low)

Blood pressure 2 (low)

Value	Label	Unweighted Frequency	%
44	-	2	0.5 %
48	-	4	1.0 %
50	-	10	2.6 %
52	-	6	1.6 %
54	-	4	1.0 %
56	-	15	3.9 %
58	-	18	4.7 %
60	-	16	4.2 %
62	-	14	3.7 %
64	-	28	7.3 %
66	-	14	3.7 %
68	-	29	7.6 %
70	-	31	8.1 %
72	-	21	5.5 %
74	-	22	5.8 %

Value	Label	Unweighted Frequency	%
76	-	29	7.6 %
78	-	35	9.2 %
80	-	24	6.3 %
82	-	16	4.2 %
84	-	7	1.8 %
86	-	8	2.1 %
88	-	9	2.4 %
90	-	4	1.0 %
92	-	4	1.0 %
94	-	1	0.3 %
96	-	4	1.0 %
98	-	2	0.5 %
100	-	2	0.5 %
110	-	1	0.3 %
116	-	1	0.3 %
120	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 71.20
- Median: 71.00
- Mode: 78.00
- Minimum: 44.00
- Maximum: 120.00
- Standard Deviation: 11.48

Location: 836-838 (width: 3; decimal: 0)

Variable Type: numeric

J2CBPS3: Blood pressure 3: systolic (high)

Blood pressure 3 (high)

Value	Label	Unweighted Frequency	%
78	-	1	0.3 %
80	-	1	0.3 %
84	-	2	0.5 %
86	-	1	0.3 %
88	-	4	1.0 %
90	-	2	0.5 %
92	-	6	1.6 %
94	-	9	2.4 %

Value	Label	Unweighted Frequency	%
96	-	11	2.9 %
98	-	10	2.6 %
100	-	11	2.9 %
102	-	13	3.4 %
104	-	26	6.8 %
106	-	18	4.7 %
108	-	9	2.4 %
110	-	7	1.8 %
112	-	13	3.4 %
114	-	9	2.4 %
116	-	12	3.1 %
118	-	20	5.2 %
120	-	16	4.2 %
122	-	10	2.6 %
124	-	16	4.2 %
126	-	14	3.7 %
128	-	14	3.7 %
130	-	12	3.1 %
132	-	11	2.9 %
134	-	12	3.1 %
136	-	10	2.6 %
138	-	16	4.2 %
140	-	7	1.8 %
142	-	9	2.4 %
144	-	6	1.6 %
146	-	5	1.3 %
148	-	4	1.0 %
150	-	5	1.3 %
152	-	9	2.4 %
154	-	5	1.3 %
156	-	1	0.3 %
158	-	3	0.8 %
160	-	1	0.3 %
162	-	3	0.8 %
168	-	2	0.5 %
170	-	3	0.8 %
172	-	1	0.3 %
188	-	1	0.3 %
234	-	1	0.3 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 121.23
- Median: 120.00
- Mode: 104.00
- Minimum: 78.00
- Maximum: 234.00
- Standard Deviation: 20.02

Location: 839-841 (width: 3; decimal: 0)

Variable Type: numeric

J2CBPD3: Blood pressure 3: diastolic (low)

Blood pressure 3 (low)

Value	Label	Unweighted Frequency	%
40	-	1	0.3 %
42	-	1	0.3 %
44	-	1	0.3 %
48	-	4	1.0 %
50	-	8	2.1 %
52	-	5	1.3 %
54	-	7	1.8 %
56	-	14	3.7 %
58	-	18	4.7 %
60	-	20	5.2 %
62	-	16	4.2 %
64	-	18	4.7 %
66	-	21	5.5 %
68	-	35	9.2 %
70	-	31	8.1 %
72	-	22	5.8 %
74	-	19	5.0 %
76	-	21	5.5 %
78	-	33	8.6 %
80	-	30	7.9 %
82	-	12	3.1 %
84	-	10	2.6 %
86	-	12	3.1 %
88	-	5	1.3 %

Value	Label	Unweighted Frequency	%
90	-	3	0.8 %
92	-	3	0.8 %
94	-	3	0.8 %
96	-	1	0.3 %
98	-	1	0.3 %
100	-	2	0.5 %
102	-	1	0.3 %
104	-	1	0.3 %
110	-	1	0.3 %
112	-	1	0.3 %
120	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 70.92
- Median: 70.00
- Mode: 68.00
- Minimum: 40.00
- Maximum: 120.00
- Standard Deviation: 11.50

Location: 842-844 (width: 3; decimal: 0)

Variable Type: numeric

J2CBPS23: Average of 2nd and 3rd systolic blood pressures (BPs)

Average of 2nd and 3rd systolic blood pressures (BPs)

Value	Label	Unweighted Frequency	%
79	-	1	0.3 %
82	-	1	0.3 %
84	-	1	0.3 %
86	-	1	0.3 %
88	-	2	0.5 %
89	-	3	0.8 %
90	-	2	0.5 %
91	-	1	0.3 %
92	-	5	1.3 %
93	-	2	0.5 %
94	-	5	1.3 %
95	-	2	0.5 %
96	-	5	1.3 %

Value	Label	Unweighted Frequency	%
97	-	4	1.0 %
98	-	9	2.4 %
99	-	2	0.5 %
100	-	6	1.6 %
101	-	8	2.1 %
102	-	8	2.1 %
103	-	5	1.3 %
104	-	12	3.1 %
105	-	10	2.6 %
106	-	6	1.6 %
107	-	10	2.6 %
108	-	2	0.5 %
109	-	8	2.1 %
110	-	7	1.8 %
111	-	5	1.3 %
112	-	1	0.3 %
113	-	7	1.8 %
114	-	7	1.8 %
115	-	6	1.6 %
116	-	5	1.3 %
117	-	10	2.6 %
118	-	8	2.1 %
119	-	11	2.9 %
120	-	8	2.1 %
121	-	8	2.1 %
122	-	5	1.3 %
123	-	6	1.6 %
124	-	6	1.6 %
125	-	10	2.6 %
126	-	8	2.1 %
127	-	4	1.0 %
128	-	5	1.3 %
129	-	10	2.6 %
130	-	7	1.8 %
131	-	5	1.3 %
132	-	2	0.5 %
133	-	5	1.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 121.64
- Median: 120.00
- Mode: 138.00
- Minimum: 79.00
- Maximum: 233.00
- Standard Deviation: 19.95

Location: 845-847 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2CBPD23: Average of 2nd and 3rd diastolic blood pressures (BPs)

Average of 2nd and 3rd diastolic blood pressures (BPs)

Value	Label	Unweighted Frequency	%
42	-	1	0.3 %
43	-	1	0.3 %
47	-	1	0.3 %
48	-	2	0.5 %
49	-	3	0.8 %
50	-	5	1.3 %
51	-	3	0.8 %
52	-	3	0.8 %
53	-	2	0.5 %
54	-	2	0.5 %
55	-	3	0.8 %
56	-	9	2.4 %
57	-	12	3.1 %
58	-	7	1.8 %
59	-	9	2.4 %
60	-	4	1.0 %
61	-	10	2.6 %
62	-	9	2.4 %
63	-	9	2.4 %
64	-	11	2.9 %
65	-	18	4.7 %
66	-	7	1.8 %
67	-	13	3.4 %
68	-	12	3.1 %
69	-	16	4.2 %

Value	Label	Unweighted Frequency	%
70	-	16	4.2 %
71	-	12	3.1 %
72	-	8	2.1 %
73	-	17	4.5 %
74	-	11	2.9 %
75	-	8	2.1 %
76	-	8	2.1 %
77	-	19	5.0 %
78	-	19	5.0 %
79	-	18	4.7 %
80	-	9	2.4 %
81	-	16	4.2 %
82	-	4	1.0 %
83	-	4	1.0 %
84	-	3	0.8 %
85	-	5	1.3 %
86	-	5	1.3 %
87	-	5	1.3 %
88	-	3	0.8 %
89	-	2	0.5 %
90	-	3	0.8 %
92	-	2	0.5 %
94	-	2	0.5 %
95	-	2	0.5 %
96	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 71.06
- Median: 71.00
- Minimum: 42.00
- Maximum: 120.00
- Standard Deviation: 11.36

Location: 848-850 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2CBLD: Was blood sample collected?

Blood sample: Took blood?

Value	Label	Unweighted Frequency	%
1	No sample	0	0.0 %
2	Partial	4	1.0 %
3	Complete	378	99.0 %
4	Other	0	0.0 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 3.00

Location: 851-851 (width: 1; decimal: 0)

Variable Type: numeric

J2CBLDT: Time of blood sample collection

Blood sample: Time of taking blood

Value	Label	Unweighted Frequency	%
900	-	3	0.8 %
905	-	6	1.6 %
910	-	8	2.1 %
912	-	1	0.3 %
913	-	1	0.3 %
915	-	14	3.7 %
916	-	1	0.3 %
917	-	3	0.8 %
920	-	12	3.1 %
921	-	1	0.3 %
923	-	1	0.3 %
924	-	1	0.3 %
925	-	12	3.1 %
927	-	3	0.8 %
929	-	1	0.3 %
930	-	8	2.1 %
931	-	1	0.3 %
935	-	11	2.9 %
936	-	1	0.3 %
938	-	1	0.3 %
940	-	7	1.8 %
942	-	1	0.3 %

Value	Label	Unweighted Frequency	%
943	-	2	0.5 %
945	-	4	1.0 %
950	-	11	2.9 %
955	-	3	0.8 %
1000	-	14	3.7 %
1005	-	9	2.4 %
1007	-	1	0.3 %
1008	-	2	0.5 %
1010	-	19	5.0 %
1013	-	1	0.3 %
1015	-	9	2.4 %
1016	-	1	0.3 %
1020	-	12	3.1 %
1022	-	1	0.3 %
1025	-	14	3.7 %
1026	-	1	0.3 %
1027	-	2	0.5 %
1029	-	1	0.3 %
1030	-	11	2.9 %
1031	-	1	0.3 %
1034	-	1	0.3 %
1035	-	9	2.4 %
1039	-	1	0.3 %
1040	-	12	3.1 %
1045	-	4	1.0 %
1047	-	1	0.3 %
1050	-	9	2.4 %
1055	-	9	2.4 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 1035.78
- Median: 1025.00
- Mode: 1010.00
- Minimum: 900.00
- Maximum: 1535.00
- Standard Deviation: 110.91

Location: 852-855 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2CCCT: Time citrate tube was centrifuged

Time to centrifuge fibrinogen

Value	Label	Unweighted Frequency	%
912	-	2	0.5 %
914	-	3	0.8 %
915	-	4	1.0 %
916	-	4	1.0 %
917	-	4	1.0 %
918	-	1	0.3 %
920	-	2	0.5 %
925	-	6	1.6 %
926	-	2	0.5 %
927	-	3	0.8 %
928	-	4	1.0 %
929	-	4	1.0 %
932	-	6	1.6 %
935	-	2	0.5 %
937	-	2	0.5 %
938	-	2	0.5 %
939	-	2	0.5 %
940	-	4	1.0 %
941	-	4	1.0 %
942	-	2	0.5 %
944	-	4	1.0 %
945	-	4	1.0 %
948	-	1	0.3 %
950	-	2	0.5 %
951	-	2	0.5 %
952	-	3	0.8 %
953	-	2	0.5 %
954	-	4	1.0 %
955	-	2	0.5 %
956	-	2	0.5 %
957	-	1	0.3 %
958	-	4	1.0 %
1003	-	6	1.6 %
1004	-	2	0.5 %

Value	Label	Unweighted Frequency	%
1005	-	4	1.0 %
1006	-	2	0.5 %
1007	-	2	0.5 %
1010	-	2	0.5 %
1012	-	4	1.0 %
1014	-	2	0.5 %
1015	-	6	1.6 %
1016	-	2	0.5 %
1017	-	4	1.0 %
1018	-	4	1.0 %
1019	-	2	0.5 %
1020	-	4	1.0 %
1022	-	2	0.5 %
1023	-	2	0.5 %
1024	-	2	0.5 %
1026	-	8	2.1 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 1061.08
- Median: 1041.00
- Minimum: 912.00
- Maximum: 1547.00
- Standard Deviation: 112.16

Location: 856-859 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2CCSST: Time serum separator tube (SST tube) was centrifuged

Time to centrifuge serum separator tube (SST)

Value	Label	Unweighted Frequency	%
1216	-	19	5.0 %
1224	-	15	3.9 %
1300	-	9	2.4 %
1303	-	17	4.5 %
1309	-	13	3.4 %
1319	-	14	3.7 %

Value	Label	Unweighted Frequency	%
1320	-	19	5.0 %
1328	-	10	2.6 %
1330	-	34	8.9 %
1334	-	8	2.1 %
1340	-	6	1.6 %
1345	-	6	1.6 %
1350	-	20	5.2 %
1354	-	21	5.5 %
1400	-	29	7.6 %
1401	-	19	5.0 %
1410	-	7	1.8 %
1415	-	7	1.8 %
1417	-	8	2.1 %
1419	-	17	4.5 %
1430	-	12	3.1 %
1446	-	7	1.8 %
1450	-	13	3.4 %
1455	-	9	2.4 %
1500	-	9	2.4 %
1516	-	9	2.4 %
1520	-	10	2.6 %
1540	-	6	1.6 %
2050	-	9	2.4 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1383.01
- Median: 1354.00
- Mode: 1330.00
- Minimum: 1216.00
- Maximum: 2050.00
- Standard Deviation: 128.87

Location: 860-863 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2CFCT: Time citrate tube was frozen

Time to freeze fibrinogen

Value	Label	Unweighted Frequency	%
1215	-	50	13.1 %
1220	-	65	17.0 %
1227	-	17	4.5 %
1228	-	24	6.3 %
1230	-	25	6.5 %
1240	-	18	4.7 %
1245	-	60	15.7 %
1300	-	46	12.0 %
1301	-	21	5.5 %
1319	-	7	1.8 %
1325	-	8	2.1 %
1350	-	10	2.6 %
1410	-	10	2.6 %
1430	-	3	0.8 %
1437	-	9	2.4 %
1640	-	2	0.5 %
1700	-	7	1.8 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1269.92
- Median: 1240.00
- Mode: 1220.00
- Minimum: 1215.00
- Maximum: 1700.00
- Standard Deviation: 84.80

Location: 864-867 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2CFSST: Time serum separator tube (SST tube) was frozen

Time for freeze serum separator tube (SST)

Value	Label	Unweighted Frequency	%
1323	-	17	4.5 %
1330	-	9	2.4 %
1340	-	7	1.8 %
1345	-	25	6.5 %
1346	-	14	3.7 %
1348	-	10	2.6 %

Value	Label	Unweighted Frequency	%
1349	-	11	2.9 %
1350	-	10	2.6 %
1358	-	8	2.1 %
1400	-	8	2.1 %
1401	-	6	1.6 %
1410	-	7	1.8 %
1411	-	10	2.6 %
1412	-	15	3.9 %
1413	-	11	2.9 %
1415	-	10	2.6 %
1419	-	6	1.6 %
1421	-	9	2.4 %
1422	-	7	1.8 %
1423	-	9	2.4 %
1425	-	10	2.6 %
1426	-	10	2.6 %
1430	-	10	2.6 %
1431	-	10	2.6 %
1433	-	8	2.1 %
1439	-	24	6.3 %
1445	-	5	1.3 %
1455	-	16	4.2 %
1512	-	9	2.4 %
1520	-	25	6.5 %
1524	-	9	2.4 %
1538	-	9	2.4 %
1542	-	10	2.6 %
1604	-	6	1.6 %
1700	-	3	0.8 %
2100	-	9	2.4 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1438.09
- Median: 1421.00
- Minimum: 1323.00
- Maximum: 2100.00
- Standard Deviation: 124.43

Location: 868-871 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2CLMBLD: Lag hours: time of last meal to blood collection

Lag hours: time of last meal to blood collection

Value	Label	Unweighted Frequency	%
0.50	-	1	0.3 %
0.58	-	1	0.3 %
0.60	-	1	0.3 %
0.83	-	2	0.5 %
0.92	-	1	0.3 %
1.00	-	3	0.8 %
1.08	-	1	0.3 %
1.17	-	1	0.3 %
1.25	-	4	1.0 %
1.33	-	4	1.0 %
1.42	-	1	0.3 %
1.50	-	6	1.6 %
1.58	-	5	1.3 %
1.60	-	1	0.3 %
1.67	-	3	0.8 %
1.72	-	2	0.5 %
1.75	-	4	1.0 %
1.77	-	1	0.3 %
1.83	-	4	1.0 %
1.92	-	3	0.8 %
1.95	-	1	0.3 %
2.00	-	9	2.4 %
2.02	-	2	0.5 %
2.08	-	12	3.1 %
2.12	-	1	0.3 %
2.17	-	12	3.1 %
2.22	-	1	0.3 %
2.25	-	11	2.9 %
2.33	-	10	2.6 %
2.37	-	1	0.3 %
2.38	-	1	0.3 %
2.40	-	1	0.3 %
2.42	-	16	4.2 %
2.43	-	1	0.3 %
2.45	-	1	0.3 %
2.48	-	1	0.3 %

Value	Label	Unweighted Frequency	%
2.50	-	10	2.6 %
2.57	-	1	0.3 %
2.58	-	15	3.9 %
2.62	-	1	0.3 %
2.63	-	2	0.5 %
2.65	-	1	0.3 %
2.67	-	18	4.7 %
2.70	-	1	0.3 %
2.75	-	11	2.9 %
2.77	-	2	0.5 %
2.78	-	1	0.3 %
2.83	-	11	2.9 %
2.85	-	1	0.3 %
2.87	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 4.50
- Median: 2.77
- Mode: 2.67
- Minimum: 0.50
- Maximum: 24.58
- Standard Deviation: 4.29

Location: 872-876 (width: 5; decimal: 2)

Variable Type: numeric

J2CBLDCTC: Lag minutes: time of blood collection to citrate tube centrifugation

Lag minutes: time of blood collection to citrate tube centrifugation

Value	Label	Unweighted Frequency	%
-2	-	1	0.3 %
-1	-	1	0.3 %
0	-	6	1.6 %
1	-	3	0.8 %
2	-	6	1.6 %
3	-	10	2.6 %
4	-	8	2.1 %
5	-	15	3.9 %

Value	Label	Unweighted Frequency	%
6	-	12	3.1 %
7	-	16	4.2 %
8	-	11	2.9 %
9	-	13	3.4 %
10	-	16	4.2 %
11	-	13	3.4 %
12	-	22	5.8 %
13	-	9	2.4 %
14	-	15	3.9 %
15	-	19	5.0 %
16	-	15	3.9 %
17	-	14	3.7 %
18	-	9	2.4 %
19	-	7	1.8 %
20	-	13	3.4 %
21	-	8	2.1 %
22	-	5	1.3 %
23	-	9	2.4 %
24	-	9	2.4 %
25	-	9	2.4 %
26	-	6	1.6 %
27	-	13	3.4 %
28	-	7	1.8 %
29	-	10	2.6 %
30	-	10	2.6 %
31	-	4	1.0 %
32	-	2	0.5 %
33	-	3	0.8 %
34	-	3	0.8 %
35	-	7	1.8 %
36	-	6	1.6 %
38	-	2	0.5 %
39	-	3	0.8 %
40	-	4	1.0 %
41	-	1	0.3 %
42	-	1	0.3 %
43	-	2	0.5 %
45	-	2	0.5 %
46	-	1	0.3 %

Value	Label	Unweighted Frequency	%
68	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 17.13
- Median: 15.00
- Mode: 12.00
- Minimum: -2.00
- Maximum: 68.00
- Standard Deviation: 10.72

Location: 877-878 (width: 2; decimal: 0)

Variable Type: numeric

J2CBLDSSC: Lag minutes: time of blood collection to serum separator tube (SST tube) centrifugation

Lag minutes: time of blood collection to serum separator tube (SST) centrifugation

Value	Label	Unweighted Frequency	%
10.00000000001	-	1	0.3 %
20.00000000000	-	1	0.3 %
30.00000000000	-	1	0.3 %
46.00000000001	-	1	0.3 %
55.00000000000	-	1	0.3 %
56.00000000001	-	1	0.3 %
61.00000000001	-	1	0.3 %
65.00000000000	-	1	0.3 %
66.00000000001	-	1	0.3 %
70.00000000000	-	1	0.3 %
76.00000000001	-	1	0.3 %
78.00000000000	-	1	0.3 %
86.00000000001	-	1	0.3 %
90.00000000000	-	2	0.5 %
93.00000000000	-	1	0.3 %
95.00000000001	-	1	0.3 %
96.00000000001	-	1	0.3 %
101.00000000001	-	1	0.3 %
105.00000000000	-	1	0.3 %
106.00000000001	-	2	0.5 %
107.00000000000	-	1	0.3 %
109.00000000001	-	1	0.3 %

Value	Label	Unweighted Frequency	%
110.000000000000	-	4	1.0 %
111.000000000001	-	1	0.3 %
113.000000000000	-	1	0.3 %
115.000000000000	-	3	0.8 %
120.000000000000	-	2	0.5 %
121.000000000001	-	1	0.3 %
122.000000000000	-	1	0.3 %
125.000000000000	-	2	0.5 %
126.000000000001	-	1	0.3 %
128.000000000000	-	1	0.3 %
130.000000000000	-	1	0.3 %
135.000000000000	-	2	0.5 %
140.000000000000	-	5	1.3 %
144.000000000000	-	1	0.3 %
144.000000000001	-	1	0.3 %
145.000000000000	-	3	0.8 %
146.000000000000	-	1	0.3 %
149.000000000000	-	1	0.3 %
149.000000000001	-	3	0.8 %
150.000000000000	-	5	1.3 %
151.000000000000	-	1	0.3 %
152.000000000000	-	1	0.3 %
153.000000000000	-	1	0.3 %
155.000000000000	-	2	0.5 %
156.000000000000	-	1	0.3 %
157.000000000000	-	1	0.3 %
159.000000000001	-	2	0.5 %
160.000000000001	-	2	0.5 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 208.65968586388
- Median: 215.00000000001
- Mode: 235.00000000000
- Minimum: 10.00000000001
- Maximum: 344.00000000000
- Standard Deviation: 59.72842650016

Location: 879-893 (*width:* 15; *decimal:* 11)

Variable Type: numeric

J2CBLDCTF: Lag minutes: time of blood collection to time citrate tube was frozen

Lag minutes: time of blood collection to time citrate tube was frozen

Value	Label	Unweighted Frequency	% 0.5 %
35.000000000001	-	2	0.5 %
39.000000000000	-	1	0.3 %
40.000000000001	-	1	0.3 %
42.000000000000	-	1	0.3 %
45.000000000000	-	2	0.5 %
45.000000000001	-	1	0.3 %
50.000000000000	-	2	0.5 %
50.000000000001	-	3	0.8 %
53.000000000000	-	1	0.3 %
53.000000000001	-	1	0.3 %
55.000000000000	-	1	0.3 %
55.000000000001	-	1	0.3 %
57.000000000000	-	2	0.5 %
58.000000000001	-	1	0.3 %
60.000000000000	-	6	1.6 %
60.000000000001	-	1	0.3 %
62.000000000000	-	1	0.3 %
63.000000000001	-	1	0.3 %
64.000000000000	-	1	0.3 %
64.000000000001	-	2	0.5 %
65.000000000000	-	7	1.8 %
65.000000000001	-	5	1.3 %
68.000000000001	-	2	0.5 %
70.000000000000	-	4	1.0 %
70.000000000001	-	2	0.5 %
72.000000000000	-	4	1.0 %
75.000000000000	-	5	1.3 %
75.000000000001	-	3	0.8 %
78.000000000001	-	1	0.3 %
79.000000000001	-	1	0.3 %
80.000000000000	-	5	1.3 %
80.000000000001	-	4	1.0 %
83.000000000001	-	1	0.3 %
85.000000000000	-	3	0.8 %
85.000000000001	-	1	0.3 %
87.000000000000	-	1	0.3 %

Value	Label	Unweighted Frequency	%
88.000000000000	-	1	0.3 %
90.000000000000	-	3	0.8 %
90.000000000001	-	1	0.3 %
91.000000000000	-	2	0.5 %
95.000000000000	-	7	1.8 %
95.000000000001	-	2	0.5 %
99.000000000001	-	1	0.3 %
100.000000000000	-	1	0.3 %
101.000000000001	-	1	0.3 %
102.000000000000	-	2	0.5 %
105.000000000000	-	5	1.3 %
105.000000000001	-	2	0.5 %
106.000000000001	-	1	0.3 %
107.000000000000	-	2	0.5 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 140.25392670157
- Median: 140.00000000000
- Minimum: 35.00000000001
- Maximum: 300.00000000001
- Standard Deviation: 54.03057288298

Location: 894-908 (width: 15; decimal: 11)

Variable Type: numeric

J2CBLDSSF: Lag minutes: time of blood collection to time serum separator tube (SST tube) was frozen

Lag minutes: time of blood collection to time serum separator tube (SST) was frozen

Value	Label	Unweighted Frequency	%
113.000000000000	-	1	0.3 %
127.000000000000	-	1	0.3 %
129.000000000000	-	1	0.3 %
133.000000000000	-	1	0.3 %
134.000000000000	-	1	0.3 %
139.000000000000	-	2	0.5 %
140.000000000000	-	2	0.5 %
142.000000000000	-	1	0.3 %

Value	Label	Unweighted Frequency	%
145.000000000000	-	1	0.3 %
148.000000000000	-	1	0.3 %
149.000000000000	-	2	0.5 %
159.000000000000	-	2	0.5 %
162.000000000000	-	1	0.3 %
163.000000000000	-	1	0.3 %
164.000000000000	-	2	0.5 %
167.000000000000	-	1	0.3 %
168.000000000000	-	5	1.3 %
169.000000000000	-	1	0.3 %
170.000000000000	-	1	0.3 %
172.000000000000	-	3	0.8 %
173.000000000000	-	3	0.8 %
175.000000000000	-	1	0.3 %
177.000000000000	-	2	0.5 %
178.000000000000	-	4	1.0 %
181.000000000000	-	2	0.5 %
183.000000000000	-	7	1.8 %
184.000000000000	-	2	0.5 %
185.000000000000	-	2	0.5 %
187.000000000000	-	4	1.0 %
188.000000000000	-	2	0.5 %
190.000000000001	-	1	0.3 %
191.000000000000	-	2	0.5 %
192.000000000000	-	1	0.3 %
195.000000000000	-	2	0.5 %
195.000000000001	-	1	0.3 %
196.000000000000	-	1	0.3 %
197.000000000000	-	1	0.3 %
198.000000000000	-	2	0.5 %
199.000000000000	-	3	0.8 %
200.000000000000	-	4	1.0 %
201.000000000000	-	1	0.3 %
204.000000000000	-	1	0.3 %
205.000000000000	-	6	1.6 %
205.000000000001	-	1	0.3 %
206.000000000000	-	1	0.3 %
206.000000000001	-	1	0.3 %
207.000000000000	-	1	0.3 %

Value	Label	Unweighted Frequency	%
209.000000000000	-	1	0.3 %
210.000000000000	-	4	1.0 %
210.000000000001	-	1	0.3 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 243.61518324608
- Median: 247.000000000000
- Mode: 245.000000000000
- Minimum: 113.000000000000
- Maximum: 355.000000000001
- Standard Deviation: 47.74534460650

Location: 909-923 (width: 15; decimal: 11)

Variable Type: numeric

J2BCHOL: Biocore total cholesterol (mg/dL)

Biocore total cholesterol (mg/dL)

Value	Label	Unweighted Frequency	%
112	-	1	0.3 %
113	-	1	0.3 %
119	-	1	0.3 %
127	-	1	0.3 %
128	-	1	0.3 %
133	-	1	0.3 %
136	-	2	0.5 %
137	-	1	0.3 %
139	-	2	0.5 %
140	-	2	0.5 %
141	-	1	0.3 %
142	-	2	0.5 %
143	-	1	0.3 %
144	-	2	0.5 %
145	-	1	0.3 %
146	-	1	0.3 %
147	-	3	0.8 %
149	-	1	0.3 %
150	-	6	1.6 %

Value	Label	Unweighted Frequency	%
151	-	1	0.3 %
152	-	1	0.3 %
154	-	1	0.3 %
156	-	1	0.3 %
157	-	1	0.3 %
158	-	2	0.5 %
159	-	1	0.3 %
161	-	3	0.8 %
162	-	1	0.3 %
163	-	2	0.5 %
164	-	3	0.8 %
165	-	1	0.3 %
166	-	1	0.3 %
167	-	4	1.0 %
168	-	5	1.3 %
169	-	1	0.3 %
170	-	5	1.3 %
171	-	2	0.5 %
172	-	4	1.0 %
173	-	2	0.5 %
174	-	5	1.3 %
175	-	5	1.3 %
176	-	5	1.3 %
177	-	3	0.8 %
179	-	4	1.0 %
180	-	5	1.3 %
181	-	6	1.6 %
182	-	6	1.6 %
183	-	3	0.8 %
184	-	4	1.0 %
185	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 205.81
- Median: 205.00
- Mode: 204.00
- Minimum: 112.00

- Maximum: 325.00
- Standard Deviation: 38.21

Location: 924-926 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2BHDL: Biocore original Midlife in Japan (Midlife in Japan (MIDJA)) HDL cholesterol (mg/dL)

Biocore original Midlife in Japan (Midlife in Japan (MIDJA)) HDL cholesterol (mg/dL)

Value	Label	Unweighted Frequency	%
21	-	1	0.3 %
23	-	1	0.3 %
27	-	2	0.5 %
28	-	1	0.3 %
30	-	2	0.5 %
31	-	3	0.8 %
32	-	1	0.3 %
33	-	1	0.3 %
34	-	3	0.8 %
36	-	4	1.0 %
37	-	6	1.6 %
38	-	3	0.8 %
39	-	6	1.6 %
40	-	4	1.0 %
41	-	7	1.8 %
42	-	6	1.6 %
43	-	2	0.5 %
44	-	4	1.0 %
45	-	7	1.8 %
46	-	8	2.1 %
47	-	11	2.9 %
48	-	6	1.6 %
49	-	11	2.9 %
50	-	7	1.8 %
51	-	6	1.6 %
52	-	9	2.4 %
53	-	1	0.3 %
54	-	15	3.9 %
55	-	8	2.1 %
56	-	7	1.8 %
57	-	6	1.6 %

Value	Label	Unweighted Frequency	%
58	-	5	1.3 %
59	-	4	1.0 %
60	-	11	2.9 %
61	-	12	3.1 %
62	-	7	1.8 %
63	-	7	1.8 %
64	-	10	2.6 %
65	-	3	0.8 %
66	-	7	1.8 %
67	-	11	2.9 %
68	-	4	1.0 %
69	-	11	2.9 %
70	-	8	2.1 %
71	-	8	2.1 %
72	-	5	1.3 %
73	-	6	1.6 %
74	-	5	1.3 %
75	-	3	0.8 %
76	-	7	1.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 63.15
- Median: 61.50
- Mode: 54.00
- Minimum: 21.00
- Maximum: 120.00
- Standard Deviation: 18.63

Location: 927-929 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2BHDLA: Biocore Midlife in Japan (MIDJA) HDL cholesterol (adjusted to Midlife in the United States (MIDUS)) (mg/dL)

Biocore Midlife in Japan (MIDJA) ratio total/HDL cholesterol (adjusted to Midlife in the United States (MIDUS)) (chol/HDL)

Value	Label	Unweighted Frequency	%
23	-	1	0.3 %
25	-	1	0.3 %

Value	Label	Unweighted Frequency	%
30	-	2	0.5 %
31	-	1	0.3 %
33	-	2	0.5 %
35	-	3	0.8 %
36	-	1	0.3 %
37	-	1	0.3 %
38	-	3	0.8 %
40	-	4	1.0 %
41	-	6	1.6 %
43	-	3	0.8 %
44	-	6	1.6 %
45	-	4	1.0 %
46	-	7	1.8 %
47	-	6	1.6 %
48	-	2	0.5 %
49	-	4	1.0 %
51	-	7	1.8 %
52	-	8	2.1 %
53	-	11	2.9 %
54	-	6	1.6 %
55	-	11	2.9 %
56	-	7	1.8 %
57	-	6	1.6 %
58	-	9	2.4 %
60	-	1	0.3 %
61	-	15	3.9 %
62	-	8	2.1 %
63	-	7	1.8 %
64	-	6	1.6 %
65	-	5	1.3 %
66	-	4	1.0 %
68	-	11	2.9 %
69	-	12	3.1 %
70	-	7	1.8 %
71	-	7	1.8 %
72	-	10	2.6 %
73	-	3	0.8 %
74	-	7	1.8 %
76	-	11	2.9 %

Value	Label	Unweighted Frequency	%
77	-	4	1.0 %
78	-	11	2.9 %
79	-	8	2.1 %
80	-	8	2.1 %
81	-	5	1.3 %
82	-	6	1.6 %
84	-	5	1.3 %
85	-	3	0.8 %
86	-	7	1.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 71.23
- Median: 69.50
- Mode: 61.00
- Minimum: 23.00
- Maximum: 136.00
- Standard Deviation: 21.24

Location: 930-932 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2BRTHDL: Biocore original Midlife in Japan (MIDJA) ratio total/HDL cholesterol (cholesterol/HDL)

Biocore original MIDJA ratio total/HDL cholesterol (chol/HDL)

Value	Label	Unweighted Frequency	%
1.44	-	1	0.3 %
1.45	-	1	0.3 %
1.77	-	1	0.3 %
1.79	-	1	0.3 %
1.82	-	2	0.5 %
1.84	-	1	0.3 %
1.90	-	1	0.3 %
1.91	-	3	0.8 %
1.93	-	1	0.3 %
1.94	-	1	0.3 %
1.95	-	1	0.3 %
1.96	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1.97	-	1	0.3 %
1.99	-	1	0.3 %
2.00	-	3	0.8 %
2.05	-	2	0.5 %
2.07	-	1	0.3 %
2.08	-	2	0.5 %
2.12	-	2	0.5 %
2.13	-	1	0.3 %
2.17	-	1	0.3 %
2.18	-	3	0.8 %
2.19	-	3	0.8 %
2.20	-	1	0.3 %
2.21	-	1	0.3 %
2.23	-	2	0.5 %
2.24	-	1	0.3 %
2.25	-	1	0.3 %
2.27	-	1	0.3 %
2.28	-	2	0.5 %
2.29	-	3	0.8 %
2.30	-	1	0.3 %
2.38	-	1	0.3 %
2.39	-	1	0.3 %
2.40	-	3	0.8 %
2.41	-	1	0.3 %
2.42	-	2	0.5 %
2.43	-	1	0.3 %
2.44	-	4	1.0 %
2.45	-	1	0.3 %
2.46	-	5	1.3 %
2.48	-	3	0.8 %
2.51	-	1	0.3 %
2.53	-	3	0.8 %
2.54	-	3	0.8 %
2.55	-	3	0.8 %
2.56	-	1	0.3 %
2.57	-	1	0.3 %
2.58	-	2	0.5 %
2.59	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 3.54
- Median: 3.26
- Minimum: 1.44
- Maximum: 9.56
- Standard Deviation: 1.27

Location: 933-937 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BRTTHDA: Biocore Midlife in Japan (MIDJA) ratio total/HDL cholesterol (adjusted to Midlife in the United States (MIDUS)) (chol/HDL)

Biocore MIDJA ratio total/HDL cholesterol (adjusted to MIDUS) (chol/HDL)

Value	Label	Unweighted Frequency	%
1.27	-	1	0.3 %
1.28	-	1	0.3 %
1.56	-	1	0.3 %
1.58	-	1	0.3 %
1.60	-	1	0.3 %
1.61	-	1	0.3 %
1.62	-	1	0.3 %
1.68	-	3	0.8 %
1.69	-	1	0.3 %
1.71	-	1	0.3 %
1.72	-	2	0.5 %
1.73	-	1	0.3 %
1.75	-	1	0.3 %
1.76	-	2	0.5 %
1.77	-	2	0.5 %
1.81	-	1	0.3 %
1.82	-	1	0.3 %
1.83	-	1	0.3 %
1.84	-	2	0.5 %
1.87	-	2	0.5 %
1.88	-	1	0.3 %
1.92	-	1	0.3 %
1.93	-	4	1.0 %
1.94	-	3	0.8 %
1.95	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1.96	-	1	0.3 %
1.97	-	1	0.3 %
1.98	-	1	0.3 %
1.99	-	1	0.3 %
2.01	-	1	0.3 %
2.02	-	4	1.0 %
2.03	-	1	0.3 %
2.04	-	1	0.3 %
2.10	-	1	0.3 %
2.11	-	1	0.3 %
2.12	-	2	0.5 %
2.13	-	2	0.5 %
2.14	-	2	0.5 %
2.15	-	2	0.5 %
2.16	-	3	0.8 %
2.17	-	1	0.3 %
2.18	-	5	1.3 %
2.19	-	2	0.5 %
2.20	-	1	0.3 %
2.21	-	1	0.3 %
2.23	-	2	0.5 %
2.24	-	1	0.3 %
2.25	-	2	0.5 %
2.26	-	5	1.3 %
2.27	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 3.15
- Median: 2.90
- Minimum: 1.27
- Maximum: 8.57
- Standard Deviation: 1.15

Location: 938-942 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BDHEAS: Biocore dehydroepiandrosterone-Sulfate (DHEA-S) (ug/dL)

Biocore dehydroepiandrosterone-Sulfate (DHEA-S) (ug/dL)

Value	Label	Unweighted Frequency	%
9	-	1	0.3 %
11	-	1	0.3 %
12	-	1	0.3 %
14	-	1	0.3 %
19	-	2	0.5 %
20	-	1	0.3 %
21	-	1	0.3 %
22	-	1	0.3 %
23	-	1	0.3 %
24	-	1	0.3 %
26	-	2	0.5 %
30	-	1	0.3 %
31	-	1	0.3 %
32	-	1	0.3 %
33	-	3	0.8 %
36	-	1	0.3 %
37	-	1	0.3 %
39	-	3	0.8 %
42	-	4	1.0 %
43	-	1	0.3 %
44	-	3	0.8 %
45	-	1	0.3 %
46	-	2	0.5 %
47	-	1	0.3 %
50	-	4	1.0 %
51	-	2	0.5 %
54	-	3	0.8 %
56	-	2	0.5 %
57	-	3	0.8 %
58	-	4	1.0 %
59	-	4	1.0 %
60	-	2	0.5 %
61	-	2	0.5 %
62	-	3	0.8 %
63	-	2	0.5 %
64	-	4	1.0 %
66	-	1	0.3 %
67	-	2	0.5 %

Value	Label	Unweighted Frequency	%
68	-	1	0.3 %
69	-	3	0.8 %
70	-	3	0.8 %
71	-	2	0.5 %
73	-	3	0.8 %
74	-	3	0.8 %
75	-	2	0.5 %
76	-	2	0.5 %
78	-	4	1.0 %
79	-	1	0.3 %
80	-	4	1.0 %
81	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 154.59
- Median: 134.50
- Mode: 232.00
- Minimum: 9.00
- Maximum: 536.00
- Standard Deviation: 98.83

Location: 943-945 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2BDHEA: Biocore dehydroepiandrosterone (DHEA) (ng/mL)

Biocore dehydroepiandrosterone (DHEA) (ng/mL)

Value	Label	Unweighted Frequency	%
0.81	-	1	0.3 %
1.01	-	1	0.3 %
1.04	-	1	0.3 %
1.11	-	1	0.3 %
1.17	-	1	0.3 %
1.23	-	1	0.3 %
1.33	-	1	0.3 %
1.44	-	2	0.5 %
1.48	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1.50	-	1	0.3 %
1.52	-	2	0.5 %
1.56	-	1	0.3 %
1.62	-	1	0.3 %
1.70	-	1	0.3 %
1.71	-	1	0.3 %
1.73	-	1	0.3 %
1.76	-	3	0.8 %
1.77	-	1	0.3 %
1.78	-	1	0.3 %
1.80	-	1	0.3 %
1.81	-	1	0.3 %
1.84	-	1	0.3 %
1.85	-	1	0.3 %
1.86	-	1	0.3 %
1.90	-	2	0.5 %
1.92	-	1	0.3 %
2.00	-	1	0.3 %
2.02	-	1	0.3 %
2.03	-	1	0.3 %
2.04	-	2	0.5 %
2.06	-	2	0.5 %
2.08	-	1	0.3 %
2.11	-	2	0.5 %
2.13	-	1	0.3 %
2.20	-	1	0.3 %
2.21	-	1	0.3 %
2.26	-	1	0.3 %
2.29	-	3	0.8 %
2.30	-	3	0.8 %
2.34	-	2	0.5 %
2.36	-	1	0.3 %
2.40	-	4	1.0 %
2.42	-	1	0.3 %
2.44	-	2	0.5 %
2.47	-	2	0.5 %
2.48	-	2	0.5 %
2.52	-	1	0.3 %
2.57	-	2	0.5 %

Value	Label	Unweighted Frequency	%
2.58	-	2	0.5 %
2.60	-	1	0.3 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 4.92
- Minimum: 0.81
- Maximum: 20.20
- Standard Deviation: 2.82

Location: 946-950 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCREA: Biocore serum creatinine (mg/dL)

Biocore serum creatinine (mg/dL)

Value	Label	Unweighted Frequency	%
0.4	-	6	1.6 %
0.5	-	34	8.9 %
0.6	-	85	22.3 %
0.7	-	95	24.9 %
0.8	-	73	19.1 %
0.9	-	51	13.4 %
1.0	-	18	4.7 %
1.1	-	15	3.9 %
1.2	-	3	0.8 %
1.3	-	1	0.3 %
1.6	-	1	0.3 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 0.74
- Median: 0.70
- Mode: 0.70
- Minimum: 0.40
- Maximum: 1.60
- Standard Deviation: 0.17

Location: 951-954 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2BIL6: Biocore interleukin 6 (IL6) (pg/mL)

Biocore interleukin 6 (IL6) (pg/mL)

Value	Label	Unweighted Frequency	%
0.030	-	1	0.3 %
0.090	-	1	0.3 %
0.100	-	1	0.3 %
0.150	-	2	0.5 %
0.170	-	1	0.3 %
0.180	-	1	0.3 %
0.190	-	3	0.8 %
0.240	-	1	0.3 %
0.260	-	4	1.0 %
0.280	-	1	0.3 %
0.290	-	1	0.3 %
0.300	-	2	0.5 %
0.310	-	2	0.5 %
0.320	-	2	0.5 %
0.330	-	3	0.8 %
0.340	-	3	0.8 %
0.360	-	1	0.3 %
0.370	-	1	0.3 %
0.380	-	1	0.3 %
0.390	-	3	0.8 %
0.400	-	1	0.3 %
0.402	-	1	0.3 %
0.416	-	1	0.3 %
0.420	-	3	0.8 %
0.440	-	3	0.8 %
0.450	-	3	0.8 %
0.460	-	2	0.5 %
0.470	-	4	1.0 %
0.480	-	4	1.0 %
0.500	-	3	0.8 %
0.510	-	3	0.8 %
0.520	-	1	0.3 %
0.530	-	4	1.0 %
0.550	-	4	1.0 %
0.560	-	5	1.3 %
0.570	-	1	0.3 %

Value	Label	Unweighted Frequency	%
0.580	-	1	0.3 %
0.590	-	2	0.5 %
0.600	-	2	0.5 %
0.610	-	2	0.5 %
0.620	-	3	0.8 %
0.630	-	1	0.3 %
0.640	-	2	0.5 %
0.650	-	3	0.8 %
0.660	-	5	1.3 %
0.670	-	2	0.5 %
0.680	-	3	0.8 %
0.690	-	2	0.5 %
0.700	-	1	0.3 %
0.710	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 1.643
- Median: 1.045
- Minimum: 0.030
- Maximum: 21.200
- Standard Deviation: 2.110

Location: 955-960 (width: 6; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 97.000 , 98.000 , 99.000

J2BSIL6R: Biocore soluble interleukin 6 receptor (sIL6R) (pg/mL)

Biocore soluble interleukin 6 receptor (sIL6R) (pg/mL)

Value	Label	Unweighted Frequency	%
17291	-	1	0.3 %
19150	-	1	0.3 %
19693	-	1	0.3 %
19853	-	1	0.3 %
20005	-	1	0.3 %
20443	-	1	0.3 %
20894	-	1	0.3 %
21005	-	1	0.3 %

Value	Label	Unweighted Frequency	%
21468	-	1	0.3 %
22230	-	1	0.3 %
22308	-	1	0.3 %
22603	-	1	0.3 %
22676	-	1	0.3 %
22734	-	1	0.3 %
22826	-	1	0.3 %
22835	-	1	0.3 %
22901	-	1	0.3 %
23026	-	1	0.3 %
23061	-	1	0.3 %
23169	-	1	0.3 %
23237	-	1	0.3 %
23278	-	1	0.3 %
23322	-	1	0.3 %
23414	-	1	0.3 %
23623	-	1	0.3 %
23782	-	1	0.3 %
24013	-	1	0.3 %
24139	-	1	0.3 %
24151	-	1	0.3 %
24384	-	1	0.3 %
24416	-	1	0.3 %
24669	-	1	0.3 %
24728	-	1	0.3 %
24778	-	1	0.3 %
24792	-	1	0.3 %
25012	-	1	0.3 %
25118	-	1	0.3 %
25245	-	1	0.3 %
25246	-	1	0.3 %
25258	-	1	0.3 %
25379	-	1	0.3 %
25385	-	1	0.3 %
25420	-	1	0.3 %
25590	-	1	0.3 %
25630	-	1	0.3 %
25830	-	1	0.3 %
26145	-	1	0.3 %

Value	Label	Unweighted Frequency	%
26173	-	1	0.3 %
26356	-	1	0.3 %
26493	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 37443.96
- Minimum: 17291.00
- Maximum: 72586.00
- Standard Deviation: 9784.61

Location: 961-965 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99997 , 99998 , 99999

J2BFGN: Biocore fibrinogen (mg/dL)

Biocore fibrinogen (mg/dL)

Value	Label	Unweighted Frequency	%
180	-	1	0.3 %
197	-	1	0.3 %
202	-	1	0.3 %
213	-	1	0.3 %
216	-	3	0.8 %
217	-	2	0.5 %
219	-	1	0.3 %
220	-	1	0.3 %
222	-	1	0.3 %
226	-	4	1.0 %
229	-	5	1.3 %
231	-	2	0.5 %
232	-	1	0.3 %
233	-	2	0.5 %
238	-	3	0.8 %
240	-	1	0.3 %
242	-	1	0.3 %
243	-	2	0.5 %
246	-	1	0.3 %
247	-	4	1.0 %

Value	Label	Unweighted Frequency	%
248	-	1	0.3 %
249	-	2	0.5 %
251	-	5	1.3 %
253	-	2	0.5 %
254	-	2	0.5 %
255	-	4	1.0 %
256	-	2	0.5 %
257	-	1	0.3 %
258	-	1	0.3 %
259	-	2	0.5 %
260	-	3	0.8 %
262	-	2	0.5 %
263	-	2	0.5 %
264	-	1	0.3 %
265	-	5	1.3 %
266	-	2	0.5 %
267	-	4	1.0 %
268	-	1	0.3 %
269	-	2	0.5 %
270	-	2	0.5 %
271	-	3	0.8 %
272	-	9	2.4 %
273	-	2	0.5 %
274	-	1	0.3 %
275	-	2	0.5 %
276	-	1	0.3 %
277	-	1	0.3 %
278	-	1	0.3 %
279	-	1	0.3 %
280	-	4	1.0 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 319.09
- Median: 308.50
- Mode: 272.00
- Minimum: 180.00
- Maximum: 584.00

- Standard Deviation: 64.05

Location: 966-968 (*width:* 3; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

J2BCRP: Biocore C-reactive protein (ug/mL)

Biocore C-reactive protein (ug/mL)

Value	Label	Unweighted Frequency	%
0.02	-	1	0.3 %
0.03	-	1	0.3 %
0.04	-	5	1.3 %
0.05	-	1	0.3 %
0.06	-	4	1.0 %
0.07	-	1	0.3 %
0.08	-	9	2.4 %
0.09	-	4	1.0 %
0.10	-	8	2.1 %
0.11	-	9	2.4 %
0.12	-	7	1.8 %
0.13	-	9	2.4 %
0.14	-	15	3.9 %
0.15	-	8	2.1 %
0.16	-	14	3.7 %
0.17	-	18	4.7 %
0.18	-	20	5.2 %
0.19	-	13	3.4 %
0.20	-	12	3.1 %
0.21	-	1	0.3 %
0.22	-	9	2.4 %
0.23	-	8	2.1 %
0.24	-	7	1.8 %
0.25	-	3	0.8 %
0.26	-	7	1.8 %
0.27	-	2	0.5 %
0.28	-	6	1.6 %
0.29	-	3	0.8 %
0.30	-	3	0.8 %
0.31	-	3	0.8 %
0.32	-	2	0.5 %
0.33	-	6	1.6 %

Value	Label	Unweighted Frequency	%
0.34	-	5	1.3 %
0.35	-	2	0.5 %
0.36	-	6	1.6 %
0.37	-	1	0.3 %
0.38	-	1	0.3 %
0.39	-	2	0.5 %
0.40	-	5	1.3 %
0.41	-	4	1.0 %
0.42	-	4	1.0 %
0.43	-	2	0.5 %
0.44	-	2	0.5 %
0.45	-	2	0.5 %
0.47	-	3	0.8 %
0.48	-	1	0.3 %
0.49	-	2	0.5 %
0.50	-	4	1.0 %
0.51	-	2	0.5 %
0.53	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 0.75
- Median: 0.26
- Mode: 0.18
- Minimum: 0.02
- Maximum: 30.70
- Standard Deviation: 2.00

Location: 969-973 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2CHBA1C: Tokyo lab diabetes: hemoglobin A1c (percent)

Tokyo lab diabetes: hemoglobin A1c (percent)

Value	Label	Unweighted Frequency	%
4.0	-	2	0.5 %
4.3	-	3	0.8 %
4.4	-	10	2.6 %

Value	Label	Unweighted Frequency	%
4.5	-	13	3.4 %
4.6	-	24	6.3 %
4.7	-	32	8.4 %
4.8	-	43	11.3 %
4.9	-	45	11.8 %
5.0	-	35	9.2 %
5.1	-	38	9.9 %
5.2	-	47	12.3 %
5.3	-	17	4.5 %
5.4	-	18	4.7 %
5.5	-	12	3.1 %
5.6	-	4	1.0 %
5.7	-	3	0.8 %
5.8	-	8	2.1 %
5.9	-	2	0.5 %
6.0	-	3	0.8 %
6.1	-	2	0.5 %
6.3	-	2	0.5 %
6.4	-	4	1.0 %
6.6	-	2	0.5 %
6.7	-	2	0.5 %
6.8	-	1	0.3 %
7.0	-	2	0.5 %
7.1	-	3	0.8 %
7.5	-	1	0.3 %
7.6	-	1	0.3 %
7.7	-	1	0.3 %
8.2	-	1	0.3 %
10.0	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 5.11
- Median: 5.00
- Mode: 5.20
- Minimum: 4.00
- Maximum: 10.00
- Standard Deviation: 0.61

Location: 974-977 (*width:* 4; *decimal:* 1)

Variable Type: numeric

J2BHA1CA: Tokyo lab diabetes: Midlife in the United States (MIDUS) adjusted hemoglobin A1c (percent)

Tokyo lab diabetes: Midlife in the United States (MIDUS) adjusted hemoglobin A1c (percent)

Value	Label	Unweighted Frequency	%
4.8	-	2	0.5 %
5.1	-	13	3.4 %
5.2	-	13	3.4 %
5.3	-	24	6.3 %
5.4	-	32	8.4 %
5.5	-	43	11.3 %
5.6	-	80	20.9 %
5.7	-	38	9.9 %
5.8	-	47	12.3 %
5.9	-	17	4.5 %
6.0	-	18	4.7 %
6.1	-	16	4.2 %
6.2	-	3	0.8 %
6.3	-	8	2.1 %
6.4	-	2	0.5 %
6.5	-	3	0.8 %
6.6	-	2	0.5 %
6.7	-	2	0.5 %
6.8	-	4	1.0 %
7.0	-	2	0.5 %
7.1	-	2	0.5 %
7.2	-	1	0.3 %
7.3	-	2	0.5 %
7.4	-	3	0.8 %
7.7	-	1	0.3 %
7.8	-	1	0.3 %
7.9	-	1	0.3 %
8.3	-	1	0.3 %
9.8	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 5.74
- Median: 5.60
- Mode: 5.60

- Minimum: 4.80
- Maximum: 9.80
- Standard Deviation: 0.51

Location: 978-980 (width: 3; decimal: 1)

Variable Type: numeric

J2CTCHOL: Tokyo lab serum lipids: total cholesterol (mg/dL)

Tokyo lab serum lipids: total cholesterol (mg/dL)

Value	Label	Unweighted Frequency	%
118	-	2	0.5 %
121	-	1	0.3 %
127	-	1	0.3 %
130	-	2	0.5 %
131	-	1	0.3 %
132	-	1	0.3 %
136	-	1	0.3 %
137	-	1	0.3 %
140	-	1	0.3 %
141	-	1	0.3 %
144	-	3	0.8 %
145	-	1	0.3 %
147	-	1	0.3 %
148	-	4	1.0 %
152	-	1	0.3 %
153	-	1	0.3 %
154	-	2	0.5 %
156	-	3	0.8 %
157	-	2	0.5 %
158	-	1	0.3 %
159	-	2	0.5 %
160	-	2	0.5 %
161	-	4	1.0 %
162	-	6	1.6 %
163	-	3	0.8 %
164	-	3	0.8 %
165	-	2	0.5 %
166	-	1	0.3 %
167	-	2	0.5 %
169	-	1	0.3 %
171	-	5	1.3 %

Value	Label	Unweighted Frequency	%
173	-	3	0.8 %
175	-	4	1.0 %
176	-	3	0.8 %
177	-	4	1.0 %
178	-	2	0.5 %
179	-	7	1.8 %
180	-	4	1.0 %
181	-	2	0.5 %
182	-	4	1.0 %
183	-	4	1.0 %
184	-	5	1.3 %
185	-	5	1.3 %
186	-	6	1.6 %
187	-	3	0.8 %
188	-	1	0.3 %
189	-	4	1.0 %
190	-	2	0.5 %
191	-	2	0.5 %
192	-	5	1.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 210.02
- Median: 209.00
- Minimum: 118.00
- Maximum: 363.00
- Standard Deviation: 39.28

Location: 981-983 (width: 3; decimal: 0)

Variable Type: numeric

J2CHDL: Tokyo lab serum lipids: HDL cholesterol (mg/dL)

Tokyo lab serum lipids: HDL cholesterol (mg/dL)

Value	Label	Unweighted Frequency	%
34	-	2	0.5 %
35	-	1	0.3 %
36	-	2	0.5 %
37	-	3	0.8 %

Value	Label	Unweighted Frequency	%
38	-	7	1.8 %
39	-	2	0.5 %
40	-	1	0.3 %
41	-	3	0.8 %
42	-	1	0.3 %
43	-	3	0.8 %
44	-	7	1.8 %
45	-	4	1.0 %
46	-	2	0.5 %
47	-	10	2.6 %
48	-	5	1.3 %
49	-	3	0.8 %
50	-	5	1.3 %
51	-	10	2.6 %
52	-	6	1.6 %
53	-	9	2.4 %
54	-	7	1.8 %
55	-	5	1.3 %
56	-	11	2.9 %
57	-	14	3.7 %
58	-	6	1.6 %
59	-	3	0.8 %
60	-	10	2.6 %
61	-	7	1.8 %
62	-	9	2.4 %
63	-	11	2.9 %
64	-	11	2.9 %
65	-	12	3.1 %
66	-	8	2.1 %
67	-	11	2.9 %
68	-	13	3.4 %
69	-	4	1.0 %
70	-	10	2.6 %
71	-	4	1.0 %
72	-	4	1.0 %
73	-	6	1.6 %
74	-	5	1.3 %
75	-	7	1.8 %
76	-	8	2.1 %

Value	Label	Unweighted Frequency	%
77	-	2	0.5 %
78	-	7	1.8 %
79	-	8	2.1 %
80	-	3	0.8 %
81	-	9	2.4 %
82	-	7	1.8 %
83	-	5	1.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 67.24
- Median: 65.00
- Mode: 57.00
- Minimum: 34.00
- Maximum: 126.00
- Standard Deviation: 17.01

Location: 984-986 (width: 3; decimal: 0)

Variable Type: numeric

J2CLDL: Tokyo lab serum lipids: LDL cholesterol (mg/dL)

Tokyo lab serum lipids: LDL cholesterol (mg/dL)

Value	Label	Unweighted Frequency	%
20	-	1	0.3 %
34	-	1	0.3 %
36	-	1	0.3 %
41	-	1	0.3 %
49	-	2	0.5 %
50	-	1	0.3 %
54	-	1	0.3 %
55	-	1	0.3 %
56	-	1	0.3 %
58	-	1	0.3 %
61	-	3	0.8 %
62	-	1	0.3 %
64	-	2	0.5 %
65	-	1	0.3 %
66	-	3	0.8 %

Value	Label	Unweighted Frequency	%
68	-	1	0.3 %
70	-	1	0.3 %
71	-	3	0.8 %
72	-	1	0.3 %
75	-	1	0.3 %
76	-	2	0.5 %
78	-	1	0.3 %
79	-	2	0.5 %
80	-	5	1.3 %
81	-	2	0.5 %
82	-	4	1.0 %
83	-	1	0.3 %
84	-	3	0.8 %
85	-	6	1.6 %
86	-	1	0.3 %
87	-	2	0.5 %
88	-	3	0.8 %
89	-	3	0.8 %
90	-	2	0.5 %
91	-	6	1.6 %
92	-	3	0.8 %
93	-	3	0.8 %
94	-	5	1.3 %
95	-	3	0.8 %
96	-	9	2.4 %
97	-	5	1.3 %
98	-	5	1.3 %
99	-	3	0.8 %
100	-	4	1.0 %
101	-	4	1.0 %
102	-	4	1.0 %
103	-	6	1.6 %
104	-	6	1.6 %
105	-	5	1.3 %
106	-	3	0.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 118.66
- Median: 115.50
- Minimum: 20.00
- Maximum: 283.00
- Standard Deviation: 33.40

Location: 987-989 (width: 3; decimal: 0)

Variable Type: numeric

J2CTRIG: Tokyo lab serum lipids: triglyceride (mg/dL)

Tokyo lab serum lipids: triglyceride (mg/dL)

Value	Label	Unweighted Frequency	%
30	-	1	0.3 %
31	-	1	0.3 %
32	-	1	0.3 %
33	-	1	0.3 %
34	-	3	0.8 %
35	-	2	0.5 %
36	-	1	0.3 %
37	-	1	0.3 %
39	-	1	0.3 %
40	-	1	0.3 %
41	-	3	0.8 %
42	-	1	0.3 %
43	-	4	1.0 %
45	-	2	0.5 %
46	-	2	0.5 %
47	-	1	0.3 %
48	-	3	0.8 %
49	-	1	0.3 %
50	-	1	0.3 %
51	-	1	0.3 %
52	-	3	0.8 %
53	-	4	1.0 %
54	-	4	1.0 %
55	-	4	1.0 %
56	-	4	1.0 %
57	-	3	0.8 %
58	-	1	0.3 %
59	-	2	0.5 %

Value	Label	Unweighted Frequency	%
60	-	3	0.8 %
61	-	2	0.5 %
62	-	2	0.5 %
63	-	2	0.5 %
64	-	1	0.3 %
65	-	5	1.3 %
66	-	3	0.8 %
67	-	3	0.8 %
68	-	2	0.5 %
69	-	1	0.3 %
70	-	4	1.0 %
71	-	3	0.8 %
72	-	5	1.3 %
73	-	1	0.3 %
75	-	1	0.3 %
76	-	2	0.5 %
77	-	3	0.8 %
78	-	3	0.8 %
80	-	2	0.5 %
81	-	2	0.5 %
82	-	3	0.8 %
83	-	5	1.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 144.65
- Median: 114.00
- Mode: 87.00
- Minimum: 30.00
- Maximum: 920.00
- Standard Deviation: 113.31

Location: 990-992 (width: 3; decimal: 0)

Variable Type: numeric

J2CRTHDL: Tokyo lab serum lipids: ratio total/HDL cholesterol

Tokyo lab serum lipids: ratio total/HDL cholesterol

Value	Label	Unweighted Frequency	%
1.47	-	1	0.3 %
1.64	-	1	0.3 %
1.81	-	1	0.3 %
1.88	-	1	0.3 %
1.90	-	1	0.3 %
1.93	-	1	0.3 %
1.97	-	1	0.3 %
1.98	-	2	0.5 %
2.02	-	1	0.3 %
2.03	-	1	0.3 %
2.07	-	2	0.5 %
2.09	-	2	0.5 %
2.10	-	1	0.3 %
2.11	-	2	0.5 %
2.12	-	4	1.0 %
2.14	-	3	0.8 %
2.15	-	1	0.3 %
2.16	-	1	0.3 %
2.17	-	2	0.5 %
2.18	-	1	0.3 %
2.19	-	2	0.5 %
2.21	-	2	0.5 %
2.26	-	1	0.3 %
2.28	-	1	0.3 %
2.29	-	1	0.3 %
2.30	-	1	0.3 %
2.31	-	2	0.5 %
2.32	-	1	0.3 %
2.33	-	1	0.3 %
2.34	-	1	0.3 %
2.35	-	1	0.3 %
2.36	-	2	0.5 %
2.37	-	2	0.5 %
2.38	-	3	0.8 %
2.39	-	3	0.8 %
2.40	-	3	0.8 %
2.41	-	4	1.0 %
2.42	-	2	0.5 %
2.44	-	1	0.3 %

Value	Label	Unweighted Frequency	%
2.45	-	2	0.5 %
2.46	-	2	0.5 %
2.47	-	2	0.5 %
2.48	-	4	1.0 %
2.49	-	2	0.5 %
2.51	-	3	0.8 %
2.52	-	2	0.5 %
2.53	-	1	0.3 %
2.54	-	2	0.5 %
2.56	-	1	0.3 %
2.57	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 3.29
- Median: 3.10
- Mode: 3.43
- Minimum: 1.47
- Maximum: 8.25
- Standard Deviation: 0.95

Location: 993-996 (width: 4; decimal: 2)

Variable Type: numeric

J2CGOT: Tokyo lab liver function: GOT (glutamic-oxaloacetic transaminase)

Tokyo lab liver function: GOT (glutamic-oxaloacetic transaminase)

Value	Label	Unweighted Frequency	%
6	-	1	0.3 %
10	-	3	0.8 %
11	-	3	0.8 %
12	-	8	2.1 %
13	-	6	1.6 %
14	-	9	2.4 %
15	-	16	4.2 %
16	-	25	6.5 %
17	-	25	6.5 %
18	-	34	8.9 %
19	-	26	6.8 %

Value	Label	Unweighted Frequency	%
20	-	27	7.1 %
21	-	28	7.3 %
22	-	25	6.5 %
23	-	15	3.9 %
24	-	23	6.0 %
25	-	14	3.7 %
26	-	22	5.8 %
27	-	4	1.0 %
28	-	7	1.8 %
29	-	5	1.3 %
30	-	5	1.3 %
31	-	5	1.3 %
32	-	5	1.3 %
33	-	2	0.5 %
34	-	3	0.8 %
35	-	5	1.3 %
36	-	4	1.0 %
37	-	1	0.3 %
38	-	4	1.0 %
39	-	2	0.5 %
40	-	1	0.3 %
41	-	2	0.5 %
42	-	1	0.3 %
43	-	2	0.5 %
44	-	1	0.3 %
45	-	2	0.5 %
46	-	2	0.5 %
50	-	1	0.3 %
51	-	1	0.3 %
55	-	1	0.3 %
56	-	1	0.3 %
62	-	1	0.3 %
72	-	1	0.3 %
76	-	1	0.3 %
77	-	1	0.3 %
171	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 23.17
- Median: 21.00
- Mode: 18.00
- Minimum: 6.00
- Maximum: 171.00
- Standard Deviation: 11.83

Location: 997-999 (width: 3; decimal: 0)

Variable Type: numeric

J2CGPT: Tokyo lab liver function: GPT (glutamic-pyruvic transaminase)

Tokyo lab liver function: GPT (glutamic-pyruvic transaminase)

Value	Label	Unweighted Frequency	%
5	-	1	0.3 %
6	-	2	0.5 %
7	-	5	1.3 %
8	-	6	1.6 %
9	-	11	2.9 %
10	-	20	5.2 %
11	-	20	5.2 %
12	-	19	5.0 %
13	-	17	4.5 %
14	-	34	8.9 %
15	-	25	6.5 %
16	-	23	6.0 %
17	-	13	3.4 %
18	-	14	3.7 %
19	-	21	5.5 %
20	-	16	4.2 %
21	-	12	3.1 %
22	-	12	3.1 %
23	-	14	3.7 %
24	-	12	3.1 %
25	-	9	2.4 %
26	-	10	2.6 %
27	-	5	1.3 %
28	-	5	1.3 %
29	-	6	1.6 %
30	-	4	1.0 %
31	-	4	1.0 %
32	-	2	0.5 %
33	-	4	1.0 %

Value	Label	Unweighted Frequency	%
34	-	3	0.8 %
35	-	2	0.5 %
36	-	2	0.5 %
37	-	2	0.5 %
38	-	5	1.3 %
39	-	1	0.3 %
40	-	1	0.3 %
41	-	1	0.3 %
42	-	4	1.0 %
45	-	2	0.5 %
46	-	1	0.3 %
47	-	1	0.3 %
48	-	1	0.3 %
49	-	1	0.3 %
50	-	1	0.3 %
56	-	1	0.3 %
60	-	1	0.3 %
63	-	2	0.5 %
73	-	1	0.3 %
97	-	1	0.3 %
99	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 20.30
- Median: 17.00
- Mode: 14.00
- Minimum: 5.00
- Maximum: 139.00
- Standard Deviation: 12.90

Location: 1000-1002 (width: 3; decimal: 0)

Variable Type: numeric

J2CGGTP: Tokyo lab liver function: gamma-GTP (glutamyl transpeptidase)

Tokyo lab liver function: gamma-GTP (glutamyl transpeptidase)

Value	Label	Unweighted Frequency	%
8	-	1	0.3 %

Value	Label	Unweighted Frequency	%
9	-	10	2.6 %
10	-	13	3.4 %
11	-	14	3.7 %
12	-	17	4.5 %
13	-	21	5.5 %
14	-	20	5.2 %
15	-	20	5.2 %
16	-	18	4.7 %
17	-	18	4.7 %
18	-	10	2.6 %
19	-	11	2.9 %
20	-	5	1.3 %
21	-	8	2.1 %
22	-	10	2.6 %
23	-	6	1.6 %
24	-	10	2.6 %
25	-	4	1.0 %
26	-	12	3.1 %
27	-	6	1.6 %
28	-	4	1.0 %
29	-	8	2.1 %
30	-	4	1.0 %
31	-	9	2.4 %
32	-	5	1.3 %
33	-	3	0.8 %
34	-	3	0.8 %
35	-	4	1.0 %
36	-	5	1.3 %
38	-	4	1.0 %
39	-	1	0.3 %
40	-	4	1.0 %
41	-	4	1.0 %
42	-	2	0.5 %
43	-	4	1.0 %
44	-	5	1.3 %
45	-	1	0.3 %
46	-	4	1.0 %
47	-	2	0.5 %
48	-	1	0.3 %

Value	Label	Unweighted Frequency	%
49	-	3	0.8 %
50	-	2	0.5 %
51	-	1	0.3 %
52	-	2	0.5 %
54	-	4	1.0 %
55	-	4	1.0 %
56	-	1	0.3 %
57	-	1	0.3 %
58	-	2	0.5 %
60	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 35.53
- Median: 22.00
- Mode: 13.00
- Minimum: 8.00
- Maximum: 287.00
- Standard Deviation: 40.33

Location: 1003-1005 (width: 3; decimal: 0)

Variable Type: numeric

J2CSURIC: Tokyo lab gout: serum uric acid

Tokyo lab gout: serum uric acid

Value	Label	Unweighted Frequency	%
2.1	-	1	0.3 %
2.5	-	2	0.5 %
2.6	-	1	0.3 %
2.7	-	3	0.8 %
2.8	-	1	0.3 %
2.9	-	2	0.5 %
3.0	-	2	0.5 %
3.1	-	2	0.5 %
3.2	-	1	0.3 %
3.3	-	3	0.8 %
3.4	-	2	0.5 %
3.5	-	4	1.0 %

Value	Label	Unweighted Frequency	%
3.6	-	7	1.8 %
3.7	-	7	1.8 %
3.8	-	7	1.8 %
3.9	-	7	1.8 %
4.0	-	16	4.2 %
4.1	-	12	3.1 %
4.2	-	7	1.8 %
4.3	-	12	3.1 %
4.4	-	9	2.4 %
4.5	-	15	3.9 %
4.6	-	12	3.1 %
4.7	-	9	2.4 %
4.8	-	11	2.9 %
4.9	-	10	2.6 %
5.0	-	13	3.4 %
5.1	-	11	2.9 %
5.2	-	13	3.4 %
5.3	-	12	3.1 %
5.4	-	10	2.6 %
5.5	-	12	3.1 %
5.6	-	8	2.1 %
5.7	-	11	2.9 %
5.8	-	5	1.3 %
5.9	-	9	2.4 %
6.0	-	7	1.8 %
6.1	-	5	1.3 %
6.2	-	7	1.8 %
6.3	-	2	0.5 %
6.4	-	5	1.3 %
6.5	-	10	2.6 %
6.6	-	3	0.8 %
6.7	-	9	2.4 %
6.8	-	5	1.3 %
6.9	-	9	2.4 %
7.0	-	4	1.0 %
7.1	-	4	1.0 %
7.2	-	7	1.8 %
7.3	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 5.34
- Median: 5.20
- Mode: 4.00
- Minimum: 2.10
- Maximum: 9.70
- Standard Deviation: 1.38

Location: 1006-1008 (width: 3; decimal: 1)

Variable Type: numeric

J2CUREA: Tokyo lab renal function: BUN (blood urea nitrogen)

Tokyo lab renal function: BUN (blood urea nitrogen)

Value	Label	Unweighted Frequency	%
5.6	-	1	0.3 %
6.0	-	1	0.3 %
7.4	-	1	0.3 %
8.2	-	1	0.3 %
8.4	-	1	0.3 %
8.5	-	1	0.3 %
8.7	-	2	0.5 %
9.1	-	2	0.5 %
9.2	-	2	0.5 %
9.3	-	1	0.3 %
9.4	-	1	0.3 %
9.7	-	4	1.0 %
9.8	-	2	0.5 %
9.9	-	3	0.8 %
10.0	-	2	0.5 %
10.1	-	2	0.5 %
10.3	-	1	0.3 %
10.4	-	2	0.5 %
10.5	-	1	0.3 %
10.6	-	3	0.8 %
10.7	-	2	0.5 %
10.8	-	2	0.5 %
10.9	-	5	1.3 %
11.0	-	3	0.8 %
11.1	-	3	0.8 %

Value	Label	Unweighted Frequency	%
11.2	-	3	0.8 %
11.3	-	5	1.3 %
11.4	-	3	0.8 %
11.6	-	6	1.6 %
11.7	-	3	0.8 %
11.8	-	4	1.0 %
11.9	-	4	1.0 %
12.0	-	3	0.8 %
12.1	-	10	2.6 %
12.2	-	3	0.8 %
12.3	-	4	1.0 %
12.4	-	3	0.8 %
12.5	-	4	1.0 %
12.6	-	4	1.0 %
12.7	-	3	0.8 %
12.8	-	9	2.4 %
12.9	-	5	1.3 %
13.0	-	5	1.3 %
13.1	-	5	1.3 %
13.2	-	2	0.5 %
13.3	-	7	1.8 %
13.4	-	2	0.5 %
13.5	-	5	1.3 %
13.6	-	5	1.3 %
13.7	-	3	0.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 14.96
- Median: 14.75
- Mode: 12.10
- Minimum: 5.60
- Maximum: 29.90
- Standard Deviation: 3.64

Location: 1009-1012 (*width:* 4; *decimal:* 1)

Variable Type: numeric

J2CWBC: Tokyo lab anemia: white blood cell count

Tokyo lab anemia: white blood cell count

Value	Label	Unweighted Frequency	%
18	-	1	0.3 %
19	-	1	0.3 %
21	-	1	0.3 %
24	-	1	0.3 %
26	-	1	0.3 %
27	-	1	0.3 %
28	-	3	0.8 %
29	-	3	0.8 %
30	-	4	1.0 %
31	-	5	1.3 %
32	-	3	0.8 %
33	-	3	0.8 %
34	-	3	0.8 %
35	-	2	0.5 %
36	-	10	2.6 %
37	-	5	1.3 %
38	-	10	2.6 %
39	-	4	1.0 %
40	-	8	2.1 %
41	-	10	2.6 %
42	-	13	3.4 %
43	-	16	4.2 %
44	-	13	3.4 %
45	-	22	5.8 %
46	-	9	2.4 %
47	-	10	2.6 %
48	-	10	2.6 %
49	-	13	3.4 %
50	-	10	2.6 %
51	-	8	2.1 %
52	-	17	4.5 %
53	-	6	1.6 %
54	-	13	3.4 %
55	-	5	1.3 %
56	-	20	5.2 %
57	-	3	0.8 %
58	-	7	1.8 %
59	-	6	1.6 %

Value	Label	Unweighted Frequency	%
60	-	12	3.1 %
61	-	5	1.3 %
62	-	2	0.5 %
63	-	8	2.1 %
64	-	4	1.0 %
65	-	6	1.6 %
66	-	5	1.3 %
67	-	6	1.6 %
68	-	2	0.5 %
69	-	4	1.0 %
70	-	5	1.3 %
71	-	6	1.6 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 52.05
- Median: 50.00
- Mode: 45.00
- Minimum: 18.00
- Maximum: 95.00
- Standard Deviation: 13.96

Location: 1013-1014 (width: 2; decimal: 0)

Variable Type: numeric

J2CRBC: Tokyo lab anemia: red blood cell count

Tokyo lab anemia: red blood cell count

Value	Label	Unweighted Frequency	%
299	-	1	0.3 %
336	-	1	0.3 %
352	-	1	0.3 %
361	-	2	0.5 %
364	-	1	0.3 %
365	-	1	0.3 %
366	-	1	0.3 %
371	-	2	0.5 %
374	-	1	0.3 %
375	-	1	0.3 %

Value	Label	Unweighted Frequency	%
376	-	1	0.3 %
377	-	3	0.8 %
379	-	1	0.3 %
383	-	2	0.5 %
384	-	1	0.3 %
386	-	1	0.3 %
387	-	1	0.3 %
388	-	2	0.5 %
390	-	2	0.5 %
391	-	1	0.3 %
392	-	2	0.5 %
393	-	3	0.8 %
394	-	2	0.5 %
395	-	2	0.5 %
396	-	3	0.8 %
397	-	5	1.3 %
398	-	1	0.3 %
399	-	1	0.3 %
400	-	4	1.0 %
401	-	3	0.8 %
402	-	2	0.5 %
403	-	3	0.8 %
404	-	2	0.5 %
405	-	2	0.5 %
406	-	2	0.5 %
407	-	1	0.3 %
408	-	3	0.8 %
409	-	2	0.5 %
410	-	1	0.3 %
411	-	3	0.8 %
412	-	4	1.0 %
413	-	4	1.0 %
414	-	2	0.5 %
415	-	7	1.8 %
417	-	2	0.5 %
418	-	4	1.0 %
419	-	3	0.8 %
420	-	1	0.3 %
421	-	2	0.5 %

Value	Label	Unweighted Frequency	%
422	-	3	0.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 449.60
- Median: 451.00
- Mode: 443.00
- Minimum: 299.00
- Maximum: 571.00
- Standard Deviation: 42.24

Location: 1015-1017 (width: 3; decimal: 0)

Variable Type: numeric

J2CHGB: Tokyo lab anemia: hemoglobin (HGB)

Tokyo lab anemia: hemoglobin (HGB)

Value	Label	Unweighted Frequency	%
9.1	-	1	0.3 %
9.2	-	1	0.3 %
9.6	-	1	0.3 %
9.7	-	1	0.3 %
10.5	-	1	0.3 %
10.6	-	3	0.8 %
10.7	-	2	0.5 %
10.9	-	2	0.5 %
11.0	-	2	0.5 %
11.1	-	1	0.3 %
11.2	-	4	1.0 %
11.3	-	2	0.5 %
11.4	-	3	0.8 %
11.5	-	3	0.8 %
11.6	-	2	0.5 %
11.7	-	6	1.6 %
11.8	-	8	2.1 %
11.9	-	4	1.0 %
12.0	-	4	1.0 %
12.1	-	5	1.3 %
12.2	-	6	1.6 %

Value	Label	Unweighted Frequency	%
12.3	-	3	0.8 %
12.4	-	8	2.1 %
12.5	-	7	1.8 %
12.6	-	10	2.6 %
12.7	-	6	1.6 %
12.8	-	10	2.6 %
12.9	-	9	2.4 %
13.0	-	7	1.8 %
13.1	-	11	2.9 %
13.2	-	7	1.8 %
13.3	-	7	1.8 %
13.4	-	17	4.5 %
13.5	-	12	3.1 %
13.6	-	16	4.2 %
13.7	-	11	2.9 %
13.8	-	9	2.4 %
13.9	-	10	2.6 %
14.0	-	13	3.4 %
14.1	-	7	1.8 %
14.2	-	9	2.4 %
14.3	-	7	1.8 %
14.4	-	9	2.4 %
14.5	-	10	2.6 %
14.6	-	5	1.3 %
14.7	-	13	3.4 %
14.8	-	8	2.1 %
14.9	-	6	1.6 %
15.0	-	4	1.0 %
15.1	-	7	1.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 13.67
- Median: 13.60
- Mode: 13.40
- Minimum: 9.10
- Maximum: 17.70
- Standard Deviation: 1.44

Location: 1018-1021 (width: 4; decimal: 1)

Variable Type: numeric

J2CHTC: Tokyo lab anemia: hematocrit (HTC)

Tokyo lab anemia: hematocrit (HTC)

Value	Label	Unweighted Frequency	%
30.8	-	1	0.3 %
32.3	-	1	0.3 %
32.4	-	1	0.3 %
32.7	-	1	0.3 %
34.2	-	2	0.5 %
34.3	-	1	0.3 %
34.5	-	1	0.3 %
35.0	-	1	0.3 %
35.2	-	3	0.8 %
35.4	-	1	0.3 %
35.5	-	1	0.3 %
35.6	-	1	0.3 %
35.7	-	1	0.3 %
35.9	-	1	0.3 %
36.1	-	1	0.3 %
36.2	-	3	0.8 %
36.3	-	2	0.5 %
36.4	-	1	0.3 %
36.6	-	1	0.3 %
36.7	-	2	0.5 %
37.0	-	1	0.3 %
37.1	-	2	0.5 %
37.2	-	2	0.5 %
37.3	-	1	0.3 %
37.4	-	3	0.8 %
37.5	-	3	0.8 %
37.6	-	2	0.5 %
37.7	-	1	0.3 %
37.8	-	4	1.0 %
37.9	-	1	0.3 %
38.3	-	4	1.0 %
38.4	-	2	0.5 %
38.5	-	4	1.0 %
38.6	-	2	0.5 %

Value	Label	Unweighted Frequency	%
38.7	-	2	0.5 %
38.8	-	1	0.3 %
39.0	-	5	1.3 %
39.1	-	5	1.3 %
39.2	-	2	0.5 %
39.3	-	4	1.0 %
39.4	-	3	0.8 %
39.5	-	3	0.8 %
39.6	-	1	0.3 %
39.7	-	4	1.0 %
39.8	-	3	0.8 %
39.9	-	1	0.3 %
40.0	-	2	0.5 %
40.1	-	3	0.8 %
40.2	-	4	1.0 %
40.3	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 42.82
- Median: 42.75
- Minimum: 30.80
- Maximum: 52.30
- Standard Deviation: 3.99

Location: 1022-1025 (width: 4; decimal: 1)

Variable Type: numeric

J2CMCV: Tokyo lab anemia: mean cell volume (MCV)

Tokyo lab anemia: mean cell volume (MCV)

Value	Label	Unweighted Frequency	%
73.9	-	1	0.3 %
74.2	-	1	0.3 %
77.8	-	1	0.3 %
80.1	-	2	0.5 %
80.3	-	1	0.3 %
80.5	-	1	0.3 %
82.2	-	1	0.3 %

Value	Label	Unweighted Frequency	%
83.8	-	2	0.5 %
83.9	-	1	0.3 %
84.0	-	2	0.5 %
84.4	-	1	0.3 %
84.5	-	1	0.3 %
84.6	-	1	0.3 %
85.2	-	2	0.5 %
85.9	-	1	0.3 %
86.3	-	1	0.3 %
86.4	-	1	0.3 %
86.6	-	1	0.3 %
86.9	-	1	0.3 %
87.5	-	1	0.3 %
87.7	-	1	0.3 %
88.1	-	1	0.3 %
88.2	-	2	0.5 %
88.6	-	1	0.3 %
88.7	-	1	0.3 %
88.8	-	2	0.5 %
89.0	-	1	0.3 %
89.1	-	1	0.3 %
89.2	-	1	0.3 %
89.3	-	1	0.3 %
89.4	-	2	0.5 %
89.5	-	1	0.3 %
89.6	-	1	0.3 %
89.7	-	1	0.3 %
89.8	-	1	0.3 %
90.0	-	1	0.3 %
90.2	-	1	0.3 %
90.3	-	2	0.5 %
90.6	-	2	0.5 %
90.7	-	2	0.5 %
90.8	-	2	0.5 %
91.0	-	3	0.8 %
91.2	-	2	0.5 %
91.4	-	1	0.3 %
91.5	-	1	0.3 %
91.6	-	6	1.6 %

Value	Label	Unweighted Frequency	%
91.7	-	3	0.8 %
91.8	-	4	1.0 %
91.9	-	3	0.8 %
92.0	-	3	0.8 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 95.40
- Median: 95.40
- Mode: 97.80
- Minimum: 73.90
- Maximum: 114.40
- Standard Deviation: 5.30

Location: 1026-1030 (width: 5; decimal: 1)

Variable Type: numeric

J2CMCH: Tokyo lab anemia: mean cell hemoglobin (MCH)

Tokyo lab anemia: mean cell hemoglobin (MCH)

Value	Label	Unweighted Frequency	%
21.8	-	1	0.3 %
22.2	-	1	0.3 %
23.0	-	1	0.3 %
23.4	-	1	0.3 %
23.8	-	1	0.3 %
23.9	-	1	0.3 %
24.0	-	1	0.3 %
25.1	-	1	0.3 %
25.2	-	1	0.3 %
25.3	-	1	0.3 %
25.8	-	1	0.3 %
26.2	-	1	0.3 %
26.3	-	1	0.3 %
26.4	-	1	0.3 %
26.5	-	1	0.3 %
26.6	-	1	0.3 %
26.7	-	2	0.5 %
26.8	-	1	0.3 %

Value	Label	Unweighted Frequency	%
26.9	-	3	0.8 %
27.0	-	1	0.3 %
27.1	-	2	0.5 %
27.2	-	2	0.5 %
27.5	-	1	0.3 %
27.6	-	1	0.3 %
28.0	-	1	0.3 %
28.1	-	3	0.8 %
28.2	-	3	0.8 %
28.3	-	4	1.0 %
28.4	-	1	0.3 %
28.5	-	3	0.8 %
28.7	-	4	1.0 %
28.8	-	4	1.0 %
28.9	-	3	0.8 %
29.0	-	6	1.6 %
29.1	-	6	1.6 %
29.2	-	5	1.3 %
29.3	-	7	1.8 %
29.4	-	9	2.4 %
29.5	-	2	0.5 %
29.6	-	11	2.9 %
29.7	-	8	2.1 %
29.8	-	13	3.4 %
29.9	-	10	2.6 %
30.0	-	10	2.6 %
30.1	-	9	2.4 %
30.2	-	11	2.9 %
30.3	-	11	2.9 %
30.4	-	11	2.9 %
30.5	-	10	2.6 %
30.6	-	6	1.6 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 30.44
- Median: 30.50

- Minimum: 21.80
- Maximum: 36.50
- Standard Deviation: 1.99

Location: 1031-1034 (width: 4; decimal: 1)

Variable Type: numeric

J2CMCHC: Tokyo lab anemia: mean cell hemoglobin concentration (MCHC)

Tokyo lab anemia: mean cell hemoglobin concentration (MCHC)

Value	Label	Unweighted Frequency	%
27.9	-	1	0.3 %
28.5	-	1	0.3 %
29.2	-	1	0.3 %
29.4	-	1	0.3 %
29.5	-	1	0.3 %
29.6	-	1	0.3 %
29.7	-	1	0.3 %
29.8	-	2	0.5 %
29.9	-	2	0.5 %
30.0	-	3	0.8 %
30.2	-	5	1.3 %
30.3	-	3	0.8 %
30.4	-	1	0.3 %
30.5	-	4	1.0 %
30.6	-	5	1.3 %
30.7	-	6	1.6 %
30.8	-	12	3.1 %
30.9	-	9	2.4 %
31.0	-	10	2.6 %
31.1	-	11	2.9 %
31.2	-	13	3.4 %
31.3	-	7	1.8 %
31.4	-	14	3.7 %
31.5	-	15	3.9 %
31.6	-	15	3.9 %
31.7	-	18	4.7 %
31.8	-	14	3.7 %
31.9	-	20	5.2 %
32.0	-	19	5.0 %
32.1	-	19	5.0 %
32.2	-	18	4.7 %

Value	Label	Unweighted Frequency	%
32.3	-	16	4.2 %
32.4	-	14	3.7 %
32.5	-	14	3.7 %
32.6	-	9	2.4 %
32.7	-	11	2.9 %
32.8	-	8	2.1 %
32.9	-	7	1.8 %
33.0	-	10	2.6 %
33.1	-	7	1.8 %
33.2	-	3	0.8 %
33.3	-	3	0.8 %
33.4	-	2	0.5 %
33.5	-	4	1.0 %
33.6	-	5	1.3 %
33.7	-	1	0.3 %
33.8	-	4	1.0 %
33.9	-	2	0.5 %
34.0	-	3	0.8 %
34.1	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 31.90
- Median: 31.90
- Mode: 31.90
- Minimum: 27.90
- Maximum: 34.80
- Standard Deviation: 0.99

Location: 1035-1038 (*width:* 4; *decimal:* 1)

Variable Type: numeric

J2CPLT: Tokyo lab anemia: platelets

Tokyo lab anemia: platelets

Value	Label	Unweighted Frequency	%
5.4	-	1	0.3 %
7.2	-	2	0.5 %
9.3	-	1	0.3 %

Value	Label	Unweighted Frequency	%
10.1	-	1	0.3 %
11.9	-	1	0.3 %
12.3	-	1	0.3 %
12.6	-	1	0.3 %
12.8	-	1	0.3 %
13.0	-	1	0.3 %
13.1	-	1	0.3 %
13.3	-	1	0.3 %
13.5	-	1	0.3 %
13.7	-	1	0.3 %
13.9	-	1	0.3 %
14.0	-	2	0.5 %
14.3	-	1	0.3 %
14.4	-	1	0.3 %
14.5	-	1	0.3 %
14.8	-	3	0.8 %
14.9	-	2	0.5 %
15.0	-	1	0.3 %
15.1	-	1	0.3 %
15.3	-	2	0.5 %
15.4	-	1	0.3 %
15.5	-	1	0.3 %
15.6	-	4	1.0 %
15.8	-	1	0.3 %
16.2	-	1	0.3 %
16.4	-	3	0.8 %
16.6	-	1	0.3 %
16.7	-	2	0.5 %
16.8	-	2	0.5 %
16.9	-	1	0.3 %
17.0	-	1	0.3 %
17.3	-	5	1.3 %
17.4	-	2	0.5 %
17.5	-	1	0.3 %
17.6	-	1	0.3 %
17.7	-	1	0.3 %
17.8	-	2	0.5 %
17.9	-	2	0.5 %
18.0	-	1	0.3 %

Value	Label	Unweighted Frequency	%
18.1	-	2	0.5 %
18.2	-	4	1.0 %
18.3	-	2	0.5 %
18.4	-	2	0.5 %
18.6	-	3	0.8 %
18.7	-	3	0.8 %
18.8	-	1	0.3 %
18.9	-	2	0.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 23.09
- Median: 22.60
- Minimum: 5.40
- Maximum: 43.20
- Standard Deviation: 5.59

Location: 1039-1042 (width: 4; decimal: 1)

Variable Type: numeric

J2SSAL: Did respondent provide any saliva samples?

Did respondent provide any saliva samples?

Value	Label	Unweighted Frequency	%
1	Yes	382	100.0 %
2	No	0	0.0 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1043-1043 (width: 1; decimal: 0)

Variable Type: numeric

J2SCVSC1: Lag in days: from clinic visit date to saliva collection start date

Lag in days: from clinic visit date to saliva collection start date

Value	Label	Unweighted Frequency	%
1	-	145	38.0 %

Value	Label	Unweighted Frequency	%
2	-	43	11.3 %
3	-	29	7.6 %
4	-	19	5.0 %
5	-	34	8.9 %
6	-	21	5.5 %
7	-	12	3.1 %
8	-	11	2.9 %
9	-	12	3.1 %
10	-	10	2.6 %
11	-	7	1.8 %
12	-	6	1.6 %
13	-	2	0.5 %
14	-	3	0.8 %
15	-	4	1.0 %
16	-	3	0.8 %
17	-	3	0.8 %
18	-	1	0.3 %
19	-	2	0.5 %
20	-	5	1.3 %
21	-	2	0.5 %
22	-	1	0.3 %
28	-	1	0.3 %
36	-	1	0.3 %
47	-	1	0.3 %
59	-	1	0.3 %
73	-	1	0.3 %
78	-	1	0.3 %
81	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 5.41
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 81.00
- Standard Deviation: 8.86

Location: 1044-1045 (*width:* 2; *decimal:* 0)

Variable Type: numeric

J2CSCSEQ: Saliva sample collected on 3 consecutive days?

Saliva sample collected on 3 consecutive days?

Value	Label	Unweighted Frequency	%
1	Yes	375	98.2 %
2	No	7	1.8 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1046-1046 (width: 1; decimal: 0)

Variable Type: numeric

J2SD1MN: Saliva cortisol collection time: day 1 - morning

Saliva cortisol collection time: day 1 - morning

Value	Label	Unweighted Frequency	%
300	-	1	0.3 %
400	-	4	1.0 %
430	-	1	0.3 %
440	-	1	0.3 %
500	-	11	2.9 %
520	-	1	0.3 %
530	-	8	2.1 %
540	-	1	0.3 %
600	-	39	10.2 %
602	-	1	0.3 %
605	-	1	0.3 %
615	-	1	0.3 %
620	-	2	0.5 %
630	-	31	8.1 %
640	-	3	0.8 %
645	-	4	1.0 %
650	-	3	0.8 %
700	-	98	25.7 %
710	-	2	0.5 %
715	-	2	0.5 %
720	-	7	1.8 %
725	-	2	0.5 %

Value	Label	Unweighted Frequency	%
730	-	28	7.3 %
740	-	4	1.0 %
745	-	2	0.5 %
800	-	54	14.1 %
815	-	2	0.5 %
823	-	1	0.3 %
825	-	1	0.3 %
830	-	15	3.9 %
840	-	3	0.8 %
900	-	24	6.3 %
920	-	1	0.3 %
930	-	3	0.8 %
1000	-	11	2.9 %
1020	-	1	0.3 %
1030	-	3	0.8 %
1100	-	3	0.8 %
1200	-	1	0.3 %
1330	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 723.93
- Median: 700.00
- Mode: 700.00
- Minimum: 300.00
- Maximum: 1330.00
- Standard Deviation: 130.06

Location: 1047-1050 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD1MD: Saliva cortisol collection time: day 1 - midday

Saliva cortisol collection time: day 1 - midday

Value	Label	Unweighted Frequency	%
1100	-	38	9.9 %
1105	-	1	0.3 %
1120	-	3	0.8 %
1130	-	48	12.6 %
1136	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1140	-	10	2.6 %
1145	-	2	0.5 %
1150	-	4	1.0 %
1155	-	1	0.3 %
1200	-	115	30.1 %
1205	-	1	0.3 %
1210	-	3	0.8 %
1215	-	3	0.8 %
1220	-	3	0.8 %
1225	-	1	0.3 %
1230	-	18	4.7 %
1240	-	1	0.3 %
1245	-	1	0.3 %
1250	-	1	0.3 %
1253	-	1	0.3 %
1300	-	68	17.8 %
1310	-	1	0.3 %
1315	-	1	0.3 %
1320	-	1	0.3 %
1330	-	15	3.9 %
1400	-	20	5.2 %
1410	-	1	0.3 %
1420	-	1	0.3 %
1430	-	4	1.0 %
1435	-	1	0.3 %
1500	-	7	1.8 %
1510	-	1	0.3 %
1545	-	1	0.3 %
1600	-	2	0.5 %
1900	-	1	0.3 %
1930	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1231.53
- Median: 1200.00
- Mode: 1200.00
- Minimum: 1100.00
- Maximum: 1930.00
- Standard Deviation: 110.72

Location: 1051-1054 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD1EV: Saliva cortisol collection time: day 1 - evening

Saliva cortisol collection time: day 1 - evening

Value	Label	Unweighted Frequency	%
0	-	36	9.4 %
5	-	1	0.3 %
15	-	1	0.3 %
30	-	8	2.1 %
40	-	1	0.3 %
100	-	17	4.5 %
130	-	2	0.5 %
200	-	4	1.0 %
245	-	1	0.3 %
300	-	3	0.8 %
1300	-	1	0.3 %
1800	-	3	0.8 %
1900	-	3	0.8 %
1930	-	1	0.3 %
1940	-	1	0.3 %
2000	-	9	2.4 %
2030	-	6	1.6 %
2100	-	32	8.4 %
2110	-	1	0.3 %
2120	-	2	0.5 %
2130	-	15	3.9 %
2145	-	2	0.5 %
2200	-	72	18.8 %
2205	-	1	0.3 %
2210	-	1	0.3 %
2215	-	1	0.3 %
2220	-	4	1.0 %
2230	-	24	6.3 %
2250	-	2	0.5 %
2300	-	89	23.3 %
2310	-	2	0.5 %
2320	-	2	0.5 %
2330	-	23	6.0 %

Value	Label	Unweighted Frequency	%
2335	-	1	0.3 %
2336	-	1	0.3 %
2340	-	1	0.3 %
2345	-	4	1.0 %
2350	-	3	0.8 %
2357	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1795.09
- Median: 2200.00
- Mode: 2300.00
- Minimum: 0.00
- Maximum: 2357.00
- Standard Deviation: 860.29

Location: 1055-1058 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD2MN: Saliva cortisol collection time: day 2 - morning

Saliva cortisol collection time: day 2 - morning

Value	Label	Unweighted Frequency	%
110	-	1	0.3 %
330	-	1	0.3 %
400	-	4	1.0 %
420	-	1	0.3 %
430	-	2	0.5 %
440	-	1	0.3 %
500	-	14	3.7 %
510	-	1	0.3 %
515	-	1	0.3 %
520	-	2	0.5 %
525	-	1	0.3 %
530	-	6	1.6 %
545	-	1	0.3 %
600	-	41	10.7 %
610	-	1	0.3 %
615	-	2	0.5 %
620	-	5	1.3 %

Value	Label	Unweighted Frequency	%
630	-	24	6.3 %
635	-	2	0.5 %
640	-	4	1.0 %
645	-	1	0.3 %
650	-	2	0.5 %
700	-	97	25.4 %
705	-	1	0.3 %
710	-	5	1.3 %
715	-	4	1.0 %
720	-	3	0.8 %
725	-	1	0.3 %
730	-	26	6.8 %
740	-	1	0.3 %
750	-	2	0.5 %
800	-	53	13.9 %
810	-	1	0.3 %
815	-	1	0.3 %
820	-	2	0.5 %
830	-	9	2.4 %
840	-	1	0.3 %
845	-	1	0.3 %
850	-	1	0.3 %
900	-	29	7.6 %
920	-	1	0.3 %
925	-	1	0.3 %
930	-	7	1.8 %
945	-	1	0.3 %
1000	-	4	1.0 %
1020	-	1	0.3 %
1030	-	2	0.5 %
1050	-	2	0.5 %
1100	-	3	0.8 %
1130	-	1	0.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 382 valid cases out of 382 total cases.

- Mean: 719.66

- Median: 700.00
- Mode: 700.00
- Minimum: 110.00
- Maximum: 1200.00
- Standard Deviation: 139.25

Location: 1059-1062 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD2MD: Saliva cortisol collection time: day 2 - midday

Saliva cortisol collection time: day 2 - midday

Value	Label	Unweighted Frequency	%
1055	-	1	0.3 %
1100	-	26	6.8 %
1120	-	2	0.5 %
1130	-	38	9.9 %
1140	-	4	1.0 %
1145	-	6	1.6 %
1150	-	10	2.6 %
1155	-	1	0.3 %
1200	-	115	30.1 %
1204	-	1	0.3 %
1210	-	5	1.3 %
1215	-	2	0.5 %
1220	-	2	0.5 %
1225	-	1	0.3 %
1230	-	26	6.8 %
1240	-	3	0.8 %
1245	-	2	0.5 %
1250	-	3	0.8 %
1300	-	68	17.8 %
1310	-	1	0.3 %
1315	-	1	0.3 %
1320	-	1	0.3 %
1330	-	22	5.8 %
1340	-	2	0.5 %
1400	-	16	4.2 %
1410	-	1	0.3 %
1415	-	1	0.3 %
1430	-	3	0.8 %
1500	-	8	2.1 %

Value	Label	Unweighted Frequency	%
1530	-	1	0.3 %
1540	-	1	0.3 %
1600	-	1	0.3 %
1620	-	1	0.3 %
1630	-	1	0.3 %
1700	-	1	0.3 %
1800	-	1	0.3 %
1910	-	1	0.3 %
Missing Data			
9998	Missing	2	0.5 %
Total		382	100%

Based upon 380 valid cases out of 382 total cases.

- Mean: 1240.37
- Median: 1200.00
- Mode: 1200.00
- Minimum: 1055.00
- Maximum: 1910.00
- Standard Deviation: 109.72

Location: 1063-1066 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD2EV: Saliva cortisol collection time: day 2 - evening

Saliva cortisol collection time: day 2 - evening

Value	Label	Unweighted Frequency	%
0	-	48	12.6 %
10	-	1	0.3 %
15	-	1	0.3 %
20	-	2	0.5 %
30	-	4	1.0 %
45	-	1	0.3 %
100	-	10	2.6 %
130	-	2	0.5 %
150	-	1	0.3 %
200	-	6	1.6 %
220	-	1	0.3 %
300	-	2	0.5 %
315	-	1	0.3 %

Value	Label	Unweighted Frequency	%
400	-	1	0.3 %
1800	-	1	0.3 %
1900	-	5	1.3 %
1930	-	2	0.5 %
2000	-	7	1.8 %
2020	-	2	0.5 %
2030	-	5	1.3 %
2100	-	28	7.3 %
2120	-	5	1.3 %
2130	-	12	3.1 %
2140	-	1	0.3 %
2145	-	1	0.3 %
2150	-	2	0.5 %
2200	-	62	16.2 %
2210	-	2	0.5 %
2215	-	3	0.8 %
2230	-	35	9.2 %
2240	-	2	0.5 %
2245	-	1	0.3 %
2250	-	1	0.3 %
2300	-	88	23.0 %
2305	-	1	0.3 %
2310	-	3	0.8 %
2315	-	5	1.3 %
2320	-	2	0.5 %
2330	-	16	4.2 %
2340	-	2	0.5 %
2345	-	2	0.5 %
2350	-	3	0.8 %
2359	-	1	0.3 %
Missing Data			
9998	Missing	1	0.3 %
Total		382	100%

Based upon 381 valid cases out of 382 total cases.

- Mean: 1757.66
- Median: 2200.00
- Mode: 2300.00
- Minimum: 0.00
- Maximum: 2359.00

- Standard Deviation: 891.87

Location: 1067-1070 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD3MN: Saliva cortisol collection time: day 3 - morning

Saliva cortisol collection time: day 3 - morning

Value	Label	Unweighted Frequency	%
350	-	1	0.3 %
400	-	7	1.8 %
430	-	2	0.5 %
450	-	1	0.3 %
500	-	10	2.6 %
520	-	2	0.5 %
530	-	6	1.6 %
540	-	2	0.5 %
600	-	45	11.8 %
615	-	2	0.5 %
620	-	3	0.8 %
626	-	1	0.3 %
630	-	26	6.8 %
640	-	2	0.5 %
645	-	5	1.3 %
650	-	2	0.5 %
700	-	97	25.4 %
710	-	1	0.3 %
715	-	3	0.8 %
720	-	5	1.3 %
730	-	26	6.8 %
735	-	1	0.3 %
740	-	4	1.0 %
745	-	1	0.3 %
750	-	1	0.3 %
755	-	1	0.3 %
800	-	60	15.7 %
810	-	1	0.3 %
815	-	3	0.8 %
820	-	1	0.3 %
830	-	8	2.1 %
845	-	3	0.8 %

Value	Label	Unweighted Frequency	%
900	-	25	6.5 %
915	-	1	0.3 %
920	-	1	0.3 %
930	-	5	1.3 %
1000	-	7	1.8 %
1030	-	4	1.0 %
1100	-	1	0.3 %
1110	-	1	0.3 %
1115	-	1	0.3 %
1200	-	2	0.5 %
1230	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 720.55
- Median: 700.00
- Mode: 700.00
- Minimum: 350.00
- Maximum: 1230.00
- Standard Deviation: 133.05

Location: 1071-1074 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD3MD: Saliva cortisol collection time: day 3 - midday

Saliva cortisol collection time: day 3 - midday

Value	Label	Unweighted Frequency	%
200	-	1	0.3 %
900	-	1	0.3 %
1100	-	30	7.9 %
1105	-	2	0.5 %
1115	-	1	0.3 %
1120	-	2	0.5 %
1125	-	1	0.3 %
1130	-	37	9.7 %
1140	-	1	0.3 %
1145	-	7	1.8 %
1149	-	1	0.3 %
1150	-	8	2.1 %

Value	Label	Unweighted Frequency	%
1200	-	108	28.3 %
1201	-	1	0.3 %
1205	-	2	0.5 %
1210	-	2	0.5 %
1215	-	3	0.8 %
1220	-	3	0.8 %
1225	-	1	0.3 %
1230	-	22	5.8 %
1235	-	2	0.5 %
1240	-	5	1.3 %
1245	-	2	0.5 %
1250	-	2	0.5 %
1300	-	65	17.0 %
1310	-	1	0.3 %
1315	-	2	0.5 %
1320	-	2	0.5 %
1330	-	27	7.1 %
1400	-	23	6.0 %
1410	-	1	0.3 %
1430	-	4	1.0 %
1500	-	4	1.0 %
1600	-	3	0.8 %
1630	-	1	0.3 %
1800	-	2	0.5 %
1940	-	1	0.3 %
Missing Data			
9998	Missing	1	0.3 %
Total		382	100%

Based upon 381 valid cases out of 382 total cases.

- Mean: 1236.94
- Median: 1200.00
- Mode: 1200.00
- Minimum: 200.00
- Maximum: 1940.00
- Standard Deviation: 123.82

Location: 1075-1078 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SD3EV: Saliva cortisol collection time: day 3 - evening

Saliva cortisol collection time: day 3 - evening

Value	Label	Unweighted Frequency	%
0	-	53	13.9 %
7	-	1	0.3 %
10	-	1	0.3 %
20	-	1	0.3 %
30	-	3	0.8 %
45	-	1	0.3 %
100	-	19	5.0 %
120	-	1	0.3 %
130	-	2	0.5 %
200	-	9	2.4 %
230	-	2	0.5 %
250	-	1	0.3 %
330	-	1	0.3 %
410	-	1	0.3 %
1800	-	2	0.5 %
1900	-	1	0.3 %
1920	-	1	0.3 %
1930	-	2	0.5 %
2000	-	5	1.3 %
2010	-	1	0.3 %
2020	-	2	0.5 %
2030	-	3	0.8 %
2100	-	28	7.3 %
2115	-	1	0.3 %
2120	-	1	0.3 %
2125	-	1	0.3 %
2130	-	21	5.5 %
2140	-	1	0.3 %
2145	-	2	0.5 %
2150	-	1	0.3 %
2200	-	61	16.0 %
2215	-	2	0.5 %
2220	-	1	0.3 %
2230	-	23	6.0 %
2240	-	1	0.3 %
2245	-	1	0.3 %
2250	-	2	0.5 %

Value	Label	Unweighted Frequency	%
2300	-	81	21.2 %
2310	-	2	0.5 %
2320	-	1	0.3 %
2330	-	27	7.1 %
2340	-	1	0.3 %
2345	-	5	1.3 %
2350	-	4	1.0 %
Missing Data			
9998	Missing	1	0.3 %
Total		382	100%

Based upon 381 valid cases out of 382 total cases.

- Mean: 1675.41
- Median: 2200.00
- Mode: 2300.00
- Minimum: 0.00
- Maximum: 2350.00
- Standard Deviation: 944.15

Location: 1079-1082 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

J2SCDAY1: Did respondent have any valid saliva samples on day 1?

Did respondent have any valid saliva samples on day 1?

Value	Label	Unweighted Frequency	%
1	Yes	379	99.2 %
2	No	3	0.8 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1083-1083 (width: 1; decimal: 0)

Variable Type: numeric

J2SCDAY2: Did respondent have any valid saliva samples on day 2?

Did respondent have any valid saliva samples on day 2?

Value	Label	Unweighted Frequency	%
1	Yes	378	99.0 %
2	No	4	1.0 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1084-1084 (width: 1; decimal: 0)

Variable Type: numeric

J2SCDAY3: Did respondent have any valid saliva samples on day 3?

Did respondent have any valid saliva samples on day 3?

Value	Label	Unweighted Frequency	%
1	Yes	377	98.7 %
2	No	5	1.3 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1085-1085 (width: 1; decimal: 0)

Variable Type: numeric

J2BSCD11: Saliva cortisol day 1 morning (nmol/L)

Saliva cortisol day 1 morning (nmol/L)

Value	Label	Unweighted Frequency	%
0.12	-	1	0.3 %
0.14	-	1	0.3 %
0.88	-	1	0.3 %
0.96	-	1	0.3 %
1.30	-	1	0.3 %
2.62	-	1	0.3 %
2.76	-	1	0.3 %
2.79	-	1	0.3 %
2.81	-	1	0.3 %
3.06	-	1	0.3 %
3.13	-	1	0.3 %

Value	Label	Unweighted Frequency	%
3.27	-	1	0.3 %
3.52	-	1	0.3 %
3.81	-	1	0.3 %
4.17	-	1	0.3 %
4.28	-	1	0.3 %
4.30	-	1	0.3 %
4.33	-	1	0.3 %
4.68	-	1	0.3 %
5.09	-	1	0.3 %
5.20	-	1	0.3 %
5.34	-	1	0.3 %
5.50	-	1	0.3 %
5.51	-	1	0.3 %
5.71	-	2	0.5 %
5.76	-	1	0.3 %
5.78	-	1	0.3 %
5.82	-	1	0.3 %
5.97	-	1	0.3 %
6.10	-	1	0.3 %
6.11	-	1	0.3 %
6.12	-	1	0.3 %
6.19	-	1	0.3 %
6.25	-	1	0.3 %
6.30	-	1	0.3 %
6.36	-	1	0.3 %
6.37	-	1	0.3 %
6.45	-	1	0.3 %
6.61	-	1	0.3 %
7.03	-	1	0.3 %
7.04	-	1	0.3 %
7.06	-	1	0.3 %
7.20	-	1	0.3 %
7.24	-	2	0.5 %
7.28	-	1	0.3 %
7.31	-	1	0.3 %
7.40	-	1	0.3 %
7.48	-	1	0.3 %
7.50	-	1	0.3 %
7.52	-	1	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
98.00	Missing	8	2.1 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 374 valid cases out of 382 total cases.

- Mean: 14.68
- Minimum: 0.12
- Maximum: 56.58
- Standard Deviation: 7.61

Location: 1086-1090 (width: 5; decimal: 2)

Variable Type: numeric

(Range of Missing Values: 97.00 , 98.00 , 99.00

J2BSCD12: Saliva cortisol day 1 midday (nmol/L)

Saliva cortisol day 1 midday (nmol/L)

Value	Label	Unweighted Frequency	%
0.12	-	1	0.3 %
0.34	-	1	0.3 %
0.36	-	1	0.3 %
0.83	-	1	0.3 %
0.92	-	1	0.3 %
1.21	-	1	0.3 %
1.26	-	1	0.3 %
1.27	-	1	0.3 %
1.33	-	1	0.3 %
1.41	-	1	0.3 %
1.44	-	1	0.3 %
1.48	-	1	0.3 %
1.56	-	1	0.3 %
1.58	-	1	0.3 %
1.60	-	1	0.3 %
1.61	-	2	0.5 %
1.70	-	1	0.3 %
1.77	-	1	0.3 %
1.79	-	1	0.3 %
1.82	-	1	0.3 %
1.84	-	1	0.3 %

Value	Label	Unweighted Frequency	%
1.85	-	1	0.3 %
1.86	-	1	0.3 %
1.90	-	1	0.3 %
1.91	-	1	0.3 %
1.92	-	1	0.3 %
1.93	-	1	0.3 %
1.94	-	1	0.3 %
1.95	-	2	0.5 %
1.96	-	1	0.3 %
2.03	-	1	0.3 %
2.04	-	1	0.3 %
2.06	-	2	0.5 %
2.08	-	1	0.3 %
2.09	-	1	0.3 %
2.16	-	1	0.3 %
2.18	-	1	0.3 %
2.23	-	1	0.3 %
2.29	-	1	0.3 %
2.33	-	2	0.5 %
2.35	-	1	0.3 %
2.36	-	1	0.3 %
2.38	-	1	0.3 %
2.46	-	1	0.3 %
2.49	-	1	0.3 %
2.51	-	2	0.5 %
2.52	-	1	0.3 %
2.53	-	2	0.5 %
2.54	-	2	0.5 %
2.57	-	1	0.3 %
Missing Data			
98.00	Missing	7	1.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 375 valid cases out of 382 total cases.

- Mean: 5.51
- Minimum: 0.12
- Maximum: 35.73
- Standard Deviation: 3.50

Location: 1091-1095 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCD13: Saliva cortisol day 1 evening (nmol/L)

Saliva cortisol day 1 evening (nmol/L)

Value	Label	Unweighted Frequency	%
0.14	-	1	0.3 %
0.16	-	2	0.5 %
0.19	-	1	0.3 %
0.25	-	1	0.3 %
0.30	-	1	0.3 %
0.33	-	1	0.3 %
0.38	-	1	0.3 %
0.43	-	1	0.3 %
0.44	-	2	0.5 %
0.45	-	1	0.3 %
0.47	-	1	0.3 %
0.48	-	2	0.5 %
0.49	-	1	0.3 %
0.52	-	1	0.3 %
0.53	-	1	0.3 %
0.54	-	1	0.3 %
0.55	-	1	0.3 %
0.57	-	1	0.3 %
0.58	-	4	1.0 %
0.59	-	2	0.5 %
0.60	-	2	0.5 %
0.61	-	1	0.3 %
0.62	-	2	0.5 %
0.64	-	3	0.8 %
0.65	-	4	1.0 %
0.66	-	1	0.3 %
0.67	-	1	0.3 %
0.68	-	1	0.3 %
0.69	-	1	0.3 %
0.70	-	3	0.8 %
0.71	-	1	0.3 %
0.72	-	2	0.5 %
0.73	-	2	0.5 %

Value	Label	Unweighted Frequency	%
0.74	-	2	0.5 %
0.75	-	2	0.5 %
0.76	-	4	1.0 %
0.78	-	2	0.5 %
0.79	-	4	1.0 %
0.80	-	2	0.5 %
0.81	-	5	1.3 %
0.82	-	3	0.8 %
0.83	-	3	0.8 %
0.84	-	3	0.8 %
0.85	-	1	0.3 %
0.86	-	2	0.5 %
0.87	-	2	0.5 %
0.88	-	1	0.3 %
0.90	-	2	0.5 %
0.91	-	4	1.0 %
0.92	-	3	0.8 %
Missing Data			
98.00	Missing	9	2.4 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 373 valid cases out of 382 total cases.

- Mean: 2.29
- Median: 1.47
- Mode: 1.55
- Minimum: 0.14
- Maximum: 70.98
- Standard Deviation: 4.20

Location: 1096-1100 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCD21: Saliva cortisol day 2 morning (nmol/L)

Saliva cortisol day 2 morning (nmol/L)

Value	Label	Unweighted Frequency	%
0.00	-	1	0.3 %
0.15	-	1	0.3 %

Value	Label	Unweighted Frequency	%
0.83	-	1	0.3 %
1.22	-	1	0.3 %
1.66	-	1	0.3 %
1.88	-	1	0.3 %
2.38	-	1	0.3 %
2.59	-	1	0.3 %
2.77	-	1	0.3 %
2.79	-	1	0.3 %
2.92	-	1	0.3 %
2.96	-	1	0.3 %
3.01	-	1	0.3 %
3.17	-	1	0.3 %
3.28	-	1	0.3 %
3.44	-	1	0.3 %
3.79	-	1	0.3 %
3.96	-	1	0.3 %
4.51	-	1	0.3 %
4.57	-	1	0.3 %
4.62	-	1	0.3 %
4.67	-	1	0.3 %
4.68	-	1	0.3 %
4.71	-	1	0.3 %
4.73	-	1	0.3 %
4.85	-	1	0.3 %
4.91	-	1	0.3 %
4.98	-	1	0.3 %
5.20	-	1	0.3 %
5.26	-	1	0.3 %
5.31	-	1	0.3 %
5.34	-	1	0.3 %
5.36	-	2	0.5 %
5.42	-	1	0.3 %
5.50	-	1	0.3 %
5.56	-	1	0.3 %
5.59	-	1	0.3 %
5.68	-	1	0.3 %
5.70	-	1	0.3 %
5.81	-	2	0.5 %
5.96	-	1	0.3 %

Value	Label	Unweighted Frequency	%
6.34	-	1	0.3 %
6.48	-	1	0.3 %
6.55	-	1	0.3 %
6.59	-	1	0.3 %
6.70	-	1	0.3 %
6.71	-	1	0.3 %
6.74	-	1	0.3 %
6.77	-	1	0.3 %
6.81	-	1	0.3 %
Missing Data			
98.00	Missing	8	2.1 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 374 valid cases out of 382 total cases.

- Mean: 14.31
- Minimum: 0.00
- Maximum: 60.28
- Standard Deviation: 7.65

Location: 1101-1105 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCD22: Saliva cortisol day 2 midday (nmol/L)

Saliva cortisol day 2 midday (nmol/L)

Value	Label	Unweighted Frequency	%
0.15	-	1	0.3 %
0.18	-	1	0.3 %
0.54	-	1	0.3 %
0.59	-	1	0.3 %
0.72	-	1	0.3 %
0.75	-	2	0.5 %
0.82	-	1	0.3 %
0.83	-	1	0.3 %
0.95	-	1	0.3 %
1.16	-	1	0.3 %
1.22	-	1	0.3 %
1.28	-	2	0.5 %

Value	Label	Unweighted Frequency	%
1.29	-	1	0.3 %
1.34	-	2	0.5 %
1.42	-	1	0.3 %
1.55	-	1	0.3 %
1.56	-	1	0.3 %
1.57	-	1	0.3 %
1.60	-	1	0.3 %
1.62	-	1	0.3 %
1.63	-	1	0.3 %
1.66	-	1	0.3 %
1.71	-	1	0.3 %
1.74	-	1	0.3 %
1.78	-	1	0.3 %
1.80	-	1	0.3 %
1.85	-	1	0.3 %
1.89	-	1	0.3 %
1.99	-	1	0.3 %
2.02	-	1	0.3 %
2.04	-	1	0.3 %
2.10	-	1	0.3 %
2.11	-	1	0.3 %
2.12	-	1	0.3 %
2.13	-	1	0.3 %
2.15	-	1	0.3 %
2.20	-	1	0.3 %
2.21	-	1	0.3 %
2.27	-	1	0.3 %
2.29	-	2	0.5 %
2.34	-	2	0.5 %
2.37	-	1	0.3 %
2.41	-	1	0.3 %
2.43	-	1	0.3 %
2.45	-	1	0.3 %
2.46	-	1	0.3 %
2.53	-	2	0.5 %
2.57	-	1	0.3 %
2.66	-	1	0.3 %
2.68	-	1	0.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
98.00	Missing	10	2.6 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 372 valid cases out of 382 total cases.

- Mean: 5.61
- Minimum: 0.15
- Maximum: 36.70
- Standard Deviation: 3.67

Location: 1106-1110 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCD23: Saliva cortisol day 2 evening (nmol/L)

Saliva cortisol day 2 evening (nmol/L)

Value	Label	Unweighted Frequency	%
0.19	-	1	0.3 %
0.21	-	1	0.3 %
0.27	-	1	0.3 %
0.35	-	2	0.5 %
0.36	-	1	0.3 %
0.37	-	1	0.3 %
0.40	-	1	0.3 %
0.41	-	2	0.5 %
0.43	-	1	0.3 %
0.46	-	2	0.5 %
0.49	-	1	0.3 %
0.50	-	2	0.5 %
0.51	-	1	0.3 %
0.52	-	2	0.5 %
0.53	-	4	1.0 %
0.55	-	2	0.5 %
0.57	-	3	0.8 %
0.58	-	1	0.3 %
0.59	-	2	0.5 %
0.60	-	1	0.3 %
0.61	-	3	0.8 %
0.62	-	3	0.8 %

Value	Label	Unweighted Frequency	%
0.63	-	2	0.5 %
0.64	-	2	0.5 %
0.65	-	2	0.5 %
0.68	-	1	0.3 %
0.70	-	3	0.8 %
0.71	-	2	0.5 %
0.72	-	5	1.3 %
0.73	-	2	0.5 %
0.74	-	1	0.3 %
0.75	-	1	0.3 %
0.76	-	3	0.8 %
0.77	-	2	0.5 %
0.78	-	2	0.5 %
0.80	-	2	0.5 %
0.81	-	1	0.3 %
0.82	-	3	0.8 %
0.84	-	2	0.5 %
0.85	-	1	0.3 %
0.87	-	1	0.3 %
0.88	-	2	0.5 %
0.89	-	1	0.3 %
0.90	-	2	0.5 %
0.92	-	3	0.8 %
0.93	-	3	0.8 %
0.94	-	6	1.6 %
0.95	-	3	0.8 %
0.97	-	2	0.5 %
0.99	-	1	0.3 %
Missing Data			
98.00	Missing	15	3.9 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 367 valid cases out of 382 total cases.

- Mean: 2.28
- Median: 1.60
- Mode: 0.94
- Minimum: 0.19
- Maximum: 20.88

- Standard Deviation: 2.40

Location: 1111-1115 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCD31: Saliva cortisol day 3 morning (nmol/L)

Saliva cortisol day 3 morning (nmol/L)

Value	Label	Unweighted Frequency	%
0.01	-	1	0.3 %
0.11	-	1	0.3 %
0.13	-	1	0.3 %
0.92	-	1	0.3 %
1.03	-	1	0.3 %
1.36	-	1	0.3 %
1.49	-	1	0.3 %
1.85	-	1	0.3 %
2.56	-	1	0.3 %
3.14	-	1	0.3 %
3.86	-	1	0.3 %
3.92	-	1	0.3 %
3.93	-	1	0.3 %
3.94	-	1	0.3 %
4.10	-	1	0.3 %
4.12	-	1	0.3 %
4.36	-	1	0.3 %
4.47	-	1	0.3 %
4.51	-	1	0.3 %
4.79	-	1	0.3 %
4.86	-	1	0.3 %
5.02	-	1	0.3 %
5.18	-	1	0.3 %
5.22	-	1	0.3 %
5.30	-	1	0.3 %
5.36	-	1	0.3 %
5.37	-	1	0.3 %
5.38	-	1	0.3 %
5.57	-	1	0.3 %
5.81	-	1	0.3 %
5.97	-	1	0.3 %
6.10	-	1	0.3 %

Value	Label	Unweighted Frequency	%
6.13	-	1	0.3 %
6.14	-	1	0.3 %
6.15	-	1	0.3 %
6.38	-	1	0.3 %
6.44	-	1	0.3 %
6.49	-	1	0.3 %
6.60	-	1	0.3 %
6.64	-	2	0.5 %
6.65	-	1	0.3 %
6.70	-	1	0.3 %
6.74	-	1	0.3 %
6.76	-	1	0.3 %
6.85	-	1	0.3 %
6.86	-	1	0.3 %
6.89	-	1	0.3 %
6.94	-	1	0.3 %
6.98	-	1	0.3 %
7.05	-	2	0.5 %
Missing Data			
98.00	Missing	11	2.9 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 371 valid cases out of 382 total cases.

- Mean: 14.26
- Minimum: 0.01
- Maximum: 56.98
- Standard Deviation: 7.57

Location: 1116-1120 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCD32: Saliva cortisol day 3 midday (nmol/L)

Saliva cortisol day 3 midday (nmol/L)

Value	Label	Unweighted Frequency	%
0.24	-	1	0.3 %
0.25	-	1	0.3 %
0.32	-	1	0.3 %

Value	Label	Unweighted Frequency	%
0.61	-	1	0.3 %
0.68	-	1	0.3 %
0.73	-	1	0.3 %
0.84	-	1	0.3 %
0.94	-	1	0.3 %
0.97	-	1	0.3 %
0.99	-	1	0.3 %
1.03	-	1	0.3 %
1.05	-	1	0.3 %
1.11	-	1	0.3 %
1.12	-	1	0.3 %
1.32	-	1	0.3 %
1.36	-	1	0.3 %
1.51	-	2	0.5 %
1.54	-	1	0.3 %
1.57	-	2	0.5 %
1.59	-	1	0.3 %
1.64	-	1	0.3 %
1.71	-	1	0.3 %
1.76	-	1	0.3 %
1.77	-	2	0.5 %
1.80	-	1	0.3 %
1.81	-	1	0.3 %
1.82	-	2	0.5 %
1.90	-	1	0.3 %
1.97	-	1	0.3 %
2.01	-	1	0.3 %
2.02	-	1	0.3 %
2.06	-	1	0.3 %
2.07	-	1	0.3 %
2.08	-	1	0.3 %
2.10	-	1	0.3 %
2.12	-	1	0.3 %
2.16	-	1	0.3 %
2.18	-	1	0.3 %
2.20	-	1	0.3 %
2.22	-	1	0.3 %
2.23	-	1	0.3 %
2.26	-	1	0.3 %

Value	Label	Unweighted Frequency	%
2.27	-	2	0.5 %
2.30	-	2	0.5 %
2.31	-	1	0.3 %
2.37	-	1	0.3 %
2.40	-	1	0.3 %
2.41	-	1	0.3 %
2.43	-	1	0.3 %
2.44	-	1	0.3 %
Missing Data			
98.00	Missing	10	2.6 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 372 valid cases out of 382 total cases.

- Mean: 5.69
- Minimum: 0.24
- Maximum: 31.43
- Standard Deviation: 3.71

Location: 1121-1125 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2BSCD33: Saliva cortisol day 3 evening (nmol/L)

Saliva cortisol day 3 evening (nmol/L)

Value	Label	Unweighted Frequency	%
0.15	-	1	0.3 %
0.20	-	1	0.3 %
0.22	-	1	0.3 %
0.29	-	1	0.3 %
0.33	-	1	0.3 %
0.37	-	1	0.3 %
0.38	-	2	0.5 %
0.45	-	1	0.3 %
0.48	-	2	0.5 %
0.49	-	1	0.3 %
0.50	-	1	0.3 %
0.51	-	1	0.3 %
0.52	-	1	0.3 %

Value	Label	Unweighted Frequency	%
0.53	-	1	0.3 %
0.54	-	2	0.5 %
0.56	-	2	0.5 %
0.57	-	2	0.5 %
0.58	-	1	0.3 %
0.59	-	2	0.5 %
0.60	-	1	0.3 %
0.61	-	1	0.3 %
0.62	-	3	0.8 %
0.63	-	1	0.3 %
0.64	-	4	1.0 %
0.65	-	2	0.5 %
0.66	-	1	0.3 %
0.68	-	3	0.8 %
0.69	-	2	0.5 %
0.70	-	3	0.8 %
0.71	-	1	0.3 %
0.73	-	1	0.3 %
0.74	-	3	0.8 %
0.75	-	2	0.5 %
0.76	-	2	0.5 %
0.78	-	1	0.3 %
0.79	-	1	0.3 %
0.80	-	1	0.3 %
0.81	-	2	0.5 %
0.82	-	2	0.5 %
0.83	-	1	0.3 %
0.84	-	5	1.3 %
0.85	-	1	0.3 %
0.86	-	3	0.8 %
0.87	-	2	0.5 %
0.89	-	3	0.8 %
0.92	-	2	0.5 %
0.93	-	2	0.5 %
0.94	-	2	0.5 %
0.95	-	1	0.3 %
0.96	-	2	0.5 %
Missing Data			
98.00	Missing	9	2.4 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 373 valid cases out of 382 total cases.

- Mean: 2.36
- Median: 1.55
- Mode: 0.84
- Minimum: 0.15
- Maximum: 22.24
- Standard Deviation: 2.49

Location: 1126-1130 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2MTM: Total number of medications

Total number of medications

Value	Label	Unweighted Frequency	%
0	-	151	39.5 %
1	-	67	17.5 %
2	-	51	13.4 %
3	-	31	8.1 %
4	-	25	6.5 %
5	-	18	4.7 %
6	-	18	4.7 %
7	-	6	1.6 %
8	-	4	1.0 %
9	-	3	0.8 %
10	-	1	0.3 %
11	-	1	0.3 %
12	-	4	1.0 %
13	-	1	0.3 %
50	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 2.08
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 50.00
- Standard Deviation: 3.50

Location: 1131-1132 (width: 2; decimal: 0)

Variable Type: numeric

J2MPMD: Taking prescription medication?--Yes/no

Taking prescription medication?--Yes/no

Value	Label	Unweighted Frequency	%
1	Yes	163	42.7 %
2	No	219	57.3 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1133-1133 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

J2MQMD: Taking quasi (non-prescription) medication?--Yes/no

Taking quasi (non-prescription) medication?--Yes/no

Value	Label	Unweighted Frequency	%
1	Yes	115	30.1 %
2	No	267	69.9 %
	Total	382	100%

Based upon 382 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1134-1134 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8

J2MPM: Number of prescription medications

Number of prescription medications

Value	Label	Unweighted Frequency	%
0	-	219	57.3 %
1	-	47	12.3 %

Value	Label	Unweighted Frequency	%
2	-	32	8.4 %
3	-	23	6.0 %
4	-	21	5.5 %
5	-	18	4.7 %
6	-	9	2.4 %
7	-	4	1.0 %
8	-	3	0.8 %
9	-	1	0.3 %
10	-	2	0.5 %
11	-	1	0.3 %
12	-	1	0.3 %
13	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 2.22

Location: 1135-1136 (*width:* 2; *decimal:* 0)

Variable Type: numeric

J2MPMID1: Prescription: Multum drug ID 1

Prescription: Multum drug ID 1

Value	Label	Unweighted Frequency	%
d00004	-	1	0.3 %
d00023	-	3	0.8 %
d00045	-	3	0.8 %
d00047	-	1	0.3 %
d00051	-	3	0.8 %
d00058	-	1	0.3 %
d00084	-	2	0.5 %
d00108	-	1	0.3 %
d00141	-	5	1.3 %
d00142	-	1	0.3 %
d00150	-	1	0.3 %
d00170	-	3	0.8 %

Value	Label	Unweighted Frequency	%
d00210	-	1	0.3 %
d00278	-	3	0.8 %
d00325	-	5	1.3 %
d00348	-	3	0.8 %
d00405	-	1	0.3 %
d00426	-	1	0.3 %
d00514	-	1	0.3 %
d00628	-	1	0.3 %
d00689	-	16	4.2 %
d00726	-	1	0.3 %
d00910	-	2	0.5 %
d00970	-	1	0.3 %
d01005	-	2	0.5 %
d01031	-	1	0.3 %
d01256	-	1	0.3 %
d03050	-	1	0.3 %
d03135	-	1	0.3 %
d03180	-	2	0.5 %
d03797	-	2	0.5 %
d03804	-	1	0.3 %
d03821	-	2	0.5 %
d03824	-	1	0.3 %
d03827	-	3	0.8 %
d03828	-	2	0.5 %
d03849	-	1	0.3 %
d03864	-	2	0.5 %
d04105	-	8	2.1 %
d04113	-	6	1.6 %
d04121	-	2	0.5 %
d04222	-	1	0.3 %
d04253	-	1	0.3 %
d04258	-	1	0.3 %
d04270	-	1	0.3 %
d04289	-	1	0.3 %
d04322	-	1	0.3 %
d04364	-	3	0.8 %
d04373	-	1	0.3 %
d04697	-	1	0.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
INAPP	-	219	57.3 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 163 valid cases out of 382 total cases.

Location: 1137-1142 (*width:* 6; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN1: Prescription: Multum generic drug name 1

Prescription: Multum generic drug name 1

Value	Label	Unweighted Frequency	%
NIFEdipine	-	3	0.8 %
Unmatched, no generic name	-	41	10.7 %
ZOLMitriptan	-	1	0.3 %
alendronate	-	1	0.3 %
allopurinol	-	3	0.8 %
amLODIPine	-	16	4.2 %
ascorbic acid	-	1	0.3 %
aspirin	-	3	0.8 %
atenolol	-	1	0.3 %
atorvastatin	-	8	2.1 %
betamethasone	-	1	0.3 %
biotin	-	1	0.3 %
candesartan	-	1	0.3 %
carBAMazepine	-	1	0.3 %
cetirizine	-	3	0.8 %
clopidogrel	-	1	0.3 %
colchicine	-	1	0.3 %
diclofenac topical	-	1	0.3 %
digoxin	-	1	0.3 %
diltiazem	-	3	0.8 %
doxazosin	-	1	0.3 %
etretinate	-	1	0.3 %
famotidine	-	5	1.3 %
febuxostat	-	1	0.3 %
ferrous sulfate	-	1	0.3 %
fexofenadine-pseudoephedrine	-	1	0.3 %

Value	Label	Unweighted Frequency	%
fluvoxamine	-	1	0.3 %
glimepiride	-	2	0.5 %
icosapent	-	1	0.3 %
insulin aspart	-	1	0.3 %
insulin lispro	-	1	0.3 %
irbesartan	-	1	0.3 %
lansoprazole	-	2	0.5 %
levothyroxine	-	3	0.8 %
loratadine	-	1	0.3 %
losartan	-	2	0.5 %
magnesium oxide	-	2	0.5 %
mesalamine	-	1	0.3 %
metronIDAZOLE	-	1	0.3 %
montelukast	-	1	0.3 %
nateglinide	-	1	0.3 %
omeprazole	-	5	1.3 %
phytonadione	-	1	0.3 %
pitavastatin	-	4	1.0 %
pravastatin	-	3	0.8 %
prednisoLONE	-	2	0.5 %
rifampin	-	1	0.3 %
risperiDONE	-	2	0.5 %
rosuvastatin	-	2	0.5 %
sodium picosulfate	-	1	0.3 %
	Missing Data		
INAPP	-	219	57.3 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 163 valid cases out of 382 total cases.

Location: 1143-1170 (*width:* 28; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD1: Prescription: drug dosage 1

Drug name and dosage: dose number 1

Value	Label	Unweighted Frequency	%
0.050	-	1	0.3 %
0.125	-	1	0.3 %
0.200	-	1	0.3 %
0.300	-	1	0.3 %
0.500	-	2	0.5 %
1.000	-	35	9.2 %
2.000	-	7	1.8 %
2.500	-	4	1.0 %
5.000	-	18	4.7 %
7.500	-	1	0.3 %
9.000	-	1	0.3 %
10.000	-	14	3.7 %
15.000	-	2	0.5 %
16.000	-	1	0.3 %
18.000	-	1	0.3 %
20.000	-	8	2.1 %
24.000	-	1	0.3 %
25.000	-	4	1.0 %
30.000	-	2	0.5 %
40.000	-	4	1.0 %
50.000	-	7	1.8 %
60.000	-	2	0.5 %
75.000	-	1	0.3 %
80.000	-	3	0.8 %
84.000	-	1	0.3 %
100.000	-	11	2.9 %
160.000	-	1	0.3 %
200.000	-	3	0.8 %
225.000	-	1	0.3 %
250.000	-	1	0.3 %
600.000	-	2	0.5 %
9995.000	Variable dosage	0	0.0 %
9996.000	Mixed dosage	0	0.0 %
Missing Data			
9998.000	Missing	21	5.5 %
9999.000	Inapp	219	57.3 %
Total		382	100%

Based upon 142 valid cases out of 382 total cases.

- Mean: 37.177
- Median: 8.250
- Mode: 1.000
- Minimum: 0.050
- Maximum: 600.000
- Standard Deviation: 82.798

Location: 1171-1178 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9997.000 , 9998.000 , 9999.000

J2MPDU1: Prescription: drug dosage units 1

Drug name and dosage: dose units number 1

Value	Label	Unweighted Frequency	%
1	mg	100	26.2 %
2	Gram	1	0.3 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	36	9.4 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	2	0.5 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	24	6.3 %
99	Inapp	219	57.3 %
Total		382	100%

Based upon 139 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 1179-1180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR1: Prescription: method of taking (route) 1

Route number 1

Value	Label	Unweighted Frequency	%
1	Oral (PO)	154	40.3 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	2	0.5 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
98	Missing	7	1.8 %
99	Inapp	219	57.3 %
Total		382	100%

Based upon 156 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1181-1182 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF1: Prescription: frequency 1

Frequency: number of doses number 1

Value	Label	Unweighted Frequency	%
1.0	-	111	29.1 %
1.5	-	1	0.3 %
2.0	-	31	8.1 %
3.0	-	17	4.5 %
Missing Data			
98.0	Missing	3	0.8 %
99.0	Inapp	219	57.3 %
Total		382	100%

Based upon 160 valid cases out of 382 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.67

Location: 1183-1186 (width: 4; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MPFU1: Prescription: frequency unit 1

Frequency: number of doses per: day, week, etc. number 1

Value	Label	Unweighted Frequency	%
1	Day	144	37.7 %
2	Every other day	2	0.5 %
3	Week	2	0.5 %
4	Month	0	0.0 %
5	As needed (PRN)	4	1.0 %
6	Other	0	0.0 %
Missing Data			
8	Missing	11	2.9 %
9	Inapp	219	57.3 %
Total		382	100%

Based upon 152 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1187-1187 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT1: Prescription: taken for how long 1

Taken for how long: number of (years, months, etc.) number 1

Value	Label	Unweighted Frequency	%
1.00	-	18	4.7 %
1.50	-	2	0.5 %
2.00	-	24	6.3 %
2.50	-	4	1.0 %
2.75	-	1	0.3 %
3.00	-	11	2.9 %
3.50	-	4	1.0 %
4.00	-	6	1.6 %
4.50	-	2	0.5 %
5.00	-	8	2.1 %
5.50	-	1	0.3 %

Value	Label	Unweighted Frequency	%
5.60	-	1	0.3 %
6.00	-	8	2.1 %
6.50	-	2	0.5 %
7.00	-	2	0.5 %
7.50	-	3	0.8 %
8.00	-	5	1.3 %
10.00	-	14	3.7 %
12.00	-	1	0.3 %
14.00	-	3	0.8 %
15.00	-	1	0.3 %
16.00	-	3	0.8 %
18.00	-	1	0.3 %
20.00	-	3	0.8 %
22.50	-	1	0.3 %
28.00	-	2	0.5 %
30.00	-	3	0.8 %
31.00	-	1	0.3 %
42.00	-	1	0.3 %
Missing Data			
98.00	Missing	27	7.1 %
99.00	Inapp	219	57.3 %
Total		382	100%

Based upon 136 valid cases out of 382 total cases.

- Mean: 6.82
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 42.00
- Standard Deviation: 7.45

Location: 1188-1192 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2MPTU1: Prescription: unit of time taken 1

Taken for how long: unit of time (months, years, etc.) number 1

Value	Label	Unweighted Frequency	%
1	Day	8	2.1 %
2	Week	7	1.8 %

Value	Label	Unweighted Frequency	%
3	Month	36	9.4 %
4	Year	84	22.0 %
5	Other	0	0.0 %
Missing Data			
8	Missing	28	7.3 %
9	Inapp	219	57.3 %
Total		382	100%

Based upon 135 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1193-1193 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

J2MPICD9M1: Prescription: why taken ICD 9 major category code 1

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 1

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	1	0.3 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	1	0.3 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	1	0.3 %
244	Acquired hypothyroidism	0	0.0 %

Value	Label	Unweighted Frequency	%
246	Oth disorders of the thyroid	2	0.5 %
250	Diabetes mellitus	5	1.3 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	1	0.3 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	16	4.2 %
274	Gout	4	1.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	2	0.5 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	3	0.8 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	1	0.3 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9996	Unable to classify	1	0.3 %
9998	Missing	13	3.4 %
9999	Inapp	233	61.0 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 135 valid cases out of 382 total cases.

- Minimum: 10.00
- Maximum: 995.00

Location: 1194-1197 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC1: Prescription: why taken Midlife in the United States (MIDUS) code 1

Prescription: why taken Midife in the United States (MIDUS) code 1

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	2	0.5 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	2	0.5 %
M2020	Calcium supplement	1	0.3 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	2	0.5 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	2	0.5 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	1	0.3 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	1	0.3 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	3	0.8 %

Value	Label	Unweighted Frequency	%
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	1	0.3 %
Missing Data			
Z9998	Missing	13	3.4 %
Z9999	Inapp	354	92.7 %
Total		382	100%

Based upon 15 valid cases out of 382 total cases.

Location: 1198-1202 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID2: Prescription: Multum drug ID 2

Prescription: Multum drug ID 2

Value	Label	Unweighted Frequency	%
d00004	-	1	0.3 %
d00015	-	1	0.3 %
d00021	-	1	0.3 %
d00023	-	3	0.8 %
d00028	-	1	0.3 %
d00051	-	2	0.5 %
d00060	-	1	0.3 %
d00097	-	1	0.3 %
d00101	-	1	0.3 %
d00102	-	2	0.5 %
d00140	-	1	0.3 %
d00141	-	1	0.3 %
d00170	-	3	0.8 %
d00191	-	1	0.3 %
d00210	-	2	0.5 %
d00325	-	2	0.5 %
d00373	-	1	0.3 %
d00405	-	1	0.3 %
d00426	-	2	0.5 %

Value	Label	Unweighted Frequency	%
d00689	-	5	1.3 %
d00709	-	1	0.3 %
d00732	-	1	0.3 %
d00877	-	1	0.3 %
d03180	-	1	0.3 %
d03807	-	3	0.8 %
d03821	-	1	0.3 %
d03827	-	1	0.3 %
d03828	-	1	0.3 %
d03849	-	1	0.3 %
d04037	-	1	0.3 %
d04050	-	1	0.3 %
d04105	-	5	1.3 %
d04113	-	4	1.0 %
d04286	-	1	0.3 %
d04322	-	2	0.5 %
d04364	-	3	0.8 %
d04851	-	1	0.3 %
d07315	-	1	0.3 %
d07397	-	2	0.5 %
d99999	-	51	13.4 %
Missing Data			
INAPP	-	266	69.6 %
Total		382	100%

Based upon 116 valid cases out of 382 total cases.

Location: 1203-1208 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN2: Prescription: Multum generic drug name 2

Prescription: Multum generic drug name 2

Value	Label	Unweighted Frequency	%
NIFEdipine	-	2	0.5 %
OLANZapine	-	1	0.3 %
Unmatched, no generic name	-	51	13.4 %
alendronate	-	1	0.3 %
allopurinol	-	3	0.8 %
amLODIPine	-	5	1.3 %

Value	Label	Unweighted Frequency	%
ascorbic acid	-	2	0.5 %
aspirin	-	3	0.8 %
atenolol	-	1	0.3 %
atorvastatin	-	5	1.3 %
bisoprolol	-	1	0.3 %
candesartan	-	2	0.5 %
cetirizine	-	1	0.3 %
chlorpheniramine	-	1	0.3 %
cimetidine	-	1	0.3 %
clarithromycin	-	1	0.3 %
digoxin	-	2	0.5 %
famotidine	-	1	0.3 %
febuxostat	-	2	0.5 %
fenofibrate	-	1	0.3 %
glutamine	-	1	0.3 %
ibuprofen	-	1	0.3 %
isoniazid	-	1	0.3 %
itraconazole	-	2	0.5 %
ketoprofen	-	1	0.3 %
lansoprazole	-	1	0.3 %
lisinopril	-	1	0.3 %
losartan	-	1	0.3 %
maprotiline	-	1	0.3 %
metFORMIN	-	3	0.8 %
methotrexate	-	1	0.3 %
omeprazole	-	2	0.5 %
ranitidine	-	1	0.3 %
risperiDONE	-	1	0.3 %
rosuvastatin	-	1	0.3 %
spironolactone	-	1	0.3 %
telmisartan	-	3	0.8 %
timolol ophthalmic	-	1	0.3 %
valsartan	-	4	1.0 %
vitamin E	-	1	0.3 %
	Missing Data		
INAPP	-	266	69.6 %
	Total	382	100%

Based upon 116 valid cases out of 382 total cases.

Location: 1209-1234 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD2: Prescription: drug dosage 2

Prescription: drug dosage 2

Value	Label	Unweighted Frequency	%
0.0333	-	1	0.3 %
0.1000	-	2	0.5 %
0.2500	-	3	0.8 %
0.5000	-	2	0.5 %
0.6700	-	1	0.3 %
1.0000	-	15	3.9 %
2.0000	-	4	1.0 %
2.5000	-	2	0.5 %
3.0000	-	2	0.5 %
4.0000	-	2	0.5 %
5.0000	-	13	3.4 %
8.0000	-	1	0.3 %
10.0000	-	6	1.6 %
15.0000	-	2	0.5 %
20.0000	-	11	2.9 %
25.0000	-	2	0.5 %
30.0000	-	1	0.3 %
35.0000	-	1	0.3 %
40.0000	-	3	0.8 %
50.0000	-	9	2.4 %
80.0000	-	1	0.3 %
81.0000	-	1	0.3 %
100.0000	-	6	1.6 %
105.0000	-	1	0.3 %
150.0000	-	2	0.5 %
200.0000	-	5	1.3 %
250.0000	-	2	0.5 %
300.0000	-	1	0.3 %
375.0000	-	1	0.3 %
9995.0000	Variable dosage	0	0.0 %
9996.0000	Mixed dosage	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9998.0000	Missing	13	3.4 %
9999.0000	Inapp	266	69.6 %
	Total	382	100%

Based upon 103 valid cases out of 382 total cases.

- Mean: 43.2394
- Median: 10.0000
- Mode: 1.0000
- Minimum: 0.0333
- Maximum: 375.0000
- Standard Deviation: 71.9917

Location: 1235-1243 (width: 9; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: 9997.0000 , 9998.0000 , 9999.0000

J2MPDU2: Prescription: drug dosage units 2

Drug name and dosage: dose units number 2

Value	Label	Unweighted Frequency	%
1	mg	80	20.9 %
2	Gram	5	1.3 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	16	4.2 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
	Missing Data		
98	Missing	15	3.9 %
99	Inapp	266	69.6 %
	Total	382	100%

Based upon 101 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1244-1245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR2: Prescription: method of taking (route) 2

Route number 2

Value	Label	Unweighted Frequency	%
1	Oral (PO)	108	28.3 %
2	Inhaled	0	0.0 %
3	Topical	2	0.5 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
98	Missing	6	1.6 %
99	Inapp	266	69.6 %
Total		382	100%

Based upon 110 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1246-1247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF2: Prescription: frequency 2

Frequency: number of doses number 2

Value	Label	Unweighted Frequency	%
1	-	69	18.1 %
2	-	20	5.2 %
3	-	20	5.2 %
4	-	1	0.3 %
Missing Data			
98	Missing	6	1.6 %
99	Inapp	266	69.6 %
Total		382	100%

Based upon 110 valid cases out of 382 total cases.

- Mean: 1.57
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.82

Location: 1248-1249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU2: Prescription: frequency unit 2

Frequency: number of doses per: day, week, etc. number 2

Value	Label	Unweighted Frequency	%
1	Day	100	26.2 %
2	Every other day	1	0.3 %
3	Week	3	0.8 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
8	Missing	12	3.1 %
9	Inapp	266	69.6 %
Total		382	100%

Based upon 104 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1250-1250 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT2: Prescription: taken for how long 2

Taken for how long: number of (years, months, etc.) number 2

Value	Label	Unweighted Frequency	%
1.00	-	16	4.2 %
1.50	-	3	0.8 %
2.00	-	11	2.9 %
2.50	-	3	0.8 %
2.75	-	1	0.3 %

Value	Label	Unweighted Frequency	%
3.00	-	7	1.8 %
3.50	-	2	0.5 %
4.00	-	1	0.3 %
4.50	-	1	0.3 %
5.00	-	6	1.6 %
5.50	-	1	0.3 %
6.00	-	3	0.8 %
6.50	-	2	0.5 %
7.00	-	1	0.3 %
7.50	-	2	0.5 %
8.00	-	4	1.0 %
10.00	-	12	3.1 %
14.00	-	2	0.5 %
15.00	-	2	0.5 %
16.00	-	1	0.3 %
18.00	-	1	0.3 %
20.00	-	2	0.5 %
28.00	-	1	0.3 %
30.00	-	5	1.3 %
31.00	-	1	0.3 %
Missing Data			
98.00	Missing	25	6.5 %
99.00	Inapp	266	69.6 %
Total		382	100%

Based upon 91 valid cases out of 382 total cases.

- Mean: 7.37
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 7.98

Location: 1251-1255 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2MPTU2: Prescription: unit of time taken 2

Taken for how long: unit of time (months, years, etc.) number 2

Value	Label	Unweighted Frequency	%
1	Day	5	1.3 %
2	Week	3	0.8 %
3	Month	12	3.1 %
4	Year	71	18.6 %
5	Other	0	0.0 %
Missing Data			
8	Missing	25	6.5 %
9	Inapp	266	69.6 %
Total		382	100%

Based upon 91 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1256-1256 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M2: Prescription: why taken ICD 9 major category code 2

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 2

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	1	0.3 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %

Value	Label	Unweighted Frequency	%
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	3	0.8 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	1	0.3 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	1	0.3 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	5	1.3 %
274	Gout	3	0.8 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	1	0.3 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	9	2.4 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9996	Unable to classify	3	0.8 %
9998	Missing	16	4.2 %
9999	Inapp	278	72.8 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 85 valid cases out of 382 total cases.

- Minimum: 10.00
- Maximum: 790.00

Location: 1257-1260 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC2: Prescription: why taken Midlife in the United States (MIDUS) code 2

Prescription: why taken Midife in the United States (MIDUS) code 2

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	1	0.3 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	1	0.3 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	3	0.8 %
M3020	Musculoskeletal health	1	0.3 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	3	0.8 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	1	0.3 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	1	0.3 %

Value	Label	Unweighted Frequency	%
M3071	Prevent colds	0	0.0 %
M3080	Integument health	1	0.3 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	3	0.8 %
Missing Data			
Z9998	Missing	16	4.2 %
Z9999	Inapp	351	91.9 %
Total		382	100%

Based upon 15 valid cases out of 382 total cases.

Location: 1261-1265 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID3: Prescription: Multum drug ID 3

Prescription: Multum drug ID 3

Value	Label	Unweighted Frequency	%
d00023	-	3	0.8 %
d00028	-	1	0.3 %
d00045	-	1	0.3 %
d00051	-	1	0.3 %
d00070	-	1	0.3 %
d00102	-	1	0.3 %
d00141	-	3	0.8 %
d00168	-	1	0.3 %
d00170	-	4	1.0 %
d00253	-	1	0.3 %
d00278	-	1	0.3 %
d00322	-	1	0.3 %
d00348	-	2	0.5 %
d00373	-	1	0.3 %
d00397	-	2	0.5 %
d00409	-	1	0.3 %

Value	Label	Unweighted Frequency	%
d00426	-	1	0.3 %
d00646	-	1	0.3 %
d00689	-	3	0.8 %
d00726	-	1	0.3 %
d00874	-	1	0.3 %
d00910	-	2	0.5 %
d00972	-	1	0.3 %
d01005	-	1	0.3 %
d03140	-	1	0.3 %
d03797	-	1	0.3 %
d03807	-	1	0.3 %
d03827	-	1	0.3 %
d03828	-	1	0.3 %
d03849	-	2	0.5 %
d03864	-	2	0.5 %
d04008	-	1	0.3 %
d04105	-	3	0.8 %
d04220	-	1	0.3 %
d04284	-	1	0.3 %
d04286	-	1	0.3 %
d04382	-	2	0.5 %
d04442	-	1	0.3 %
d04722	-	1	0.3 %
d04825	-	1	0.3 %
d04829	-	1	0.3 %
d04851	-	1	0.3 %
d04939	-	1	0.3 %
d99999	-	24	6.3 %
Missing Data			
INAPP	-	298	78.0 %
Total		382	100%

Based upon 84 valid cases out of 382 total cases.

Location: 1266-1271 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN3: Prescription: Multum generic drug name 3

Prescription: Multum generic drug name 3

Value	Label	Unweighted Frequency	%
ALPRAZolam	-	1	0.3 %
ARIPIPrazole	-	1	0.3 %
NIFEdipine	-	1	0.3 %
QUEtiapine	-	1	0.3 %
Unmatched, no generic name	-	24	6.3 %
alendronate	-	2	0.5 %
allopurinol	-	3	0.8 %
amLODIPine	-	3	0.8 %
amoxapine	-	1	0.3 %
ascorbic acid	-	1	0.3 %
aspirin	-	4	1.0 %
atorvastatin	-	3	0.8 %
biperiden	-	1	0.3 %
cetirizine	-	1	0.3 %
cilostazol	-	2	0.5 %
diclofenac topical	-	1	0.3 %
diltiazem	-	1	0.3 %
doxazosin	-	1	0.3 %
famotidine	-	3	0.8 %
fenofibrate	-	1	0.3 %
fluticasone topical	-	1	0.3 %
furosemide	-	1	0.3 %
glimepiride	-	2	0.5 %
hydrochlorothiazide	-	1	0.3 %
itraconazole	-	1	0.3 %
ketoprofen	-	1	0.3 %
lansoprazole	-	1	0.3 %
levothyroxine	-	1	0.3 %
magnesium oxide	-	1	0.3 %
metFORMIN	-	1	0.3 %
multivitamin	-	1	0.3 %
nizatidine	-	1	0.3 %
pioglitazone	-	1	0.3 %
pravastatin	-	2	0.5 %
riboflavin	-	1	0.3 %
rosuvastatin	-	1	0.3 %
sodium picosulfate	-	1	0.3 %
spironolactone	-	1	0.3 %
tiotropium	-	1	0.3 %

Value	Label	Unweighted Frequency	%
trandolapril	-	1	0.3 %
triazolam	-	2	0.5 %
trichlormethiazide	-	1	0.3 %
ursodiol	-	1	0.3 %
zolpidem	-	2	0.5 %
	Missing Data		
INAPP	-	298	78.0 %
	Total	382	100%

Based upon 84 valid cases out of 382 total cases.

Location: 1272-1297 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD3: Prescription: drug dosage 3

Drug name and dosage: dose number 3

Value	Label	Unweighted Frequency	%
0.100	-	1	0.3 %
0.125	-	1	0.3 %
0.250	-	2	0.5 %
0.400	-	1	0.3 %
0.500	-	3	0.8 %
0.700	-	1	0.3 %
1.000	-	13	3.4 %
2.000	-	4	1.0 %
2.500	-	1	0.3 %
3.000	-	2	0.5 %
5.000	-	3	0.8 %
6.000	-	1	0.3 %
10.000	-	9	2.4 %
15.000	-	2	0.5 %
20.000	-	4	1.0 %
25.000	-	2	0.5 %
30.000	-	3	0.8 %
34.000	-	1	0.3 %
40.000	-	1	0.3 %
50.000	-	4	1.0 %
60.000	-	1	0.3 %

Value	Label	Unweighted Frequency	%
68.000	-	1	0.3 %
81.000	-	1	0.3 %
100.000	-	10	2.6 %
150.000	-	1	0.3 %
200.000	-	3	0.8 %
9995.000	Variable dosage	1	0.3 %
9996.000	Mixed dosage	0	0.0 %
	Missing Data		
9998.000	Missing	7	1.8 %
9999.000	Inapp	298	78.0 %
	Total	382	100%

Based upon 77 valid cases out of 382 total cases.

- Mean: 163.920
- Median: 10.000
- Mode: 1.000
- Minimum: 0.100
- Maximum: 9995.000
- Standard Deviation: 1136.176

Location: 1298-1305 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9997.000 , 9998.000 , 9999.000

J2MPDU3: Prescription: drug dosage units 3

Drug name and dosage: dose units number 3

Value	Label	Unweighted Frequency	%
1	mg	60	15.7 %
2	Gram	3	0.8 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	12	3.1 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Drop	0	0.0 %
15	Other	1	0.3 %
Missing Data			
98	Missing	8	2.1 %
99	Inapp	298	78.0 %
Total		382	100%

Based upon 76 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 1306-1307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR3: Prescription: method of taking (route) 3

Route number 3

Value	Label	Unweighted Frequency	%
1	Oral (PO)	75	19.6 %
2	Inhaled	1	0.3 %
3	Topical	1	0.3 %
4	Sub q/sub c	1	0.3 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
98	Missing	6	1.6 %
99	Inapp	298	78.0 %
Total		382	100%

Based upon 78 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1308-1309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF3: Prescription: frequency 3

Frequency: number of doses number 3

Value	Label	Unweighted Frequency	%
1	-	43	11.3 %
2	-	20	5.2 %
3	-	15	3.9 %
	Missing Data		
98	Missing	6	1.6 %
99	Inapp	298	78.0 %
	Total	382	100%

Based upon 78 valid cases out of 382 total cases.

- Mean: 1.64
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.79

Location: 1310-1311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU3: Prescription: frequency unit 3

Frequency: number of doses per: day, week, etc. number 3

Value	Label	Unweighted Frequency	%
1	Day	70	18.3 %
2	Every other day	1	0.3 %
3	Week	0	0.0 %
4	Month	1	0.3 %
5	As needed (PRN)	2	0.5 %
6	Other	0	0.0 %
	Missing Data		
8	Missing	10	2.6 %
9	Inapp	298	78.0 %
	Total	382	100%

Based upon 74 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1312-1312 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT3: Prescription: taken for how long 3

Taken for how long: number of (years, months, etc.) number 3

Value	Label	Unweighted Frequency	%
1.00	-	9	2.4 %
1.50	-	4	1.0 %
2.00	-	4	1.0 %
2.50	-	2	0.5 %
2.75	-	1	0.3 %
3.00	-	4	1.0 %
3.50	-	1	0.3 %
4.00	-	4	1.0 %
5.00	-	6	1.6 %
6.00	-	5	1.3 %
6.50	-	2	0.5 %
7.00	-	1	0.3 %
8.00	-	1	0.3 %
10.00	-	9	2.4 %
14.00	-	2	0.5 %
15.00	-	2	0.5 %
20.00	-	2	0.5 %
28.00	-	1	0.3 %
30.00	-	3	0.8 %
31.00	-	1	0.3 %
Missing Data			
98.00	Missing	20	5.2 %
99.00	Inapp	298	78.0 %
Total		382	100%

Based upon 64 valid cases out of 382 total cases.

- Mean: 7.61
- Median: 5.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 7.94

Location: 1313-1317 (*width:* 5; *decimal:* 2)

Variable Type: numeric

(Range of) Missing Values: 97.00 , 98.00 , 99.00

J2MPTU3: Prescription: unit of time taken 3

Taken for how long: unit of time (months, years, etc.) number 3

Value	Label	Unweighted Frequency	%
1	Day	4	1.0 %
2	Week	1	0.3 %
3	Month	10	2.6 %
4	Year	49	12.8 %
5	Other	0	0.0 %
Missing Data			
8	Missing	20	5.2 %
9	Inapp	298	78.0 %
Total		382	100%

Based upon 64 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1318-1318 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M3: Prescription: why taken ICD 9 major category code 3

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 3

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %

Value	Label	Unweighted Frequency	%
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	1	0.3 %
250	Diabetes mellitus	4	1.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	5	1.3 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	1	0.3 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	3	0.8 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	12	3.1 %
9999	Inapp	310	81.2 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 60 valid cases out of 382 total cases.

- Minimum: 246.00
- Maximum: 995.00

Location: 1319-1322 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC3: Prescription: why taken Midlife in the United States (MIDUS) code 3

Prescription: why taken Midife in the United States (MIDUS) code 3

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	1	0.3 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	2	0.5 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	4	1.0 %
M3020	Musculoskeletal health	1	0.3 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3071	Prevent colds	0	0.0 %
M3080	Integument health	1	0.3 %
M3090	Other targeted health	2	0.5 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	1	0.3 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	12	3.1 %
Z9999	Inapp	358	93.7 %
Total		382	100%

Based upon 12 valid cases out of 382 total cases.

Location: 1323-1327 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID4: Prescription: Multum drug ID 4

Prescription: Multum drug ID 4

Value	Label	Unweighted Frequency	%
d00013	-	1	0.3 %
d00021	-	2	0.5 %
d00023	-	1	0.3 %
d00027	-	1	0.3 %
d00028	-	1	0.3 %
d00068	-	1	0.3 %
d00070	-	1	0.3 %
d00141	-	1	0.3 %
d00303	-	1	0.3 %
d00321	-	1	0.3 %
d00348	-	3	0.8 %
d00426	-	1	0.3 %
d00529	-	1	0.3 %
d00628	-	1	0.3 %
d00646	-	1	0.3 %
d00689	-	4	1.0 %

Value	Label	Unweighted Frequency	%
d00876	-	1	0.3 %
d00910	-	1	0.3 %
d01002	-	1	0.3 %
d01013	-	1	0.3 %
d03050	-	1	0.3 %
d03183	-	1	0.3 %
d03797	-	1	0.3 %
d03846	-	1	0.3 %
d04102	-	1	0.3 %
d04113	-	1	0.3 %
d04121	-	1	0.3 %
d04261	-	1	0.3 %
d04286	-	1	0.3 %
d04322	-	2	0.5 %
d04851	-	1	0.3 %
d07891	-	1	0.3 %
d99999	-	22	5.8 %
Missing Data			
INAPP	-	321	84.0 %
Total		382	100%

Based upon 61 valid cases out of 382 total cases.

Location: 1328-1333 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN4: Prescription: Multum generic drug name 4

Prescription: Multum generic drug name 4

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	22	5.8 %
acarbose	-	1	0.3 %
allopurinol	-	1	0.3 %
amLODIPine	-	4	1.0 %
ascorbic acid	-	1	0.3 %
betamethasone	-	1	0.3 %
candesartan	-	2	0.5 %
clomiPRAMINE	-	1	0.3 %
enalapril	-	1	0.3 %
ethambutol	-	1	0.3 %

Value	Label	Unweighted Frequency	%
famotidine	-	1	0.3 %
fenofibrate	-	1	0.3 %
fluvastatin	-	1	0.3 %
furosemide	-	1	0.3 %
haloperidol	-	1	0.3 %
icosapent	-	1	0.3 %
ketoprofen	-	1	0.3 %
loratadine	-	1	0.3 %
magnesium oxide	-	1	0.3 %
misoprostol	-	1	0.3 %
nitroglycerin	-	1	0.3 %
pancrelipase	-	1	0.3 %
pravastatin	-	3	0.8 %
raloxifene	-	1	0.3 %
ranitidine	-	2	0.5 %
rosuvastatin	-	1	0.3 %
senna	-	1	0.3 %
tamsulosin	-	1	0.3 %
tiZANidine	-	1	0.3 %
tranexamic acid	-	1	0.3 %
trichlormethiazide	-	1	0.3 %
valsartan	-	1	0.3 %
zolpidem	-	1	0.3 %
Missing Data			
INAPP	-	321	84.0 %
Total		382	100%

Based upon 61 valid cases out of 382 total cases.

Location: 1334-1359 (*width:* 26; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD4: Prescription: drug dosage 4

Drug name and dosage: dose number 4

Value	Label	Unweighted Frequency	%
0.2	-	1	0.3 %
0.5	-	2	0.5 %
1.0	-	8	2.1 %

Value	Label	Unweighted Frequency	%
1.5	-	1	0.3 %
2.0	-	5	1.3 %
2.5	-	3	0.8 %
3.0	-	2	0.5 %
5.0	-	3	0.8 %
10.0	-	5	1.3 %
12.0	-	1	0.3 %
20.0	-	2	0.5 %
25.0	-	1	0.3 %
40.0	-	1	0.3 %
50.0	-	1	0.3 %
60.0	-	1	0.3 %
67.0	-	1	0.3 %
75.0	-	2	0.5 %
100.0	-	4	1.0 %
150.0	-	1	0.3 %
200.0	-	1	0.3 %
300.0	-	2	0.5 %
750.0	-	1	0.3 %
9995.0	Variable dosage	0	0.0 %
9996.0	Mixed dosage	0	0.0 %
Missing Data			
9998.0	Missing	12	3.1 %
9999.0	Inapp	321	84.0 %
Total		382	100%

Based upon 49 valid cases out of 382 total cases.

- Mean: 53.94
- Median: 5.00
- Mode: 1.00
- Minimum: 0.20
- Maximum: 750.00
- Standard Deviation: 123.16

Location: 1360-1365 (*width:* 6; *decimal:* 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MPDU4: Prescription: drug dosage units 4

Drug name and dosage: dose units number 4

Value	Label	Unweighted Frequency	%
1	mg	36	9.4 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	11	2.9 %
9	Capsule	1	0.3 %
10	pfew/squirt	1	0.3 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	1	0.3 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	11	2.9 %
99	Inapp	321	84.0 %
Total		382	100%

Based upon 50 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 1366-1367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR4: Prescription: method of taking (route) 4

Route number 4

Value	Label	Unweighted Frequency	%
1	Oral (PO)	52	13.6 %
2	Inhaled	1	0.3 %
3	Topical	3	0.8 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
98	Missing	5	1.3 %
99	Inapp	321	84.0 %
	Total	382	100%

Based upon 56 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1368-1369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF4: Prescription: frequency 4

Frequency: number of doses number 4

Value	Label	Unweighted Frequency	%
1	-	31	8.1 %
2	-	14	3.7 %
3	-	12	3.1 %
	Missing Data		
98	Missing	4	1.0 %
99	Inapp	321	84.0 %
	Total	382	100%

Based upon 57 valid cases out of 382 total cases.

- Mean: 1.67
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.81

Location: 1370-1371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU4: Prescription: frequency unit 4

Frequency: number of doses per: day, week, etc. number 4

Value	Label	Unweighted Frequency	%
1	Day	50	13.1 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Month	0	0.0 %
5	As needed (PRN)	4	1.0 %
6	Other	0	0.0 %
Missing Data			
8	Missing	7	1.8 %
9	Inapp	321	84.0 %
Total		382	100%

Based upon 54 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1372-1372 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT4: Prescription: taken for how long 4

Taken for how long: number of (years, months, etc.) number 4

Value	Label	Unweighted Frequency	%
1.0	-	11	2.9 %
1.5	-	1	0.3 %
2.0	-	4	1.0 %
2.5	-	1	0.3 %
3.0	-	1	0.3 %
3.5	-	1	0.3 %
4.0	-	2	0.5 %
4.5	-	1	0.3 %
5.0	-	5	1.3 %
6.0	-	2	0.5 %
6.5	-	2	0.5 %
7.0	-	1	0.3 %
10.0	-	5	1.3 %
14.0	-	2	0.5 %
15.0	-	1	0.3 %
28.0	-	1	0.3 %
30.0	-	2	0.5 %
Missing Data			
98.0	Missing	18	4.7 %
99.0	Inapp	321	84.0 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Based upon 43 valid cases out of 382 total cases.

- Mean: 6.51
- Median: 4.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 7.43

Location: 1373-1376 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MPTU4: Prescription: unit of time taken 4

Taken for how long: unit of time (months, years, etc.) number 4

Value	Label	Unweighted Frequency	%
1	Day	3	0.8 %
2	Week	1	0.3 %
3	Month	6	1.6 %
4	Year	33	8.6 %
5	Other	0	0.0 %
	Missing Data		
8	Missing	18	4.7 %
9	Inapp	321	84.0 %
	Total	382	100%

Based upon 43 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1377-1377 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M4: Prescription: why taken ICD 9 major category code 4

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 4

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	1	0.3 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %

Value	Label	Unweighted Frequency	%
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	1	0.3 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	8	2.1 %
274	Gout	1	0.3 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemorrh cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %

Value	Label	Unweighted Frequency	%
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	5	1.3 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	1	0.3 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	13	3.4 %
9999	Inapp	323	84.6 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 46 valid cases out of 382 total cases.

- Minimum: 10.00
- Maximum: 995.00

Location: 1378-1381 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC4: Prescription: why taken Midlife in the United States (MIDUS) code 4

Prescription: why taken Midife in the United States (MIDUS) code 4

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	1	0.3 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	1	0.3 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	13	3.4 %
Z9999	Inapp	367	96.1 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 1382-1386 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID5: Prescription: Multum drug ID 5

Prescription: Multum drug ID 5

Value	Label	Unweighted Frequency	%
d00023	-	2	0.5 %

Value	Label	Unweighted Frequency	%
d00028	-	1	0.3 %
d00070	-	1	0.3 %
d00117	-	1	0.3 %
d00164	-	1	0.3 %
d00170	-	2	0.5 %
d00395	-	1	0.3 %
d01005	-	1	0.3 %
d01013	-	1	0.3 %
d03802	-	1	0.3 %
d03807	-	2	0.5 %
d03828	-	1	0.3 %
d03847	-	1	0.3 %
d04105	-	1	0.3 %
d04109	-	1	0.3 %
d04113	-	1	0.3 %
d04117	-	1	0.3 %
d04322	-	1	0.3 %
d04373	-	1	0.3 %
d04442	-	1	0.3 %
d05062	-	1	0.3 %
d05234	-	1	0.3 %
d07397	-	1	0.3 %
d07637	-	1	0.3 %
d99999	-	13	3.4 %
Missing Data			
INAPP	-	342	89.5 %
Total		382	100%

Based upon 40 valid cases out of 382 total cases.

Location: 1387-1392 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN5: Prescription: Multum generic drug name 5

Prescription: Multum generic drug name 5

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	13	3.4 %
adenosine	-	1	0.3 %
allopurinol	-	2	0.5 %

Value	Label	Unweighted Frequency	%
aspirin	-	2	0.5 %
atorvastatin	-	1	0.3 %
calcium lactate	-	1	0.3 %
candesartan	-	1	0.3 %
carbocysteine	-	1	0.3 %
carvedilol	-	1	0.3 %
febuxostat	-	1	0.3 %
furosemide	-	1	0.3 %
hyaluronan	-	1	0.3 %
insulin lispro	-	1	0.3 %
ketoprofen	-	1	0.3 %
lansoprazole	-	1	0.3 %
levofloxacin	-	1	0.3 %
metFORMIN	-	2	0.5 %
olopatadine ophthalmic	-	1	0.3 %
pioglitazone	-	1	0.3 %
pitavastatin	-	1	0.3 %
pyrazinamide	-	1	0.3 %
senna	-	1	0.3 %
traZODone	-	1	0.3 %
ursodiol	-	1	0.3 %
valsartan	-	1	0.3 %
	Missing Data		
INAPP	-	342	89.5 %
	Total	382	100%

Based upon 40 valid cases out of 382 total cases.

Location: 1393-1418 (*width:* 26; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD5: Prescription: drug dosage 5

Drug name and dosage: dose number 5

Value	Label	Unweighted Frequency	%
0.100	-	1	0.3 %
0.250	-	1	0.3 %
0.500	-	2	0.5 %
1.000	-	2	0.5 %

Value	Label	Unweighted Frequency	%
2.000	-	3	0.8 %
2.500	-	1	0.3 %
2.666	-	1	0.3 %
3.000	-	1	0.3 %
5.000	-	2	0.5 %
6.000	-	1	0.3 %
12.000	-	1	0.3 %
15.000	-	1	0.3 %
20.000	-	2	0.5 %
25.000	-	2	0.5 %
30.000	-	1	0.3 %
50.000	-	2	0.5 %
60.000	-	1	0.3 %
80.000	-	1	0.3 %
81.000	-	1	0.3 %
100.000	-	3	0.8 %
112.500	-	1	0.3 %
200.000	-	2	0.5 %
250.000	-	3	0.8 %
9995.000	Variable dosage	0	0.0 %
9996.000	Mixed dosage	0	0.0 %
Missing Data			
9998.000	Missing	4	1.0 %
9999.000	Inapp	342	89.5 %
Total		382	100%

Based upon 36 valid cases out of 382 total cases.

- Mean: 57.334
- Median: 20.000
- Minimum: 0.100
- Maximum: 250.000
- Standard Deviation: 78.708

Location: 1419-1426 (*width:* 8; *decimal:* 3)

Variable Type: numeric

(Range of Missing Values: 9997.000 , 9998.000 , 9999.000

J2MPDU5: Prescription: drug dosage units 5

Drug name and dosage: dose units number 5

Value	Label	Unweighted Frequency	%
1	mg	29	7.6 %
2	Gram	2	0.5 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	4	1.0 %
9	Capsule	0	0.0 %
10	pftuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	1	0.3 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	4	1.0 %
99	Inapp	342	89.5 %
Total		382	100%

Based upon 36 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 1427-1428 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR5: Prescription: method of taking (route) 5

Route number 5

Value	Label	Unweighted Frequency	%
1	Oral (PO)	34	8.9 %
2	Inhaled	0	0.0 %
3	Topical	4	1.0 %
4	Sub q/sub c	1	0.3 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
98	Missing	1	0.3 %
99	Inapp	342	89.5 %
	Total	382	100%

Based upon 39 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF5: Prescription: frequency 5

Frequency: number of doses number 5

Value	Label	Unweighted Frequency	%
1	-	23	6.0 %
2	-	9	2.4 %
3	-	5	1.3 %
Missing Data			
97	Don't know	1	0.3 %
98	Missing	2	0.5 %
99	Inapp	342	89.5 %
	Total	382	100%

Based upon 37 valid cases out of 382 total cases.

- Mean: 1.51
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.73

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU5: Prescription: frequency unit 5

Frequency: number of doses per: day, week, etc. number 5

Value	Label	Unweighted Frequency	%
1	Day	35	9.2 %
2	Every other day	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	2	0.5 %
6	Other	0	0.0 %
Missing Data			
7	Don't know	1	0.3 %
8	Missing	2	0.5 %
9	Inapp	342	89.5 %
Total		382	100%

Based upon 37 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1433-1433 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT5: Prescription: taken for how long 5

Taken for how long: number of (years, months, etc.) number 5

Value	Label	Unweighted Frequency	%
1.0	-	7	1.8 %
1.5	-	1	0.3 %
2.0	-	2	0.5 %
3.0	-	3	0.8 %
4.0	-	1	0.3 %
4.5	-	1	0.3 %
5.0	-	1	0.3 %
6.0	-	3	0.8 %
7.5	-	1	0.3 %
10.0	-	5	1.3 %
15.0	-	1	0.3 %
28.0	-	1	0.3 %
Missing Data			
98.0	Missing	13	3.4 %
99.0	Inapp	342	89.5 %
Total		382	100%

Based upon 27 valid cases out of 382 total cases.

- Mean: 5.69
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 28.00
- Standard Deviation: 5.90

Location: 1434-1437 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MPTU5: Prescription: unit of time taken 5

Taken for how long: unit of time (months, years, etc.) number 5

Value	Label	Unweighted Frequency	%
1	Day	1	0.3 %
2	Week	0	0.0 %
3	Month	5	1.3 %
4	Year	21	5.5 %
5	Other	0	0.0 %
Missing Data			
8	Missing	13	3.4 %
9	Inapp	342	89.5 %
Total		382	100%

Based upon 27 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1438-1438 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M5: Prescription: why taken ICD 9 major category code 5

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 5

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	1	0.3 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %

Value	Label	Unweighted Frequency	%
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	3	0.8 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	1	0.3 %
274	Gout	1	0.3 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	3	0.8 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %

Value	Label	Unweighted Frequency	%
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
	Missing Data		
9998	Missing	7	1.8 %
9999	Inapp	347	90.8 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 28 valid cases out of 382 total cases.

- Minimum: 10.00
- Maximum: 995.00

Location: 1439-1442 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC5: Prescription: why taken Midlife in the United States (MIDUS) code 5

Prescription: why taken Midife in the United States (MIDUS) code 5

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	1	0.3 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	1	0.3 %
M3020	Musculoskeletal health	1	0.3 %

Value	Label	Unweighted Frequency	%
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	2	0.5 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	7	1.8 %
Z9999	Inapp	370	96.9 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

Location: 1443-1447 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID6: Prescription: Multum drug ID 6

Prescription: Multum drug ID 6

Value	Label	Unweighted Frequency	%
d00002	-	1	0.3 %
d00021	-	1	0.3 %
d00170	-	1	0.3 %
d00689	-	2	0.5 %
d03797	-	1	0.3 %

Value	Label	Unweighted Frequency	%
d03847	-	1	0.3 %
d04105	-	1	0.3 %
d04284	-	1	0.3 %
d04322	-	1	0.3 %
d05234	-	1	0.3 %
d99999	-	11	2.9 %
Missing Data			
INAPP	-	360	94.2 %
Total		382	100%

Based upon 22 valid cases out of 382 total cases.

Location: 1448-1453 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN6: Prescription: Multum generic drug name 6

Prescription: Multum generic drug name 6

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	11	2.9 %
amLODIPine	-	2	0.5 %
amiodarone	-	1	0.3 %
aspirin	-	1	0.3 %
atorvastatin	-	1	0.3 %
candesartan	-	1	0.3 %
carvedilol	-	1	0.3 %
fluticasone topical	-	1	0.3 %
hyaluronan	-	1	0.3 %
magnesium oxide	-	1	0.3 %
ranitidine	-	1	0.3 %
Missing Data			
INAPP	-	360	94.2 %
Total		382	100%

Based upon 22 valid cases out of 382 total cases.

Location: 1454-1479 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD6: Prescription: drug dosage 6

Drug name and dosage: dose number 6

Value	Label	Unweighted Frequency	%
0.100	-	1	0.3 %
0.250	-	2	0.5 %
0.500	-	1	0.3 %
1.000	-	3	0.8 %
1.333	-	1	0.3 %
3.000	-	1	0.3 %
4.000	-	1	0.3 %
5.000	-	2	0.5 %
10.000	-	2	0.5 %
25.000	-	1	0.3 %
60.000	-	1	0.3 %
100.000	-	2	0.5 %
150.000	-	1	0.3 %
250.000	-	1	0.3 %
9995.000	Variable dosage	0	0.0 %
9996.000	Mixed dosage	0	0.0 %
	Missing Data		
9998.000	Missing	2	0.5 %
9999.000	Inapp	360	94.2 %
	Total	382	100%

Based upon 20 valid cases out of 382 total cases.

- Mean: 36.372
- Median: 4.500
- Mode: 1.000
- Minimum: 0.100
- Maximum: 250.000
- Standard Deviation: 66.113

Location: 1480-1487 (*width:* 8; *decimal:* 3)

Variable Type: numeric

(Range of) Missing Values: 9997.000 , 9998.000 , 9999.000

J2MPDU6: Prescription: drug dosage units 6

Drug name and dosage: dose units number 6

Value	Label	Unweighted Frequency	%
1	mg	14	3.7 %
2	Gram	2	0.5 %
3	mcg	0	0.0 %

Value	Label	Unweighted Frequency	%
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	3	0.8 %
9	Capsule	0	0.0 %
10	pftuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	1	0.3 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	2	0.5 %
99	Inapp	360	94.2 %
Total		382	100%

Based upon 20 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 1488-1489 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR6: Prescription: method of taking (route) 6

Route number 6

Value	Label	Unweighted Frequency	%
1	Oral (PO)	20	5.2 %
2	Inhaled	0	0.0 %
3	Topical	2	0.5 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	360	94.2 %
Total		382	100%

Based upon 22 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1490-1491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF6: Prescription: frequency 6

Frequency: number of doses number 6

Value	Label	Unweighted Frequency	%
1	-	14	3.7 %
2	-	4	1.0 %
3	-	4	1.0 %
	Missing Data		
99	Inapp	360	94.2 %
	Total	382	100%

Based upon 22 valid cases out of 382 total cases.

- Mean: 1.55
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.80

Location: 1492-1493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU6: Prescription: frequency unit 6

Frequency: number of doses per: day, week, etc. number 6

Value	Label	Unweighted Frequency	%
1	Day	22	5.8 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
	Missing Data		
9	Inapp	360	94.2 %
	Total	382	100%

Based upon 22 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1494-1494 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT6: Prescription: taken for how long 6

Taken for how long: number of (years, months, etc.) number 6

Value	Label	Unweighted Frequency	%
1.0	-	4	1.0 %
5.0	-	1	0.3 %
5.5	-	1	0.3 %
10.0	-	3	0.8 %
18.0	-	1	0.3 %
28.0	-	1	0.3 %
Missing Data			
98.0	Missing	11	2.9 %
99.0	Inapp	360	94.2 %
Total		382	100%

Based upon 11 valid cases out of 382 total cases.

- Mean: 8.23
- Median: 5.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 28.00
- Standard Deviation: 8.50

Location: 1495-1498 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MPTU6: Prescription: unit of time taken 6

Taken for how long: unit of time (months, years, etc.) number 6

Value	Label	Unweighted Frequency	%
1	Day	2	0.5 %
2	Week	0	0.0 %
3	Month	1	0.3 %
4	Year	8	2.1 %
5	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Missing	11	2.9 %
9	Inapp	360	94.2 %
	Total	382	100%

Based upon 11 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1499-1499 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M6: Prescription: why taken ICD 9 major category code 6

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 6

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	1	0.3 %
251	Oth pancreatic disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	1	0.3 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	2	0.5 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	1	0.3 %
9999	Inapp	363	95.0 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 18 valid cases out of 382 total cases.

- Minimum: 250.00
- Maximum: 786.00

Location: 1500-1503 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC6: Prescription: why taken Midlife in the United States (MIDUS) code 6

Prescription: why taken Midife in the United States (MIDUS) code 6

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	1	0.3 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	2	0.5 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %

Value	Label	Unweighted Frequency	%
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
	Missing Data		
Z9998	Missing	1	0.3 %
Z9999	Inapp	378	99.0 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 1504-1508 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID7: Prescription: Multum drug ID 7

Prescription: Multum drug ID 7

Value	Label	Unweighted Frequency	%
d00102	-	1	0.3 %
d00278	-	1	0.3 %
d00915	-	1	0.3 %
d01013	-	1	0.3 %
d03145	-	1	0.3 %
d03644	-	1	0.3 %
d04286	-	1	0.3 %
d04364	-	1	0.3 %
d07397	-	1	0.3 %
d99999	-	4	1.0 %
	Missing Data		
INAPP	-	369	96.6 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

Location: 1509-1514 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN7: Prescription: Multum generic drug name 7

Prescription: Multum generic drug name 7

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	4	1.0 %

Value	Label	Unweighted Frequency	%
estazolam	-	1	0.3 %
febuxostat	-	1	0.3 %
fenofibrate	-	1	0.3 %
itraconazole	-	1	0.3 %
lactobacillus acidophilus	-	1	0.3 %
levothyroxine	-	1	0.3 %
multivitamin with minerals	-	1	0.3 %
senna	-	1	0.3 %
telmisartan	-	1	0.3 %
	Missing Data		
INAPP	-	369	96.6 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

Location: 1515-1540 (*width:* 26; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD7: Prescription: drug dosage 7

Drug name and dosage: dose number 7

Value	Label	Unweighted Frequency	%
0.500	-	1	0.3 %
0.666	-	1	0.3 %
1.000	-	2	0.5 %
1.500	-	1	0.3 %
2.000	-	1	0.3 %
5.000	-	1	0.3 %
12.000	-	1	0.3 %
20.000	-	1	0.3 %
40.000	-	1	0.3 %
50.000	-	1	0.3 %
100.000	-	2	0.5 %
9995.000	Variable dosage	0	0.0 %
9996.000	Mixed dosage	0	0.0 %
	Missing Data		
9999.000	Inapp	369	96.6 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

- Mean: 25.667
- Median: 5.000
- Minimum: 0.500
- Maximum: 100.000
- Standard Deviation: 36.645

Location: 1541-1548 (width: 8; decimal: 3)

Variable Type: numeric

(Range of) Missing Values: 9997.000 , 9998.000 , 9999.000

J2MPDU7: Prescription: drug dosage units 7

Drug name and dosage: dose units number 7

Value	Label	Unweighted Frequency	%
1	mg	7	1.8 %
2	Gram	3	0.8 %
3	mcg	1	0.3 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	1	0.3 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	1	0.3 %
Missing Data			
99	Inapp	369	96.6 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 1549-1550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR7: Prescription: method of taking (route) 7

Route number 7

Value	Label	Unweighted Frequency	%
1	Oral (PO)	13	3.4 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	369	96.6 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1551-1552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF7: Prescription: frequency 7

Frequency: number of doses number 7

Value	Label	Unweighted Frequency	%
1	-	4	1.0 %
2	-	3	0.8 %
3	-	5	1.3 %
Missing Data			
98	Missing	1	0.3 %
99	Inapp	369	96.6 %
Total		382	100%

Based upon 12 valid cases out of 382 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.90

Location: 1553-1554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU7: Prescription: frequency unit 7

Frequency: number of doses per: day, week, etc. number 7

Value	Label	Unweighted Frequency	%
1	Day	12	3.1 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	369	96.6 %
Total		382	100%

Based upon 12 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1555-1555 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT7: Prescription: taken for how long 7

Taken for how long: number of (years, months, etc.) number 7

Value	Label	Unweighted Frequency	%
5.0	-	1	0.3 %
5.5	-	1	0.3 %
10.0	-	3	0.8 %
18.0	-	1	0.3 %
Missing Data			
98.0	Missing	7	1.8 %
99.0	Inapp	369	96.6 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Mean: 9.75
- Median: 10.00
- Mode: 10.00
- Minimum: 5.00
- Maximum: 18.00

- Standard Deviation: 4.67

Location: 1556-1559 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MPTU7: Prescription: unit of time taken 7

Taken for how long: unit of time (months, years, etc.) number 7

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	1	0.3 %
4	Year	5	1.3 %
5	Other	0	0.0 %
Missing Data			
8	Missing	7	1.8 %
9	Inapp	369	96.6 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 1560-1560 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M7: Prescription: why taken ICD 9 major category code 7

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 7

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %

Value	Label	Unweighted Frequency	%
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	1	0.3 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	1	0.3 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
9999	Inapp	372	97.4 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10 valid cases out of 382 total cases.

- Minimum: 272.00
- Maximum: 790.00

Location: 1561-1564 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC7: Prescription: why taken Midlife in the United States (MIDUS) code 7

Prescription: why taken Midife in the United States (MIDUS) code 7

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	1	0.3 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3031	Intestinal/colon health	1	0.3 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	1	0.3 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9999	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 1565-1569 (*width:* 5; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID8: Prescription: Multum drug ID 8

Prescription: Multum drug ID 8

Value	Label	Unweighted Frequency	%
d00021	-	1	0.3 %
d00149	-	1	0.3 %
d00746	-	1	0.3 %
d01017	-	1	0.3 %
d03140	-	1	0.3 %
d07637	-	1	0.3 %
d99999	-	3	0.8 %
Missing Data			
INAPP	-	373	97.6 %
Total		382	100%

Based upon 9 valid cases out of 382 total cases.

Location: 1570-1575 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN8: Prescription: Multum generic drug name 8

Prescription: Multum generic drug name 8

Value	Label	Unweighted Frequency	%
LORazepam	-	1	0.3 %
Unmatched, no generic name	-	3	0.8 %
multivitamin	-	1	0.3 %
pitavastatin	-	1	0.3 %
polycarbophil	-	1	0.3 %
ranitidine	-	1	0.3 %
simvastatin	-	1	0.3 %
Missing Data			
INAPP	-	373	97.6 %
	Total	382	100%

Based upon 9 valid cases out of 382 total cases.

Location: 1576-1601 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD8: Prescription: drug dosage 8

Drug name and dosage: dose number 8

Value	Label	Unweighted Frequency	%
0.5	-	1	0.3 %
1.0	-	1	0.3 %
2.0	-	1	0.3 %
5.0	-	1	0.3 %
100.0	-	1	0.3 %
150.0	-	1	0.3 %
500.0	-	1	0.3 %
9995.0	Variable dosage	1	0.3 %
9996.0	Mixed dosage	0	0.0 %
Missing Data			
9998.0	Missing	1	0.3 %
9999.0	Inapp	373	97.6 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 8 valid cases out of 382 total cases.

- Mean: 1344.19
- Median: 52.50
- Minimum: 0.50
- Maximum: 9995.00
- Standard Deviation: 3499.55

Location: 1602-1607 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MPDU8: Prescription: drug dosage units 8

Drug name and dosage: dose units number 8

Value	Label	Unweighted Frequency	%
1	mg	7	1.8 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	0	0.0 %
9	Capsule	1	0.3 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	1	0.3 %
99	Inapp	373	97.6 %
Total		382	100%

Based upon 8 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1608-1609 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR8: Prescription: method of taking (route) 8

Route number 8

Value	Label	Unweighted Frequency	%
1	Oral (PO)	8	2.1 %
2	Inhaled	0	0.0 %
3	Topical	1	0.3 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	373	97.6 %
Total		382	100%

Based upon 9 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1610-1611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF8: Prescription: frequency 8

Frequency: number of doses number 8

Value	Label	Unweighted Frequency	%
1	-	5	1.3 %
3	-	4	1.0 %
Missing Data			
99	Inapp	373	97.6 %
Total		382	100%

Based upon 9 valid cases out of 382 total cases.

- Mean: 1.89
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.05

Location: 1612-1613 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

J2MPFU8: Prescription: frequency unit 8

Frequency: number of doses per: day, week, etc. number 8

Value	Label	Unweighted Frequency	%
1	Day	9	2.4 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
9	Inapp	373	97.6 %
Total		382	100%

Based upon 9 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1614-1614 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT8: Prescription: taken for how long 8

Taken for how long: number of (years, months, etc.) number 8

Value	Label	Unweighted Frequency	%
5.0	-	1	0.3 %
5.5	-	1	0.3 %
10.0	-	2	0.5 %
Missing Data			
98.0	Missing	5	1.3 %
99.0	Inapp	373	97.6 %
Total		382	100%

Based upon 4 valid cases out of 382 total cases.

- Mean: 7.62
- Median: 7.75
- Mode: 10.00
- Minimum: 5.00
- Maximum: 10.00

- Standard Deviation: 2.75

Location: 1615-1618 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MPTU8: Prescription: unit of time taken 8

Taken for how long: unit of time (months, years, etc.) number 8

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	4	1.0 %
5	Other	0	0.0 %
Missing Data			
8	Missing	5	1.3 %
9	Inapp	373	97.6 %
Total		382	100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1619-1619 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M8: Prescription: why taken ICD 9 major category code 8

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 8

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %

Value	Label	Unweighted Frequency	%
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	1	0.3 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	1	0.3 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	1	0.3 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
9999	Inapp	373	97.6 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9 valid cases out of 382 total cases.

- Minimum: 250.00
- Maximum: 782.00

Location: 1620-1623 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC8: Prescription: why taken Midlife in the United States (MIDUS) code 8

Prescription: why taken Midife in the United States (MIDUS) code 8

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9999	Inapp	382	100.0 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1624-1628 (*width:* 5; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID9: Prescription: Multum drug ID 9

Prescription: Multum drug ID 9

Value	Label	Unweighted Frequency	%
d00013	-	1	0.3 %
d00028	-	1	0.3 %
d00628	-	1	0.3 %
d00726	-	1	0.3 %
d04442	-	1	0.3 %
d99999	-	1	0.3 %
Missing Data			
INAPP	-	376	98.4 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

Location: 1629-1634 (*width:* 6; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN9: Prescription: Multum generic drug name 9

Prescription: Multum generic drug name 9

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	1	0.3 %
betamethasone	-	1	0.3 %
doxazosin	-	1	0.3 %
enalapril	-	1	0.3 %
ketoprofen	-	1	0.3 %
pioglitazone	-	1	0.3 %
	Missing Data		
INAPP	-	376	98.4 %
	Total	382	100%

Based upon 6 valid cases out of 382 total cases.

Location: 1635-1660 (*width:* 26; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD9: Prescription: drug dosage 9

Drug name and dosage: dose number 9

Value	Label	Unweighted Frequency	%
0.5	-	1	0.3 %
5.0	-	1	0.3 %
20.0	-	1	0.3 %
30.0	-	1	0.3 %
9995.0	Variable dosage	0	0.0 %
9996.0	Mixed dosage	0	0.0 %
	Missing Data		
9998.0	Missing	2	0.5 %
9999.0	Inapp	376	98.4 %
	Total	382	100%

Based upon 4 valid cases out of 382 total cases.

- Mean: 13.88
- Median: 12.50

- Minimum: 0.50
- Maximum: 30.00
- Standard Deviation: 13.60

Location: 1661-1666 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MPDU9: Prescription: drug dosage units 9

Drug name and dosage: dose units number 9

Value	Label	Unweighted Frequency	%
1	mg	4	1.0 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	0	0.0 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	2	0.5 %
99	Inapp	376	98.4 %
Total		382	100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1667-1668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR9: Prescription: method of taking (route) 9

Route number 9

Value	Label	Unweighted Frequency	%
1	Oral (PO)	4	1.0 %
2	Inhaled	0	0.0 %
3	Topical	2	0.5 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	376	98.4 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1669-1670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF9: Prescription: frequency 9

Frequency: number of doses number 9

Value	Label	Unweighted Frequency	%
1	-	6	1.6 %
Missing Data			
99	Inapp	376	98.4 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 1671-1672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU9: Prescription: frequency unit 9

Frequency: number of doses per: day, week, etc. number 9

Value	Label	Unweighted Frequency	%
1	Day	5	1.3 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	1	0.3 %
6	Other	0	0.0 %
Missing Data			
9	Inapp	376	98.4 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1673-1673 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT9: Prescription: taken for how long 9

Taken for how long: number of (years, months, etc.) number 9

Value	Label	Unweighted Frequency	%
5.5	-	1	0.3 %
10.0	-	1	0.3 %
Missing Data			
98.0	Missing	4	1.0 %
99.0	Inapp	376	98.4 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 7.75
- Median: 7.75
- Minimum: 5.50
- Maximum: 10.00
- Standard Deviation: 3.18

Location: 1674-1677 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MPTU9: Prescription: unit of time taken 9

Taken for how long: unit of time (months, years, etc.) number 9

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	2	0.5 %
5	Other	0	0.0 %
Missing Data			
8	Missing	4	1.0 %
9	Inapp	376	98.4 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1678-1678 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M9: Prescription: why taken ICD 9 major category code 9

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 9

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %

Value	Label	Unweighted Frequency	%
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	1	0.3 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9999	Inapp	376	98.4 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6 valid cases out of 382 total cases.

- Minimum: 250.00
- Maximum: 995.00

Location: 1679-1682 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC9: Prescription: why taken Midlife in the United States (MIDUS) code 9

Prescription: why taken Midife in the United States (MIDUS) code 9

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %

Value	Label	Unweighted Frequency	%
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9999	Inapp	382	100.0 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1683-1687 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID10: Prescription: Multum drug ID 10

Prescription: Multum drug ID 10

Value	Label	Unweighted Frequency	%
d00028	-	1	0.3 %
d00689	-	1	0.3 %
d99999	-	3	0.8 %
Missing Data			
INAPP	-	377	98.7 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

Location: 1688-1693 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN10: Prescription: Multum generic drug name 10

Prescription: Multum generic drug name 10

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	3	0.8 %
amLODIPine	-	1	0.3 %
ketoprofen	-	1	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
INAPP	-	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

Location: 1694-1719 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD10: Prescription: drug dosage 10

Drug name and dosage: dose number 10

Value	Label	Unweighted Frequency	%
0.3	-	1	0.3 %
2.5	-	1	0.3 %
10.0	-	1	0.3 %
40.0	-	1	0.3 %
100.0	-	1	0.3 %
9995.0	Variable dosage	0	0.0 %
9996.0	Mixed dosage	0	0.0 %
	Missing Data		
9999.0	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Mean: 30.56
- Median: 10.00
- Minimum: 0.30
- Maximum: 100.00
- Standard Deviation: 41.94

Location: 1720-1725 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MPDU10: Prescription: drug dosage units 10

Drug name and dosage: Dose Units number 10

Value	Label	Unweighted Frequency	%
1	mg	5	1.3 %
2	Gram	0	0.0 %

Value	Label	Unweighted Frequency	%
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	0	0.0 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	377	98.7 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR10: Prescription: method of taking (route) 10

Route number 10

Value	Label	Unweighted Frequency	%
1	Oral (PO)	3	0.8 %
2	Inhaled	0	0.0 %
3	Topical	2	0.5 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	377	98.7 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1728-1729 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF10: Prescription: frequency 10

Frequency: number of doses number 10

Value	Label	Unweighted Frequency	%
1	-	4	1.0 %
3	-	1	0.3 %
	Missing Data		
99	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.89

Location: 1730-1731 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU10: Prescription: frequency unit 10

Frequency: number of doses per: day, week, etc. number 10

Value	Label	Unweighted Frequency	%
1	Day	4	1.0 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	1	0.3 %
6	Other	0	0.0 %
	Missing Data		
9	Inapp	377	98.7 %
	Total	382	100%

Based upon 5 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1732-1732 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT10: Prescription: taken for how long 10

Taken for how long: number of (years, months, etc.) number 10

Value	Label	Unweighted Frequency	%
	Missing Data		
98	Missing	5	1.3 %
99	Inapp	377	98.7 %
	Total	382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1733-1734 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPTU10: Prescription: unit of time taken 10

Taken for how long: unit of time (months, years, etc.) number 10

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	0	0.0 %
5	Other	0	0.0 %
	Missing Data		
8	Missing	5	1.3 %
9	Inapp	377	98.7 %
	Total	382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1735-1735 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M10: Prescription: why taken ICD 9 major category code 10

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 10

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	1	0.3 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %

Value	Label	Unweighted Frequency	%
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9999	Inapp	377	98.7 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5 valid cases out of 382 total cases.

- Minimum: 250.00
- Maximum: 995.00

Location: 1736-1739 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC10: Prescription: why taken Midlife in the United States (MIDUS) code 10

Prescription: why taken Midife in the United States (MIDUS) code 10

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %

Value	Label	Unweighted Frequency	%
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9999	Inapp	382	100.0 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1740-1744 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID11: Prescription: Multum drug ID 11

Prescription: Multum drug ID 11

Value	Label	Unweighted Frequency	%
d00689	-	1	0.3 %
d99999	-	2	0.5 %
	Missing Data		
INAPP	-	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 1745-1750 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN11: Prescription: Multum generic drug name 11

Prescription: Multum generic drug name 11

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	2	0.5 %
amLODIPine	-	1	0.3 %
	Missing Data		
INAPP	-	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 1751-1776 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD11: Prescription: drug dosage 11

Drug name and dosage: dose number 11

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
5	-	1	0.3 %
50	-	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %
	Missing Data		
9999	Inapp	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Mean: 18.67
- Median: 5.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 27.21

Location: 1777-1780 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MPDU11: Prescription: drug dosage units 11

Drug name and dosage: dose units number 11

Value	Label	Unweighted Frequency	%
1	mg	2	0.5 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	0	0.0 %
9	Capsule	1	0.3 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1781-1782 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR11: Prescription: method of taking (route) 11

Route number 11

Value	Label	Unweighted Frequency	%
1	Oral (PO)	3	0.8 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1783-1784 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF11: Prescription: frequency 11

Frequency: number of doses number 11

Value	Label	Unweighted Frequency	%
1	-	2	0.5 %
2	-	1	0.3 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Mean: 1.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.58

Location: 1785-1786 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU11: Prescription: frequency unit 11

Frequency: number of doses per: day, week, etc. number 11

Value	Label	Unweighted Frequency	%
1	Day	3	0.8 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
9	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1787-1787 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT11: Prescription: taken for how long 11

Taken for how long: number of (years, months, etc.) number 11

Value	Label	Unweighted Frequency	%
Missing Data			
98	Missing	3	0.8 %
99	Inapp	379	99.2 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1788-1789 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPTU11: Prescription: unit of time taken 11

Taken for how long: unit of time (months, years, etc.) number 11

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Other	0	0.0 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	379	99.2 %
	Total	382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1790-1790 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

J2MPICD9M11: Prescription: why taken ICD 9 major category code 11

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 11

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %

Value	Label	Unweighted Frequency	%
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9999	Inapp	380	99.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 382 total cases.

- Minimum: 401.00
- Maximum: 786.00

Location: 1791-1794 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC11: Prescription: why taken Midlife in the United States (MIDUS) code 11

Prescription: why taken Midife in the United States (MIDUS) code 11

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	1	0.3 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
Z9999	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

Location: 1795-1799 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID12: Prescription: Multum drug ID 12

Prescription: Multum drug ID 12

Value	Label	Unweighted Frequency	%
d00168	-	1	0.3 %
d00646	-	1	0.3 %
	Missing Data		
INAPP	-	380	99.5 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 1800-1805 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN12: Prescription: Multum generic drug name 12

Prescription: Multum generic drug name 12

Value	Label	Unweighted Frequency	%
ALPRAZolam	-	1	0.3 %
trichlormethiazide	-	1	0.3 %
	Missing Data		
INAPP	-	380	99.5 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 1806-1823 (width: 18; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD12: Prescription: drug dosage 12

Drug name and dosage: dose number 12

Value	Label	Unweighted Frequency	%
0.4	-	1	0.3 %
2.0	-	1	0.3 %
9995.0	Variable dosage	0	0.0 %
9996.0	Mixed dosage	0	0.0 %
Missing Data			
9999.0	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 1.20
- Median: 1.20
- Minimum: 0.40
- Maximum: 2.00
- Standard Deviation: 1.13

Location: 1824-1829 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MPDU12: Prescription: drug dosage units 12

Drug name and dosage: dose units number 12

Value	Label	Unweighted Frequency	%
1	mg	2	0.5 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	0	0.0 %
9	Capsule	0	0.0 %
10	pftuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	380	99.5 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1830-1831 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR12: Prescription: method of taking (route) 12

Route number 12

Value	Label	Unweighted Frequency	%
1	Oral (PO)	2	0.5 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1832-1833 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF12: Prescription: frequency 12

Frequency: number of doses number 12

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
2	-	1	0.3 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.71

Location: 1834-1835 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU12: Prescription: frequency unit 12

Frequency: number of doses per: day, week, etc. number 12

Value	Label	Unweighted Frequency	%
1	Day	2	0.5 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
9	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1836-1836 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT12: Prescription: taken for how long 12

Taken for how long: number of (years, months, etc.) number 12

Value	Label	Unweighted Frequency	%
Missing Data			
98	Missing	2	0.5 %
99	Inapp	380	99.5 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1837-1838 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

J2MPTU12: Prescription: unit of time taken 12

Taken for how long: unit of time (months, years, etc.) number 12

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	0	0.0 %
5	Other	0	0.0 %
Missing Data			
8	Missing	2	0.5 %
9	Inapp	380	99.5 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1839-1839 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M12: Prescription: why taken ICD 9 major category code 12

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 12

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %

Value	Label	Unweighted Frequency	%
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	1	0.3 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9999	Inapp	380	99.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 382 total cases.

- Minimum: 300.00
- Maximum: 401.00

Location: 1840-1843 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC12: Prescription: why taken Midlife in the United States (MIDUS) code 12

Prescription: why taken Midife in the United States (MIDUS) code 12

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9999	Inapp	382	100.0 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1844-1848 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MPMID13: Prescription: Multum drug ID 13

Prescription: Multum drug ID 13

Value	Label	Unweighted Frequency	%
d03157	-	1	0.3 %
Missing Data			
INAPP	-	381	99.7 %
Total		382	100%

Based upon 1 valid cases out of 382 total cases.

Location: 1849-1854 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPGN13: Prescription: Multum generic drug name 13

Prescription: Multum generic drug name 13

Value	Label	Unweighted Frequency	%
PARoxetine	-	1	0.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
INAPP	-	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

Location: 1855-1864 (width: 10; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MPDD13: Prescription: drug dosage 13

Drug name and dosage: dose number 13

Value	Label	Unweighted Frequency	%
10	Undocumented Code	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %
	Missing Data		
9999	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 1865-1868 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MPDU13: Prescription: drug dosage units 13

Drug name and dosage: dose units number 13

Value	Label	Unweighted Frequency	%
1	mg	1	0.3 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	0	0.0 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	381	99.7 %
Total		382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1869-1870 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPR13: Prescription: method of taking (route) 13

Route number 13

Value	Label	Unweighted Frequency	%
1	Oral (PO)	1	0.3 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	381	99.7 %
Total		382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1871-1872 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPF13: Prescription: frequency 13

Frequency: number of doses number 13

Value	Label	Unweighted Frequency	%
2	-	1	0.3 %
	Missing Data		
99	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

Location: 1873-1874 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPFU13: Prescription: frequency unit 13

Frequency: number of doses per: day, week, etc. number 13

Value	Label	Unweighted Frequency	%
1	Day	1	0.3 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
	Missing Data		
9	Inapp	381	99.7 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1875-1875 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPT13: Prescription: taken for how long 13

Taken for how long: number of (years, months, etc.) number 13

Value	Label	Unweighted Frequency	%
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	381	99.7 %
	Total	382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1876-1877 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MPTU13: Prescription: unit of time taken 13

Taken for how long: unit of time (months, years, etc.) number 13

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	0	0.0 %
5	Other	0	0.0 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	381	99.7 %
	Total	382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1878-1878 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MPICD9M13: Prescription: why taken ICD 9 major category code 13

Prescription: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 13

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %

Value	Label	Unweighted Frequency	%
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	1	0.3 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %

Value	Label	Unweighted Frequency	%
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
	Missing Data		
9999	Inapp	381	99.7 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 382 total cases.

- Minimum: 300.00
- Maximum: 300.00

Location: 1879-1882 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MPMDC13: Prescription: why taken Midlife in the United States (MIDUS) code 13

Prescription: why taken Midlife in the United States (MIDUS) code 13

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %

Value	Label	Unweighted Frequency	%
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9999	Inapp	382	100.0 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 1883-1887 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQM: Number of quasi (non-prescription) medications

Number of quasi-medications

Value	Label	Unweighted Frequency	%
0	-	267	69.9 %
1	-	61	16.0 %
2	-	26	6.8 %
3	-	15	3.9 %
4	-	7	1.8 %
5	-	1	0.3 %
6	-	2	0.5 %

Value	Label	Unweighted Frequency	%
7	-	1	0.3 %
8	-	1	0.3 %
50	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.78

Location: 1888-1889 (width: 2; decimal: 0)

Variable Type: numeric

J2MQMV: Does respondent take multivitamin?

Does R take multiple vitamins: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	21	5.5 %
2	No	354	92.7 %
	Missing Data		
8	Missing	7	1.8 %
Total		382	100%

Based upon 375 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1890-1890 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , 8 , 9

J2MQMID1: Quasi med: Multum drug ID 1

Quasi med: Multum drug ID 1

Value	Label	Unweighted Frequency	%
d03140	-	21	5.5 %
	Missing Data		
INAPP	-	361	94.5 %
Total		382	100%

Based upon 21 valid cases out of 382 total cases.

Location: 1891-1896 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN1: Quasi med: Multum generic drug name 1

Quasi med: Multum generic drug name 1

Value	Label	Unweighted Frequency	%
multivitamin	-	21	5.5 %
	Missing Data		
INAPP	-	361	94.5 %
	Total	382	100%

Based upon 21 valid cases out of 382 total cases.

Location: 1897-1908 (width: 12; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD1: Quasi med: drug dosage 1

Drug name and dosage: dose number 1 (multi-vitamin)

Value	Label	Unweighted Frequency	%
0.5	-	1	0.3 %
1.0	-	7	1.8 %
2.0	-	2	0.5 %
4.0	-	1	0.3 %
7.0	-	1	0.3 %
450.0	-	1	0.3 %
9995.0	Variable dosage	0	0.0 %
9996.0	Mixed dosage	0	0.0 %
	Missing Data		
9998.0	Missing	8	2.1 %
9999.0	Inapp	361	94.5 %
	Total	382	100%

Based upon 13 valid cases out of 382 total cases.

- Mean: 36.35
- Median: 1.00
- Mode: 1.00
- Minimum: 0.50

- Maximum: 450.00
- Standard Deviation: 124.30

Location: 1909-1914 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MQDU1: Quasi med: drug dosage units 1

Drug name and dosage: dose units number 1 (multi-vitamin)

Value	Label	Unweighted Frequency	%
1	mg	1	0.3 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	12	3.1 %
9	Capsule	0	0.0 %
10	pftu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	8	2.1 %
99	Inapp	361	94.5 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1915-1916 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR1: Quasi med: method of taking (route) 1

Route number 1 (multi-vitamin)

Value	Label	Unweighted Frequency	%
1	Oral (PO)	18	4.7 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
98	Missing	3	0.8 %
99	Inapp	361	94.5 %
Total		382	100%

Based upon 18 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1917-1918 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF1: Quasi med: frequency 1

Frequency: number of doses number 1 (multi-vitamin)

Value	Label	Unweighted Frequency	%
1	-	13	3.4 %
2	-	3	0.8 %
3	-	1	0.3 %
Missing Data			
98	Missing	4	1.0 %
99	Inapp	361	94.5 %
Total		382	100%

Based upon 17 valid cases out of 382 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

Location: 1919-1920 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU1: Quasi med: frequency unit 1

Frequency: number of doses per: day, week, etc. number 1 (multi-vitamin)

Value	Label	Unweighted Frequency	%
1	Day	16	4.2 %
2	Every other day	0	0.0 %
3	Week	1	0.3 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
8	Missing	4	1.0 %
9	Inapp	361	94.5 %
Total		382	100%

Based upon 17 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1921-1921 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT1: Quasi med: taken for how long 1

Taken for how long: number of (years, months, etc.) number 1 (multi-vitamin)

Value	Label	Unweighted Frequency	%
1.0	-	4	1.0 %
2.0	-	1	0.3 %
2.5	-	1	0.3 %
3.0	-	3	0.8 %
5.0	-	1	0.3 %
5.5	-	1	0.3 %
6.0	-	1	0.3 %
7.5	-	1	0.3 %
10.0	-	1	0.3 %
20.0	-	1	0.3 %
Missing Data			
98.0	Missing	6	1.6 %
99.0	Inapp	361	94.5 %
Total		382	100%

Based upon 15 valid cases out of 382 total cases.

- Mean: 4.77
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.99

Location: 1922-1925 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MQTU1: Quasi med: unit of time taken 1

Taken for how long: unit of time (months, years, etc.) number 1 (multi-vitamin)

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	1	0.3 %
4	Year	14	3.7 %
5	Other	0	0.0 %
Missing Data			
8	Missing	6	1.6 %
9	Inapp	361	94.5 %
Total		382	100%

Based upon 15 valid cases out of 382 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 1926-1926 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M1: Quasi med: why taken ICD 9 major category code 1

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 1

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %

Value	Label	Unweighted Frequency	%
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemorrh cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %

Value	Label	Unweighted Frequency	%
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	8	2.1 %
9999	Inapp	374	97.9 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 0 valid cases out of 382 total cases.

Location: 1927-1930 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC1: Quasi medication: why taken Midlife in the United States (MIDUS) code 1

Quasi medication: why taken Midlife in the United States (MIDUS) code 1

Value	Label	Unweighted Frequency	%
M1000	General health	5	1.3 %
M1010	Improve health	1	0.3 %
M1020	Energy	3	0.8 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	2	0.5 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	1	0.3 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	1	0.3 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	8	2.1 %
Z9999	Inapp	361	94.5 %
Total		382	100%

Based upon 13 valid cases out of 382 total cases.

Location: 1931-1935 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQCS: Does respondent take calcium supplement?

Taking a calcium supplement: yes/no (y/n)

Value	Label	Unweighted Frequency	%
1	Yes	9	2.4 %
2	No	366	95.8 %
Missing Data			
8	Missing	7	1.8 %
Total		382	100%

Based upon 375 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1936-1936 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQMID2: Quasi med: Multum drug ID 2

Quasi med: Multum drug ID 2

Value	Label	Unweighted Frequency	%
d00425	-	8	2.1 %
d03137	-	1	0.3 %
	Missing Data		
INAPP	-	373	97.6 %
	Total	382	100%

Based upon 9 valid cases out of 382 total cases.

Location: 1937-1942 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN2: Quasi med: Multum generic drug name 2

Quasi med: Multum generic drug name 2

Value	Label	Unweighted Frequency	%
calcium carbonate	-	8	2.1 %
calcium-vitamin D	-	1	0.3 %
	Missing Data		
INAPP	-	373	97.6 %
	Total	382	100%

Based upon 9 valid cases out of 382 total cases.

Location: 1943-1959 (width: 17; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD2: Quasi med: drug dosage 2

Drug name and dosage: dose number 2 (calcium)

Value	Label	Unweighted Frequency	%
1	-	3	0.8 %

Value	Label	Unweighted Frequency	%
2	-	1	0.3 %
4	-	1	0.3 %
300	-	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %
Missing Data			
9998	Missing	3	0.8 %
9999	Inapp	373	97.6 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Mean: 51.50
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 300.00
- Standard Deviation: 121.75

Location: 1960-1963 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MQDU2: Quasi med: drug dosage units 2

Drug name and dosage: dose units number 2 (calcium)

Value	Label	Unweighted Frequency	%
1	mg	1	0.3 %
2	Gram	1	0.3 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	4	1.0 %
9	Capsule	0	0.0 %
10	pftuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
98	Missing	3	0.8 %
99	Inapp	373	97.6 %
	Total	382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1964-1965 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR2: Quasi med: method of taking (route) 2

Route number 2 (calcium)

Value	Label	Unweighted Frequency	%
1	Oral (PO)	6	1.6 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
	Missing Data		
98	Missing	3	0.8 %
99	Inapp	373	97.6 %
	Total	382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1966-1967 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF2: Quasi med: frequency 2

Frequency: number of doses number 2 (calcium)

Value	Label	Unweighted Frequency	%
1.0	-	4	1.0 %

Value	Label	Unweighted Frequency	%
1.5	-	1	0.3 %
2.0	-	1	0.3 %
	Missing Data		
98.0	Missing	3	0.8 %
99.0	Inapp	373	97.6 %
	Total	382	100%

Based upon 6 valid cases out of 382 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.42

Location: 1968-1971 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MQFU2: Quasi med: frequency unit 2

Frequency: number of doses per: day, week, etc. number 2 (calcium)

Value	Label	Unweighted Frequency	%
1	Day	6	1.6 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	373	97.6 %
	Total	382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1972-1972 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT2: Quasi med: taken for how long 2

Taken for how long: number of (years, months, etc.) number 2 (calcium)

Value	Label	Unweighted Frequency	%
2.0	-	1	0.3 %
3.0	-	1	0.3 %
3.5	-	1	0.3 %
6.0	-	1	0.3 %
7.5	-	1	0.3 %
Missing Data			
98.0	Missing	4	1.0 %
99.0	Inapp	373	97.6 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

- Mean: 4.40
- Median: 3.50
- Minimum: 2.00
- Maximum: 7.50
- Standard Deviation: 2.27

Location: 1973-1976 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MQTU2: Quasi med: unit of time taken 2

Taken for how long: unit of time (months, years, etc.) number 2 (calcium)

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	1	0.3 %
4	Year	3	0.8 %
5	Other	0	0.0 %
Missing Data			
8	Missing	5	1.3 %
9	Inapp	373	97.6 %
Total		382	100%

Based upon 4 valid cases out of 382 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 1977-1977 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M2: Quasi med: why taken ICD 9 major category code 2

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 2

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %

Value	Label	Unweighted Frequency	%
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	3	0.8 %
9999	Inapp	378	99.0 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 382 total cases.

- Minimum: 733.00
- Maximum: 733.00

Location: 1978-1981 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC2: Quasi medication: why taken Midlife in the United States (MIDUS) code 2

Quasi medication: why taken Midlife in the United States (MIDUS) code 2

Value	Label	Unweighted Frequency	%
M1000	General health	3	0.8 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	1	0.3 %

Value	Label	Unweighted Frequency	%
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	1	0.3 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	3	0.8 %
Z9999	Inapp	374	97.9 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

Location: 1982-1986 (*width:* 5; *decimal:* 0)

Variable Type: character

(Range of Missing Values: Z9997 , Z9998 , Z9999

J2MQMD3: Quasi med: Multum drug ID 3

Quasi med: Multum drug ID 3

Value	Label	Unweighted Frequency	%
d00015	-	2	0.5 %
d00051	-	1	0.3 %
d00405	-	1	0.3 %
d00426	-	3	0.8 %
d03130	-	2	0.5 %
d03140	-	7	1.8 %
d03145	-	1	0.3 %
d03663	-	1	0.3 %
d03797	-	1	0.3 %
d04411	-	4	1.0 %
d04418	-	5	1.3 %
d04419	-	2	0.5 %
d04420	-	1	0.3 %
d04481	-	1	0.3 %
d04523	-	1	0.3 %
d05748	-	1	0.3 %
d06214	-	2	0.5 %
d06370	-	3	0.8 %
d06848	-	1	0.3 %
d99999	-	66	17.3 %
Missing Data			
INAPP	-	276	72.3 %
Total		382	100%

Based upon 106 valid cases out of 382 total cases.

Location: 1987-1992 (*width:* 6; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN3: Quasi med: Multum generic drug name 3

Quasi med: Multum generic drug name 3

Value	Label	Unweighted Frequency	%
NIFEdipine	-	1	0.3 %
Unmatched, no generic name	-	66	17.3 %
ascorbic acid	-	3	0.8 %

Value	Label	Unweighted Frequency	%
brewer's yeast	-	1	0.3 %
chondroitin	-	2	0.5 %
chondroitin-glucosamine	-	1	0.3 %
collagen	-	2	0.5 %
garlic	-	4	1.0 %
glucosamine	-	5	1.3 %
ibuprofen	-	2	0.5 %
lecithin	-	1	0.3 %
lutein	-	1	0.3 %
magnesium oxide	-	1	0.3 %
multivitamin	-	7	1.8 %
multivitamin with minerals	-	1	0.3 %
royal jelly	-	1	0.3 %
thiamine	-	2	0.5 %
turmeric	-	3	0.8 %
ubiquinone	-	1	0.3 %
vitamin E	-	1	0.3 %
	Missing Data		
INAPP	-	276	72.3 %
	Total	382	100%

Based upon 106 valid cases out of 382 total cases.

Location: 1993-2018 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD3: Quasi med: drug dosage 3

Drug name and dosage: dose number 3

Value	Label	Unweighted Frequency	%
1.0	-	20	5.2 %
1.5	-	1	0.3 %
1.8	-	1	0.3 %
2.0	-	12	3.1 %
3.0	-	10	2.6 %
4.0	-	3	0.8 %
5.0	-	4	1.0 %
6.0	-	2	0.5 %
7.0	-	2	0.5 %

Value	Label	Unweighted Frequency	%
8.0	-	1	0.3 %
10.0	-	1	0.3 %
20.0	-	2	0.5 %
25.0	-	1	0.3 %
100.0	-	1	0.3 %
120.0	-	1	0.3 %
180.0	-	2	0.5 %
200.0	-	1	0.3 %
300.0	-	1	0.3 %
350.0	-	1	0.3 %
377.0	-	1	0.3 %
900.0	-	1	0.3 %
9995.0	Variable dosage	5	1.3 %
9996.0	Mixed dosage	0	0.0 %
Missing Data			
9997.0	Don't know	1	0.3 %
9998.0	Missing	31	8.1 %
9999.0	Inapp	276	72.3 %
Total		382	100%

Based upon 74 valid cases out of 382 total cases.

- Mean: 714.87
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9995.00
- Standard Deviation: 2518.37

Location: 2019-2024 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MQDU3: Quasi med: drug dosage units 3

Drug name and dosage: dose units number 3

Value	Label	Unweighted Frequency	%
1	mg	11	2.9 %
2	Gram	4	1.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %

Value	Label	Unweighted Frequency	%
6	cc/mL	2	0.5 %
7	Teaspoon	1	0.3 %
8	Tablet	58	15.2 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
97	Don't know	1	0.3 %
98	Missing	29	7.6 %
99	Inapp	276	72.3 %
Total		382	100%

Based upon 76 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2025-2026 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR3: Quasi med: method of taking (route) 3

Route number 3

Value	Label	Unweighted Frequency	%
1	Oral (PO)	92	24.1 %
2	Inhaled	1	0.3 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
98	Missing	13	3.4 %
99	Inapp	276	72.3 %
Total		382	100%

Based upon 93 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2027-2028 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF3: Quasi med: frequency 3

Frequency: number of doses number 3

Value	Label	Unweighted Frequency	%
1	-	73	19.1 %
2	-	16	4.2 %
3	-	6	1.6 %
Missing Data			
97	Don't know	1	0.3 %
98	Missing	10	2.6 %
99	Inapp	276	72.3 %
Total		382	100%

Based upon 95 valid cases out of 382 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

Location: 2029-2030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU3: Quasi med: frequency unit 3

Frequency: number of doses per: day, week, etc. number 3

Value	Label	Unweighted Frequency	%
1	Day	83	21.7 %
2	Every other day	0	0.0 %
3	Week	3	0.8 %
4	Month	1	0.3 %
5	As needed (PRN)	3	0.8 %
6	Other	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
7	Don't know	1	0.3 %
8	Missing	15	3.9 %
9	Inapp	276	72.3 %
	Total	382	100%

Based upon 90 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2031-2031 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT3: Quasi med: taken for how long 3

Taken for how long: number of (years, months, etc.) number 3

Value	Label	Unweighted Frequency	%
1.0	-	30	7.9 %
1.5	-	2	0.5 %
2.0	-	11	2.9 %
2.5	-	4	1.0 %
3.0	-	7	1.8 %
4.0	-	1	0.3 %
5.0	-	6	1.6 %
5.5	-	1	0.3 %
6.0	-	4	1.0 %
7.0	-	2	0.5 %
7.5	-	1	0.3 %
10.0	-	1	0.3 %
15.0	-	1	0.3 %
18.0	-	1	0.3 %
20.0	-	3	0.8 %
40.0	-	1	0.3 %
	Missing Data		
98.0	Missing	30	7.9 %
99.0	Inapp	276	72.3 %
	Total	382	100%

Based upon 76 valid cases out of 382 total cases.

- Mean: 4.13

- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 6.12

Location: 2032-2035 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MQTU3: Quasi med: unit of time taken 3

Taken for how long: unit of time (months, years, etc.) number 3

Value	Label	Unweighted Frequency	%
1	Day	2	0.5 %
2	Week	2	0.5 %
3	Month	23	6.0 %
4	Year	48	12.6 %
5	Other	0	0.0 %
Missing Data			
8	Missing	31	8.1 %
9	Inapp	276	72.3 %
Total		382	100%

Based upon 75 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2036-2036 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M3: Quasi med: why taken ICD 9 major category code 3

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 3

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %

Value	Label	Unweighted Frequency	%
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %

Value	Label	Unweighted Frequency	%
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9996	Unable to classify	2	0.5 %
9998	Missing	31	8.1 %
9999	Inapp	334	87.4 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15 valid cases out of 382 total cases.

- Minimum: 401.00
- Maximum: 784.00

Location: 2037-2040 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC3: Quasi medication: why taken Midlife in the United States (MIDUS) code 3

Quasi medication: why taken Midlife in the United States (MIDUS) code 3

Value	Label	Unweighted Frequency	%
M1000	General health	31	8.1 %
M1010	Improve health	2	0.5 %
M1020	Energy	8	2.1 %
M1030	General health, others	1	0.3 %
M2000	Supplement	1	0.3 %
M2010	Vitamin supplement	1	0.3 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	3	0.8 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	1	0.3 %
M3020	Musculoskeletal health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	1	0.3 %
M3060	Brain health	0	0.0 %
M3070	Immune health	3	0.8 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	3	0.8 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	1	0.3 %
M5000	Weight loss	1	0.3 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	3	0.8 %
Missing Data			
Z9998	Missing	31	8.1 %
Z9999	Inapp	291	76.2 %
Total		382	100%

Based upon 60 valid cases out of 382 total cases.

Location: 2041-2045 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQMID4: Quasi med: Multum drug ID 4

Quasi med: Multum drug ID 4

Value	Label	Unweighted Frequency	%
d00241	-	1	0.3 %
d00425	-	1	0.3 %
d00426	-	4	1.0 %
d03130	-	1	0.3 %
d03140	-	1	0.3 %

Value	Label	Unweighted Frequency	%
d03145	-	1	0.3 %
d04322	-	1	0.3 %
d04329	-	4	1.0 %
d04411	-	2	0.5 %
d04418	-	1	0.3 %
d06214	-	1	0.3 %
d06370	-	2	0.5 %
d99999	-	28	7.3 %
Missing Data			
INAPP	-	334	87.4 %
Total		382	100%

Based upon 48 valid cases out of 382 total cases.

Location: 2046-2051 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN4: Quasi med: Multum generic drug name 4

Quasi med: Multum generic drug name 4

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	28	7.3 %
ascorbic acid	-	4	1.0 %
calcium carbonate	-	1	0.3 %
candesartan	-	1	0.3 %
collagen	-	1	0.3 %
folic acid	-	1	0.3 %
garlic	-	2	0.5 %
glucosamine	-	1	0.3 %
multivitamin	-	1	0.3 %
multivitamin with minerals	-	1	0.3 %
sodium hyaluronate	-	4	1.0 %
thiamine	-	1	0.3 %
turmeric	-	2	0.5 %
Missing Data			
INAPP	-	334	87.4 %
Total		382	100%

Based upon 48 valid cases out of 382 total cases.

Location: 2052-2077 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD4: Quasi med: drug dosage 4

Drug name and dosage: dose number 4

Value	Label	Unweighted Frequency	%
0.5	-	1	0.3 %
1.0	-	10	2.6 %
2.0	-	8	2.1 %
3.0	-	5	1.3 %
4.0	-	2	0.5 %
5.0	-	1	0.3 %
6.0	-	2	0.5 %
8.0	-	1	0.3 %
10.0	-	1	0.3 %
40.0	-	1	0.3 %
200.0	-	1	0.3 %
250.0	-	1	0.3 %
300.0	-	1	0.3 %
9995.0	Variable dosage	1	0.3 %
9996.0	Mixed dosage	0	0.0 %
Missing Data			
9998.0	Missing	12	3.1 %
9999.0	Inapp	334	87.4 %
Total		382	100%

Based upon 36 valid cases out of 382 total cases.

- Mean: 301.93
- Median: 2.00
- Mode: 1.00
- Minimum: 0.50
- Maximum: 9995.00
- Standard Deviation: 1663.15

Location: 2078-2083 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MQDU4: Quasi med: drug dosage units 4

Drug name and dosage: dose units number 4

Value	Label	Unweighted Frequency	%
1	mg	5	1.3 %
2	Gram	2	0.5 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	1	0.3 %
7	Teaspoon	0	0.0 %
8	Tablet	28	7.3 %
9	Capsule	0	0.0 %
10	pftuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	12	3.1 %
99	Inapp	334	87.4 %
Total		382	100%

Based upon 36 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2084-2085 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR4: Quasi med: method of taking (route) 4

Route number 4

Value	Label	Unweighted Frequency	%
1	Oral (PO)	41	10.7 %
2	Inhaled	1	0.3 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
98	Missing	6	1.6 %
99	Inapp	334	87.4 %
	Total	382	100%

Based upon 42 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2086-2087 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF4: Quasi med: frequency 4

Frequency: number of doses number 4

Value	Label	Unweighted Frequency	%
1	-	33	8.6 %
2	-	7	1.8 %
3	-	5	1.3 %
	Missing Data		
98	Missing	3	0.8 %
99	Inapp	334	87.4 %
	Total	382	100%

Based upon 45 valid cases out of 382 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.68

Location: 2088-2089 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU4: Quasi med: frequency unit 4

Frequency: number of doses per: day, week, etc. number 4

Value	Label	Unweighted Frequency	%
1	Day	40	10.5 %
2	Every other day	1	0.3 %
3	Week	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Month	0	0.0 %
5	As needed (PRN)	1	0.3 %
6	Other	0	0.0 %
Missing Data			
8	Missing	6	1.6 %
9	Inapp	334	87.4 %
Total		382	100%

Based upon 42 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2090-2090 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT4: Quasi med: taken for how long 4

Taken for how long: number of (years, months, etc.) number 4

Value	Label	Unweighted Frequency	%
1.0	-	13	3.4 %
1.5	-	1	0.3 %
2.0	-	6	1.6 %
2.5	-	1	0.3 %
3.0	-	2	0.5 %
3.5	-	1	0.3 %
4.0	-	1	0.3 %
5.0	-	2	0.5 %
5.5	-	1	0.3 %
6.0	-	1	0.3 %
7.0	-	2	0.5 %
10.0	-	1	0.3 %
18.0	-	1	0.3 %
20.0	-	1	0.3 %
Missing Data			
98.0	Missing	14	3.7 %
99.0	Inapp	334	87.4 %
Total		382	100%

Based upon 34 valid cases out of 382 total cases.

- Mean: 3.71
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.48

Location: 2091-2094 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MQTU4: Quasi med: unit of time taken 4

Taken for how long: unit of time (months, years, etc.) number 4

Value	Label	Unweighted Frequency	%
1	Day	1	0.3 %
2	Week	1	0.3 %
3	Month	12	3.1 %
4	Year	19	5.0 %
5	Other	0	0.0 %
Missing Data			
8	Missing	15	3.9 %
9	Inapp	334	87.4 %
Total		382	100%

Based upon 33 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2095-2095 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M4: Quasi med: why taken ICD 9 major category code 4

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 4

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %

Value	Label	Unweighted Frequency	%
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %

Value	Label	Unweighted Frequency	%
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
	Missing Data		
9998	Missing	18	4.7 %
9999	Inapp	360	94.2 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4 valid cases out of 382 total cases.

- Minimum: 338.00
- Maximum: 719.00

Location: 2096-2099 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC4: Quasi medication: why taken Midlife in the United States (MIDUS) code 4

Quasi medication: why taken Midlife in the United States (MIDUS) code 4

Value	Label	Unweighted Frequency	%
M1000	General health	18	4.7 %
M1010	Improve health	1	0.3 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	1	0.3 %
M2050	Poor diet	1	0.3 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	1	0.3 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	1	0.3 %
M3020	Musculoskeletal health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	1	0.3 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	1	0.3 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	1	0.3 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	18	4.7 %
Z9999	Inapp	338	88.5 %
Total		382	100%

Based upon 26 valid cases out of 382 total cases.

Location: 2100-2104 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQMID5: Quasi med: Multum drug ID 5

Quasi med: Multum drug ID 5

Value	Label	Unweighted Frequency	%
d00405	-	2	0.5 %
d00413	-	1	0.3 %
d00426	-	1	0.3 %
d03145	-	1	0.3 %
d04411	-	1	0.3 %

Value	Label	Unweighted Frequency	%
d04418	-	2	0.5 %
d04481	-	1	0.3 %
d99999	-	14	3.7 %
	Missing Data		
INAPP	-	359	94.0 %
	Total	382	100%

Based upon 23 valid cases out of 382 total cases.

Location: 2105-2110 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN5: Quasi med: Multum generic drug name 5

Quasi med: Multum generic drug name 5

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	14	3.7 %
ascorbic acid	-	1	0.3 %
cyanocobalamin	-	1	0.3 %
garlic	-	1	0.3 %
glucosamine	-	2	0.5 %
multivitamin with minerals	-	1	0.3 %
royal jelly	-	1	0.3 %
vitamin E	-	2	0.5 %
	Missing Data		
INAPP	-	359	94.0 %
	Total	382	100%

Based upon 23 valid cases out of 382 total cases.

Location: 2111-2136 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD5: Quasi med: drug dosage 5

Drug name and dosage: dose number 5

Value	Label	Unweighted Frequency	%
1.0	-	3	0.8 %
2.0	-	3	0.8 %

Value	Label	Unweighted Frequency	%
3.0	-	1	0.3 %
4.0	-	2	0.5 %
8.0	-	1	0.3 %
20.0	-	1	0.3 %
100.0	-	1	0.3 %
180.0	-	1	0.3 %
301.5	-	1	0.3 %
330.0	-	1	0.3 %
450.0	-	1	0.3 %
500.0	-	1	0.3 %
9995.0	Variable dosage	1	0.3 %
9996.0	Mixed dosage	0	0.0 %
Missing Data			
9998.0	Missing	5	1.3 %
9999.0	Inapp	359	94.0 %
Total		382	100%

Based upon 18 valid cases out of 382 total cases.

- Mean: 661.36
- Median: 6.00
- Minimum: 1.00
- Maximum: 9995.00
- Standard Deviation: 2335.43

Location: 2137-2142 (width: 6; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 9997.0 , 9998.0 , 9999.0

J2MQDU5: Quasi med: drug dosage units 5

Drug name and dosage: dose units number 5

Value	Label	Unweighted Frequency	%
1	mg	5	1.3 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	2	0.5 %
7	Teaspoon	0	0.0 %
8	Tablet	11	2.9 %
9	Capsule	0	0.0 %

Value	Label	Unweighted Frequency	%
10	pantu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	5	1.3 %
99	Inapp	359	94.0 %
Total		382	100%

Based upon 18 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2143-2144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR5: Quasi med: method of taking (route) 5

Route number 5

Value	Label	Unweighted Frequency	%
1	Oral (PO)	19	5.0 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
98	Missing	4	1.0 %
99	Inapp	359	94.0 %
Total		382	100%

Based upon 19 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2145-2146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF5: Quasi med: frequency 5

Frequency: number of doses number 5

Value	Label	Unweighted Frequency	%
1	-	14	3.7 %
2	-	5	1.3 %
3	-	2	0.5 %
	Missing Data		
98	Missing	2	0.5 %
99	Inapp	359	94.0 %
	Total	382	100%

Based upon 21 valid cases out of 382 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.68

Location: 2147-2148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU5: Quasi med: frequency unit 5

Frequency: number of doses per: day, week, etc. number 5

Value	Label	Unweighted Frequency	%
1	Day	19	5.0 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	1	0.3 %
6	Other	0	0.0 %
	Missing Data		
8	Missing	3	0.8 %
9	Inapp	359	94.0 %
	Total	382	100%

Based upon 20 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2149-2149 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7, 8, 9

J2MQT5: Quasi med: taken for how long 5

Taken for how long: number of (years, months, etc.) number 5

Value	Label	Unweighted Frequency	%
1.0	-	5	1.3 %
1.5	-	1	0.3 %
2.0	-	3	0.8 %
3.0	-	1	0.3 %
3.5	-	1	0.3 %
5.0	-	1	0.3 %
5.5	-	2	0.5 %
6.0	-	1	0.3 %
7.0	-	1	0.3 %
10.0	-	1	0.3 %
Missing Data			
98.0	Missing	6	1.6 %
99.0	Inapp	359	94.0 %
Total		382	100%

Based upon 17 valid cases out of 382 total cases.

- Mean: 3.41
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.66

Location: 2150-2153 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0, 98.0, 99.0

J2MQTU5: Quasi med: unit of time taken 5

Taken for how long: unit of time (months, years, etc.) number 5

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	3	0.8 %
4	Year	13	3.4 %

Value	Label	Unweighted Frequency	%
5	Other	0	0.0 %
	Missing Data		
8	Missing	7	1.8 %
9	Inapp	359	94.0 %
	Total	382	100%

Based upon 16 valid cases out of 382 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 2154-2154 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M5: Quasi med: why taken ICD 9 major category code 5

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 5

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %

Value	Label	Unweighted Frequency	%
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	8	2.1 %
9999	Inapp	374	97.9 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 0 valid cases out of 382 total cases.

Location: 2155-2158 (*width:* 4; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC5: Quasi medication: why taken Midlife in the United States (MIDUS) code 5

Quasi medication: why taken Midlife in the United States (MIDUS) code 5

Value	Label	Unweighted Frequency	%
M1000	General health	13	3.4 %
M1010	Improve health	1	0.3 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	1	0.3 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %

Value	Label	Unweighted Frequency	%
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
	Missing Data		
Z9998	Missing	8	2.1 %
Z9999	Inapp	359	94.0 %
	Total	382	100%

Based upon 15 valid cases out of 382 total cases.

Location: 2159-2163 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQMID6: Quasi med: Multum drug ID 6

Quasi med: Multum drug ID 6

Value	Label	Unweighted Frequency	%
d00409	-	1	0.3 %
d00497	-	1	0.3 %
d04329	-	1	0.3 %
d04411	-	1	0.3 %
d04419	-	1	0.3 %
d04523	-	2	0.5 %
d06214	-	1	0.3 %
d99999	-	2	0.5 %
	Missing Data		
INAPP	-	372	97.4 %
	Total	382	100%

Based upon 10 valid cases out of 382 total cases.

Location: 2164-2169 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN6: Quasi med: Multum generic drug name 6

Quasi med: Multum generic drug name 6

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	2	0.5 %
chondroitin	-	1	0.3 %
collagen	-	1	0.3 %

Value	Label	Unweighted Frequency	%
garlic	-	1	0.3 %
omega-3 polyunsaturated fatty acids	-	1	0.3 %
riboflavin	-	1	0.3 %
sodium hyaluronate	-	1	0.3 %
ubiquinone	-	2	0.5 %
	Missing Data		
INAPP	-	372	97.4 %
	Total	382	100%

Based upon 10 valid cases out of 382 total cases.

Location: 2170-2204 (width: 35; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD6: Quasi med: drug dosage 6

Drug name and dosage: dose number 6

Value	Label	Unweighted Frequency	%
1	-	2	0.5 %
2	-	3	0.8 %
5	-	1	0.3 %
6	-	1	0.3 %
400	-	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %
	Missing Data		
9998	Missing	2	0.5 %
9999	Inapp	372	97.4 %
	Total	382	100%

Based upon 8 valid cases out of 382 total cases.

- Mean: 52.38
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 400.00
- Standard Deviation: 140.47

Location: 2205-2208 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MQDU6: Quasi med: drug dosage units 6

Drug name and dosage: dose units number 6

Value	Label	Unweighted Frequency	%
1	mg	1	0.3 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	7	1.8 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
98	Missing	2	0.5 %
99	Inapp	372	97.4 %
Total		382	100%

Based upon 8 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2209-2210 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR6: Quasi med: method of taking (route) 6

Route number 6

Value	Label	Unweighted Frequency	%
1	Oral (PO)	9	2.4 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	372	97.4 %
	Total	382	100%

Based upon 9 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2211-2212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF6: Quasi med: frequency 6

Frequency: number of doses number 6

Value	Label	Unweighted Frequency	%
1	-	5	1.3 %
2	-	2	0.5 %
3	-	1	0.3 %
	Missing Data		
98	Missing	2	0.5 %
99	Inapp	372	97.4 %
	Total	382	100%

Based upon 8 valid cases out of 382 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.76

Location: 2213-2214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU6: Quasi med: frequency unit 6

Frequency: number of doses per: day, week, etc. number 6

Value	Label	Unweighted Frequency	%
1	Day	7	1.8 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
8	Missing	3	0.8 %
9	Inapp	372	97.4 %
Total		382	100%

Based upon 7 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2215-2215 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT6: Quasi med: taken for how long 6

Taken for how long: number of (years, months, etc.) number 6

Value	Label	Unweighted Frequency	%
2.0	-	2	0.5 %
2.5	-	1	0.3 %
3.0	-	1	0.3 %
3.5	-	1	0.3 %
5.0	-	1	0.3 %
7.0	-	1	0.3 %
Missing Data			
98.0	Missing	3	0.8 %
99.0	Inapp	372	97.4 %
Total		382	100%

Based upon 7 valid cases out of 382 total cases.

- Mean: 3.57
- Median: 3.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 7.00
- Standard Deviation: 1.84

Location: 2216-2219 (width: 4; decimal: 1)

Variable Type: numeric
(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MQTU6: Quasi med: unit of time taken 6

Taken for how long: unit of time (months, years, etc.) number 6

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	1	0.3 %
4	Year	5	1.3 %
5	Other	0	0.0 %
Missing Data			
8	Missing	4	1.0 %
9	Inapp	372	97.4 %
Total		382	100%

Based upon 6 valid cases out of 382 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 2220-2220 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M6: Quasi med: why taken ICD 9 major category code 6

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 6

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %

Value	Label	Unweighted Frequency	%
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	4	1.0 %

Value	Label	Unweighted Frequency	%
9999	Inapp	377	98.7 %
	Total	382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 382 total cases.

- Minimum: 564.00
- Maximum: 564.00

Location: 2221-2224 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC6: Quasi medication: why taken Midlife in the United States (MIDUS) code 6

Quasi medication: why taken Midlife in the United States (MIDUS) code 6

Value	Label	Unweighted Frequency	%
M1000	General health	5	1.3 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	4	1.0 %
Z9999	Inapp	373	97.6 %
Total		382	100%

Based upon 5 valid cases out of 382 total cases.

Location: 2225-2229 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQMID7: Quasi med: Multum drug ID 7

Quasi med: Multum drug ID 7

Value	Label	Unweighted Frequency	%
d04481	-	1	0.3 %
d06214	-	1	0.3 %
d99999	-	1	0.3 %
Missing Data			
INAPP	-	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 2230-2235 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN7: Quasi med: Multum generic drug name 7

Quasi med: Multum generic drug name 7

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	1	0.3 %
collagen	-	1	0.3 %
royal jelly	-	1	0.3 %

Based upon 3 valid cases out of 382 total cases.

Location: 2236-2261 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD7: Quasi med: drug dosage 7

Drug name and dosage: dose number 7

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
3	-	1	0.3 %
5000	-	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %

Based upon 3 valid cases out of 382 total cases.

- Mean: 1668.00
- Median: 3.00
- Minimum: 1.00
- Maximum: 5000.00
- Standard Deviation: 2885.60

Location: 2262-2265 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MQDU7: Quasi med: drug dosage units 7

Drug name and dosage: dose units number 7

Value	Label	Unweighted Frequency	%
1	mg	1	0.3 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	2	0.5 %
9	Capsule	0	0.0 %
10	pftuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 2266-2267 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR7: Quasi med: method of taking (route) 7

Route number 7

Value	Label	Unweighted Frequency	%
1	Oral (PO)	3	0.8 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2268-2269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF7: Quasi med: frequency 7

Frequency: number of doses number 7

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
2	-	1	0.3 %
3	-	1	0.3 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.00

Location: 2270-2271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU7: Quasi med: frequency unit 7

Frequency: number of doses per: day, week, etc. number 7

Value	Label	Unweighted Frequency	%
1	Day	3	0.8 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Other	0	0.0 %
	Missing Data		
9	Inapp	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2272-2272 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT7: Quasi med: taken for how long 7

Taken for how long: number of (years, months, etc.) number 7

Value	Label	Unweighted Frequency	%
5	-	1	0.3 %
6	-	1	0.3 %
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	379	99.2 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 5.50
- Median: 5.50
- Minimum: 5.00
- Maximum: 6.00
- Standard Deviation: 0.71

Location: 2273-2274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQTU7: Quasi med: unit of time taken 7

Taken for how long: unit of time (months, years, etc.) number 7

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	1	0.3 %

Value	Label	Unweighted Frequency	%
4	Year	1	0.3 %
5	Other	0	0.0 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	379	99.2 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 2275-2275 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M7: Quasi med: why taken ICD 9 major category code 7

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 7

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %

Value	Label	Unweighted Frequency	%
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	2	0.5 %
9999	Inapp	379	99.2 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 382 total cases.

- Minimum: 719.00
- Maximum: 719.00

Location: 2276-2279 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC7: Quasi medication: why taken Midlife in the United States (MIDUS) code 7

Quasi medication: why taken Midlife in the United States (MIDUS) code 7

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %

Value	Label	Unweighted Frequency	%
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	2	0.5 %
Z9999	Inapp	380	99.5 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 2280-2284 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQMID8: Quasi med: Multum drug ID 8

Quasi med: Multum drug ID 8

Value	Label	Unweighted Frequency	%
d04407	-	1	0.3 %
d04420	-	1	0.3 %
d99999	-	1	0.3 %
Missing Data			
INAPP	-	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 2285-2290 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN8: Quasi med: Multum generic drug name 8

Quasi med: Multum generic drug name 8

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	1	0.3 %
chondroitin-glucosamine	-	1	0.3 %
echinacea	-	1	0.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
INAPP	-	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 2291-2316 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD8: Quasi med: drug dosage 8

Drug name and dosage: dose number 8

Value	Label	Unweighted Frequency	%
2	-	2	0.5 %
6	-	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %
	Missing Data		
9999	Inapp	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Mean: 3.33
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 6.00
- Standard Deviation: 2.31

Location: 2317-2320 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MQDU8: Quasi med: drug dosage units 8

Drug name and dosage: dose units number 8

Value	Label	Unweighted Frequency	%
1	mg	0	0.0 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Teaspoon	0	0.0 %
8	Tablet	3	0.8 %
9	Capsule	0	0.0 %
10	pfuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 2321-2322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR8: Quasi med: method of taking (route) 8

Route number 8

Value	Label	Unweighted Frequency	%
1	Oral (PO)	3	0.8 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2323-2324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF8: Quasi med: frequency 8

Frequency: number of doses number 8

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
2	-	1	0.3 %
3	-	1	0.3 %
	Missing Data		
99	Inapp	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.00

Location: 2325-2326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU8: Quasi med: frequency unit 8

Frequency: number of doses per: day, week, etc. number 8

Value	Label	Unweighted Frequency	%
1	Day	3	0.8 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
	Missing Data		
9	Inapp	379	99.2 %
	Total	382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2327-2327 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT8: Quasi med: taken for how long 8

Taken for how long: number of (years, months, etc.) number 8

Value	Label	Unweighted Frequency	%
1.5	-	1	0.3 %
5.0	-	1	0.3 %
	Missing Data		
98.0	Missing	1	0.3 %
99.0	Inapp	379	99.2 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 3.25
- Median: 3.25
- Minimum: 1.50
- Maximum: 5.00
- Standard Deviation: 2.47

Location: 2328-2331 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: 97.0 , 98.0 , 99.0

J2MQTU8: Quasi med: unit of time taken 8

Taken for how long: unit of time (months, years, etc.) number 8

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	2	0.5 %
5	Other	0	0.0 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	379	99.2 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 2332-2332 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M8: Quasi med: why taken ICD 9 major category code 8

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 8

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %

Value	Label	Unweighted Frequency	%
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	2	0.5 %
9999	Inapp	379	99.2 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 382 total cases.

- Minimum: 719.00
- Maximum: 719.00

Location: 2333-2336 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC8: Quasi medication: why taken Midlife in the United States (MIDUS) code 8

Quasi medication: why taken Midlife in the United States (MIDUS) code 8

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %

Value	Label	Unweighted Frequency	%
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	2	0.5 %
Z9999	Inapp	380	99.5 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 2337-2341 (width: 5; decimal: 0)
Variable Type: character
(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQMID9: Quasi med: Multum drug ID 9

Quasi med: Multum drug ID 9

Value	Label	Unweighted Frequency	%
d99999	-	2	0.5 %
	Missing Data		
INAPP	-	380	99.5 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 2342-2347 (width: 6; decimal: 0)
Variable Type: character
(Range of) Missing Values: INAPP

J2MQGN9: Quasi med: Multum generic drug name 9

Quasi med: Multum generic drug name 9

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	2	0.5 %
	Missing Data		
INAPP	-	380	99.5 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 2348-2373 (width: 26; decimal: 0)
Variable Type: character
(Range of) Missing Values: INAPP

J2MQDD9: Quasi med: drug dosage 9

Drug name and dosage: dose number 9

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
4	-	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %
	Missing Data		
9999	Inapp	380	99.5 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 2.50
- Median: 2.50
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 2.12

Location: 2374-2377 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MQDU9: Quasi med: drug dosage units 9

Drug name and dosage: dose units number 9

Value	Label	Unweighted Frequency	%
1	mg	0	0.0 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	2	0.5 %
9	Capsule	0	0.0 %
10	pfew/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 2378-2379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR9: Quasi med: method of taking (route) 9

Route number 9

Value	Label	Unweighted Frequency	%
1	Oral (PO)	2	0.5 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2380-2381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF9: Quasi med: frequency 9

Frequency: number of doses number 9

Value	Label	Unweighted Frequency	%
2	-	1	0.3 %
3	-	1	0.3 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 2.50
- Median: 2.50
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.71

Location: 2382-2383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU9: Quasi med: frequency unit 9

Frequency: number of doses per: day, week, etc. number 9

Value	Label	Unweighted Frequency	%
1	Day	2	0.5 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
Missing Data			
9	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2384-2384 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT9: Quasi med: taken for how long 9

Taken for how long: number of (years, months, etc.) number 9

Value	Label	Unweighted Frequency	%
5	-	1	0.3 %
Missing Data			
98	Missing	1	0.3 %
99	Inapp	380	99.5 %
Total		382	100%

Based upon 1 valid cases out of 382 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

Location: 2385-2386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQTU9: Quasi med: unit of time taken 9

Taken for how long: unit of time (months, years, etc.) number 9

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	1	0.3 %
5	Other	0	0.0 %
Missing Data			
8	Missing	1	0.3 %
9	Inapp	380	99.5 %
Total		382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 2387-2387 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M9: Quasi med: why taken ICD 9 major category code 9

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 9

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %

Value	Label	Unweighted Frequency	%
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	2	0.5 %
9999	Inapp	380	99.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 0 valid cases out of 382 total cases.

Location: 2388-2391 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC9: Quasi medication: why taken Midlife in the United States (MIDUS) code 9

Quasi medication: why taken Midlife in the United States (MIDUS) code 9

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %

Value	Label	Unweighted Frequency	%
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	2	0.5 %
Z9999	Inapp	380	99.5 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 2392-2396 (width: 5; decimal: 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2MQMID10: Quasi med: Multum drug ID 10

Quasi med: Multum drug ID 10

Value	Label	Unweighted Frequency	%
d99999	-	2	0.5 %
Missing Data			
INAPP	-	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 2397-2402 (width: 6; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQGN10: Quasi med: Multum generic drug name 10

Quasi med: Multum generic drug name 10

Value	Label	Unweighted Frequency	%
Unmatched, no generic name	-	2	0.5 %
Missing Data			
INAPP	-	380	99.5 %

Value	Label	Unweighted Frequency	%
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 2403-2428 (width: 26; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MQDD10: Quasi med: drug dosage 10

Drug name and dosage: dose number 10

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
21	-	1	0.3 %
9995	Variable dosage	0	0.0 %
9996	Mixed dosage	0	0.0 %
	Missing Data		
9999	Inapp	380	99.5 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 11.00
- Median: 11.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 14.14

Location: 2429-2432 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

J2MQDU10: Quasi med: drug dosage units 10

Drug name and dosage: dose units number 10

Value	Label	Unweighted Frequency	%
1	mg	0	0.0 %
2	Gram	0	0.0 %
3	mcg	0	0.0 %
4	IU	0	0.0 %
5	mEq	0	0.0 %
6	cc/mL	0	0.0 %
7	Teaspoon	0	0.0 %
8	Tablet	2	0.5 %

Value	Label	Unweighted Frequency	%
9	Capsule	0	0.0 %
10	pftuu/squirt	0	0.0 %
11	Unit	0	0.0 %
12	Tablespoon	0	0.0 %
13	Percent	0	0.0 %
14	Drop	0	0.0 %
15	Other	0	0.0 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 2433-2434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQR10: Quasi med: method of taking (route) 10

Route number 100

Value	Label	Unweighted Frequency	%
1	Oral (PO)	2	0.5 %
2	Inhaled	0	0.0 %
3	Topical	0	0.0 %
4	Sub q/sub c	0	0.0 %
5	Intramuscular	0	0.0 %
6	Sublingual	0	0.0 %
7	Other	0	0.0 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2435-2436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQF10: Quasi med: frequency 10

Frequency: number of doses number 10

Value	Label	Unweighted Frequency	%
1	-	1	0.3 %
3	-	1	0.3 %
	Missing Data		
99	Inapp	380	99.5 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Mean: 2.00
- Median: 2.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 1.41

Location: 2437-2438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQFU10: Quasi med: frequency unit 10

Frequency: number of doses per: day, week, etc. number 10

Value	Label	Unweighted Frequency	%
1	Day	2	0.5 %
2	Every other day	0	0.0 %
3	Week	0	0.0 %
4	Month	0	0.0 %
5	As needed (PRN)	0	0.0 %
6	Other	0	0.0 %
	Missing Data		
9	Inapp	380	99.5 %
	Total	382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2439-2439 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQT10: Quasi med: taken for how long 10

Taken for how long: number of (years, months, etc.) number 10

Value	Label	Unweighted Frequency	%
5	-	1	0.3 %
	Missing Data		
98	Missing	1	0.3 %
99	Inapp	380	99.5 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

Location: 2440-2441 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MQTU10: Quasi med: unit of time taken 10

Taken for how long: unit of time (months, years, etc.) number 10

Value	Label	Unweighted Frequency	%
1	Day	0	0.0 %
2	Week	0	0.0 %
3	Month	0	0.0 %
4	Year	1	0.3 %
5	Other	0	0.0 %
	Missing Data		
8	Missing	1	0.3 %
9	Inapp	380	99.5 %
	Total	382	100%

Based upon 1 valid cases out of 382 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 2442-2442 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

J2MQICD9M10: Quasi med: why taken ICD 9 major category code 10

Quasi med: why taken International Classification of Diseases, Ninth Revision (ICD-9) major category code 10

Value	Label	Unweighted Frequency	%
10	Primary tuberculosis infection	0	0.0 %
41	Bact inf in oth dis/NOS	0	0.0 %
42	Human immuno virus dis	0	0.0 %
53	Herpes zoster	0	0.0 %
54	Herpes simplex	0	0.0 %
78	Other viral disease	0	0.0 %
110	Dermatophytosis	0	0.0 %
112	Candidiasis	0	0.0 %
133	Scabies	0	0.0 %
150	Malignant neoplasm of esophagus	0	0.0 %
174	Malig neo female breast	0	0.0 %
185	Malign neopl prostate	0	0.0 %
188	Malig neopl bladder	0	0.0 %
211	Benign neoplasm of other parts of digestive system	0	0.0 %
212	Benign neoplasm of respiratory and intrathoracic organs	0	0.0 %
218	Uterine leiomyoma	0	0.0 %
219	Other benign neoplasm of uterus	0	0.0 %
239	Unspecified neoplasm	0	0.0 %
242	Toxic diffuse goiter	0	0.0 %
244	Acquired hypothyroidism	0	0.0 %
246	Oth disorders of the thyroid	0	0.0 %
250	Diabetes mellitus	0	0.0 %
251	Oth pancreatic disorder	0	0.0 %
255	Adrenal gland disorders	0	0.0 %
257	Testicular dysfunction	0	0.0 %
259	Oth endocrine disorders	0	0.0 %
266	B-complex deficiencies	0	0.0 %
267	Ascorbic acid deficiency	0	0.0 %
268	Vitamin D deficiency	0	0.0 %
269	Oth nutrition deficiency	0	0.0 %
271	Dis carbohydrate metabol	0	0.0 %
272	Pure hypercholesterolem	0	0.0 %
274	Gout	0	0.0 %
275	Dis mineral metabolism	0	0.0 %
276	Fluid/electrolyte dis	0	0.0 %
279	Dis immune mechanism	0	0.0 %

Value	Label	Unweighted Frequency	%
281	Pernicious anemia	0	0.0 %
285	Anemia NEC/NOS	0	0.0 %
287	Purpura & oth hemor cond	0	0.0 %
295	Schizophrenic disorders	0	0.0 %
296	Affective psychoses	0	0.0 %
297	Delusional disorders	0	0.0 %
298	Oth nonorganic psychoses	0	0.0 %
300	Neurotic disorders	0	0.0 %
302	Sexual disorders	0	0.0 %
304	Drug dependence	0	0.0 %
305	Nondependent drug abuse	0	0.0 %
309	Adjustment reaction	0	0.0 %
311	Depressive disorder NEC	0	0.0 %
314	Hyperkinetic syndrome	0	0.0 %
Missing Data			
9998	Missing	2	0.5 %
9999	Inapp	380	99.5 %
Total		382	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 0 valid cases out of 382 total cases.

Location: 2443-2446 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9996 , 9997 , 9998 , 9999

J2MQMDC10: Quasi medication: why taken Midlife in the United States (MIDUS) code 10

Quasi medication: why taken Midlife in the United States (MIDUS) code 10

Value	Label	Unweighted Frequency	%
M1000	General health	0	0.0 %
M1010	Improve health	0	0.0 %
M1020	Energy	0	0.0 %
M1030	General health, others	0	0.0 %
M2000	Supplement	0	0.0 %
M2010	Vitamin supplement	0	0.0 %
M2020	Calcium supplement	0	0.0 %
M2030	Dietary supplement	0	0.0 %
M2040	Ensure nutritional intakes	0	0.0 %
M2050	Poor diet	0	0.0 %

Value	Label	Unweighted Frequency	%
M2060	Antioxidant	0	0.0 %
M2070	Supplement, others	0	0.0 %
M3010	Cardiovascular health	0	0.0 %
M3011	Cardiovascular health, preventive	0	0.0 %
M3012	Cardiovascular health, blood thinner	0	0.0 %
M3013	Cardiovascular health, others	0	0.0 %
M3020	Musculoskeletal health	0	0.0 %
M3021	Bone strength/density	0	0.0 %
M3022	Joint health	0	0.0 %
M3023	Musculoskeletal health, preventive	0	0.0 %
M3024	Musculoskeletal health, others	0	0.0 %
M3030	Digestive health	0	0.0 %
M3031	Intestinal/colon health	0	0.0 %
M3032	Stomach acid	0	0.0 %
M3040	Prostate health	0	0.0 %
M3050	Eye health	0	0.0 %
M3060	Brain health	0	0.0 %
M3070	Immune health	0	0.0 %
M3071	Prevent colds	0	0.0 %
M3080	Integument health	0	0.0 %
M3090	Other targeted health	0	0.0 %
M4010	MD recommend	0	0.0 %
M4020	Good for you/me	0	0.0 %
M4030	Family/friend recommend	0	0.0 %
M5000	Weight loss	0	0.0 %
M5100	Stress	0	0.0 %
M5200	Contraception	0	0.0 %
Z9996	Unable to classify	0	0.0 %
Missing Data			
Z9998	Missing	2	0.5 %
Z9999	Inapp	380	99.5 %
Total		382	100%

Based upon 0 valid cases out of 382 total cases.

Location: 2447-2451 (*width:* 5; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: Z9997 , Z9998 , Z9999

J2ML: Any medication allergies?

Does R have any medication allergies?

Value	Label	Unweighted Frequency	%
1	-	28	7.3 %
2	-	354	92.7 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.26

Location: 2452-2452 (width: 1; decimal: 0)

Variable Type: numeric

J2MLM: Allergies: number of medication allergies

Number of allergic reactions

Value	Label	Unweighted Frequency	%
0	-	354	92.7 %
1	-	25	6.5 %
2	-	1	0.3 %
3	-	1	0.3 %
7	-	1	0.3 %
Total		382	100%

Based upon 382 valid cases out of 382 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.47

Location: 2453-2453 (width: 1; decimal: 0)

Variable Type: numeric

J2MLN1: Allergies: drug name 1

Drug name: number 1

Value	Label	Unweighted Frequency	%
Antibiotics	-	2	0.5 %

Value	Label	Unweighted Frequency	%
Antibiotics granule	-	1	0.3 %
Antibiotics vactor	-	1	0.3 %
Asprin	-	2	0.5 %
Befferin for kids	-	1	0.3 %
Bufferin	-	1	0.3 %
Ceflong	-	1	0.3 %
Cephadol	-	1	0.3 %
Cold remedy	-	1	0.3 %
Dasen	-	1	0.3 %
I had allergic reaction when I had surgery for gallbladder (illegible)	-	1	0.3 %
IV	-	1	0.3 %
Josamycin	-	1	0.3 %
Kefral	-	1	0.3 %
Lipitor or Sigmart	-	1	0.3 %
Medicine I was taking for gastric ulcer	-	1	0.3 %
Medicine to lower cholesterol	-	1	0.3 %
Medicine to take when I can't sleep	-	1	0.3 %
Panaldine	-	1	0.3 %
Powdered madicine for anti-inflammation	-	1	0.3 %
Sedes	-	1	0.3 %
Sofia A (birthcontrol pills)	-	1	0.3 %
Thiuragyl	-	1	0.3 %
Transamin	-	1	0.3 %
Unknown	-	1	0.3 %
otolarynogological medication	-	1	0.3 %
	Missing Data		
INAPP	-	354	92.7 %
	Total	382	100%

Based upon 28 valid cases out of 382 total cases.

Location: 2454-2523 (width: 70; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MLRC1: Allergies: coded reaction categories 1

Reaction to drug: number 1

Value	Label	Unweighted Frequency	%
1	Anaphylaxis	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Rash	11	2.9 %
3	Hives	3	0.8 %
4	Vomiting	0	0.0 %
5	Swelling	2	0.5 %
6	Stomach upset	1	0.3 %
7	Itching	0	0.0 %
8	Nausea	2	0.5 %
9	Psychosis	0	0.0 %
10	Other	3	0.8 %
Missing Data			
97	Don't know	3	0.8 %
98	Missing	3	0.8 %
99	Inapp	354	92.7 %
Total		382	100%

Based upon 22 valid cases out of 382 total cases.

- Minimum: 2.00
- Maximum: 10.00

Location: 2524-2525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MLN2: Allergies: drug name 2

Drug name: number 2

Value	Label	Unweighted Frequency	%
Cephem series	-	1	0.3 %
Lysozyme hydrochloride	-	1	0.3 %
Zithromax	-	1	0.3 %
Missing Data			
INAPP	-	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

Location: 2526-2547 (width: 22; decimal: 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MLRC2: Allergies: coded reaction categories 2

Reaction to drug: number 2

Value	Label	Unweighted Frequency	%
1	Anaphylaxis	1	0.3 %
2	Rash	1	0.3 %
3	Hives	0	0.0 %
4	Vomiting	0	0.0 %
5	Swelling	0	0.0 %
6	Stomach upset	0	0.0 %
7	Itching	0	0.0 %
8	Nausea	0	0.0 %
9	Psychosis	0	0.0 %
10	Other	1	0.3 %
Missing Data			
99	Inapp	379	99.2 %
Total		382	100%

Based upon 3 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 2548-2549 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MLN3: Allergies: drug name 3

Drug name: number 3

Value	Label	Unweighted Frequency	%
Fenazox	-	1	0.3 %
Loxonin	-	1	0.3 %
Missing Data			
INAPP	-	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

Location: 2550-2556 (*width:* 7; *decimal:* 0)

Variable Type: character

(Range of) Missing Values: INAPP

J2MLRC3: Allergies: coded reaction categories 3

Reaction to drug: number 3

Value	Label	Unweighted Frequency	%
1	Anaphylaxis	1	0.3 %
2	Rash	0	0.0 %
3	Hives	0	0.0 %
4	Vomiting	0	0.0 %
5	Swelling	0	0.0 %
6	Stomach upset	0	0.0 %
7	Itching	0	0.0 %
8	Nausea	0	0.0 %
9	Psychosis	0	0.0 %
10	Other	1	0.3 %
Missing Data			
99	Inapp	380	99.5 %
Total		382	100%

Based upon 2 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 2557-2558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

J2MTC_40: Multum Therapeutic Class 40 - cardiovascular agents: yes/no?

Multum Therapeutic Class 40 - cardiovascular agents: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	73	19.1 %
2	No	154	40.3 %
Missing Data			
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2559-2559 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTC_40_N: Multum Therapeutic Class 40 - cardiovascular agents: how many?

Multum Therapeutic Class 40 - cardiovascular agents: how many?

Value	Label	Unweighted Frequency	%
0	-	154	40.3 %
1	-	37	9.7 %
2	-	26	6.8 %
3	-	7	1.8 %
4	-	3	0.8 %
Missing Data			
98	Not calculated (due to missing data)	4	1.0 %
99	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.91

Location: 2560-2561 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

J2MTC_57: Multum Therapeutic Class 57 - central nervous system agents: yes/no?

Multum Therapeutic Class 57 - central nervous system agents: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	51	13.4 %
2	No	176	46.1 %
Missing Data			
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2562-2562 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTC_57_N: Multum Therapeutic Class 57 - central nervous system agents: how many?

Multum Therapeutic Class 57 - central nervous system agents: how many?

Value	Label	Unweighted Frequency	%
0	-	176	46.1 %
1	-	29	7.6 %
2	-	15	3.9 %
3	-	3	0.8 %
4	-	3	0.8 %
5	-	1	0.3 %
Missing Data			
98	Not calculated (due to missing data)	4	1.0 %
99	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.83

Location: 2563-2564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

J2MTC_87: Multum Therapeutic Class 87 - gastrointestinal agents: yes/no?

Multum Therapeutic Class 87 - gastrointestinal agents: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	54	14.1 %
2	No	173	45.3 %
Missing Data			
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2565-2565 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTC_87_N: Multum Therapeutic Class 87 - gastrointestinal agents: how many?

Multum Therapeutic Class 87 - gastrointestinal agents: how many?

Value	Label	Unweighted Frequency	%
0	-	173	45.3 %
1	-	41	10.7 %
2	-	10	2.6 %
3	-	2	0.5 %
6	-	1	0.3 %
Missing Data			
98	Not calculated (due to missing data)	4	1.0 %
99	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.70

Location: 2566-2567 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

J2MTC_115: Multum Therapeutic Class 115 - nutritional products: yes/no?

Multum Therapeutic Class 115 - nutritional products: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	74	19.4 %
2	No	153	40.1 %
Missing Data			
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2568-2568 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 8 , 9

J2MTC_115_N: Multum Therapeutic Class 115 - nutritional products: how many?

Multum Therapeutic Class 115 - nutritional products: how many?

Value	Label	Unweighted Frequency	%
0	-	153	40.1 %
1	-	49	12.8 %
2	-	18	4.7 %
3	-	5	1.3 %
4	-	1	0.3 %
9	-	1	0.3 %
Missing Data			
98	Not calculated (due to missing data)	4	1.0 %
99	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.96

Location: 2569-2570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

J2MTC_218: Multum Therapeutic Class 218 - alternative medicines: yes/no?

Multum Therapeutic Class 218 - alternative medicines: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	91	23.8 %
2	No	135	35.3 %
Missing Data			
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	152	39.8 %
Total		382	100%

Based upon 226 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2571-2571 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTC_218_N: Multum Therapeutic Class 218 - alternative medicines: how many?

Multum Therapeutic Class 218 - alternative medicines: how many?

Value	Label	Unweighted Frequency	%
0	-	135	35.3 %
1	-	56	14.7 %
2	-	23	6.0 %
3	-	8	2.1 %
4	-	2	0.5 %
5	-	1	0.3 %
7	-	1	0.3 %
37	-	1	0.3 %
Missing Data			
98	Not calculated (due to missing data)	4	1.0 %
99	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 37.00
- Standard Deviation: 2.62

Location: 2572-2573 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

J2MTC_358: Multum Therapeutic Class 358 - metabolic agents: yes/no?

Multum Therapeutic Class 358 - metabolic agents: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	65	17.0 %
2	No	162	42.4 %
Missing Data			
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %

Value	Label	Unweighted Frequency	%
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2574-2574 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTC_358_N: Multum Therapeutic Class 358 - metabolic agents: how many?

Multum Therapeutic Class 358 - metabolic agents: how many?

Value	Label	Unweighted Frequency	%
0	-	162	42.4 %
1	-	44	11.5 %
2	-	15	3.9 %
3	-	3	0.8 %
4	-	3	0.8 %
Missing Data			
98	Not calculated (due to missing data)	4	1.0 %
99	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.78

Location: 2575-2576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

J2MTCS_19: Multum Therapeutic Sub-class 19 - antihyperlipidemic agents: yes/no?

Multum Therapeutic Sub-class 19 - antihyperlipidemic agents: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	49	12.8 %
2	No	178	46.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2577-2577 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_48: Multum Therapeutic Sub-class 48 - calcium channel-blocking agents: yes/no?

Multum Therapeutic Sub-class 48 - calcium channel-blocking agents: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	48	12.6 %
2	No	179	46.9 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2578-2578 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_56: Multum Therapeutic Sub-class 56 - angiotensin II inhibitors: yes/no?

Multum Therapeutic Sub-class 56 - angiotensin II inhibitors: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	31	8.1 %
2	No	196	51.3 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2579-2579 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_58: Multum Therapeutic Sub-class 58 - analgesics: yes/no?

Multum Therapeutic Sub-class 58 - analgesics: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	28	7.3 %
2	No	199	52.1 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2580-2580 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_67: Multum Therapeutic Sub-class 67 - anxiolytics sedatives and hypnotics: yes/no?

Multum Therapeutic Sub-class 67 - anxiolytics sedatives and hypnotics: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	30	7.9 %
2	No	197	51.6 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2581-2581 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_119: Multum Therapeutic Sub-class 119 - vitamins: yes/no?

Multum Therapeutic Sub-class 119 - vitamins: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	36	9.4 %
2	No	191	50.0 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2582-2582 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_120: Multum Therapeutic Sub-class 120 - vitamin and mineral combinations: yes/no?

Multum Therapeutic Sub-class 120 - vitamin and mineral combinations: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	35	9.2 %
2	No	192	50.3 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2583-2583 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_219: Multum Therapeutic Sub-class 219 - nutraceutical products: yes/no?

Multum Therapeutic Sub-class 219 - nutraceutical products: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	56	14.7 %
2	No	170	44.5 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	152	39.8 %
	Total	382	100%

Based upon 226 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2584-2584 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_220: Multum Therapeutic Sub-class 220 - herbal products: yes/no?

Multum Therapeutic Sub-class 220 - herbal products: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	58	15.2 %
2	No	168	44.0 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %
9	Not calculated (due to inapp data)	152	39.8 %
	Total	382	100%

Based upon 226 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2585-2585 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MTCS_272: Multum Therapeutic Sub-class 272 - proton pump inhibitors: yes/no?

Multum Therapeutic Sub-class 272 - proton pump inhibitors: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	12	3.1 %
2	No	215	56.3 %
	Missing Data		
8	Not calculated (due to missing data)	4	1.0 %

Value	Label	Unweighted Frequency	%
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 227 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2586-2586 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_958: Multum Pharmacologic Category 958 - angiotensin II receptor blocker: yes/no?

Multum Pharmacologic Category 958 - angiotensin II receptor blocker: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	31	8.1 %
2	No	157	41.1 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2587-2587 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_958_N: Multum Pharmacologic Category 958 - angiotensin II receptor blocker: how many?

Multum Pharmacologic Category 958 - angiotensin II receptor blocker: how many?

Value	Label	Unweighted Frequency	%
0	-	157	41.1 %
1	-	31	8.1 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 2588-2588 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_971: Multum Pharmacologic Category 971 - antianginal agent: yes/no?

Multum Pharmacologic Category 971 - antianginal agent: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	43	11.3 %
2	No	145	38.0 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2589-2589 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_971_N: Multum Pharmacologic Category 971 - antianginal agent: how many?

Multum Pharmacologic Category 971 - antianginal agent: how many?

Value	Label	Unweighted Frequency	%
0	-	145	38.0 %
1	-	40	10.5 %
2	-	3	0.8 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.47

Location: 2590-2590 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1171: Multum Pharmacologic Category 1171 - antilipemic agent HMG-CoA reductase inhibitor: yes/no?

Multum Pharmacologic Category 1171 - antilipemic agent HMG-CoA reductase inhibitor: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	39	10.2 %
2	No	149	39.0 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2591-2591 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1171_N: Multum Pharmacologic Category 1171 - antilipemic agent HMG-CoA reductase inhibitor: how many?

Multum Pharmacologic Category 1171 - antilipemic agent HMG-CoA reductase inhibitor: how many?

Value	Label	Unweighted Frequency	%
0	-	149	39.0 %
1	-	39	10.2 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.41

Location: 2592-2592 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1313: Multum Pharmacologic Category 1313 - calcium channel-blocker: yes/no?

Multum Pharmacologic Category 1313 - calcium channel-blocker: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	42	11.0 %
2	No	146	38.2 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2593-2593 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1313_N: Multum Pharmacologic Category 1313 - calcium channel-blocker: how many?

Multum Pharmacologic Category 1313 - calcium channel-blocker: how many?

Value	Label	Unweighted Frequency	%
0	-	146	38.2 %
1	-	41	10.7 %
2	-	1	0.3 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.23

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.43

Location: 2594-2594 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1428: Multum Pharmacologic Category 1428 - dietary supplement: yes/no?

Multum Pharmacologic Category 1428 - dietary supplement: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	25	6.5 %
2	No	163	42.7 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2595-2595 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1428_N: Multum Pharmacologic Category 1428 - dietary supplement: how many?

Multum Pharmacologic Category 1428 - dietary supplement: how many?

Value	Label	Unweighted Frequency	%
0	-	160	41.9 %
1	-	25	6.5 %
2	-	3	0.8 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.16
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

Location: 2596-2596 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1651: Multum Pharmacologic Category 1651 - proton pump inhibitor: yes/no?

Multum Pharmacologic Category 1651 - proton pump inhibitor: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	12	3.1 %
2	No	176	46.1 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2597-2597 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1651_N: Multum Pharmacologic Category 1651 - proton pump inhibitor: how many?

Multum Pharmacologic Category 1651 - proton pump inhibitor: how many?

Value	Label	Unweighted Frequency	%
0	-	176	46.1 %
1	-	12	3.1 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.06

- Median: 0.00

- Mode: 0.00

- Minimum: 0.00

- Maximum: 1.00

- Standard Deviation: 0.25

Location: 2598-2598 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1750: Multum Pharmacologic Category 1750 - vitamin: yes/no?

Multum Pharmacologic Category 1750 - vitamin: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	27	7.1 %
2	No	161	42.1 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2599-2599 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1750_N: Multum Pharmacologic Category 1750 - vitamin: how many?

Multum Pharmacologic Category 1750 - vitamin: how many?

Value	Label	Unweighted Frequency	%
0	-	157	41.1 %
1	-	27	7.1 %
2	-	4	1.0 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.44

Location: 2600-2600 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1753: Multum Pharmacologic Category 1753 - vitamin fat soluble: yes/no?

Multum Pharmacologic Category 1753 - vitamin fat soluble: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	31	8.1 %
2	No	156	40.8 %
4	Undocumented Code	1	0.3 %
Missing Data			
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2601-2601 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1753_N: Multum Pharmacologic Category 1753 - vitamin fat soluble: how many?

Multum Pharmacologic Category 1753 - vitamin fat soluble: how many?

Value	Label	Unweighted Frequency	%
0	-	156	40.8 %
1	-	27	7.1 %
2	-	4	1.0 %
4	-	1	0.3 %
Missing Data			
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
Total		382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00

- Standard Deviation: 0.52

Location: 2602-2602 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1824: Multum Pharmacologic Category 1824 - substituted benzimidazole: yes/no?

Multum Pharmacologic Category 1824 - substituted benzimidazole: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	12	3.1 %
2	No	176	46.1 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2603-2603 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1824_N: Multum Pharmacologic Category 1824 - substituted benzimidazole: how many?

Multum Pharmacologic Category 1824 - substituted benzimidazole: how many?

Value	Label	Unweighted Frequency	%
0	-	176	46.1 %
1	-	12	3.1 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Location: 2604-2604 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1797080: Multum Pharmacologic Category 1797080 - calcium channel-blocker, dihydropyridine: yes/no?

Multum Pharmacologic Category 1797080 - calcium channel-blocker, dihydropyridine: yes/no?

Value	Label	Unweighted Frequency	%
1	Yes	38	9.9 %
2	No	150	39.3 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2605-2605 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

J2MPC_1797080_N: Multum Pharmacologic Category 1797080 - calcium channel-blocker, dihydropyridine: how many?

Multum Pharmacologic Category 1797080 - calcium channel-blocker, dihydropyridine: how many?

Value	Label	Unweighted Frequency	%
0	-	150	39.3 %
1	-	37	9.7 %
2	-	1	0.3 %
	Missing Data		
8	Not calculated (due to missing data)	43	11.3 %
9	Not calculated (due to inapp data)	151	39.5 %
	Total	382	100%

Based upon 188 valid cases out of 382 total cases.

- Mean: 0.21

- Median: 0.00

- Mode: 0.00

- Minimum: 0.00

- Maximum: 2.00

- Standard Deviation: 0.42

Location: 2606-2606 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9