



HTML

CSS

MORE ▼



HTML Text Formatting

[< Previous](#)[Next >](#)

Text Formatting

This text is bold

This text is italic

This is _{subscript} and ^{superscript}

[Try it Yourself »](#)

HTML Formatting Elements

In the previous chapter, you learned about the HTML **style attribute**.

HTML also defines special **elements** for defining text with a special **meaning**.

HTML uses elements like `` and `<i>` for formatting output, like **bold** or *italic* text.

Formatting elements were designed to display special types of text:

- `` - Bold text
- `` - Important text
- `<i>` - Italic text
- `` - Emphasized text
- `<mark>` - Marked text

- `<small>` - Small text
- `` - Deleted text
- `<ins>` - Inserted text
- `<sub>` - Subscript text
- `<sup>` - Superscript text

HTML `` and `` Elements

The HTML `` element defines **bold** text, without any extra importance.

Example

```
<b>This text is bold</b>
```

Try it Yourself »

The HTML `` element defines **strong** text, with added semantic "strong" importance.

Example

```
<strong>This text is strong</strong>
```

Try it Yourself »

HTML `<i>` and `` Elements

The HTML `<i>` element defines *italic* text, without any extra importance.

Example

```
<i>This text is italic</i>
```

Try it Yourself »

The HTML `` element defines *emphasized* text, with added semantic importance.

Example

```
<em>This text is emphasized</em>
```

Try it Yourself »

Note: Browsers display `` as ``, and `` as `<i>`. However, there is a difference in the meaning of these tags: `` and `<i>` defines bold and italic text, but `` and `` means that the text is "important".

HTML `<small>` Element

The HTML `<small>` element defines smaller text:

Example

```
<h2>HTML <small>Small</small> Formatting</h2>
```

Try it Yourself »

HTML `<mark>` Element

The HTML `<mark>` element defines marked or highlighted text:

Example

```
<h2>HTML <mark>Marked</mark> Formatting</h2>
```

[Try it Yourself »](#)

HTML Element

The HTML `` element defines ~~deleted~~ (removed) text.

Example

```
<p>My favorite color is <del>blue</del> red.</p>
```

[Try it Yourself »](#)

HTML <ins> Element

The HTML `<ins>` element defines inserted (added) text.

Example

```
<p>My favorite <ins>color</ins> is red.</p>
```

[Try it Yourself »](#)

HTML <sub> Element

The HTML `<sub>` element defines subscripted text.

Example

```
<p>This is <sub>subscripted</sub> text.</p>
```

[Try it Yourself »](#)

HTML <sup> Element

The HTML `<sup>` element defines superscripted text.

Example

```
<p>This is <sup>superscripted</sup> text.</p>
```

[Try it Yourself »](#)

Test Yourself with Exercises!

[Exercise 1 »](#)

[Exercise 2 »](#)

[Exercise 3 »](#)

[Exercise 4 »](#)

[Exercise 5 »](#)


HTML Text Formatting Elements

Tag	Description
<u></u>	Defines bold text
<u></u>	Defines emphasized text
<u><i></u>	Defines italic text
<u><small></u>	Defines smaller text
<u></u>	Defines important text
<u><sub></u>	Defines subscripted text
<u><sup></u>	Defines superscripted text
<u><ins></u>	Defines inserted text
<u></u>	Defines deleted text
<u><mark></u>	Defines marked/highlighted text

[< Previous](#)

[Next >](#)

COLOR PICKER



HOW TO

- Tabs
- Dropdowns
- Accordions
- Convert Weights
- Animated Buttons
- Side Navigation

Top Navigation

Modal Boxes

Progress Bars

Parallax

Login Form

HTML Includes

Google Maps

Range Sliders

Tooltips

Slideshow

Filter List

Sort List

SHARE



CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

[Read More »](#)



[REPORT ERROR](#)
[PRINT PAGE](#)

[FORUM](#)[ABOUT](#)

Top 10 Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[SQL Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Angular Tutorial](#)
[How To Tutorial](#)

Top 10 References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[SQL Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[AngularJS Reference](#)

Top 10 Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[HTML DOM Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Angular Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of

use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved.
Powered by W3.CSS.

