

Assignment 4: Data Wrangling

Sara Diamond

OVERVIEW

This exercise accompanies the lessons in Environmental Data Analytics on Data Wrangling

Directions

1. Change “Student Name” on line 3 (above) with your name.
2. Work through the steps, **creating code and output** that fulfill each instruction.
3. Be sure to **answer the questions** in this assignment document.
4. When you have completed the assignment, **Knit** the text and code into a single PDF file.
5. After Knitting, submit the completed exercise (PDF file) to the dropbox in Sakai. Add your last name into the file name (e.g., “Fay_A04_DataWrangling.Rmd”) prior to submission.

The completed exercise is due on Monday, Feb 7 @ 7:00pm.

Set up your session

1. Check your working directory, load the `tidyverse` and `lubridate` packages, and upload all four raw data files associated with the EPA Air dataset. See the README file for the EPA air datasets for more information (especially if you have not worked with air quality data previously).
2. Explore the dimensions, column names, and structure of the datasets.

```
#1
getwd() #checking working directory

## [1] "/Users/saradiamond/Documents/Environmental_Data_Analytics_2022"
setwd("/Users/saradiamond/Documents/Environmental_Data_Analytics_2022")
#setting correct WD
library(tidyverse) #loading packages
library(lubridate)

#loading in the four datasets

EPA.PM25.2018 <- read.csv("../Data/Raw/EPAair_PM25_NC2018_raw.csv",
                          stringsAsFactors = TRUE)

EPA.PM25.2019 <- read.csv("../Data/Raw/EPAair_PM25_NC2019_raw.csv",
                          stringsAsFactors = TRUE)

EPA.O3.2018 <- read.csv("../Data/Raw/EPAair_O3_NC2018_raw.csv",
                        stringsAsFactors = TRUE)

EPA.O3.2019 <- read.csv("../Data/Raw/EPAair_O3_NC2019_raw.csv",
                        stringsAsFactors = TRUE)
```

```
#2 looking at the data
colnames(EPA.PM25.2018) #data for pm25 2018
```

```
## [1] "Date" "Source"
## [3] "Site.ID" "POC"
## [5] "Daily.Mean.PM2.5.Concentration" "UNITS"
## [7] "DAILY_AQI_VALUE" "Site.Name"
## [9] "DAILY_OBS_COUNT" "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE" "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE" "CBSA_NAME"
## [15] "STATE_CODE" "STATE"
## [17] "COUNTY_CODE" "COUNTY"
## [19] "SITE_LATITUDE" "SITE_LONGITUDE"
```

```
summary(EPA.PM25.2018)
```

```
##      Date      Source      Site.ID      POC
## 01/26/2018: 40    AQS:8983    Min.    :370110002    Min.    :1.000
## 02/01/2018: 40                1st Qu.:370630015    1st Qu.:3.000
## 02/19/2018: 40                Median :371010002    Median :3.000
## 03/21/2018: 40                Mean   :371002405    Mean   :2.812
## 04/02/2018: 40                3rd Qu.:371230001    3rd Qu.:3.000
## 04/08/2018: 40                Max.   :371830021    Max.   :5.000
## (Other)      :8743
## Daily.Mean.PM2.5.Concentration    UNITS    DAILY_AQI_VALUE
## Min.      :-2.300                ug/m3 LC:8983    Min.      : 0.00
## 1st Qu.: 4.900                    1st Qu.:20.00
## Median : 7.000                    Median :29.00
## Mean   : 7.491                    Mean   :30.73
## 3rd Qu.: 9.700                    3rd Qu.:40.00
## Max.   :34.200                    Max.   :97.00
##
##      Site.Name    DAILY_OBS_COUNT PERCENT_COMPLETE
## Millbrook School : 717    Min.    :1    Min.    :100
## Hattie Avenue    : 510    1st Qu.:1    1st Qu.:100
## Board Of Ed. Bldg. : 477    Median :1    Median :100
## Garinger High School: 472    Mean   :1    Mean   :100
## Durham Armory     : 466    3rd Qu.:1    3rd Qu.:100
## Pitt Agri. Center : 460    Max.   :1    Max.   :100
## (Other)           :5881
## AQS_PARAMETER_CODE    AQS_PARAMETER_DESC
## Min.      :88101    Acceptable PM2.5 AQI & Speciation Mass:1403
## 1st Qu.:88101    PM2.5 - Local Conditions                :7580
## Median :88101
## Mean   :88164
## 3rd Qu.:88101
## Max.   :88502
##
##      CBSA_CODE    CBSA_NAME    STATE_CODE
## Min.      :11700    Raleigh, NC    :1396    Min.      :37
## 1st Qu.:19000    Winston-Salem, NC    :1316    1st Qu.:37
## Median :25860    Charlotte-Concord-Gastonia, NC-SC:1275    Median :37
## Mean   :30946                :1263    Mean   :37
## 3rd Qu.:40580    Asheville, NC    : 586    3rd Qu.:37
```

```
## Max. :49180 Durham-Chapel Hill, NC : 466 Max. :37
## NA's :1263 (Other) :2681
## STATE COUNTY_CODE COUNTY SITE_LATITUDE
## North Carolina:8983 Min. : 11.0 Mecklenburg:1275 Min. :34.36
## 1st Qu.: 63.0 Wake :1049 1st Qu.:35.26
## Median :101.0 Forsyth : 876 Median :35.64
## Mean :100.2 Buncombe : 477 Mean :35.61
## 3rd Qu.:123.0 Durham : 466 3rd Qu.:35.91
## Max. :183.0 Pitt : 460 Max. :36.11
## (Other) :4380
## SITE_LONGITUDE
## Min. : -83.44
## 1st Qu.: -80.87
## Median : -80.23
## Mean : -79.99
## 3rd Qu.: -78.57
## Max. : -76.21
##
```

```
str(EPA.PM25.2018)
```

```
## 'data.frame': 8983 obs. of 20 variables:
## $ Date : Factor w/ 365 levels "01/01/2018","01/02/2018",...: 2 5 8 11 14 17 ...
## $ Source : Factor w/ 1 level "AQS": 1 1 1 1 1 1 1 1 1 1 ...
## $ Site.ID : int 370110002 370110002 370110002 370110002 370110002 370110002 370110002 370110002 370110002 370110002 ...
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Mean.PM2.5.Concentration: num 2.9 3.7 5.3 0.8 2.5 4.5 1.8 2.5 4.2 1.7 ...
## $ UNITS : Factor w/ 1 level "ug/m3 LC": 1 1 1 1 1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int 12 15 22 3 10 19 8 10 18 7 ...
## $ Site.Name : Factor w/ 25 levels "", "Blackstone",...: 15 15 15 15 15 15 15 15 15 15 ...
## $ DAILY_OBS_COUNT : int 1 1 1 1 1 1 1 1 1 1 ...
## $ PERCENT_COMPLETE : num 100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE : int 88502 88502 88502 88502 88502 88502 88502 88502 88502 88502 ...
## $ AQS_PARAMETER_DESC : Factor w/ 2 levels "Acceptable PM2.5 AQI & Speciation Mass",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ CBSA_CODE : int NA NA NA NA NA NA NA NA NA NA ...
## $ CBSA_NAME : Factor w/ 14 levels "", "Asheville, NC",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ STATE_CODE : int 37 37 37 37 37 37 37 37 37 37 ...
## $ STATE : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE : int 11 11 11 11 11 11 11 11 11 11 ...
## $ COUNTY : Factor w/ 21 levels "Avery", "Buncombe",...: 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE : num 36 36 36 36 36 ...
## $ SITE_LONGITUDE : num -81.9 -81.9 -81.9 -81.9 -81.9 ...
```

```
dim(EPA.PM25.2018)
```

```
## [1] 8983 20
```

```
colnames(EPA.PM25.2019) #data for pm25 2019
```

```
## [1] "Date" "Source"
## [3] "Site.ID" "POC"
## [5] "Daily.Mean.PM2.5.Concentration" "UNITS"
## [7] "DAILY_AQI_VALUE" "Site.Name"
## [9] "DAILY_OBS_COUNT" "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE" "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE" "CBSA_NAME"
```

```
## [15] "STATE_CODE"           "STATE"
## [17] "COUNTY_CODE"        "COUNTY"
## [19] "SITE_LATITUDE"       "SITE_LONGITUDE"
```

```
summary(EPA.PM25.2019)
```

```
##           Date      Source      Site.ID      POC
## 02/26/2019: 41   AirNow:1670   Min.    :370110002   Min.    :1.000
## 01/21/2019: 40   AQS      :6911   1st Qu.:370630015   1st Qu.:3.000
## 02/14/2019: 40           Median :371190041   Median :3.000
## 01/09/2019: 39           Mean  :371023743   Mean   :3.032
## 01/27/2019: 39           3rd Qu.:371290002   3rd Qu.:3.000
## 02/02/2019: 39           Max.    :371830021   Max.    :5.000
## (Other)      :8343
## Daily.Mean.PM2.5.Concentration      UNITS      DAILY_AQI_VALUE
## Min.    : -3.100                ug/m3 LC:8581   Min.    : 0.00
## 1st Qu.: 4.900                1st Qu.:20.00
## Median : 7.400                Median :31.00
## Mean    : 7.684                Mean   :31.51
## 3rd Qu.:10.100                3rd Qu.:42.00
## Max.    :31.200                Max.    :91.00
##
##           Site.Name      DAILY_OBS_COUNT PERCENT_COMPLETE
## Millbrook School      : 738   Min.    :1      Min.    :100
## Garinger High School: 629   1st Qu.:1      1st Qu.:100
## Remount                : 573   Median :1      Median :100
## Hickory Water Tower   : 518   Mean    :1      Mean    :100
## Hattie Avenue         : 436   3rd Qu.:1      3rd Qu.:100
## Durham Armory          : 431   Max.    :1      Max.    :100
## (Other)                :5256
## AQS_PARAMETER_CODE      AQS_PARAMETER_DESC
## Min.    :88101      Acceptable PM2.5 AQI & Speciation Mass:1029
## 1st Qu.:88101      PM2.5 - Local Conditions      :7552
## Median :88101
## Mean    :88149
## 3rd Qu.:88101
## Max.    :88502
##
##           CBSA_CODE      CBSA_NAME      STATE_CODE
## Min.    :11700      Raleigh, NC      :1441   Min.    :37
## 1st Qu.:19000      Charlotte-Concord-Gastonia, NC-SC:1379   1st Qu.:37
## Median :25860      Winston-Salem, NC      :1235   Median :37
## Mean    :31099           :1058   Mean    :37
## 3rd Qu.:40580      Hickory-Lenoir-Morganton, NC      : 518   3rd Qu.:37
## Max.    :49180      Durham-Chapel Hill, NC      : 431   Max.    :37
## NA's    :1058      (Other)                :2519
##
##           STATE      COUNTY_CODE      COUNTY      SITE_LATITUDE
## North Carolina:8581   Min.    : 11.0   Mecklenburg:1379   Min.    :34.36
##                      1st Qu.: 63.0   Wake           :1083   1st Qu.:35.26
##                      Median :119.0   Forsyth        : 839   Median :35.73
##                      Mean    :102.4   Catawba        : 518   Mean    :35.63
##                      3rd Qu.:129.0   Durham         : 431   3rd Qu.:35.91
##                      Max.    :183.0   Cumberland     : 427   Max.    :36.51
##                      (Other)   :3904
## SITE_LONGITUDE
```

```
## Min.      :-83.44
## 1st Qu.   :-80.87
## Median    :-80.23
## Mean      :-79.95
## 3rd Qu.   :-78.57
## Max.      :-76.21
##
```

```
str(EPA.PM25.2019)
```

```
## 'data.frame':    8581 obs. of  20 variables:
## $ Date          : Factor w/ 365 levels "01/01/2019","01/02/2019",...: 3 6 9 12 15 18
## $ Source         : Factor w/ 2 levels "AirNow","AQS": 2 2 2 2 2 2 2 2 2 2 ...
## $ Site.ID        : int   370110002 370110002 370110002 370110002 370110002 370110002 1
## $ POC            : int    1 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Mean.PM2.5.Concentration: num   1.6 1 1.3 6.3 2.6 1.2 1.5 1.5 3.7 1.6 ...
## $ UNITS          : Factor w/ 1 level "ug/m3 LC": 1 1 1 1 1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int    7 4 5 26 11 5 6 6 15 7 ...
## $ Site.Name      : Factor w/ 25 levels "", "Board Of Ed. Bldg.",...: 14 14 14 14 14 14 1
## $ DAILY_OBS_COUNT : int    1 1 1 1 1 1 1 1 1 1 1 ...
## $ PERCENT_COMPLETE : num   100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE : int   88502 88502 88502 88502 88502 88502 88502 88502 88502 88502
## $ AQS_PARAMETER_DESC : Factor w/ 2 levels "Acceptable PM2.5 AQI & Speciation Mass",...: 1
## $ CBSA_CODE       : int    NA NA NA NA NA NA NA NA NA NA ...
## $ CBSA_NAME       : Factor w/ 14 levels "", "Asheville, NC",...: 1 1 1 1 1 1 1 1 1 1 ..
## $ STATE_CODE      : int    37 37 37 37 37 37 37 37 37 37 ...
## $ STATE           : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE     : int    11 11 11 11 11 11 11 11 11 11 ...
## $ COUNTY          : Factor w/ 21 levels "Avery","Buncombe",...: 1 1 1 1 1 1 1 1 1 1 ..
## $ SITE_LATITUDE   : num    36 36 36 36 36 ...
## $ SITE_LONGITUDE  : num   -81.9 -81.9 -81.9 -81.9 -81.9 ...
```

```
dim(EPA.PM25.2019)
```

```
## [1] 8581    20
```

```
colnames(EPA.03.2018) #data for 03 2018
```

```
## [1] "Date"
## [2] "Source"
## [3] "Site.ID"
## [4] "POC"
## [5] "Daily.Max.8.hour.Ozone.Concentration"
## [6] "UNITS"
## [7] "DAILY_AQI_VALUE"
## [8] "Site.Name"
## [9] "DAILY_OBS_COUNT"
## [10] "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"
## [12] "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"
## [14] "CBSA_NAME"
## [15] "STATE_CODE"
## [16] "STATE"
## [17] "COUNTY_CODE"
## [18] "COUNTY"
```

```
## [19] "SITE_LATITUDE"
## [20] "SITE_LONGITUDE"
```

```
summary(EPA.03.2018)
```

```
##          Date      Source      Site.ID      POC
## 04/01/2018: 40    AQS:9737    Min. :370030005    Min. :1
## 04/12/2018: 40          1st Qu.:370650099    1st Qu.:1
## 04/13/2018: 40          Median :371010002    Median :1
## 04/14/2018: 40          Mean  :370969118    Mean  :1
## 04/15/2018: 40          3rd Qu.:371290002    3rd Qu.:1
## 04/18/2018: 40          Max.   :371990004    Max.   :1
## (Other)      :9497
## Daily.Max.8.hour.Ozone.Concentration UNITS      DAILY_AQI_VALUE
## Min.      :0.00200          ppm:9737    Min.      : 2.00
## 1st Qu.:0.03400          1st Qu.: 31.00
## Median :0.04200          Median : 39.00
## Mean    :0.04194          Mean    : 40.22
## 3rd Qu.:0.04900          3rd Qu.: 45.00
## Max.    :0.07700          Max.    :122.00
##
##          Site.Name      DAILY_OBS_COUNT PERCENT_COMPLETE
## Coweeta      : 355    Min.      :12.00    Min.      : 71.00
## Garinger High School: 354    1st Qu.:17.00    1st Qu.:100.00
## Millbrook School : 352    Median :17.00    Median :100.00
## Candor        : 335    Mean    :16.94    Mean     : 99.65
## Rockwell      : 335    3rd Qu.:17.00    3rd Qu.:100.00
## Cranberry     : 323    Max.     :17.00    Max.     :100.00
## (Other)       :7683
## AQS_PARAMETER_CODE AQS_PARAMETER_DESC      CBSA_CODE
## Min.      :44201      Ozone:9737      Min.      :11700
## 1st Qu.:44201          1st Qu.:16740
## Median :44201          Median :24660
## Mean    :44201          Mean    :27247
## 3rd Qu.:44201          3rd Qu.:39580
## Max.    :44201          Max.    :49180
##                      NA's      :2609
##                      CBSA_NAME      STATE_CODE      STATE
##                      :2609    Min.      :37    North Carolina:9737
## Charlotte-Concord-Gastonia, NC-SC:1338    1st Qu.:37
## Asheville, NC          : 927    Median :37
## Winston-Salem, NC      : 725    Mean    :37
## Raleigh, NC           : 585    3rd Qu.:37
## Hickory-Lenoir-Morganton, NC : 477    Max.     :37
## (Other)                :3076
## COUNTY_CODE      COUNTY      SITE_LATITUDE      SITE_LONGITUDE
## Min.      : 3.00    Forsyth      : 725    Min.      :34.36    Min.      : -83.80
## 1st Qu.: 65.00    Haywood      : 683    1st Qu.:35.26    1st Qu.: -82.05
## Median :101.00    Mecklenburg: 592    Median :35.55    Median : -80.34
## Mean    : 96.78    Avery        : 558    Mean    :35.62    Mean    : -80.42
## 3rd Qu.:129.00    Swain        : 483    3rd Qu.:36.03    3rd Qu.: -78.90
## Max.    :199.00    Cumberland   : 444    Max.     :36.31    Max.     : -76.62
##                      (Other)      :6252
```

```
str(EPA.03.2018)
```

```
## 'data.frame': 9737 obs. of 20 variables:
## $ Date : Factor w/ 364 levels "01/01/2018","01/02/2018",...: 60 61 62
## $ Source : Factor w/ 1 level "AQS": 1 1 1 1 1 1 1 1 1 1 ...
## $ Site.ID : int 370030005 370030005 370030005 370030005 370030005 370030005
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Max.8.hour.Ozone.Concentration: num 0.043 0.046 0.047 0.049 0.047 0.03 0.036 0.044 0.049 0
## $ UNITS : Factor w/ 1 level "ppm": 1 1 1 1 1 1 1 1 1 1 ...
## $ DAILY_AQI_VALUE : int 40 43 44 45 44 28 33 41 45 40 ...
## $ Site.Name : Factor w/ 40 levels "", "Beaufort",...: 35 35 35 35 35 35 35 35 35 35
## $ DAILY_OBS_COUNT : int 17 17 17 17 17 17 17 17 17 17 ...
## $ PERCENT_COMPLETE : num 100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE : int 44201 44201 44201 44201 44201 44201 44201 44201 44201 44201
## $ AQS_PARAMETER_DESC : Factor w/ 1 level "Ozone": 1 1 1 1 1 1 1 1 1 1 ...
## $ CBSA_CODE : int 25860 25860 25860 25860 25860 25860 25860 25860 25860 25860
## $ CBSA_NAME : Factor w/ 17 levels "", "Asheville, NC",...: 9 9 9 9 9 9 9 9 9 9
## $ STATE_CODE : int 37 37 37 37 37 37 37 37 37 37 ...
## $ STATE : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE : int 3 3 3 3 3 3 3 3 3 3 ...
## $ COUNTY : Factor w/ 32 levels "Alexander", "Avery",...: 1 1 1 1 1 1 1 1 1 1
## $ SITE_LATITUDE : num 35.9 35.9 35.9 35.9 35.9 ...
## $ SITE_LONGITUDE : num -81.2 -81.2 -81.2 -81.2 -81.2 ...
```

```
dim(EPA.03.2018)
```

```
## [1] 9737 20
```

```
colnames(EPA.03.2019) #data for 03 2019
```

```
## [1] "Date"
## [2] "Source"
## [3] "Site.ID"
## [4] "POC"
## [5] "Daily.Max.8.hour.Ozone.Concentration"
## [6] "UNITS"
## [7] "DAILY_AQI_VALUE"
## [8] "Site.Name"
## [9] "DAILY_OBS_COUNT"
## [10] "PERCENT_COMPLETE"
## [11] "AQS_PARAMETER_CODE"
## [12] "AQS_PARAMETER_DESC"
## [13] "CBSA_CODE"
## [14] "CBSA_NAME"
## [15] "STATE_CODE"
## [16] "STATE"
## [17] "COUNTY_CODE"
## [18] "COUNTY"
## [19] "SITE_LATITUDE"
## [20] "SITE_LONGITUDE"
```

```
summary(EPA.03.2019)
```

```
##           Date           Source      Site.ID           POC
## 03/18/2019: 38   AirNow:2126   Min.       :370030005   Min.       :1
## 03/19/2019: 38   AQS           1st Qu.:370630015   1st Qu.:1
```

```

## 03/20/2019: 38 Median :370870036 Median :1
## 03/23/2019: 38 Mean :370960317 Mean :1
## 03/24/2019: 38 3rd Qu.:371290002 3rd Qu.:1
## 03/25/2019: 38 Max. :371990004 Max. :1
## (Other) :10364
## Daily.Max.8.hour.Ozone.Concentration UNITS DAILY_AQI_VALUE
## Min. :0.00000 ppm:10592 Min. : 0.0
## 1st Qu.:0.03600 1st Qu.: 33.0
## Median :0.04400 Median : 41.0
## Mean :0.04331 Mean : 41.2
## 3rd Qu.:0.05000 3rd Qu.: 46.0
## Max. :0.08100 Max. :136.0
##
## Site.Name DAILY_OBS_COUNT PERCENT_COMPLETE
## Garinger High School: 363 Min. :13.00 Min. : 75.00
## Millbrook School : 362 1st Qu.:17.00 1st Qu.:100.00
## Coweeta : 361 Median :17.00 Median :100.00
## Rockwell : 361 Mean :18.34 Mean : 99.69
## Candor : 358 3rd Qu.:17.00 3rd Qu.:100.00
## Cranberry : 351 Max. :24.00 Max. :100.00
## (Other) :8436
## AQS_PARAMETER_CODE AQS_PARAMETER_DESC CBSA_CODE
## Min. :44201 Ozone:10592 Min. :11700
## 1st Qu.:44201 1st Qu.:16740
## Median :44201 Median :24660
## Mean :44201 Mean :26617
## 3rd Qu.:44201 3rd Qu.:37080
## Max. :44201 Max. :49180
## NA's :2852
## CBSA_NAME STATE_CODE STATE
## :2852 Min. :37 North Carolina:10592
## Charlotte-Concord-Gastonia, NC-SC:1590 1st Qu.:37
## Asheville, NC :1114 Median :37
## Winston-Salem, NC : 735 Mean :37
## Raleigh, NC : 646 3rd Qu.:37
## Hickory-Lenoir-Morganton, NC : 567 Max. :37
## (Other) :3088
## COUNTY_CODE COUNTY SITE_LATITUDE SITE_LONGITUDE
## Min. : 3.0 Haywood : 864 Min. :34.36 Min. : -83.80
## 1st Qu.: 63.0 Forsyth : 735 1st Qu.:35.26 1st Qu.: -82.05
## Median : 87.0 Mecklenburg: 657 Median :35.59 Median : -80.34
## Mean : 95.9 Avery : 607 Mean :35.61 Mean : -80.41
## 3rd Qu.:129.0 Cumberland : 498 3rd Qu.:36.03 3rd Qu.: -78.77
## Max. :199.0 Swain : 476 Max. :36.31 Max. : -76.62
## (Other) :6755

```

```
str(EPA.03.2019)
```

```

## 'data.frame': 10592 obs. of 20 variables:
## $ Date : Factor w/ 365 levels "01/01/2019","01/02/2019",...: 1 2 3 4 ...
## $ Source : Factor w/ 2 levels "AirNow","AQS": 1 1 1 1 1 1 1 1 1 1 ...
## $ Site.ID : int 370030005 370030005 370030005 370030005 370030005 370030005 ...
## $ POC : int 1 1 1 1 1 1 1 1 1 1 ...
## $ Daily.Max.8.hour.Ozone.Concentration: num 0.029 0.018 0.016 0.022 0.037 0.037 0.029 0.038 0.038 ...
## $ UNITS : Factor w/ 1 level "ppm": 1 1 1 1 1 1 1 1 1 1 ...

```



```
## $ DAILY_AQI_VALUE      : int  27 17 15 20 34 34 27 35 35 28 ...
## $ Site.Name            : Factor w/ 38 levels "", "Beaufort",...: 33 33 33 33 33 33 33 33 33 33 ...
## $ DAILY_OBS_COUNT      : int  24 24 24 24 24 24 24 24 24 24 24 ...
## $ PERCENT_COMPLETE     : num  100 100 100 100 100 100 100 100 100 100 100 ...
## $ AQS_PARAMETER_CODE   : int  44201 44201 44201 44201 44201 44201 44201 44201 44201 44201 44201 ...
## $ AQS_PARAMETER_DESC   : Factor w/ 1 level "Ozone": 1 1 1 1 1 1 1 1 1 1 1 ...
## $ CBSA_CODE            : int  25860 25860 25860 25860 25860 25860 25860 25860 25860 25860 25860 ...
## $ CBSA_NAME            : Factor w/ 15 levels "", "Asheville, NC",...: 8 8 8 8 8 8 8 8 8 8 8 ...
## $ STATE_CODE           : int  37 37 37 37 37 37 37 37 37 37 37 ...
## $ STATE                : Factor w/ 1 level "North Carolina": 1 1 1 1 1 1 1 1 1 1 1 ...
## $ COUNTY_CODE          : int  3 3 3 3 3 3 3 3 3 3 3 ...
## $ COUNTY               : Factor w/ 30 levels "Alexander", "Avery",...: 1 1 1 1 1 1 1 1 1 1 1 ...
## $ SITE_LATITUDE        : num  35.9 35.9 35.9 35.9 35.9 ...
## $ SITE_LONGITUDE       : num  -81.2 -81.2 -81.2 -81.2 -81.2 ...
```

```
dim(EPA.03.2019)
```

```
## [1] 10592    20
```

Wrangle individual datasets to create processed files.

3. Change date to a date object
4. Select the following columns: Date, DAILY_AQI_VALUE, Site.Name, AQS_PARAMETER_DESC, COUNTY, SITE_LATITUDE, SITE_LONGITUDE
5. For the PM2.5 datasets, fill all cells in AQS_PARAMETER_DESC with “PM2.5” (all cells in this column should be identical).
6. Save all four processed datasets in the Processed folder. Use the same file names as the raw files but replace “raw” with “processed”.

```
#3 changing date to make a date format for all 4 datasets
```

```
EPA.PM25.2018$Date <- as.Date(EPA.PM25.2018$Date, format = "%m/%d/%Y")
```

```
EPA.PM25.2019$Date <- as.Date(EPA.PM25.2019$Date, format = "%m/%d/%Y")
```

```
EPA.03.2018$Date <- as.Date(EPA.03.2018$Date, format = "%m/%d/%Y")
```

```
EPA.03.2019$Date <- as.Date(EPA.03.2019$Date, format = "%m/%d/%Y")
```

```
#4 selecting columns
```

```
EPA.PM25.2018.select <- select(EPA.PM25.2018, Date, DAILY_AQI_VALUE:Site.Name,
                              AQS_PARAMETER_DESC, COUNTY:SITE_LONGITUDE)
```

```
EPA.PM25.2019.select <- select(EPA.PM25.2019, Date, DAILY_AQI_VALUE:Site.Name,
                              AQS_PARAMETER_DESC, COUNTY:SITE_LONGITUDE)
```

```
EPA.03.2018.select <- select(EPA.03.2018, Date, DAILY_AQI_VALUE:Site.Name,
                              AQS_PARAMETER_DESC, COUNTY:SITE_LONGITUDE)
```

```
EPA.03.2019.select <- select(EPA.03.2019, Date, DAILY_AQI_VALUE:Site.Name,
                              AQS_PARAMETER_DESC, COUNTY:SITE_LONGITUDE)
```

```
#5 adding to column
```

```

EPA.PM25.2018.select$AQ5_PARAMETER_DESC <- "PM2.5" #changing entries in column
#to PM2.5
View(EPA.PM25.2018.select) #checking to see if its correct

EPA.PM25.2019.select$AQ5_PARAMETER_DESC <- "PM2.5" #changing entries in column
#to PM2.5
View(EPA.PM25.2019.select)
#6 saving processed files for all 4 datasets

write.csv(EPA.PM25.2018.select,
          row.names = FALSE,
          file = "./Data/Processed/EPA_PM25_NC2018_Processed.csv")

write.csv(EPA.PM25.2019.select,
          row.names = FALSE,
          file = "./Data/Processed/EPA_PM25_NC2019_Processed.csv")

write.csv(EPA.O3.2018.select,
          row.names = FALSE,
          file = "./Data/Processed/EPA_O3_NC2018_Processed.csv")

write.csv(EPA.O3.2019.select,
          row.names = FALSE,
          file = "./Data/Processed/EPA_O3_NC2019_Processed.csv")

```

Combine datasets

7. Combine the four datasets with `rbind`. Make sure your column names are identical prior to running this code.
8. Wrangle your new dataset with a pipe function (`%>%`) so that it fills the following conditions:
 - Filter records to include just the sites that the four data frames have in common: “Linville Falls”, “Durham Armory”, “Leggett”, “Hattie Avenue”, “Clemmons Middle”, “Mendenhall School”, “Frying Pan Mountain”, “West Johnston Co.”, “Garinger High School”, “Castle Hayne”, “Pitt Agri. Center”, “Bryson City”, “Millbrook School”. (The `intersect` function can figure out common factor levels if we didn’t give you this list…)
 - Some sites have multiple measurements per day. Use the split-apply-combine strategy to generate daily means: group by date, site, aqs parameter, and county. Take the mean of the AQI value, latitude, and longitude.
 - Add columns for “Month” and “Year” by parsing your “Date” column (hint: `lubridate` package)
 - Hint: the dimensions of this dataset should be 14,752 x 9.
9. Spread your datasets such that AQI values for ozone and PM2.5 are in separate columns. Each location on a specific date should now occupy only one row.
10. Call up the dimensions of your new tidy dataset.
11. Save your processed dataset with the following file name: “EPAair_O3_PM25_NC2122_Processed.csv”

#7 combining all 4 datasets

```

EPA.PM031819.comb <- rbind(EPA.PM25.2018.select, EPA.PM25.2019.select,
                          EPA.O3.2018.select, EPA.O3.2019.select)

```

*#8 using pipes to wrangle the data filtering by site name, group by
#date, site, aqs param, and county
#find mean of daily aqi, lat and long, and create month and year*

```
EPA.PM031819.comb <- EPA.PM031819.comb %>%
  filter(Site.Name %in% c("Linville Falls", "Durham Armory",
                        "Leggett", "Hattie Avenue", "Clemmons Middle",
                        "Mendenhall School", "Frying Pan Mountain",
                        "West Johnston Co.", "Garinger High School",
                        "Castle Hayne", "Pitt Agri. Center", "Bryson City",
                        "Millbrook School")) %>%
  group_by(Date, Site.Name, AQS_PARAMETER_DESC, COUNTY) %>%
  summarise(mean_AQI = mean(EPA.PM031819.comb$DAILY_AQI_VALUE),
            mean_lat = mean(EPA.PM031819.comb$SITE_LATITUDE),
            mean_long = mean(EPA.PM031819.comb$SITE_LONGITUDE)) %>%
  mutate(Month = month(Date)) %>%
  mutate(Year = year(Date))
```

`summarise()` has grouped output by 'Date', 'Site.Name', 'AQS_PARAMETER_DESC'. You can override using

#9 spreading the data using the pivot wider function

```
EPA.PM031819.spread <- pivot_wider(EPA.PM031819.comb,
                                   names_from = AQS_PARAMETER_DESC,
                                   values_from = mean_AQI)
```

#10 dimensions of new dataset

```
dim(EPA.PM031819.spread)
```

```
## [1] 8976    9
```

#11 saving processed files

```
write.csv(EPA.PM031819.spread,
          row.names = FALSE,
          file = "./Data/Processed/EPAair_03_PM25_NC2122_Processed.csv")
```

Generate summary tables

12a. Use the split-apply-combine strategy to generate a summary data frame from your results from Step 9 above. Data should be grouped by site, month, and year. Generate the mean AQI values for ozone and PM2.5 for each group.

12b. BONUS: Add a piped statement to 12a that removes rows where both mean ozone and mean PM2.5 have missing values.

13. Call up the dimensions of the summary dataset.

#12(a,b) using the aplt-apply combine to get summary and getting rid of na's

```
EPA.summaries <-
  EPA.PM031819.spread %>%
  group_by(Site.Name, Month, Year) %>%
  summarise(meanAQI_Ozone = mean(Ozone),
            meanAQI_PM25 = mean(PM2.5))
```

`summarise()` has grouped output by 'Site.Name', 'Month'. You can override using the `.groups` argument

#taking out the NAs

```
EPA.summaries <-
  EPA.PM031819.spread %>%
```

```
group_by(Site.Name, Month, Year) %>%  
  summarise(meanAQI_Ozone = mean(Ozone),  
            meanAQI_PM25 = mean(PM2.5)) %>%  
  drop_na(meanAQI_Ozone, meanAQI_PM25)
```

`summarise()` has grouped output by 'Site.Name', 'Month'. You can override using the `.groups` argument

#13 finding dimensions of summarized data

```
dim(EPA.summaries)
```

```
## [1] 101 5
```

14. Why did we use the function `drop_na` rather than `na.omit`?

Answer:

While they both remove NA's, `drop_na` is part of the tidyverse package while `na.omit` is not.